TOPTUL®
THE MARK OF PROFESSIONAL TOOLS
the choice of professionals

Master Tool Sets Professional

mechanical tool sets with mobile trolley and cabinet.

01



GENERAL WORKSHOP EQUIPMENT

EPE Foam Modular Insert Tray System

EPE Foam Modular Tool Control System

Spanner & Socket sets and tool kits now feature new EPE form insert trays to reduce wear on tools and keep them well-organized. Ideal for tool cabinet arrangements or tool box storage.

New Innovated EPE Foam

High identification, oil resistance and practicality are the notable features of this new innovated EPE Foam.

The special, new developed material on top carbon fibre type covered EPE foam is one-piece formed.
The top grade cover can resist liquids and it can be easily cleaned with a washer.
These new EPE form trays are precisely made and cut by CNC machinery, each cavity is purposely designed for each tool to ensure a perfect fit. The top carbon fibre type covered with high visible printing design and green base, will assist user to instantly recognize if all tools have been returned after use.

SPECIALLY ASSEMBLED

FOR AUDI AND VOLKSWAGEN

282PCS

W/7-Drawer Tool Trolley

ITEM NO.
1 GE-28207
2 GE-28208
3 GE-28209
4 GE-28210

W/7-Drawer Tool Trolley - 282PCS Mechanical Tool Set

	CONTENTS	DESCRIPTION
1ST	GED3701	37 Combination, Double Open End & Double Ring Wrench Set
2ND	GED3102	31 Screwdriver Set
3RD	GEDC803	128 1/4" & 3/8" DR. Flank Socket Wrench Set
4TH	GED6504	65 1/2" DR. Flank Socket Set
5TH	GED2105	21 Hammer, Punch, Chisel & Plier Set

※For more detailed product information about TOPTUL new insert tool trays and sets, please check TOPTUL product catalogue EMT-0116.

5 DRAWER TOOLS

FOR AUDI AND VOLKSWAGEN



1ST DRAWER
GED3701



2ND DRAWER
GED3102



3RD DRAWER
GEDC803

4TH DRAWER
GED6504

5TH DRAWER
GED2105

Master Tool Sets

W/7 DRAWER TOOL TROLLEY

W/7 DRAWER TOOL TROLLEY

5 DRAWER TOOLS

214PCS	
ITEM NO.	1 GE-21407 2 GE-21408 3 GE-21410 4 GE-21409

W/7-Drawer Tool Trolley

W/7-Drawer Tool Trolley - 214PCS Mechanical Tool Set

	CONTENTS	DESCRIPTION
1ST	GED3710	37 Combination, Double Open End & Double Ring Wrench Set
2ND	GED2007	20 Hex Nutspinner & L-Type Two Way Ball Point Key Wrench Set
3RD	GEDC611	126 1/4", 3/8" & 1/2" DR. Flank Socket Set
4TH	GED1912	19 Adjustable Wrench, Plier & Screwdriver Set
5TH	GED1209	12 Combination Tool Set

※For more detailed product information about TOPTUL new insert tool trays and sets, please check TOPTUL product catalogue EMT-0116.

· Rounded Edge & Recessed-Frame Sidewall Body Construction

· Smooth Ball Bearing Slides W/Safety Internal Drawer Locking System

· Central Locking System W/Smart Foldable Key

· Compatible with All TOPTUL Drawer Insert Tool Sets

· Heavy Duty 5"x 2" Anti-Slip & Shockproof TPR Casters with Lock

· Large Arc-Shaped Side Handle

5 DRAWER TOOLS



1ST DRAWER

GED3710

2ND DRAWER

GED2007

3RD DRAWER

GEDC611

4TH DRAWER

GED1912

5TH DRAWER

GED1209

Master Tool Sets

261PCS W/7-Drawer Tool Trolley

PRO-PLUS SERIES

ITEM NO. GE-26107

ITEM NO. GE-26108

ITEM NO. GE-26110

ITEM NO. GE-26109

PRO-LINE SERIES

ITEM NO. GE-26103

ITEM NO. GE-26104

GENERAL SERIES

ITEM NO. GE-26105

ITEM NO. GE-26106

5 DRAWER TOOLS

W/7-Drawer Tool Trolley - 261PCS Mechanical Tool Set

	CONTENTS		DESCRIPTION
1ST	GED2813	28	Combination & Double Ring Wrench Set
2ND	GEA5004	50	1/4" Dr. Socket Set
	GEC3901	39	1/2" Dr. Socket Set
3RD	GEC6102	61	Star Wrench, Socket & Screwdriver Set
	GEA3005	30	3/8" Dr. Socket Set
4TH	GEB2501	25	1/2" Dr. Bit Socket Set
	GEB1203	12	Screwdriver Set
5TH	GEA0811	8	Hammer, Punch & Chisel Set
	GEA0407	4	Pliers Assortment Set
	GEA0408	4	Retaining Ring Pliers Set

※For more detailed product information about TOPTUL new insert tool trays and sets, please check TOPTUL product catalogue EMT-0116.

5 DRAWER TOOLS


1ST DRAWER

GED2813

2ND DRAWER

GEA5004	GEC3901

3RD DRAWER

GEC6102	GEA3005

4TH DRAWER

GEB2501	GEB1203

5TH DRAWER

GEA0811	GEA0407	GEA0408

W/8 DRAWER TOOL TROLLEY

322PCS
ITEM NO.
GE-32203

W/8-Drawer Tool Trolley - 322PCS Mechanical Tool Set

	CONTENTS		DESCRIPTION
1ST	GED2813	28	Combination & Double Ring Wrench Set
2ND	GEA1001	10	Pro-Series Reversible Ratchet Combination Wrench Set
	GEA1102	11	Double Open Wrench Set
	GEA0703	7	Double End Swivel-Socket Wrench Set
3RD	GEA5004	50	1/4" Dr. Socket Set
	GEC3901	39	1/2" Dr. Socket Set
4TH	GEC6102	61	Star Wrench, Socket & Screwdriver Set
	GEA3005	30	3/8" Dr. Socket Set
5TH	GEB2501	25	1/2" Dr. Bit Socket Set
	GEB2902	29	1/2" Dr. Impact Socket Set
6TH	GEA0306	3	Pliers Assortment Set
	GEA0407	4	Pliers Assortment Set
	GEA0408	4	Retaining Ring Pliers Set
7TH	GEA0909	9	Screwdriver Set
	GEA0410	4	Hex Nut Driver T-Handle Set
	GEA0811	8	Hammer, Punch & Chisel Set

※For more detailed product information about TOPTUL new insert tool trays and sets, please check TOPTUL product catalogue EMT-0116.

7 DRAWER TOOLS

PRO-PLUS SERIES GRAY

7 DRAWER TOOLS


1ST DRAWER

GED2813


2ND DRAWER

GEA1001	GEA1102	GEA0703


3RD DRAWER

GEA5004	GEC3901


4TH DRAWER

GEC6102	GEA3005

5TH DRAWER

GEB2501	GEB2902

6TH DRAWER

GEA0306	GEA0407	GEA0408

7TH DRAWER

GEA0909	GEA0410	GEA0811

PROFESSIONAL
MECHANICAL TOOL SETS

GENERAL WORKSHOP EQUIPMENT

EPE Foam Modular Insert Tray System

EPE Foam Modular Tool Control System

Spanner & Socket sets and tool kits now feature new EPE form insert trays to reduce wear on tools and keep them well-organized. Ideal for tool cabinet arrangements or tool box storage.

EPE tool control system trays are designed to use in professional workshops. The top grade quality "high density closed cell" EPE form tray resists to liquids and will not become tacky or sticky. It can be easily clean with a pressure washer. These EPE form trays are precisely made and cut by CNC machinery, each cavity is purposely designed for each tool to ensure a perfect fit. The black top and vivid green base makes it possible to instantly recognize if all tools have been returned after use.

280PCS W/7-Drawer Tool Trolley

PRO-PLUS SERIES

ITEM NO. GV-28007

ITEM NO. GV-28008

ITEM NO. GV-28010

ITEM NO. GV-28009

6 DRAWER TOOLS

W/7-Drawer Tool Trolley - 280PCS Mechanical Tool Set

	CONTENTS	DESCRIPTION
1ST	GVD2803	28 Combination & Double Ring Wrench Set
2ND	GVA5004	50 1/4" Dr. Socket Set
	GVC3903	39 1/2" Dr. Socket Set
3RD	GVC6101	61 Star Wrench, Socket & Screwdriver Set
	GVA3002	30 3/8" Dr. Socket Set
4TH	GVB2503	25 1/2" Dr. Bit Socket Set
	GVB1202	12 Screwdriver Set
5TH	GVA0301	3 Pliers Assortment Set
	GVA0405	4 Pliers Assortment Set
	GVA0807	8 Hammer, Punch & Chisel Set
6TH	GVD2010	20 3/4" Dr. Socket Set

※For more detailed product information about TOPTUL EPE foam modular tool trays and sets, please check TOPTUL product catalogue EMT-0116.

PRO-LINE SERIES

ITEM NO. GV-28003

ITEM NO. GV-28004

GENERAL SERIES

ITEM NO. GV-28005

ITEM NO. GV-28006

6 DRAWER TOOLS

1ST DRAWER

GVD2803

2ND DRAWER

GVA5004	GVC3903

3RD DRAWER

GVC6101	GVA3002



4TH DRAWER

GVB2503	GVB1202



5TH DRAWER

GVA0301	GVA0405	GVA0807

6TH DRAWER

GVD2010

Master Tool Sets

W/4 DRAWER TOOL CHEST + W/7 DRAWER TOOL TROLLEY

Satin Chrome Finished

PRO-PLUS SERIES GRAY

367PCS

9 DRAWER TOOLS

ITEM NO.

GW-08807(W/4) + GV-27909(W/7)

9 DRAWER TOOLS

88PCS W/4 DRAWER TOOL CHEST

W/4-Drawer Tool Chest - 88PCS Mechanical Tool Set

	CONTENTS	DESCRIPTION
1ST	GVC2604	26 15° Offset Hi-Performance Combination Wrench Set
	GVA1017	10 Pro-Series Reversible Ratchet Combination Wrench Set
2ND	GVC1202	12 75° Offset Double Ring Wrench Set
	GVA1103	11 Double Open Wrench Set
3RD	GVA0711	7 Double End Swivel-Socket Wrench Set
	GVA0410	4 Hex Nut Driver T-Handle Set
	GVA0716	7 L-Type Two Way Hex Key Wrench Set
4TH	GVA0301	3 Pliers Assortment Set
	GVA0405	4 Pliers Assortment Set
	GVA0406	4 Retaining Ring Pliers Set

279PCS W/7 DRAWER TOOL TROLLEY

W/7-Drawer Tool Trolley - 279PCS Mechanical Tool Set

	CONTENTS	DESCRIPTION
1ST	GVA3002	30 3/8" DR. Socket Set
	GVC3903	39 1/2" DR. Socket Set
2ND	GVC6101	61 Star Wrench, Socket & Screwdriver Set
	GVA5004	50 1/4" DR. Socket Set
3RD	GVB2503	25 1/2" DR. Bit Socket Set
	GVB1202	12 Screwdriver Set
4TH	GVB0904	9 Hammer, Punch & Chisel Set
	GVB0701	7 File Tool Set
5TH	GVD4602	46 1/2" DR. Torque Wrench & Air Impact Wrench Socket Set

※ For more detailed product information about TOPTUL EPE foam modular tool trays and sets, please check TOPTUL product catalogue EMT-0116.

88PCS W/4 DRAWER TOOL CHEST

4 DRAWER TOOLS



1ST DRAWER

GVC2604	GVA1017



2ND DRAWER

GVC1202	GVA1103



3RD DRAWER

GVA0711	GVA0410	GVA0716

4TH DRAWER

GVA0301	GVA0405	GVA0406

279PCS W/7 DRAWER TOOL TROLLEY

5 DRAWER TOOLS



1ST DRAWER

GVA3002	GVC3903

5TH DRAWER

GVD4602

2ND DRAWER

GVC6101	GVA5004



3RD DRAWER

GVB2503	GVB1202

4TH DRAWER

GVB0904	GVB0701



Master Tool Sets

W/7 DRAWER TOOL TROLLEY

NEW PRO-LINE SERIES GRAY

6 DRAWER TOOLS

338PCS

ITEM NO.

GV-33813

W/7-Drawer Tool Trolley

W/7-Drawer Tool Trolley - 338PCS Mechanical Tool Set

	CONTENTS	DESCRIPTION
1ST	GVD2801	28 Combination & Double Ring Wrench Set
	GVA1017	10 Pro-Series Reversible Ratchet Combination Wrench Set
2ND	GVA5004	50 1/4" Dr. Socket Set
	GVA3002	30 3/8" Dr. Socket Set
	GVC3903	39 1/2" Dr. Socket Set
3RD	GVB2503	25 1/2" Dr. Bit Socket Set
	GVB2906	29 1/2" Dr. Impact Socket Set
	GVA0715	7 L-Type Two Way Ball Point & Hex Key Wrench Set
4TH	GVC6101	61 Star Wrench, Socket & Screwdriver Set
	GVA0405	4 Pliers Assortment Set
	GVA0301	3 Pliers Assortment Set
5TH	GVB1202	12 Screwdriver Set
	GVB0904	9 Hammer, Punch & Chisel Set
	GVA0406	4 Retaining Ring Pilers Set
6TH	GVD2010	20 3/4" Dr. Socket Set
	GVA0711	7 Double End Swivel-Socket Wrench Set

※ For more detailed product information about TOPTUL EPE foam modular tool trays and sets, please check individual combination set in TOPTUL product catalogue EMT-0116.

· Smart Foldable Key

· 12mm PVC Material Top Mat

· Bottle Holder Design also fits the Hole System, directly hanging on the sidewall of trolley without screws. For storing, cleaning products, sprays and etc.

· Rounded Edge & Recessed-Frame Sidewall Body Construction

· Heavy Duty 5"x2" Anti-Slip & Shockproof TPR Casters with Lock

JUMBO MODEL

PRO-LINE SERIES
ITEM NO. GV-33813

3RD DRAWER

GVB2503	GVB2906	GVA0715

4TH DRAWER

GVC6101	GVA0405	GVA0301

6 DRAWER TOOLS

1ST DRAWER

GVD2801	GVA1017

5TH DRAWER

GVB1202	GVB0904	GVA0406

2ND DRAWER

GVA5004	GVA3002	GVC3903

6TH DRAWER

GVD2010	GVA0711

W/7 DRAWER TOOL TROLLEY

PRO-PLUS SERIES
1 GREEN

PRO-PLUS SERIES
2 RED

PRO-PLUS SERIES
3 BLUE

5 DRAWER TOOLS

PRO-PLUS SERIES
4 GRAY

320PCS
5 DRAWER
ITEM NO.
1 GT-32007
2 GT-32008
3 GT-32010
4 GT-32009

W/7-Drawer Tool Trolley - 320PCS Mechanical Tool Set

	CONTENTS	DESCRIPTION
1ST	GTA1638	16 15° Offset Hi-Performance Combination Wrench Set
	GTA1541	15 Pro-Series Reversible Ratchet Combination Wrench Set
	GTA1804	18 Double Open End Wrench & Hex Key Wrench Set
	GTA0801	8 75° Offset Double Ring Wrench Set
2ND	GTA2414	24 1/2" DR. Bit Socket Set
	GTB7202	72 1/4" DR. Socket & Ball Point Hex Key Wrench Set
	GTB2504	25 1/2" DR. Flank Socket Set
3RD	GTA2234	22 Screw Repair Tools Set
	GTB4006	40 Star & Tamperproof Socket Wrench Set
	GTB3503	35 3/8" DR. Socket Set
4TH	GTA0315	3 Adjustable Wrench & Pliers Set
	GTA0416	4 Pliers Assortment Set
	GTA0417	4 Retaining Ring Pliers Set
	GTA0823	8 Slotted & Phillips Screwdriver Set
5TH	GTA0724	7 Chisels & Hammers Set
	GTB0808	8 Hacksaw, Adjustable Wrench & Pin Punch Set
	GTB1107	11 Measuring, Marking & Cutting Tool Set

※For more detailed product information about TOPTUL new insert tool trays and sets, please check TOPTUL product catalogue MT-0116.

5 DRAWER TOOLS

1ST DRAWER

GTA1638	GTA1541	GTA1804	GTA0801

2ND DRAWER

GTA2414	GTB7202
	GTB2504

3RD DRAWER

GTA2234	GTB4006
	GTB3503

4TH DRAWER

GTA0315	GTA0416	GTA0417	GTA0823

5TH DRAWER

GTA0724	GTB0808
	GTB1107

Master Tool Sets

W/8-Drawer Tool Trolley - 383PCS Mechanical Tool Set

	CONTENTS	DESCRIPTION
1ST	GTA0710	7 Double End Swivel-Socket Wrench Set
	GTA1804	18 Double Open End Wrench & Hex Key Wrench Set
	GTA1638	16 15° Offset Hi-Performance Combination Wrench Set
	GTA0439	4 15° Offset Hi-Performance Combination Wrench Set
2ND	GTA1012	10 Angled Socket Wrench Set
	GTA0611	6 Flare Nut Wrench Set
	GTA1541	15 Pro-Series Reversible Ratchet Combination Wrench Set
	GTA0801	8 75° Offset Double Ring Wrench Set
3RD	GTA2234	22 Screw Repair Tools Set
	GTB7202	72 1/4" DR. Socket & Ball Point Hex Key Wrench Set
	GTB3503	35 3/8" DR. Socket Set
4TH	GTA2414	24 1/2" DR. Bit Socket Set
	GTB2305	23 1/2" DR. Deep Flank Socket Set
	GTB2504	25 1/2" DR. Flank Socket Set
5TH	GTA0823	8 Slotted & Phillips Screwdriver Set
	GTB4006	40 Star & Tamperproof Socket Wrench Set
	GTB0811	8 L-Type Two Way Ball Point & Hex Key Wrench Set
6TH	GTA0315	3 Adjustable Wrench & Pliers Set
	GTA0416	4 Pliers Assortment Set
	GTA0417	4 Retaining Ring Pliers Set
	GTA0532	5 File Set
7TH	GTA0724	7 Chisels & Hammers Set
	GTB0808	8 Hacksaw, Adjustable Wrench & Pin Punch Set
	GTB1107	11 Measuring, Marking & Cutting Tool Set

※For more detailed product information about TOPTUL new insert tool trays and sets, please check TOPTUL product catalogue MT-0116.

W/8 DRAWER TOOL TROLLEY

7 DRAWER TOOLS

383PCS

ITEM NO.

GT-38303

PRO-PLUS SERIES GRAY

7 DRAWER TOOLS

1ST DRAWER

GTA0710	GTA1804	GTA1638	GTA0439

2ND DRAWER

GTA1012	GTA0611	GTA1541	GTA0801

3RD DRAWER

GTA2234	GTB7202
	GTB3503

4TH DRAWER

GTA2414	GTB2305
	GTB2504

5TH DRAWER

GTA0823	GTB4006
	GTB0811

6TH DRAWER

GTA0315	GTA0416	GTA0417	GTA0532

7TH DRAWER

GTA0724	GTB0808
	GTB1107

W/7 DRAWER TOOL TROLLEY

5 DRAWER TOOLS

283PCS

ITEM NO.

1 GT-28307 2 GT-28308
3 GT-28303 4 GT-28304
5 GT-28305 6 GT-28306

W/7-Drawer Tool Trolley

W/7-Drawer Tool Trolley - 283PCS Mechanical Tool Set

	CONTENTS	DESCRIPTION
1ST	GTA1607	16 15° Offset Super-Torque Combination Wrench Set
	GTA0408	4 15° Offset Super-Torque Combination Wrench Set
	GTA0905	9 Double Open End Wrench Set
	GTA0801	8 75° Offset Double Ring Wrench Set
2ND	GTA2234	22 Screw Repair Tools Set
	GTB7202	72 1/4" DR. Socket & Ball Point Hex Key Wrench Set
	GTB3503	35 3/8" DR. Socket Set
3RD	GTA2414	24 1/2" DR. Bit Socket Set
	GTB2305	23 1/2" DR. Deep Flank Socket Set
	GTB2504	25 1/2" DR. Flank Socket Set
4TH	GTC1401	14 Slotted & Phillips Screwdriver Set
	GTC0903	9 L-Type Two Way Ball Point & Hex Key Wrench Set
5TH	GTA0416	4 Pliers Assortment Set
	GTA0417	4 Retaining Ring Pliers Set
	GTA0427	4 Hammer & Soft Grip Chisel Set
	GTA1025	10 Soft Grip Chisel & Punch Set

※For more detailed product information about TOPTUL new insert tool trays and sets, please check TOPTUL product catalogue MT-0116.

5 DRAWER TOOLS

1ST DRAWER

GTA1607	GTA0408	GTA0905	GTA0801

2ND DRAWER

GTA2234	GTB7202
	GTB3503

3RD DRAWER

GTA2414	GTB2305
	GTB2504

4TH DRAWER

GTC1401	GTC0903

5TH DRAWER

GTA0416	GTA0417	GTA0427	GTA1025

JUMBO

50% MORE SPACE

W/8 DRAWER TOOL TROLLEY

A	360PCS
ITEM NO.	GT-36001
B	340PCS
ITEM NO.	GT-34001

GENERAL SERIES
- 8 Drawer Jumbo Roller Cabinet

NEW MECHANICS TOOL SETS

GENERAL SERIES TOOL TROLLEY
- 8 Fully Extendable Jumbo Size Drawers
- Smooth Ball Bearing Slide Drawers with Auto-Return Function
- 10mm EVA Material Top Mat
- Heavy Duty 5"x2" Anti-Slip & Shockproof TPR Casters With Lock (2 Fixed Casters & 2 Swivel Casters with Lock)

A 360PCS
W/8-Drawer Tool Trolley

W/8-Drawer Tool Trolley - 360PCS Mechanical Tool Set

	CONTENTS		DESCRIPTION
1ST	GTA1541	15	Pro-Series Reversible Ratchet Combination Wrench Set
	GTA0408	4	15° Offset Super-Torque Combination Wrench Set
	GTA1607	16	15° Offset Super-Torque Combination Wrench Set
	GTA0710	7	Double End Swivel-Socket Wrench Set
	GTA0905	9	Double Open End Wrench Set
	GTA0801	8	75° Offset Double Ring Wrench Set
2ND	GTB7202	72	1/4" DR. Socket & Ball Point Hex Key Wrench Set
	GTB3503	35	3/8" DR. Socket Set
	GTB2504	25	1/2" DR. Flank Socket Set
	GTB2305	23	1/2" DR. Deep Flank Socket Set
3RD	GTA2234	22	Screw Repair Tools Set
	GTA2414	24	1/2" DR. Bit Socket Set
	GTA1836	18	1/2" DR. Flank Impact Socket Set
	GTA0818	8	Star Tamperproof Screwdriver Set
	GTC1401	14	Slotted & Phillips Screwdriver Set
4TH	GTA0315	3	Adjustable Wrench & Pliers Set
	GTA0416	4	Pliers Assortment Set
	GTA0427	4	Hammer & Soft Grip Chisel Set
	GTA0532	5	File Set
	GTA0417	4	Retaining Ring Pliers Set
	GTA1025	10	Soft Grip Chisel & Punch Set
5TH	GTA1031	10	Measuring, Marking & Cutting Tool Set
	GTC0903	9	L-Type Two Way Ball Point & Hex Key Wrench Set
	GTA0333	3	Cutting Tools Set
	GTC0802	8	Hex Nut Driver T-Handle Set

B 340PCS
W/8-Drawer Tool Trolley

W/8-Drawer Tool Trolley - 340PCS Mechanical Tool Set

	CONTENTS		DESCRIPTION
1ST	GTA1804	18	Double Open End Wrench & Hex Key Wrench Set
	GTA0408	4	15° Offset Super-Torque Combination Wrench Set
	GTA1607	16	15° Offset Super-Torque Combination Wrench Set
	GTA1541	15	Pro-Series Reversible Ratchet Combination Wrench Set
	GTA0403	4	75° Offset Double Ring Wrench Set
	GTA0801	8	75° Offset Double Ring Wrench Set
2ND	GTA0315	3	Adjustable Wrench & Pliers Set
	GTA0416	4	Pliers Assortment Set
	GTA0710	7	Double End Swivel-Socket Wrench Set
	GTA0724	7	Chisels & Hammers Set
	GTA0417	4	Retaining Ring Pliers Set
	GTA0611	6	Flare Nut Wrench Set
3RD	GTB7202	72	1/4" DR. Socket & Ball Point Hex Key Wrench Set
	GTB3503	35	3/8" DR. Socket Set
	GTB2504	25	1/2" DR. Flank Socket Set
	GTB0609	6	Torque Wrench, Adaptor & Ratchet Handle Set
4TH	GTA0230	2	Pipe Wrench & Ball Peen Hammer Set
	GTA1213	12	1/2" DR. Bit Socket Set
	GTA0621	6	Go-Thru Slotted & Phillips Screwdriver Set
	GTA0532	5	File Set
	GTA0135	6	Hand Riveter Set
	GTA0819	8	Star Screwdriver Set
5TH	GTB4006	40	Star & Tamperproof Socket Wrench Set
	GTB0811	8	L-Type Two Way Ball Point & Hex Key Wrench Set
	GTB0808	8	Hacksaw, Adjustable Wrench & Pin Punch Set
	GTB1107	11	Measuring, Marking & Cutting Tool Set

※For more detailed product information about TOPTUL new insert tool trays and sets, please check TOPTUL product catalogue MT-0116.

5 DRAWER TOOLS

A 360PCS

	CONTENTS
1ST	GTA1541, GTA0408, GTA1607, GTA0710, GTA0905, GTA0801
2ND	GTB7202, GTB3503, GTB2504, GTB2305
3RD	GTA2234, GTA2414, GTA1836, GTA0818, GTC1401
4TH	GTA0315, GTA0416, GTA0427, GTA0532, GTA0417, GTA1025
5TH	GTA1031, GTC0903, GTA0333, GTC0802

B 340PCS

	CONTENTS
1ST	GTA1804, GTA0408, GTA1607, GTA1541, GTA0403, GTA0801
2ND	GTA0315, GTA0416, GTA0710, GTA0724, GTA0417, GTA0611
3RD	GTB7202, GTB3503, GTB2504, GTB0609
4TH	GTA0230, GTA1213, GTA0621, GTA0532, GTA0135, GTA0819
5TH	GTB4006, GTB0811, GTB0808, GTB1107

A 360PCS

1ST DRAWER

GTA1541	GTA0710
GTA0408	GTA0905
GTA1607	GTA0801

2ND DRAWER

GTB7202	GTB3503	GTB2504	GTB2305



3RD DRAWER

GTA2234	GTA0818
GTA2414	GTC1401
GTA1836	

4TH DRAWER

GTA0315	GTA0532
GTA0416	GTA0417
GTA0427	GTA1025

5TH DRAWER

GTA1031	GTA0333
GTC0903	GTC0802

B 340PCS

1ST DRAWER

GTA1804	GTA1541
GTA0408	GTA0403
GTA1607	GTA0801

2ND DRAWER

GTA0315	GTA0724
GTA0416	GTA0417
GTA0710	GTA0611

3RD DRAWER

GTB7202	GTB3503	GTB2504	GTB0609

4TH DRAWER

GTA0230	GTA0532
GTA1213	GTA0135
GTA0621	GTA0819

5TH DRAWER

GTB4006	GTB0811	GTB0808	GTB1107

TOPTUL®
THE MARK OF PROFESSIONAL TOOLS the choice of professionals

Master Tool Sets

Professional

19 mechanical tool sets with mobile trolley and cabinet.

PROFESSIONAL
MECHANICAL TOOL SETS

305PCS W/7-Drawer Tool Trolley

5 DRAWER TOOLS

Satin Chrome Finished

ITEM NO. GCAJ305G

ITEM NO. GCAJ305R

ITEM NO. GCAJ305N

ITEM NO. GCAJ305B

W/7-Drawer Tool Trolley - 305PCS Mechanical Tool Set

	CONTENTS	DESCRIPTION	PAGE
1ST	GAAT1301	13 15° Offset Hi-Performance Combination Wrench Set	31
	GAAT0817	8 Pro-Series Ratchet Combination Wrench Set	33
	GAAT1802	18 Double Open End Wrench & Hex Key Wrench Set	32
	GAAT0802	8 75° Offset Double Ring Wrench Set	32
2ND	GCAT2001	20 3/8" Dr. Socket Set	34
	GCAT2507	25 1/2" Dr. Socket Set	39
	GCAT7202	72 1/4" Dr. Socket & Ball Point Hex Key Wrench Set	38
3RD	GAAT6502	65 Star Socket, Key Wrench & Bit Set	33
	GCAT1807	18 1/2" Dr. Flank Impact Socket Set	33
	GAAT0805	8 Slotted & Phillips Screwdriver Set	36
	GAAT0807	8 Star Tamperproof Screwdriver Set	36
4TH	GBAT0303	3 Adjustable Wrench & Pliers Set	35
	GBAT0402	4 Pliers Assortment Set	35
	GBAT0401	4 Retaining Ring Pliers Set	35
	GCAT0701	7 Chisels & Hammers Set	35
5TH	GBAT0501	5 File Set	35
	GAAT0811	8 L-Type Two Way Ball Point & Hex Key Wrench Set	40
	GCAT1101	11 Measuring, Marking & Cutting Tool Set	40

1ST DRAWER

GAAT1301	GAAT0817	GAAT1802	GAAT0802

2ND DRAWER

GCAT2001	GCAT2507
	GCAT7202

3RD DRAWER

GAAT6502	GCAT1807	GAAT0805	GAAT0807

4TH DRAWER

GBAT0303	GBAT0402	GBAT0401	GCAT0701

5TH DRAWER

GBAT0501	GAAT0811
	GCAT1101

Master Tool Sets

315PCS W/8-Drawer Tool Trolley

7 DRAWER TOOLS

PRO-PLUS SERIES GRAY
Satin Chrome Finished

1ST DRAWER

GAAT2403	GAAT2202
	GCAT2402

2ND DRAWER

GCAT5001	GCAT2001	GAAT2302	GAAT1202

3RD DRAWER

GAAT0702	GAAT1003	GAAT0502	GAAT0802

4TH DRAWER

GAAT0817	GAAT0814
	GAAT1604

5TH DRAWER

GAAT0805	GAAT0807	GBAT0501	GCAT1807

ITEM NO. GCAJ315B

W/8-Drawer Tool Trolley - 315PCS Mechanical Tool Set

	CONTENTS	DESCRIPTION	PAGE
1ST	GAAT2403	24 1/2" Dr. Bit Socket Set	33
	GAAT2202	22 1/2" Dr. Deep Flank Socket Set	39
	GCAT2402	24 1/2" Dr. Socket Set	39
2ND	GCAT5001	50 1/4" Dr. Socket Set	34
	GCAT2001	20 3/8" Dr. Socket Set	34
	GAAT2302	23 Star Wrench, Sockets & Key Wrench Set	33
	GAAT1202	12 1/2" Dr. Bit Socket Set	33
3RD	GAAT0702	7 Double End Swivel-Socket Wrench Set	32
	GAAT1003	10 Double Open End Wrench Set	32
	GAAT0502	5 Flare Nut Wrench Set	32
	GAAT0802	8 75° Offset Double Ring Wrench Set	32
4TH	GAAT0817	8 Pro-Series Ratchet Combination Wrench Set	33
	GAAT0814	8 L-Type Two Way Hex Key Wrench Set	40
	GAAT1604	16 15° Offset Hi-Performance Combination Wrench Set	38
5TH	GAAT0805	8 Slotted & Phillips Screwdriver Set	36
	GAAT0807	8 Star Tamperproof Screwdriver Set	36
	GBAT0501	5 File Set	35
	GCAT1807	18 1/2" Dr. Flank Impact Socket Set	33
6TH	GBAT0303	3 Adjustable Wrench & Pliers Set	35
	GBAT0402	4 Pliers Assortment Set	35
	GBAT0401	4 Retaining Ring Pliers Set	35
	GBAT0201	2 Pipe Wrench & Ball Peen Hammer Set	35
7TH	GCAT0701	7 Chisels & Hammers Set	35
	GCAT0801	8 Hacksaw, Adjustable Wrench & Pin Punch Set	40
	GCAT1101	11 Measuring, Marking & Cutting Tool Set	40

6TH DRAWER

GBAT0303	GBAT0402	GBAT0401	GBAT0201

7TH DRAWER

GCAT0701	GCAT0801
	GCAT1101

229PCS W/7-Drawer Tool Trolley

5 DRAWER TOOLS

Satin Chrome Finished

ITEM NO. GCAJ229G

ITEM NO. GCAJ229R

ITEM NO. GCAJ229N

ITEM NO. GCAJ229B

1ST DRAWER

GAAT0402	GAAT0802	GAAT1802	GAAT1205

2ND DRAWER

GAAT0407	GAAT1002
	GAAT1603

3RD DRAWER

GCAT1808	GCAT2402
	GCAT7202

4TH DRAWER

GBAT0303	GBAT0402	GBAT0401	GBAT0501

5TH DRAWER

GAAT0805	GAAT0811
	GCAT1101

W/7-Drawer Tool Trolley - 229PCS Mechanical Tool Set

	CONTENTS	DESCRIPTION	PAGE
1ST	GAAT0402	4 75° Offset Double Ring Wrench Set	32
	GAAT0802	8 75° Offset Double Ring Wrench Set	32
	GAAT1802	18 Double Open End Wrench & Hex Key Wrench Set	32
	GAAT1205	12 Pro-Series Reversible Ratchet Combination Wrench Set	33
2ND	GAAT0407	4 15° Offset Super-Torque Combination Wrench Set	31
	GAAT1002	10 Angled Socket Wrench Set	37
	GAAT1603	16 15° Offset Super-Torque Combination Wrench Set	38
3RD	GCAT1808	18 3/8" Dr. Socket Set	34
	GCAT2402	24 1/2" Dr. Socket Set	39
	GCAT7202	72 1/4" Dr. Socket & Ball Point Hex Key Wrench Set	38
4TH	GBAT0303	3 Adjustable Wrench & Pliers Set	35
	GBAT0402	4 Pliers Assortment Set	35
	GBAT0401	4 Retaining Ring Pliers Set	35
	GBAT0501	5 File Set	35
5TH	GAAT0805	8 Slotted & Phillips Screwdriver Set	36
	GAAT0811	8 L-Type Key Wrench Set	40
	GCAT1101	11 Measuring, Marking & Cutting Tool Set	40

Master Tool Sets

227PCS

W/7-Drawer Tool Trolley

PRO-PLUS SERIES

5 DRAWER TOOLS

Satin Chrome Finished

W/7-Drawer Tool Trolley - 227PCS Mechanical Tool Set

	CONTENTS	DESCRIPTION	PAGE
1ST	GAAT0702	7 Double End Swivel-Socket Wrench Set	32
	GAAT1802	18 Double Open End Wrench & Hex Key Wrench Set	32
	GAAT1205	12 Pro-Series Reversible Ratchet Combination Wrench Set	33
	GAAT0802	8 75° Offset Double Ring Wrench Set	32
2ND	GBAT0303	3 Adjustable Wrench & Pliers Set	35
	GBAT0402	4 Pliers Assortment Set	35
	GBAT0401	4 Retaining Ring Pliers Set	35
	GAAT0805	8 Slotted & Phillips Screwdriver Set	36
3RD	GCAT0701	7 Chisels & Hammers Set	35
	GAAT1603	16 15° Offset Super-Torque Combination Wrench Set	38
	GCAT0801	8 Hacksaw, Adjustable Wrench & Pin Punch Set	40
4TH	GAAT1202	12 1/2" Dr. Bit Socket Set	33
	GCAT2402	24 1/2" Dr. Socket Set	39
	GCAT7202	72 1/4" Dr. Socket & Ball Point Hex Key Wrench Set	38
5TH	GBAT0501	5 File Set	35
	GAAT0811	8 L-Type Two Way Ball Point & Hex Key Wrench Set	40
	GCAT1101	11 Measuring, Marking & Cutting Tool Set	40

NEW PRO-LINE SERIES

PRO-LINE SERIES

GENERAL SERIES

W/7-Drawer Tool Trolley
5 DRAWER TOOLS

1ST DRAWER

GAAT0702	GAAT1802	GAAT1205	GAAT0802

2ND DRAWER

GBAT0303	GBAT0402	GBAT0401	GAAT0805

3RD DRAWER

GCAT0701	GAAT1603
	GCAT0801

4TH DRAWER

GAAT1202	GCAT2402
	GCAT7202

5TH DRAWER

GBAT0501	GAAT0811
	GCAT1101

Master Tool Sets

275PCS W/7-Drawer Tool Trolley

PRO-PLUS SERIES

Satin Chrome Finished

W/7-Drawer Tool Trolley - 275PCS Mechanical Tool Set

	CONTENTS	DESCRIPTION	PAGE
1ST	GAAT0402	4 75° Offset Double Ring Wrench Set	32
	GAAT0802	8 75° Offset Double Ring Wrench Set	32
	GAAT0406	4 Double Open End Wrench Set	32
	GAAT1802	18 Double Open End Wrench & Hex Key Wrench Set	32
2ND	GAAT0407	4 15° Offset Super-Torque Combination Wrench Set	31
	GCAT0801	8 Hacksaw, Adjustable Wrench & Pin Punch Set	40
	GAAT1603	16 15° Offset Super-Torque Combination Wrench Set	38
3RD	GCAT2502	25 3/8" Dr. Flank Socket Set	34
	GCAT2402	24 1/2" Dr. Socket Set	39
	GCAT7202	72 1/4" Dr. Socket & Ball Point Hex Key Wrench Set	38
4TH	GAAT0702	7 Double End Swivel-Socket Wrench Set	32
	GAAT1205	12 Pro-Series Reversible Ratchet Combination Wrench Set	33
	GAAT2302	23 Star Wrench, Sockets & Key Wrench Set	33
	GCAT0701	7 Chisels & Hammers Set	35
5TH	GBAT0303	3 Adjustable Wrench & Pliers Set	35
	GBAT0402	4 Pliers Assortment Set	35
	GBAT0401	4 Retaining Ring Pliers Set	35
	GAAT0805	8 Slotted & Phillips Screwdriver Set	36
6TH	GBAT0501	5 File Set	35
	GAAT0811	8 L-Type Two Way Ball Point & Hex Key Wrench Set	40
	GCAT1101	11 Measuring, Marking & Cutting Tool Set	40

1ST DRAWER

GAAT0402	GAAT0802	GAAT0406	GAAT1802

2ND DRAWER

GAAT0407	GCAT0801	GAAT1603

3RD DRAWER

GCAT2502	GCAT2402	GCAT7202

4TH DRAWER

GAAT0702	GAAT1205	GAAT2302	GCAT0701

5TH DRAWER

GBAT0303	GBAT0402	GBAT0401	GAAT0805

6TH DRAWER

GBAT0501	GAAT0811	GCAT1101

6 DRAWER TOOLS

NEW PRO-LINE SERIES

PRO-LINE SERIES

GENERAL SERIES

1ST DRAWER

GCAT0701	GCAT2402
	GCAT7202

2ND DRAWER

GBAT0303	GBAT0402	GBAT0401	GAAT0805

3RD DRAWER

GAAT0802	GAAT1603
	GCAT1101

GENERAL SERIES

ITEM NO. GCAJ0006

157PCS W/3-Drawer Tool Chest

Satin Chrome Finished

NEW PRO-LINE SERIES

PRO-LINE SERIES

GENERAL SERIES

W/3-Drawer Tool Chest - 157PCS Mechanical Tool Set

	CONTENTS	DESCRIPTION	PAGE
1ST	GCAT0701	7 Chisels & Hammers Set	35
	GCAT2402	24 1/2" Dr. Socket Set	39
	GCAT7202	72 1/4" Dr. Socket & Ball Point Hex Key Wrench Set	38
2ND	GBAT0303	3 Adjustable Wrench & Pliers Set	35
	GBAT0402	4 Pliers Assortment Set	35
	GBAT0401	4 Retaining Ring Pliers Set	35
	GAAT0805	8 Slotted & Phillips Screwdriver Set	36
3RD	GAAT0802	8 75° Offset Double Ring Wrench Set	32
	GAAT1603	16 15° Offset Super-Torque Combination Wrench Set	38
	GCAT1101	11 Measuring, Marking & Cutting Tool Set	40

PRO-LINE SERIES

ITEM NO. GCAZ0018(W/3)

157PCS W/5-Drawer Tool Trolley

3 Medium & 2 Large Drawers (W)687 x (D)459 x (H)840 mm

- 10mm EVA Material Top Mat
- Long-Life Drawers with Ball Bearing Slides

1ST DRAWER

2ND DRAWER

3RD DRAWER

Satin Chrome Finished

W/5-Drawer Tool Trolley - 157PCS Mechanical Tool Set

	CONTENTS	DESCRIPTION	PAGE
1ST	GCAT0701	7 Chisels & Hammers Set	35
	GCAT2402	24 1/2" Dr. Socket Set	39
	GCAT7202	72 1/4" Dr. Socket & Ball Point Hex Key Wrench Set	38
2ND	GBAT0303	3 Adjustable Wrench & Pliers Set	35
	GBAT0402	4 Pliers Assortment Set	35
	GBAT0401	4 Retaining Ring Pliers Set	35
	GAAT0805	8 Slotted & Phillips Screwdriver Set	36
3RD	GAAT0802	8 75° Offset Double Ring Wrench Set	32
	GAAT1603	16 15° Offset Super-Torque Combination Wrench Set	38
	GCAT1101	11 Measuring, Marking & Cutting Tool Set	40

Master Tool Sets

333PCS W/3-Drawer Tool Chest + W/7-Drawer Tool Trolley

Satin Chrome Finished

Pro-Line Series

- Heavy Duty Work Table
- Long-Life Drawers with Ball Bearing Slides
- One Drawer Openable Internal Locking Design
- Anti-Slip & Shockproof 5"x2" TPR Casters

W/3-Drawer Tool Chest - 104PCS Mechanical Tool Set

	CONTENTS	DESCRIPTION	PAGE
1ST	GAAT0702	7 Double End Swivel-Socket Wrench Set	32
	GAAT0502	8 Flare Nut Wrench Set	32
	GAAT2302	23 Star Socket Wrench Set	33
	GAAT1202	12 1/2" Dr. Bit Socket Set	33
2ND	GCAT1807	18 1/2" Dr. Impact Socket Set	33
	GBAT0201	2 Ball Peen Hammers & Heavy Duty Pipe Wrench Set	35
	GAAT0101	6 Hand Riveter Set	36
	GAAT0807	8 Star Tamperproof Screwdriver Set	36
3RD	GCAT0701	7 Chisels & Hammers Set	35
	GCAT0801	8 Hacksaw, Adjustable Wrench & Pin Punch Set	40
	GCAT0803	8 Torque Wrench & Ratchet Handle Set	37

W/7-Drawer Tool Trolley - 229PCS Mechanical Tool Set

	CONTENTS	DESCRIPTION	PAGE
1ST	GAAT0402	4 75° Offset Double Ring Wrench Set	32
	GAAT0802	8 75° Offset Double Ring Wrench Set	32
	GAAT1802	18 Double Open End Wrench & Hex Key Wrench Set	32
	GAAT1205	12 Pro-Series Reversible Ratchet Combination Wrench Set	33
2ND	GAAT0407	4 15° Offset Super-Torque Combination Wrench Set	31
	GAAT1002	10 Angled Socket Wrench Set	37
	GAAT1603	16 15° Offset Super-Torque Combination Wrench Set	38
3RD	GCAT1808	18 3/8" Dr. Socket Set	34
	GCAT2402	24 1/2" Dr. Socket Set	39
	GCAT7202	72 1/4" Dr. Socket & Ball Point Hex Key Wrench Set	38
4TH	GBAT0303	3 Adjustable Wrench & Pliers Set	35
	GBAT0402	4 Pliers Assortment Set	35
	GBAT0401	4 Retaining Ring Pliers Set	35
	GBAT0501	5 File Set	35
5TH	GAAT0805	8 Slotted & Phillips Screwdriver Set	36
	GAAT0811	8 L-Type Key Wrench Set	40
	GCAT1101	11 Measuring, Marking & Cutting Tool Set	40

8 DRAWER TOOLS

(W/3) 104pcs + (W/7) 229pcs

NEW PRO-LINE SERIES

ITEM NO. GCAZ0034 (W/3) ★
GCAJ0040 (W/7) ★

ITEM NO. GCAZ0035 (W/3) ★
GCAJ0041 (W/7) ★

PRO-LINE SERIES

ITEM NO. GCAZ0013 (W/3)
GCAJ0014 (W/7)

ITEM NO. GCAZ0020 (W/3)
GCAJ0022 (W/7)

GENERAL SERIES

ITEM NO. GCAZ0007 (W/3)
GCAJ0008 (W/7)

ITEM NO. GCAZ0033 (W/3)
GCAJ0037 (W/7)

PROFESSIONAL MECHANICAL TOOL SETS ■ **W/3-Drawer Tool Chest 104PCS**

1ST DRAWER

GAAT0702	GAAT0502	GAAT2302	GAAT1202

2ND DRAWER

GCAT1807	GBAT0201	GAAT0101	GAAT0807

3RD DRAWER

GCAT0701	GCAT0801
	GCAT0803

PROFESSIONAL MECHANICAL TOOL SETS ■ **W/7-Drawer Tool Trolley 229PCS**

1ST DRAWER

GAAT0402	GAAT0802	GAAT1802	GAAT1205

2ND DRAWER

GAAT0407	GAAT1002
	GAAT1603

3RD DRAWER

GCAT1808	GCAT2402
	GCAT7202

4TH DRAWER

GBAT0303	GBAT0402	GBAT0401	GBAT0501

5TH DRAWER

GAAT0805	GAAT0811
	GCAT1101

PRO-LINE SERIES

- Smart Folderable Key

- New-Style Plastic Drawer Handle

- Heavy Duty 5"x2" Anti-Slip & Shockproof TPR Casters with Lock

Master Tool Sets

157PCS Tools of Workbench

- TOPTUL Heavy Duty Workbench with Wall Cabinet
- Sturdy Construction for Workshop Applications

ITEM NO. TAAD1602 Heavy Duty Wall Cabinet
(W)1560 x (D)200 x (H)603 mm

ITEM NO. TAAA1607 Heavy Duty Workbench
(W)1560 x (D)710 x (H)827 mm

157PCS MASTER TOOL SETS
ITEM NO. GCAZ0005 (W/3) Drawer Tool Chest
(W)687 x (D)459 x (H)360 mm

ITEM NO. TCAB0501 (W/5) Small 5-Drawer Tool Trolley
(W)569 x (D)340 x (H)769 mm

Assortment Of Tools In Workbench

Mechanical Tool Set

ITEM NO.	DESCRIPTION
TCAB0501	1 Small 5-Drawer Tool Trolley (W)569x(D)340x(H)769 mm
TAAA1607	1 Heavy Duty Workbench (W)1560x(D)710x(H)827 mm
TAAD1602	1 Heavy Duty Wall Cabinet (W)1560x(D)200x(H)603 mm (per cabinet include 20pcs single hook - 2")
GCAZ0005	157 157PCS Professional Mechanical Tool Set W/3-Drawer Tool Chest (W)687x(D)459x(H)360 mm

157PCS MASTER TOOL SETS

ITEM NO. GCAZ0005 (W/3) Drawer Tool Chest
(W)687 x (D)459 x (H)360 mm
Satin Chrome Finished

W/3-Drawer Tool Chest - 157PCS Professional Mechanical Tool Set

	CONTENTS	DESCRIPTION	PAGE
1ST	GCAT0701	7 Chisels & Hammers Set	35
	GCAT2402	24 1/2" Dr. Socket Set	39
	GCAT7202	72 1/4" Dr. Socket & Ball Point Hex Key Wrench Set	38
2ND	GBAT0303	3 Adjustable Wrench & Pliers Set	35
	GBAT0402	4 Pliers Assortment Set	35
	GBAT0401	4 Retaining Ring Pliers Set	35
	GAAT0805	8 Slotted & Phillips Screwdriver Set	36
3RD	GAAT0802	8 75° Offset Double Ring Wrench Set	32
	GAAT1603	16 15° Offset Super-Torque Combination Wrench Set	38
	GCAT1101	11 Measuring, Marking & Cutting Tool Set	40

1ST DRAWER

GCAT0701	GCAT2402
	GCAT7202

2ND DRAWER

GBAT0303	GBAT0402	GBAT0401	GAAT0805

3RD DRAWER

GAAT0802	GAAT1603
	GCAT1101

TOPTUL®

All TOPTUL high quality drawer insert tool sets are currently designed with 2 interchangeable insert tray sizes (A&B) allowing users to mix and match personally best favorite and suitable tool selection within each drawer. Additional 1/3, 1/2 and full size of drawer tool sets are also avaliable for the market in order to satisfy each individuals demand.
TOPTUL mobile tool sets must be your best working partners.

Master Tool Sets

PLASTIC TRAY:

All TOPTUL high quality drawer tool sets are currently designed with 2 interchangeable insert sizes (A&B) allowing users to mix and match personally best favorite and suitable tool selection within each drawer.
Additional 1/3, 1/2 and full size of drawer tool sets are also avaliable for the market in order to satisfy each individuals demand.
TOPTUL mobile tool sets must be your best working partners.







4PCS — Satin Chrome Finished
15° Offset Super-Torque Combination Wrench Set

ITEM NO.	CONTENTS	10 (SET)
GAAT0407	4 AAEW2727~3232 Super-Torque Combination Wrench 15° Offset 27, 29, 30, 32 mm	

4PCS — Satin Chrome Finished
15° Offset Hi-Performance Combination Wrench Set

ITEM NO.	CONTENTS	10 (SET)
GAAT0408	4 AAEX2727~3232 Hi-Performance Combination Wrench 15° Offset 27, 29, 30, 32 mm	

4PCS — Satin Chrome Finished
15° Offset Standard Combination Wrench Set

ITEM NO.	CONTENTS	10 (SET)
GAAT0404	4 AAEB2727~3232 Standard Combination Wrench 15° Offset 27, 29, 30, 32 mm	

13PCS — Satin Chrome Finished
15° Offset Super-Torque Combination Wrench Set (METRIC)

ITEM NO.	CONTENTS	10 (SET)
GAAT1302	13 AAEW0808~2424 Super-Torque Combination Wrench 15° Offset 8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 22, 24 mm	

13PCS — Satin Chrome Finished
15° Offset Hi-Performance Combination Wrench Set (METRIC)

ITEM NO.	CONTENTS	10 (SET)
GAAT1301	13 AAEX0808~2424 Hi-Performance Combination Wrench 15° Offset 8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 22, 24 mm	

13PCS — Satin Chrome Finished
15° Offset Standard Combination Wrench Set (METRIC)



ITEM NO.	CONTENTS	10 (SET)
GAAT1303	13 AAEB0808~2424 Standard Combination Wrench 15° Offset 8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 22, 24 mm	

13PCS — Satin Chrome Finished
15° Offset Super-Torque Combination Wrench Set (SAE)

ITEM NO.	CONTENTS	10 (SET)
GBAT1302	13 ACEW0808~3030 Super-Torque Combination Wrench 15° Offset 1/4", 5/16", 11/32", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16"	

13PCS — Satin Chrome Finished
15° Offset Hi-Performance Combination Wrench Set (SAE)

ITEM NO.	CONTENTS	10 (SET)
GBAT1301	13 ACEX0808~3030 Hi-Performance Combination Wrench 15° Offset 1/4", 5/16", 11/32", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16"	

13PCS — Satin Chrome Finished
15° Offset Standard Combination Wrench Set (SAE)

ITEM NO.	CONTENTS	10 (SET)
GBAT1304	13 ACEB0808~3030 Standard Combination Wrench 15° Offset 1/4", 5/16", 11/32", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16"	

4PCS — Satin Chrome Finished
15° Offset Pro-Line Combination Wrench Set

ITEM NO.	CONTENTS	10 (SET)
GAAT0409	4 AABW2727~3232 Pro-Line Combination Wrench 15° Offset 27, 29, 30, 32 mm	

4PCS — Satin Chrome Finished
Double Open End Wrench Set

ITEM NO.	CONTENTS	10 (SET)
GAAT0406	4 AAEJ2123~2732 Double Open End Wrenches 21x23, 24x26, 25x28, 27x32 mm	

4PCS — Satin Chrome Finished
75° Offset Double Ring Wrench Set

ITEM NO.	CONTENTS	10 (SET)
GAAT0402	4 AAEI2123~2732 Double Ring Wrench 75° Offset 21x23, 24x26, 25x28, 27x32 mm	

13PCS — Satin Chrome Finished
15° Offset Pro-Line Combination Wrench Set

ITEM NO.	CONTENTS	10 (SET)
GAAT1304	13 AABW0808~2424 Pro-Line Combination Wrench 15° Offset 8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 22, 24 mm	

10PCS — Satin Chrome Finished
Double Open End Wrench Set (METRIC)

ITEM NO.	CONTENTS	10 (SET)
GAAT1003	10 AAEJ0607~2427 Double Open End Wrenches 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 21x23, 24x27 mm	

8PCS — Satin Chrome Finished
75° Offset Double Ring Wrench Set

ITEM NO.	CONTENTS	10 (SET)
GAAT0802	8 AAEI0607~2022 Double Ring Wrench 75° Offset 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22 mm	

7PCS — Satin Chrome Finished
Double End Swivel-Socket Wrench Set

ITEM NO.	CONTENTS	10 (SET)
GAAT0702	7 AEEC0607~1819 Double End Swivel-Socket Wrenches 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19 mm	

18PCS — Satin Chrome Finished
Double Open End Wrench & Hex Key Wrench Set

ITEM NO.	CONTENTS	10 (SET)
GAAT1802	9 GAAL0910 Short Type Hex Key Wrench Set 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm	
	9 AAEJ0607~2224 Double Open End Wrenches 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 22x24 mm	

8PCS — Satin Chrome Finished
45° Offset Double Ring Wrench Set (METRIC)

ITEM NO.	CONTENTS	10 (SET)
GAAT0806	8 AAEH0607~2022 Double Ring Wrench 45° Offset 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22 mm	

5PCS — Satin Chrome Finished
Flare Nut Wrench Set

ITEM NO.	CONTENTS	10 (SET)
GAAT0502	5 AEEA0809~1922 Flare Nut Wrenches 8x9, 10x11, 12x13, 14x17, 19x22 mm	

8PCS — Mirror Polished
45° Offset Double Ring Wrench Set (SAE) ★

ITEM NO.	CONTENTS	10 (SET)
GBAT0801	8 ACAH0810~2628 Double Ring Wrench 45° Offset 1/4"x5/16", 5/16"x3/8", 3/8"x7/16", 7/16"x1/2", 9/16"x5/8", 5/8"x11/16", 11/16"x3/4", 13/16"x7/8"	

Master Tool Sets



12PCS — Satin Chrome Finished
Pro-Series Reversible Ratchet Combination Wrench Set

ITEM NO.	CONTENTS	10 (SET)
GAAT1205	12 ABAF0808~1919 Pro-Series Reversible Ratchet Combination Wrenches 8,9,10,11,12,13,14,15,16,17,18,19 mm	

8PCS — Satin Chrome Finished
Pro-Series Ratchet Combination Wrench Set

ITEM NO.	CONTENTS	10 (SET)
GAAT0817	8 AOAF0808~1919 Pro-Series Ratchet Combination Wrenches 8, 10, 11, 12, 13, 14, 17, 19 mm	

8PCS — Mirror Polished
Reversible Ratchet Combination Wrench Set (SAE)

ITEM NO.	CONTENTS	10 (SET)
GBAT0802	8 ADAA1010~2424 72 Teeth Reversible Ratchet Combination Wrenches 5/16",3/8",7/16",1/2",9/16",5/8",11/16",3/4"	

18PCS — Black Phosphate Finished
1/2" DR. Flank Impact Socket Set

ITEM NO.	CONTENTS	10 (SET)
GCAT1807 (6PT)	17 KABA1610~1632 1/2" Dr. 6PT Flank Impact Sockets 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 23, 24, 27, 30, 32 mm 1 KACE1605 1/2" Dr. Impact Extension Bar - 5" (L)	

12PCS — Satin Chrome Finished
1/2" DR. Bit Socket Set

ITEM NO.	CONTENTS	10 (SET)
GAAT1202	1 BCTA1605 ○ 1/2" Dr. Extra Long Hex Bit Socket 5 mm (L=180mm) 2 BCEA1607 & 1608 ○ 1/2" Dr. Long Hex Bit Sockets 7 & 8 mm (L=100mm) 2 BCIA1606 & 1610 ○ 1/2" Dr. Extra Long Hex Bit Sockets 6 & 10 mm (L=140mm) 4 BCJA1606~1612 ○ 1/2" Dr. Long Spline Bit Sockets M6, M8, M10, M12 (L=100mm) 2 BCKA1640 & 1645 ⊙ 1/2" Dr. Extra Long Star Tamperproof Bit Sockets T40 & T45 (L=120mm) 1 BCVA1655 ⊙ 1/2" Dr. Extra Long Star Tamperproof Bit Sockets T55 (L=140mm)	

24PCS — Satin Chrome Finished
1/2" DR. Bit Socket Set

ITEM NO.	CONTENTS	10 (SET)
GAAT2402	7 BCDA1604~1612 ○ 1/2" Dr. Hex Bit Sockets 4, 5, 6, 7, 8, 10, 12 mm 5 BCCA1608~1616 ⊖ 1/2" Dr. Slotted Bit Sockets 8, 10, 12, 14, 16 mm 3 BCAA16P2~16P4 ✚ 1/2" Dr. Phillips Bit Sockets PH2, PH3, PH4 9 BCFA1620~1660 ○ 1/2" Dr. Star Bit Sockets T20,T25,T27,T30,T40,T45,T50,T55,T60	

24PCS — Satin Chrome Finished
1/2" DR. Bit Socket Set

ITEM NO.	CONTENTS	10 (SET)
GAAT2403	2 BCAA16P2 & 16P3 ✚ 1/2" Dr. Phillips Bit Sockets PH2 & PH3 7 BCDA1604~1612 ○ 1/2" Dr. Hex Bit Sockets 4, 5, 6, 7, 8, 10, 12 mm 6 BCHA1606~1616 ○ 1/2" Dr. Spline Bit Sockets M6, M8, M10, M12, M14, M16 9 BCFA1620~1660 ○ 1/2" Dr. Star Bit Sockets T20,T25,T27,T30,T40,T45,T50,T55,T60	

23PCS — Satin Chrome Finished
Star Wrench, Sockets & Key Wrench Set

ITEM NO.	CONTENTS	10 (SET)
GAAT2302	4 BAED0804~0808 1/4" Dr. Star Sockets E4, E5, E6, E8 6 BAED1610~1620 1/2" Dr. Star Sockets E10, E12, E14, E16, E18, E20 4 AAEE0608~2024 Star Wrench E6xE8, E10xE12, E14xE18, E20xE24 9 GAAL0913 Short Type Star Key Wrench Set T10,T15,T20,T25,T27,T30,T40,T45,T50	

65PCS — Satin Chrome Finished
Star Socket, Key Wrench & Bit Set

ITEM NO.	CONTENTS	10 (SET)
GAAT6502	35 GACW3502 1/4" Hex Drive Screwdriver Bit Set Content: 1/4" (H) Quick Change Magnetic Bit Holder ✚ 1/4" Hex Shank Phillips Insert Bits PH1x2pcs, PH2x3pcs, PH3 ✚ 1/4" Hex Shank Pozi Insert Bits PZ1x2pcs, PZ2x3pcs, PZ3 ⊖ 1/4" Hex Shank Slotted Insert Bits 3, 4.5, 5.5, 6.5 mm ○ 1/4" Hex Shank Hexagon Insert Bits 3, 4, 5, 6 mm ○ 1/4" Hex Shank Star Insert Bits T10, T15x2pcs, T20x2pcs, T25x2pcs, T27, T30x2pcs, T40x2pcs ⊙ 1/4" Hex Shank Star Tamperproof Insert Bits - T20, T30 5 BAED0804~0808 1/4" Dr. Star Sockets E4, E5, E6, E7, E8 9 BAED1610~1624 1/2" Dr. Star Sockets E10, E11, E12, E14, E16, E18, E20, E22, E24 6 BCFA1630~1660 1/2" Dr. Star Bit Sockets T30, T40, T45, T50, T55, T60 9 GAAL0913 Short Type Star Key Wrench Set T10,T15,T20,T25,T27,T30,T40,T45,T50 1 FTAB0808 1/4" Dr. x 1/4" (H) Quick Change Bit Holder	

TOPTUL
YOUR BEST WORKING PARTNERS

50PCS — Satin Chrome Finished
1/4" DR. Socket Set (METRIC)

ITEM NO.	CONTENTS	10 (SET)
GCAT5001 (6PT) GCAT5002 (12PT)	10 BAEA0805~0813 1/4" Dr. 6PT Flank Sockets 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13 mm 8 BAEE0806~0813 1/4" Dr. 6PT Deep Flank Sockets 6, 7, 8, 9, 10, 11, 12, 13 mm 3 FSBA0801~0803 1/4" Hex Shank Phillips Insert Bits PH1, PH2, PH3 3 FSCA0801~0803 1/4" Hex Shank Pozi Insert Bits PZ1, PZ2, PZ3 5 FSAA0803~0808 1/4" Hex Shank Slotted Insert Bits 3, 4.5, 5.5, 6.5, 8 mm 5 FSDA0803~0808 1/4" Hex Shank Hexagon Insert Bits 3, 4, 5, 6, 8 mm 8 FSEA0808~0840 1/4" Hex Shank Star Insert Bits T8, T10, T15, T20, T25, T27, T30, T40 1 FTAB0808 1/4" Dr. x 1/4" (H) Quick Change Bit Holder 2 CAAA0802 & 0806 1/4" Dr. Extension Bar - 2" & 6" (L) 1 CAHA0840 1/4" Dr. Universal Joint 1 CTCK0811 1/4" Dr. Sliding T-Handle 1 CAIP0816 1/4" Dr. Spinner Handle 1 CFKA0806 1/4" Dr. Swivel Handle - 6" (L) 1 CJBM0815 1/4" Dr. 72 Teeth Reversible Ratchet Handle with Quick Release	

40PCS — Satin Chrome Finished
1/4" & 3/8" DR. Socket Set (METRIC & SAE)

ITEM NO.	CONTENTS	10 (SET)
GCAT4001 (6PT)	8 BAEA0804~0812 1/4" Dr. 6PT Flank Sockets 4, 5, 6, 7, 8, 9, 10, 12 mm 9 BBEA0806~0816 1/4" Dr. 6PT Flank Sockets 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2" 10 BAEA1209~1219 3/8" Dr. 6PT Flank Sockets 9, 10, 11, 12, 13, 14, 16, 17, 18, 19 mm 7 BBEA1212~1224 3/8" Dr. 6PT Flank Sockets 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4" 1 BAAR1216 3/8" Dr. Spark Plug Socket - 16mm 1 CJBG1220 3/8" Dr. 36 Teeth Reversible Ratchet Handle with Quick Release 1 CAAA1203 3/8" Dr. Extension Bar - 3" (L) 1 ALAC1212 3/8" Dr. Disc 1 CAIP0816 1/4" Dr. Spinner Handle 1 CAEB1208 3/8"(F) x 1/4"(M) Dr. Adapter	

50PCS — Mirror Polished
1/4" DR. Socket Set (SAE)

ITEM NO.	CONTENTS	10 (SET)
GCAT5003 (6PT) GCAT5004 (12PT)	10 BBEA0806~0818 1/4" Dr. 6PT Flank Sockets 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2", 9/16" 8 BBEE0807~0816 1/4" Dr. 6PT Deep Flank Sockets 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2" 3 FSBA0801~0803 1/4" Hex Shank Phillips Insert Bits PH1, PH2, PH3 3 FSCA0801~0803 1/4" Hex Shank Pozi Insert Bits PZ1, PZ2, PZ3 5 FSAA0803~0808 1/4" Hex Shank Slotted Insert Bits 3, 4.5, 5.5, 6.5, 8 mm 5 FSDA0803~0808 1/4" Hex Shank Hexagon Insert Bits 3, 4, 5, 6, 8 mm 8 FSEA0808~0840 1/4" Hex Shank Star Insert Bits T8, T10, T15, T20, T25, T27, T30, T40 1 FTAB0808 1/4" Dr. x 1/4" (H) Quick Change Bit Holder 2 CAAA0802 & 0806 1/4" Dr. Extension Bar - 2" & 6" (L) 1 CAHA0840 1/4" Dr. Universal Joint 1 CTCK0811 1/4" Dr. Sliding T-Handle 1 CAIP0816 1/4" Dr. Spinner Handle 1 CFKA0806 1/4" Dr. Swivel Handle - 6" (L) 1 CJBM0815 1/4" Dr. 72 Teeth Reversible Ratchet Handle with Quick Release	

20PCS — Satin Chrome Finished
3/8" DR. Socket Set

ITEM NO.	CONTENTS	10 (SET)
GCAT2001 (6PT) GCAT2002 (12PT)	13 BAEA1208~1222 3/8" Dr. 6PT Flank Sockets 8, 9, 10, 11, 12, 13, 14, 15, 17, 18, 19, 21, 22 mm 2 CAAA1203 & 1206 3/8" Dr. Extension Bar - 3" & 6" (L) 1 CAHA1254 3/8" Dr. Universal Joint 1 CTCK1220 3/8" Dr. Sliding T-Handle - 8" (L) 1 BAAR1216 3/8" Dr. Spark Plug Socket - 16 mm 1 CFKA1210 3/8" Dr. Swivel Handle - 10" (L) 1 CJBM1220 3/8" Dr. 72 Teeth Reversible Ratchet Handle with Quick Release	

25PCS — Satin Chrome Finished
3/8" DR. Flank Socket Set

ITEM NO.	CONTENTS	10 (SET)
GCAT2502 (6PT) GCAT2504 (12PT)	18 BAEA1206~1224 3/8" Dr. 6PT Flank Sockets 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24 mm 1 CAHA1254 3/8" Dr. Universal Joint 2 CAAA1203 & 1206 3/8" Dr. Extension Bar - 3" & 6" (L) 2 BAAT1216 & 1221 3/8" Dr. Magnetic Spark Plug Socket 16 & 21 mm 1 CTCK1220 3/8" Dr. Sliding T- Handle 1 CJBG1220 3/8" Dr. 36 Teeth Reversible Ratchet Handle with Quick Release	

18PCS — Satin Chrome Finished
3/8" DR. Flank Socket Set

ITEM NO.	CONTENTS	10 (SET)
GCAT1808 (6PT) GCAT1810 (12PT)	13 BAEA1206~1224 3/8" Dr. 6PT Flank Sockets 6,7,8,10,11,12,13,14,17,19,21,22,24 mm 1 CAHA1254 3/8" Dr. Universal Joint 2 CAAA1203 & 1206 3/8" Dr. Extension Bar - 3" & 6" (L) 1 CFAC1210 3/8" Dr. Swivel Handle - 10" (L) 1 CJBM1220 - 6PT 3/8" Dr. 72 Teeth Reversible Ratchet Handle with Quick Release CJBG1220 - 12PT 3/8" Dr. 36 Teeth Reversible Ratchet Handle with Quick Release	

15PCS — Satin Chrome Finished
1/2" DR. Flank Socket Set

ITEM NO.	CONTENTS	10 (SET)
GCAT1502 (6PT) GCAT1504 (12PT)	11 BAEA1608~1624 1/2" Dr. 6PT Flank Sockets 8, 10, 11, 12, 13, 14, 17, 19, 21, 22, 24 mm 1 CAHA1678 1/2" Dr. Universal Joint 2 CAAA1603 & 1605 1/2" Dr. Extension Bar - 3" & 5" (L) 1 CJBG1627 1/2" Dr. 36 Teeth Reversible Ratchet Handle with Quick Release	

Master Tool Sets



3PCS
Adjustable Wrench & Pliers Set

ITEM NO.	CONTENTS	10 (SET)
GBAT0301	1 DAAQ1A10 Curved Jaw Locking Pliers with Wire Cutters - 10" (L) 1 DDAA1210 Groove-Joint Water Pump Pliers 10" (L) 1 AMAA3325 Paw Adjustable Wrench 10" (L)	

3PCS
Adjustable Wrench & Pliers Set

ITEM NO.	CONTENTS	10 (SET)
GBAT0303	1 DAAQ1A10 Curved Jaw Locking Pliers with Wire Cutters - 10" (L) 1 DDBA2210 Box-Joint Water Pump Pliers 10" (L) 1 AMAA3325 Paw Adjustable Wrench 10" (L)	

2PCS
Pipe Wrench & Ball Peen Hammer Set

ITEM NO.	CONTENTS	10 (SET)
GBAT0201	1 HAAC1635 Ball Peen Hammer - (16oz) 1 DDAB1A14 Pipe Wrench - 14" (L)	

4PCS
Retaining Ring Pliers Set

ITEM NO.	CONTENTS	10 (SET)
GBAT0401	1 DCAA1207 90° Retaining Ring Pliers (External Ring) 7" (L) 1 DCAB1207 Straight Retaining Ring Pliers (External Ring) 7" (L) 1 DCAC1207 90° Retaining Ring Pliers (Internal Ring) 7 " (L) 1 DCAD1207 Straight Retaining Ring Pliers (Internal Ring) 7" (L)	

3PCS
Pliers Assortment Set (NEW MODEL)

ITEM NO.	CONTENTS	10 (SET)
GBAT0304	1 DBAB2207B Combination Pliers 7" (L) 1 DEAC2207B Heavy Duty Diagonal Cutting Pliers 7" (L) 1 DFAB2208B Long Nose Pliers 8" (L)	

4PCS
Pliers Assortment Set

ITEM NO.	CONTENTS	10 (SET)
GBAT0402	1 DBBB2207 Combination Pliers - 7" (L) 1 DEBC2207 Heavy Duty Diagonal Cutting Pliers - 7" (L) 1 DFBB2208 Long Nose Pliers - 8" (L) 1 DFBA2208 Bent Nose Pliers - 8" (L)	

4PCS
Retaining Ring Pliers Set

ITEM NO.	CONTENTS	10 (SET)
GBAT0403	1 DCBA1307 90° Retaining Ring Pliers (External Ring) 7" (L) 1 DCBB1307 Straight Retaining Ring Pliers (External Ring) 7" (L) 1 DCBC1307 90° Retaining Ring Pliers (Internal Ring) 7" (L) 1 DCBD1307 Straight Retaining Ring Pliers (Internal Ring) 7" (L)	

5PCS
File Set

ITEM NO.	CONTENTS	10 (SET)
GBAT0501	1 SDBB0821 Flat File - 8" (L) 1 SDBE0815 Triangle File - 8" (L) 1 SDBC0821 Half Round File - 8" (L) 1 SDBA0808 Square File - 8" (L) 1 SDBD0808 Round File - 8" (L)	

7PCS
Chisels & Hammers Set

ITEM NO.	CONTENTS	10 (SET)
GCAT0701	5 GAAV0501 Chisel Punch Set Pin Punch: 4x10x150 mm Cape Chisel: 5x10x130 mm Cold Chisel: 12x10x130 mm Taper Punch: 3x10x120 mm Center Punch: #2x10x120 mm 1 HAAA0330 Engineers Hammer (300g) 1 HAAB1038 Dead Blow Hammer (16oz)	

6PCS
Go-Thru Slotted & Phillips Screwdriver Set
(Hexagon Steel & Hexagon Driver)

ITEM NO.	CONTENTS	10 (SET)
GAAT0601	2 FBGB0108 & 0210 Go-Thru Phillips Screwdrivers (Hexagon Steel & Hexagon Driver) PH1x75 & PH2x100 4 FAGB5E10~1020 Go-Thru Slotted Screwdrivers (Hexagon Steel & Hexagon Driver) 5.5x100, 6.5x150, 8x175, 10x200	

6PCS
Go-Thru Slotted & Phillips Screwdriver Set
(Hexagon Steel & Hexagon Driver)

ITEM NO.	CONTENTS	10 (SET)
GAAT0602	3 FBGB0108~0315 Go-Thru Phillips Screwdrivers (Hexagon Steel & Hexagon Driver) PH1x75,PH2x100,PH3x150 3 FAGB5E10~0818 Go-Thru Slotted Screwdrivers (Hexagon Steel & Hexagon Driver) 5.5x100, 6.5x150, 8x175	

151PCS
Hand Riveter Set

ITEM NO.	CONTENTS	10 (SET)
GAAT0101	1 JBAA2448 Hand Riveter 30 ALCA0308 Aluminum Rivets - Ø3.2x8 mm 30 ALCA0410 Aluminum Rivets - Ø4x10 mm 30 ALCA0510 Aluminum Rivets - Ø4.8x10 mm 30 ALCB0407 Stainless Rivets - Ø4x7 mm 30 ALCB0510 Stainless Rivets - Ø4.8x10 mm	

8PCS
Slotted & Phillips Screwdriver Set

ITEM NO.	CONTENTS	10 (SET)
GAAT0805	3 FBAB0108~0315 Phillips Anti-Slip Screwdrivers PH1x80, PH2x100, PH3x150 1 FBBB0203 Stubby Phillips Anti-Slip Screwdriver PH2x25 3 FAAB0410~6E15 Slotted Anti-Slip Screwdrivers 4x100, 5.5x100, 6.5x150 1 FABB6E03 Stubby Slotted Anti-Slip Screwdriver 6.5x25	

8PCS
Star Screwdriver Set

ITEM NO.	CONTENTS	10 (SET)
GAAT0813	8 FFAB0908~4015 Star Anti-Slip Screwdrivers T9, T10, T15, T20, T25, T27, T30, T40	

8PCS
Star Tamperproof Screwdriver Set

ITEM NO.	CONTENTS	10 (SET)
GAAT0807	8 FEAB0908~4015 Star Tamperproof Anti-Slip Screwdrivers T9, T10, T15, T20, T25, T27, T30, T40	

6PCS
VDE Insulated Phillips & Slotted Screwdriver Set

ITEM NO.	CONTENTS	10 (SET)
GAAT0603	3 FBEB0008~0210 VDE Insulated Phillips Screwdrivers PH0x75, PH1x100, PH2x100 3 FAEB0410~6E15 VDE Insulated Slotted Screwdrivers 4x100, 5.5x125, 6.5x150	

Master Tool Sets

PLASTIC TRAY:

All TOPTUL high quality drawer tool sets are currently designed with 2 interchangeable insert sizes (A&B) allowing users to mix and match personally best favorite and suitable tool selection within each drawer. Additional 1/3, 1/2 and full size of drawer tool sets are also avaliable for the market in order to satisfy each individuals demand.
TOPTUL mobile tool sets must be your best working partners.

5PCS — Satin Chrome Finished
Half-Moon Ring Wrench Set

ITEM NO.	CONTENTS	10 (SET)
GAAT0504	5 AAAC101252~192252 Half-Moon Ring Wrenches 10x12, 11x13, 14x17, 16x18, 19x22 mm	

10PCS — Satin Chrome Finished
Angled Socket Wrench Set

ITEM NO.	CONTENTS	5 (SET)
GAAT1002	10 AEAE0808~1919 Angled Socket Wrenches 8, 10, 11, 12, 13, 14, 16, 17, 18, 19 mm	

8PCS
Torque Wrench, Adaptor & Ratchet Handle Set

ITEM NO.	CONTENTS	5 (SET)
GCAT0803	2 BAAT1616 & 1621 1/2" Dr. Magnetic Spark Plug Sockets 16 & 21 mm 1 ANAF1211 3/8" Dr. Torque Wrench (20-110Nm) 1 CAEA1208 ○ 3/8"(F) x■ 1/4"(M) Dr. Adapter 1 CAGA1216 ○ 3/8"(F) x■ 1/2"(M) x○ 17.2 mm 3-Way Adapter - 44 mm (L) 1 CJDI0812 1/4" Dr. 45 Teeth Stubby Reversible Ratchet Handle with Quick Release 1 CJHM1228 3/8" Dr. 72 Teeth Flexible Reversible Ratchet Handle with Quick Release 1 CJLN1632 1/2" Dr. 72 Teeth Reversible Swivel Head Ratchet Handle	

16PCS — Satin Chrome Finished
15° Offset Super-Torque Combination Wrench Set

ITEM NO.	CONTENTS	10 (SET)
GAAT1603	16 AAEW0606~2424 Super-Torque Combination Wrench 15° Offset 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 22, 24 mm	

16PCS — Satin Chrome Finished
15° Offset Hi-Performance Combination Wrench Set

ITEM NO.	CONTENTS	10 (SET)
GAAT1604	16 AAEX0606~2424 Hi-Performance Combination Wrench 15° Offset 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 22, 24 mm	

16PCS — Satin Chrome Finished
15° Offset Standard Combination Wrench Set

ITEM NO.	CONTENTS	10 (SET)
GAAT1602	16 AAEB0606~2424 Standard Combination Wrench 15° Offset 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 22, 24 mm	

16PCS — Satin Chrome Finished
15° Offset Pro-Line Combination Wrench Set

ITEM NO.	CONTENTS	10 (SET)
GAAT1605	16 AABW0606~2424 Pro-Line Combination Wrench 15° Offset 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 22, 24 mm	

72PCS — Satin Chrome Finished
1/4" DR. Socket & Ball Point Hex Key Wrench Set

ITEM NO.	CONTENTS	10 (SET)
GCAT7202 (6PT)	13 BAEA0804~0814 1/4" Dr. 6PT Flank Sockets 4,4.5,5,5.5,6,7,8,9,10,11,12,13,14 mm 13 BAEE0804~0814 1/4" Dr. 6PT Deep Flank Sockets 4,4.5,5,5.5,6,7,8,9,10,11,12,13,14 mm 7 BCDA082E~0808 ○ 1/4" Dr. Hex Bit Sockets 2.5, 3, 4, 5, 6, 7, 8 mm 6 BCCA0803~0808 ⊖ 1/4" Dr. Slotted Bit Sockets 3, 4, 4.5, 5.5, 6.5, 8 mm 5 BCAA08P0~08P4 ✚ 1/4" Dr. Phillips Bit Sockets PH0, PH1, PH2, PH3, PH4 4 BCBA08P0~08P3 ✪ 1/4" Dr. Pozi Bit Sockets PZ0, PZ1, PZ2, PZ3 8 BCFA0808~0840 ○ 1/4" Dr. Star Bit Sockets T8, T10, T15, T20, T25, T27, T30, T40 1 CJBM0815 1/4" Dr. 72 Teeth Reversible Ratchet Handle with Quick Release 3 CAAA0802~0806 1/4" Dr. Extension Bar - 2", 4", 6" (L) 1 CTCK0811 1/4" Dr. Sliding T-Handle 1 CAHA0840 1/4" Dr. Universal Joint 1 CAIA0815 1/4" Dr. Spinner Handle 9 GAAL0916 Long Type Ball Point Hex Key Wrench Set 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm	

34PCS — Satin Chrome Finished
1/4" & 1/2" DR. Flank Socket Set

ITEM NO.	CONTENTS	5 (SET)
GCAT3402 (6PT)	10 BAEA0805~0813 1/4" Dr. 6PT Flank Sockets 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13 mm 17 BAEA1610~1632 1/2" Dr. 6PT Flank Sockets 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 29, 30, 32 mm 1 CAAA0804 1/4" Dr. Extension Bar - 4"(L) 1 CAAA1605 1/2" Dr. Extension Bar - 5"(L) 2 CAHA0840 & 1678 1/4" & 1/2" Dr. Universal Joint 1 CTCK0811 1/4" Dr. Sliding T-Handle 2 CJBG0815 & 1627 1/4" & 1/2" Dr. 36 Teeth Reversible Ratchet Handle with Quick Release	

34PCS — Satin Chrome Finished
3/8" DR. Flank Socket Set (METRIC & SAE)

ITEM NO.	CONTENTS	5 (SET)
GCAT3403 (6PT)	11 BAEA1208~1222 3/8" Dr. 6PT Flank Sockets 8, 10, 12, 13, 14, 16, 17, 18, 19, 21, 22 mm 11 BBEA1210~1228 3/8" Dr. 6PT Flank Sockets 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 25/32", 13/16", 7/8" 2 BAAR1216 & 1221 3/8" Dr. Spark Plug Sockets - 16 & 21mm 1 CJBG1220 3/8" Dr. 36 Teeth Reversible Ratchet Handle with Quick Release 3 CAAA1203~1210 3/8" Dr. Extension Bar - 3", 6", 10" (L) 1 CTCJ1208 3/8" Dr. Sliding T-Handle with Quick Release 1 CFKA1210 3/8" Dr. Swivel Handle 1 CAHA1254 3/8" Dr. Universal Joint 1 CADC1240 3/8" Dr. Speed Brace 1 CAEB0812 1/4"(F) x 3/8"(M) Adapter 1 CAIP0816 1/4" Dr. Spinner Handle	

26PCS — Satin Chrome Finished
1/2" DR. Socket Set

ITEM NO.	CONTENTS	5 (SET)
GCAT2604 (6PT)	20 BAEA1610~1632 1/2" Dr. 6PT Flank Sockets 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 30, 32 mm 1 CAHA1678 1/2" Dr. Universal Joint 2 CAAA1605 & 1610 1/2" Dr. Extension Bar - 5" & 10" (L) 1 CTCK1625 1/2" Dr. Sliding T-Handle 1 CADC1642 1/2" Dr. Speed Brace 1 CJBG1627 1/2" Dr. 36 Teeth Reversible Ratchet Handle with Quick Release	

Master Tool Sets



25PCS — Mirror Polished
1/2" DR. Socket Set (SAE)

ITEM NO.	CONTENTS	5 (SET)
GCAT2509 (6PT)	18 BBEA1610~1640 1/2" Dr. 6PT Flank Sockets 5/16", 3/8", 7/16", 1/2", 9/16", 19/32", 5/8", 11/16", 3/4", 25/32", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-3/16", 1-1/4"	
GCAT2510 (12PT)	2 CAAA1605 & 1610 1/2" Dr. Extension Bar - 5" & 10" (L) 1 CAHA1678 1/2" Dr. Universal Joint 1 CTCK1630 1/2" Dr. Sliding T-Handle 1 BBAR1626 1/2" Dr. Spark Plug Socket - 13/16" 1 CFKA1615 1/2" Dr. Swivel Handle - 15" (L) 1 CJBM1627 1/2" Dr. 72 Teeth Reversible Ratchet Handle with Quick Release	

24PCS — Satin Chrome Finished
1/2" DR. Flank Socket Set

ITEM NO.	CONTENTS	5 (SET)
GCAT2402 (6PT)	18 BAEA1608~1632 1/2" Dr. 6PT Flank Sockets 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 19, 21, 22, 23, 24, 27, 30, 32 mm	
GCAT2404 (12PT)	2 CAAA1605 & 1610 1/2" Dr. Extension Bar - 5" & 10" (L) 1 CTCK1625 1/2" Dr. Sliding T-Handle 1 CAHA1678 1/2" Dr. Universal Joint 1 CFAC1615 1/2" Dr. Swivel Handle - 15" (L) 1 CJBM1627 1/2" Dr. 72 Teeth Reversible Ratchet Handle with Quick Release	

25PCS — Satin Chrome Finished
1/2" DR. Socket Set (METRIC)

ITEM NO.	CONTENTS	5 (SET)
GCAT2505 (6PT)	18 BAEA1608~1632 1/2" Dr. 6PT Flank Sockets 8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 23, 24, 27, 30, 32 mm	
GCAT2506 (12PT)	2 CAAA1605 & 1610 1/2" Dr. Extension Bar - 5" & 10" (L) 1 CAHA1678 1/2" Dr. Universal Joint 1 CTCK1630 1/2" Dr. Sliding T-Handle 1 BAAR1621 1/2" Dr. Spark Plug Socket - 21 mm 1 CFKA1615 1/2" Dr. Swivel Handle - 15" (L) 1 CJBM1627 1/2" Dr. 72 Teeth Reversible Ratchet Handle with Quick Release	

43PCS — Satin Chrome Finished
1/2" DR. Flank Socket Set (METRIC & SAE)

ITEM NO.	CONTENTS	5 (SET)
GCAT4301 (6PT)	20 BAEA1608~1632 1/2" Dr. 6PT Flank Sockets 8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 23, 24, 26, 27, 29, 30, 32 mm 14 BBEA1612~1640 1/2" Dr. 6PT Flank Sockets 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-1/4" 2 BAAR1616 & 1621 1/2" Dr. Spark Plug Sockets - 16 & 21mm 1 CJBG1627 1/2" Dr. 36 Teeth Reversible Ratchet Handle with Quick Release 3 CAAA1603~1610 1/2" Dr. Extension Bar - 3", 5", 10" (L) 1 CAGA1216 3/8" (F) x 1/2" (M) Dr. 3-Way Adapter 1 CFKA1615 1/2" Dr. Swivel Handle 1 CAHA1678 1/2" Dr. Universal Joint	

18PCS — Satin Chrome Finished
1/2" DR. Flank Socket Set

ITEM NO.	CONTENTS	5 (SET)
GCAT1801 (6PT)	12 BAEA1610~1632 1/2" Dr. 6PT Flank Sockets 10, 12, 13, 14, 17, 19, 21, 22, 24, 27, 30, 32 mm	
GCAT1803 (12PT)	1 CAHA1678 1/2" Dr. Universal Joint 3 CAAA1603~1610 1/2" Dr. Extension Bar - 3", 5", 10" (L) 1 CJBG1627 1/2" Dr. 36 Teeth Reversible Ratchet Handle with Quick Release 1 CFAC1615 1/2" Dr. Swivel Handle - 15" (L)	

22PCS — Satin Chrome Finished
1/2" DR. Deep Flank Socket Set

ITEM NO.	CONTENTS	5 (SET)
GAAT2202 (6PT)	20 BAEE1608~1632 1/2" Dr. 6PT Deep Flank Sockets 8, 10, 11, 12, 13, 14, 15, 17, 18, 19, 20, 21, 22, 23, 24, 26, 27, 29, 30, 32 mm 3 BAAT1616 & 1621 1/2" Dr. Magnetic Spark Plug Sockets 16 & 21 mm	

8PCS
L-Type Two Way Ball Point & Hex Key Wrench Set

ITEM NO.	CONTENTS	10 (SET)
GAAT0811	8 AGCD0214~1027 L-Type Two Way Ball Point & Hex Key Wrenches 2x140, 2.5x140, 3x140, 4x140, 5x203, 6x203, 8x265, 10x265 mm	

8PCS
L-Type Two Way Hex Key Wrench Set

ITEM NO.	CONTENTS	10 (SET)
GAAT0814	8 AGHD0214~1027 L-Type Two Way Hex Key Wrenches 2x140, 2.5x140, 3x140, 4x140 5x203, 6x203, 8x265, 10x265 mm	

8PCS
L-Type Two Way Star & Tamperproof Key Wrench Set

ITEM NO.	CONTENTS	10 (SET)
GAAT0812	8 AIED1014~5027 L-Type Two Way Star & Tamperproof Key Wrenches T10x140, T15x140, T20x140, T25x140, T30x203, T40x203, T45x265, T50x265	

8PCS
L-Type Two Way Ball Point & Hex Key Wrench Set

ITEM NO.	CONTENTS	10 (SET)
GAAT0803	8 AGCA0215~1028 Spherical & Hex Type 2x147, 2.5x147, 3x147, 4x147, 5x212, 6x212, 8x281, 10x281 mm	

8PCS
L-Type Two Way Star & Tamperproof Key Wrench Set

ITEM NO.	CONTENTS	10 (SET)
GAAT0804	8 AIEA1015~5028 Star & Tamperproof T10x147, T15x147, T20x147, T25x147, T30x212, T40x212, T45x281, T50x281	

11PCS
Measuring, Marking & Cutting Tool Set

ITEM NO.	CONTENTS	10 (SET)
GCAT1101	1 SBAA0414 Multi-Purpose Electricians Scissors 1 HBAF0130 Auto Center Punch 1 ICAC0122 Screw Pitch Gauges 4~48 (SAE) 1 ICAB0124 Screw Pitch Gauges 0.25~6 (METRIC) 1 ICAA0020 20 Sizes Metric Tapered Feeler Gauge 1 IAAA0005 5M - Measuring Tape 1 SCAA2017 Heavy Duty Utility Knife 1 IDAA0208 Steel Scriber 1 IACA0150 Stainless Steel Vernier Caliper 1 IBAA0150 Stainless Steel Protractor 1 IABA0300 Stainless Steel Straight Ruler 30cm	

8PCS
VDE Insulated Pliers & Screwdriver Set

ITEM NO.	CONTENTS	10 (SET)
GAAT0809	1 DGBC2106 VDE Insulated Diagonal Cutting Pliers 6" (L) 1 DGBA2107 VDE Insulated Combination Pliers 7" (L) 1 DGBB2108 VDE Insulated Long Nose Pliers - 8" (L) 2 FAEB0410 & 5E13 VDE Insulated Slotted Screwdrivers 4x100 & 5.5x125 mm 2 FBEB0110 & 0210 VDE Insulated Phillips Screwdrivers PH1x100 & PH2x100 mm 1 FAJA0315 Voltage Tester, GS/CE Approval - 140 mm (L)	

8PCS
VDE Insulated Pliers & Screwdriver Set

ITEM NO.	CONTENTS	10 (SET)
GAAT0810	1 DGBC2106 VDE Insulated Diagonal Cutting Pliers 6" (L) 1 DGBA2107 VDE Insulated Combination Pliers 7" (L) 1 DGBD2106 VDE Insulated Wire Stripping Pliers - 6" (L) 2 FAEB0410 & 5E13 VDE Insulated Slotted Screwdrivers 4x100 & 5.5x125 mm 2 FBEB0110 & 0210 VDE Insulated Phillips Screwdrivers PH1x100 & PH2x100 mm 1 FAJA0315 Voltage Tester, GS/CE Approval - 140 mm (L)	

8PCS
Hacksaw, Adjustable Wrench & Pin Punch Set

ITEM NO.	CONTENTS	10 (SET)
GCAT0801	1 AMAB2920 Adjustable Wrench - 8" (L) 6 GAAV0601 2x8x115, 3x8x125, 4x10x150, 5x10x165, 6x12x180, 8x12x180 mm 1 SAAA3013 Heavy Duty Hacksaw	

120PCS

Professional Mechanical Tool Set

W/6-Drawer Tool Chest

(W)660 x (D)307 x (H)378 mm

ITEM NO. GCBZ120A

120PCS

Professional Mechanical Tool Set
W/6-Drawer Tool Chest

6 DRAWER TOOLS

1ST

2ND

3RD

4TH

5TH

6TH

Professional Mechanical Tool Set

W/6 DRAWER TOOL CHEST 120PCS

ITEM NO. GCBZ120A Satin Chrome Finished

120PCS Tool Chest Set

	CONTENTS		DESCRIPTION
	TBAA0601	1	6-Drawer Tool Chest - 660(W)x307(D)x378(H) mm
1 GZA-0803	FAAB0308~6E15	4	Slotted Anti-Slip Screwdrivers 3x75, 4x100, 5.5x100, 6.5x150 mm
	FBAB0108 & 0210	2	Phillips Anti-Slip Screwdrivers - PH1x80 & PH2x100
	FCAB0210	1	Pozidriv Anti-Slip Screwdriver - PZ2x100
	FJAB0213	1	Square Anti-Slip Screwdriver - SQ2x125
2 GZA-0304	AMAB2920 & 3325	2	Heavy Duty Adjustable Wrench - 8" & 10" (L)
	DDBA2210	1	Box-Joint Water Pump Pliers - 10" (L)
3 GZA-0305	DEBC2208	1	Heavy Duty Diagonal Cutting Pliers - 8" (L)
	DBBB2208	1	Combination Pliers - 8" (L)
	DFBB2208	1	Long Nose Pliers - 8" (L)
4 GZC-5702	BAEA1610~1632	19	1/2" Dr. 6PT Flank Sockets 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 23, 24, 26, 27, 29, 30, 32 mm
	BBEA1612~1640	14	1/2" Dr. 6PT Flank Sockets 3/8", 7/16", 1/2", 9/16" , 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-1/4"
	CAHK1678	1	1/2" Dr. Super-Torque Universal Joint
	CAAA1605 & 1610	2	1/2" Dr. Extension Bar - 5" & 10" (L)
	CTCJ1610	1	1/2" Dr. Sliding T-Handle With Quick Release - 10" (L)
	CFAC1618	1	1/2" Dr. Swivel Handle - 18" (L)
	CJBM1627	1	1/2" Dr. 72 Teeth Reversible Ratchet Handle with Quick Release
	GAAL0916	9	Long Type Ball Point Hex Key Wrench Set 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm
	GBAL0901	9	Long Type Ball Point Hex Key Wrench Set 1/16", 5/64", 3/32", 1/8", 5/32", 3/16", 1/4", 5/16", 3/8"
5 GZC-3104	AAEB0606~2424	17	Standard Combination Wrench 15° Offset 6, 8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24 mm
	ACEB0808~3232	14	Standard Combination Wrench 15° Offset 1/4", 5/16", 11/32", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1"
6 GZC-1803	SAAA3013	1	Heavy Duty Hacksaw
	DAAQ1A10	1	Curved Jaw Locking Pliers with Wire cutters - 10" (L)
	GAAV0601	6	Pin Punch Set 2x8x115, 3x8x125, 4x10x150, 5x10x165, 6x12x180, 8x12x180 mm
	HAAC2440	1	Ball Peen Hammer (24 oz)
	FIAA1615	1	1/2" Dr. Impact Driver - 145mm (L)
	FTAB1610	1	Quick Change Bit Holder 1/2" Dr. x 5/16" (H) - 38mm (L)
	FSAC1008 & 1010	2	5/16" Hex Shank Slotted Insert Bits 1.2x8 mm & 1.6x10 mm - 36mm (L)
	FSBC1002 & 1003	2	5/16" Hex Shank Phillips Insert Bits PH2 & PH3 - 36mm (L)
	FBAB0315	1	Phillips Anti-Slip Screwdriver - PH3x150
	FAAB0818	1	Slotted Anti-Slip Screwdriver - 8x175 mm
	FAGB1020	1	Go-Thru Slotted Screwdriver - 10x200 mm

ITEM NO. GCBZ120A

PROFESSIONAL
MECHANICAL TOOL SET

186PCS

Professional Mechanical Tool Set

W/9-Drawer Tool Chest

(W)660 x (D)307 x (H)434 mm

ITEM NO. GCBZ186A

9 DRAWER TOOLS

186PCS

Professional Mechanical Tool Set
W/9-Drawer Tool Chest

1ST

2ND

3RD

4TH

5TH

6TH

7TH

8TH



9TH

Professional Mechanical Tool Set

W/9 DRAWER TOOL CHEST 186PCS

ITEM NO. GCBZ186A

Satin Chrome Finished

186PCS Tool Chest Set

	CONTENTS	DESCRIPTION
	TBAA0901	1 9-Drawer Tool Chest - 660(W)x307(D)x434(H) mm
1 GZA-5001	BAEA0804~0814	13 1/4" Dr. 6PT Flank Sockets 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm
	BBEA0805~0818	11 1/4" Dr. 6PT Flank Sockets 5/32", 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2", 9/16"
	BAEA1206~1222	13 3/8" Dr. 6PT Flank Sockets 6, 8, 10, 12, 13, 14, 16, 17, 18, 19, 20, 21, 22 mm
	BBEA1210~1228	11 3/8" Dr. 6PT Flank Sockets 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 25/32", 13/16", 7/8"
	BAAT1216 & 1221	2 3/8" Dr. Magnetic Spark Plug Sockets - 16 & 21 mm
2 GZA-1202	CJBM0815 & 1220	2 1/4" & 3/8" Dr. 72 Teeth Reversible Ratchet Handle with Quick Release
	CAIP0816	1 1/4" Dr. Spinner Handle
	CFAC1210	1 3/8" Dr. Swivel Handle - 10" (L)
	CAHK0840 & 1254	2 1/4" & 3/8" Dr. Super-Torque Universal Joint
	CAAA0803 & 0806	2 1/4" Dr. Extension Bar - 3" & 6" (L)
	CAAA1203~1210	3 3/8" Dr. Extension Bar - 3", 6", 10" (L)
	CTCJ1208	1 3/8" Dr. Sliding T-Handle With Quick Release - 8" (L)
3 GZA-0803	FAAB0308~6E15	4 Slotted Anti-Slip Screwdrivers 3x75, 4x100, 5.5x100, 6.5x150 mm
	FBAB0108 & 0210	2 Phillips Anti-Slip Screwdrivers - PH1x80 & PH2x100
	FCAB0210	1 Pozidriv Anti-Slip Screwdriver - PZ2x100
	FJAB0213	1 Square Anti-Slip Screwdriver - SQ2x125
4 GZA-0304	AMAB2920 & 3325	2 Heavy Duty Adjustable Wrench - 8" & 10" (L)
	DDBA2210	1 Box-Joint Water Pump Pliers - 10" (L)
5 GZA-0305	DEBC2208	1 Heavy Duty Diagonal Cutting Pliers - 8" (L)
	DBBB2208	1 Combination Pliers - 8" (L)
	DFBB2208	1 Long Nose Pliers - 8" (L)
6 GZA-0406	DCAA1207	1 90° Retaining Ring Pliers (External Ring) - 7" (L)
	DCAB1207	1 Straight Retaining Ring Pliers (External Ring) - 7" (L)
	DCAC1207	1 90° Retaining Ring Pliers (Internal Ring) - 7" (L)
	DCAD1207	1 Straight Retaining Ring Pliers (Internal Ring) - 7" (L)
7 GZC-3104	AAEB0606~2424	17 Standard Combination Wrench 15° Offset 6, 8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24 mm
	ACEB0808~3232	14 Standard Combination Wrench 15° Offset 1/4", 5/16", 11/32", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1"
8 GZC-5702	BAEA1610~1632	19 1/2" Dr. 6PT Flank Sockets 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 23, 24, 26, 27, 29, 30, 32 mm
	BBEA1612~1640	14 1/2" Dr. 6PT Flank Sockets 3/8", 7/16", 1/2", 9/16" , 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-1/4"
	CAHK1678	1 1/2" Dr. Super-Torque Universal Joint
	CAAA1605 & 1610	2 1/2" Dr. Extension Bar - 5" & 10" (L)
	CTCJ1610	1 1/2" Dr. Sliding T-Handle With Quick Release - 10" (L)
	CFAC1618	1 1/2" Dr. Swivel Handle - 18" (L)
	CJBM1627	1 1/2" Dr. 72 Teeth Reversible Ratchet Handle with Quick Release
	GAAL0916	9 Long Type Ball Point Hex Key Wrench Set 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm
	GBAL0901	9 Long Type Ball Point Hex Key Wrench Set 1/16", 5/64", 3/32", 1/8", 5/32", 3/16", 1/4", 5/16", 3/8"
9 GZC-1803	SAAA3013	1 Heavy Duty Hacksaw
	DAAQ1A10	1 Curved Jaw Locking Pliers with Wire cutters - 10" (L)
	GAAV0601	6 Pin Punch Set 2x8x115, 3x8x125, 4x10x150, 5x10x165, 6x12x180, 8x12x180 mm
	HAAC2440	1 Ball Peen Hammer (24 oz)
	FIAA1615	1 1/2" Dr. Impact Driver - 145mm (L)
	FTAB1610	1 Quick Change Bit Holder 1/2" Dr. x 5/16" (H) - 38mm (L)
	FSAC1008 & 1010	2 5/16" Hex Shank Slotted Insert Bits 1.2x8mm & 1.6x10mm - 36mm (L)
	FSBC1002 & 1003	2 5/16" Hex Shank Phillips Insert Bits PH2 & PH3 - 36mm (L)
	FBAB0315	1 Phillips Anti-Slip Screwdriver - PH3x150
	FAAB0818	1 Slotted Anti-Slip Screwdriver - 8x175 mm
	FAGB1020	1 Go-Thru Slotted Screwdriver - 10x200 mm

ITEM NO.
GCBZ186A

Professional Mechanical Tool Set

W/6-Drawer Tool Chest
(W)660 x (D)307 x (H)378 mm

W/9-Drawer Tool Chest
(W)660 x (D)307 x (H)434 mm

TOOL TRAY SET





All TOPTUL high quality drawer tool sets are currently designed allowing users to mix and match personally best favorite and suitable tool selection within each drawer. drawer tool sets are also avaliable for the market in order to satisfy each individuals demand.
TOPTUL mobile tool sets must be your best working partners.

50PCS — Satin Chrome Finished
1/4" & 3/8" DR. Socket Set (METRIC & SAE)

ITEM NO.	CONTENTS (6 (SET))
GZA-5001	13 BAEA0804~0814 1/4" Dr. 6PT Flank Sockets 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm 11 BBEA0805~0818 1/4" Dr. 6PT Flank Sockets 5/32", 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2", 9/16" 13 BAEA1206~1222 3/8" Dr. 6PT Flank Sockets 6, 8, 10, 12, 13, 14, 16, 17, 18, 19, 20, 21, 22 mm 11 BBEA1210~1228 3/8" Dr. 6PT Flank Sockets 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 25/32", 13/16", 7/8" 2 BAAT1216 & 1221 3/8" Dr. Magnetic Spark Plug Sockets 16 & 21 mm

12PCS — Satin Chrome Finished
1/4" & 3/8" DR. Extension Bar & Ratchet Handle Set

ITEM NO.	CONTENTS (6 (SET))
GZA-1202	2 CJBM0815 & 1220 1/4" & 3/8" Dr. 72 Teeth Reversible Ratchet Handle with Quick Release 1 CAIP0816 1/4" Dr. Spinner Handle 1 CFAC1210 3/8" Dr. Swivel Handle 10" (L) 2 CAHK0840 & 1254 1/4" & 3/8" Dr. Super-Torque Universal Joint 2 CAAA0803 & 0806 1/4" Dr. Extension Bar 3" & 6" (L) 3 CAAA1203~1210 3/8" Dr. Extension Bar 3", 6", 10" (L) 1 CTCJ1208 3/8" Dr. Sliding T-Handle With Quick Release 8" (L)

TOOL TRAY SET

3PCS
Pliers Assortment Set

ITEM NO.	CONTENTS (6 (SET))
GZA-0305	1 DEBC2208 Heavy Duty Diagonal Cutting Pliers 8" (L) 1 DBBB2208 Combination Pliers 8" (L) 1 DFBB2208 Long Nose Pliers 8" (L)

3PCS
Adjustable Wrench & Pliers Set

ITEM NO.	CONTENTS (6 (SET))
GZA-0304	2 AMAB2920 & 3325 Heavy Duty Adjustable Wrench 8" & 10" (L) 1 DDBA2210 Box-Joint Water Pump Pliers 10" (L)

8PCS
Screwdriver Assortment Set

ITEM NO.	CONTENTS (6 (SET))
GZA-0803	4 FAAB0308~6E15 Slotted Anti-Slip Screwdrivers 3x75, 4x100, 5.5x100, 6.5x150 mm 2 FBAB0108 & 0210 Phillips Anti-Slip Screwdrivers PH1x80 & PH2x100 1 FCAB0210 Pozidriv Anti-Slip Screwdriver PZ2x100 1 FJAB0213 Square Anti-Slip Screwdriver SQ2x125

4PCS
Retaining Ring Pliers Set

ITEM NO.	CONTENTS (6 (SET))
GZA-0406	1 DCAA1207 90° Retaining Ring Pliers (External Ring) 7" (L) 1 DCAB1207 Straight Retaining Ring Pliers (External Ring) 7" (L) 1 DCAC1207 90° Retaining Ring Pliers (Internal Ring) 7" (L) 1 DCAD1207 Straight Retaining Ring Pliers (Internal Ring) 7" (L)

57PCS — Satin Chrome Finished
1/2" DR. Socket & Ball Point Hex Key Wrench Set (METRIC & SAE)

ITEM NO.	CONTENTS (2 (SET))
GZC-5702	19 BAEA1610~1632 1/2" Dr. 6PT Flank Sockets 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 23, 24, 26, 27, 29, 30, 32 mm 14 BBEA1612~1640 1/2" Dr. 6PT Flank Sockets 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-1/4" 1 CAHK1678 1/2" Dr. Super-Torque Universal Joint 2 CAAA1605 & 1610 1/2" Dr. Extension Bar 5" & 10" (L) 1 CTCJ1610 1/2" Dr. Sliding T-Handle With Quick Release 10" (L) 1 CFAC1618 1/2" Dr. Swivel Handle 18" (L) 1 CJBM1627 1/2" Dr. 72 Teeth Reversible Ratchet Handle with Quick Release 9 GAAL0916 Long Type Ball Point Hex Key Wrench Set 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm 9 GBAL0901 Long Type Ball Point Hex Key Wrench Set 1/16", 5/64", 3/32", 1/8", 5/32", 3/16", 1/4", 5/16", 3/8"

31PCS — Satin Chrome Finished
15° Offset Standard Combination Wrench Set (METRIC & SAE)

ITEM NO.	CONTENTS (2 (SET))
GZC-3104	17 AAEB0606~2424 Standard Combination Wrench 15° Offset 6, 8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24 mm 14 ACEB0808~3232 Standard Combination Wrench 15° Offset 1/4", 5/16", 11/32", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1"

18PCS
Combination Tool Set

ITEM NO.	CONTENTS (2 (SET))
GZC-1803	1 SAAA3013 Heavy Duty Hacksaw 1 DAAQ1A10 Curved Jaw Locking Pliers with Wire cutters 10" (L) 6 GAAV0601 Pin Punch Set 2x8x115, 3x8x125, 4x10x150, 5x10x165, 6x12x180, 8x12x180 mm 1 HAAC2440 Ball Peen Hammer (24 oz) 1 FIAA1615 1/2" Dr. Impact Driver - 145mm (L) 1 FTAB1610 Quick Change Bit Holder 1/2" Dr. x 5/16" (H) - 38mm (L) 2 FSAC1008 & 1010 5/16" Hex Shank Slotted Insert Bits 1.2x8 mm & 1.6x10 mm - 36mm (L) 2 FSBC1002 & 1003 5/16" Hex Shank Phillips Insert Bits PH2 & PH3 - 36mm (L) 1 FBAB0315 Phillips Anti-Slip Screwdriver PH3x150 1 FAAB0818 Slotted Anti-Slip Screwdriver 8x175 mm 1 FAGB1020 Go-Thru Slotted Screwdriver 10x200 mm

Master Tool Sets

114PCS Professional Mechanical Tool Set W/3-Drawer Tool Chest

(W)508 x (D)232 x (H)302 mm

ITEM NO. GCAZ114A

Satin Chrome Finished

W/3-Drawer Tool Chest - 114PCS Mechanical Tool Set

	CONTENTS		DESCRIPTION
	TBAA0303	1	3-Drawer Tool Chest - 508(W)x232(D)x302(H) mm
	BAEA0804~0813	12	1/4" Dr. 6PT Flank Sockets 4, 4.5 , 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13 mm
	BAEE0808~0813	3	1/4" Dr. 6PT Flank Deep Sockets 8, 10, 13 mm
	BAEA1610~1632	13	1/2" Dr. 6PT Flank Sockets 10, 11, 12, 13, 14, 17, 19, 21, 22, 24, 27, 30, 32 mm
	BAEE1614~1619	3	1/2" Dr. 6PT Flank Deep Sockets 14, 17, 19 mm
	CJBG0815	1	1/4" Dr. 36 Teeth Reversible Ratchet Handle with Quick Release
	CJBG1627	1	1/2" Dr. 36 Teeth Reversible Ratchet Handle with Quick Release
	CTCK0811	1	1/4" Dr. Sliding T-Handle - 115 mm (L)
1ST	CAAA0802 & 0804	2	1/4" Dr. Extension Bar - 2" & 4" (L)
	CAAA1605 & 1610	2	1/2" Dr. Extension Bar - 5" & 10" (L)
	CAHA0840 &1678	2	1/4" & 1/2" Dr. Universal Joint
	FTAB0808	1	1/4" Dr. x 1/4" (H) Quick Change Bit Holder
	CAIA0815	1	1/4" Dr. Spinner Handle - 150 mm (L)
	CAGA1216	1	3/8" (F) x 1/2" (M) Dr. 3-WAY Adapter
	GAAV0701	7	1/4" Hex Shank Hexagon Insert Bits FSDA0802~0808 - 2, 2.5, 3, 4, 5, 6, 8 mm
	GAAV0702	7	1/4" Hex Shank Star Insert Bits FSEA0810~0840 - T10, T15, T20, T25, T27, T30, T40
	GAAV0703	7	1/4" Hex Shank Star Tamperproof Insert Bits FSGA0810~0840 - T10, T15, T20, T25, T27, T30, T40
	GAAV0704	7	1/4" Hex Shank Slotted Insert Bits FSAA0804~086E - 4, 5.5, 6.5 mm 1/4" Hex Shank Phillips Insert Bits FSBA0801 & 0802 - PH1 & PH2 1/4" Hex Shank Pozi Insert Bits FSCA0801 & 0802 - PZ1 & PZ2
	AABW0606~1919	14	Pro-Line Combination Wrench 15° Offset 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm
2ND	GAAL0917	9	Extra Long Ball Point Hex Key Wrench Set 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm
	FBAB0006~0210	3	Phillips Anti-Slip Screwdrivers - PH0x60, PH1x80, PH2x100
	FBHB0315	1	Phillips Anti-Slip Screwdriver (Hexagon Steel & Hexagon Driver) - PH3x150
3RD	FBBB0203	1	Stubby Phillips Anti-Slip Screwdriver - PH2x25
	FAAB3E10~6E15	4	Slotted Anti-Slip Screwdrivers 3.5x100, 4.0x100, 5.5x150, 6.5x150
	FAHB0818	1	Slotted Anti-Slip Screwdriver (Hexagon Steel & Hexagon Diver) - 8x175
	FABB6E03	1	Stubby Slotted Anti-Slip Screwdriver - 6.5x25
	HAAA0330	1	Engineers Hammer (300g)
	DBBB2207	1	Combination Pliers - 7" (L)
	DEBC2207	1	Heavy Duty Diagonal Cutting Piers - 7" (L)
	DFBB2208	1	Long Nose Pliers - 8" (L)
4TH	GAAV0501	5	Chusel Punch Set Pin Punch : 4x10x150 mm Cape Chisel : 5x10x130 mm Cold Chisel : 12x10x130 mm Taper Punch : 3x10x120 mm Center Punch : #2x10x120 mm

114PCS MECHANICAL TOOL SET

1ST

2ND

3RD

4TH

99PCS Professional Mechanical Tool Set W/3-Drawer Tool Chest

(W)508 x (D)232 x (H)302 mm

ITEM NO. GCAZ0038

Satin Chrome Finished

W/3-Drawer Tool Chest - 99PCS Mechanical Tool Set

	CONTENTS		DESCRIPTION
	TBAA0303	1	3-Drawer Tool Chest - 508(W)x232(D)x302(H) mm
	BAEA0804~0813	12	1/4" Dr. 6PT Flank Sockets 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13 mm
	BCLA0808~0840	8	1/4" Dr. Star Tamperproof Bit Sockets T8, T10, T15, T20, T25, T27, T30, T40
	CAHA0840	1	1/4" Dr. Universal Joint - 39 mm (L)
	CTCK0811	1	1/4" Dr. Sliding T-Handle - 115 mm (L)
	CAAA0802 & 0804	2	1/4" Dr. Extention Bar - 2" & 4" (L)
1ST	CJBG0815	1	1/4" Dr. 36 Teeth Reversible Ratchet Handle with Quick Release - 150 mm (L)
	CAIA0815	1	1/4" Dr. Spinner Handle - 150 mm (L)
	BAEA1610~1632	20	1/2" Dr. 6PT Flank Sockets 10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,26,27,28,30,32 mm
	CAHA1678	1	1/2" Dr. Universal Joint - 71 mm (L)
	CTCK1625	1	1/2" Dr. Sliding T-Handle - 250 mm (L)
	CAAA1605 & 1610	2	1/2" Dr. Extention Bar - 5" & 10" (L)
	CJBG1627	1	1/2" Dr. 36 Teeth Reversible Ratchet Handle with Quick Release - 268 mm (L)
	BAAT1616 & 1621	2	1/2" Dr. Magnetic Spark Plug Sockets - 16 & 21 mm
2ND	AAEW0808~1919	12	Super Torque Combination Wrench 15° Offset 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm
	HAAA0330	1	Engineers Hammer - (300g)
	FBAB0006~0210	3	Phillips Anti-Slip Screwdrivers - PH0x60, PH1x80, PH2x100
	FBHB0315	1	Phillips Anti-Slip Screwdriver (Hexagon Steel & Hexagon Driver) - PH3x150
3RD	FBBB0203	1	Stubby Phillips Anti-Slip Screwdriver - PH2x25
	FAAB3E10~6E15	4	Slotted Anti-Slip Screwdrivers - 3.5x100, 4x100, 5.5x150, 6.5x150
	FAHB0818	1	Slotted Anti-Slip Screwdriver (Hexagon Steel & Hexagon Driver) - 8x175
	FABB6E03	1	Stubby Slotted Anti-Slip Screwdriver - 6.5x25
	DBBB2207	1	Combination Pliers - 7" (L)
	DEBC2207	1	Heavy Duty Diagonal Cutting Pliers - 7" (L)
	DFBB2208	1	Long Nose Pliers - 8" (L)
4TH	DDBA2210	1	Box-Joint Water Pump Pliers - 10" (L)
	GAAL0914	9	Long Type Star Key Wrench Set T10, T15, T20, T25, T27, T30, T40, T45, T50
	GAAL0917	9	Extra Long Ball Point Hex Key Wrench Set 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm

99PCS MECHANICAL TOOL SET

1ST

2ND

3RD

4TH

Master Tool Sets

82PCS Professional Mechanical Tool Set W/3-Drawer Tool Chest

(W)508 x (D)232 x (H)302 mm

Satin Chrome Finished

W/3-Drawer Tool Chest - 82PCS Mechanical Tool Set

	CONTENTS		DESCRIPTION
	TBAA0303	1	3-Drawer Tool Chest - 508(W)x232(D)x302(H) mm
	BAEA1207~1221	14	3/8" Dr. 6PT Flank Sockets 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21 mm
	BAEE1207~1221	14	3/8" Dr. 6PT Flank Deep Sockets 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21 mm
	BAAR1216 & 1221	2	3/8" Dr. Spark Plug Sockets 16 & 21 mm
1ST	CAHK1254	1	3/8" Dr. High-Torque Universal Joint - 52 mm (L)
	CAAA1203~1210	3	3/8" Dr. Extension Bar 3", 6", 10" (L)
	CJHM1228	1	3/8" Dr. 72 Teeth Ratchet Handle with Quick Release
	CJBM1220	1	3/8" Dr. 72 Teeth Ratchet Handle with Quick Release
	CTCK1220	1	3/8" Dr. Sliding T-Handle - 200 mm (L)
	GAAL0917	9	Extra Long Type Ball Point Hex Key Wrench Set 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm
	AAEB0707~1515	9	Standard Combination Wrench 15° Offset 7, 8, 9, 10, 11, 12, 13, 14, 15 mm
2ND	AAEI0607~1617	6	Double Ring Wrench 75° Offset 6x7, 8x9, 10x11, 12x13, 14x15, 16x17 mm
	AMAA3325	1	Paw Adjustble Wrench - 10" (L)
	FBBB0203	1	Stubby Phillips Anti-Slip Screwdriver PH2x25
	FABB5E03	1	Stubby Slotted Anti-Slip Screwdriver 5.5x25
3RD	FAGB5E10 & 6E15	2	Go-Thru Slotted Screwdrivers 5.5x100 & 6.5x150
	FBGB0210 & 0315	2	Go-Thru Phillips Screwdrivers PH2x100 & PH3x150
	AIEA1015~4021	6	L-Type Two Way Star & Tamperproof Key Wrench T10, T15, T20, T25, T30, T40
	DCAA1205	1	90° Retaining Ring Pliers (External Ring) - 5" (L)
	DCAB1205	1	Straight Retaining Ring Pliers (External Ring) - 5" (L)
	DCAC1205	1	90° Retaining Ring Pliers (Internal Ring) - 5" (L)
	DCAD1205	1	Straight Retaining Ring Pliers (Internal Ring) - 5" (L)
	DDBA2210	1	Box-Joint Water Pump Pliers - 10" (L)
4TH	DEBB2206	1	Diagonal Cutting Pliers - 6" (L)
	DBBB2206	1	Combination Pliers - 6" (L) — ITEM NO. GCAZ0016
	DFBB2206	1	Long Nose Pliers - 6" (L) — ITEM NO. GCAZ0016
	DBBB2207	1	Combination Pliers - 7" (L) — ITEM NO. GCAZ0047
	DFBB2208	1	Long Nose Pliers - 8" (L) — ITEM NO. GCAZ0047

82PCS MECHANICAL TOOL SET

1ST

2ND

3RD

4TH

ITEM NO. GCAZ0016

4TH

ITEM NO. GCAZ0047

82PCS Professional Mechanical Tool Set W/3-Drawer Tool Chest

(W)508 x (D)232 x (H)302 mm

ITEM NO. GCAZ0024

Satin Chrome Finished

W/3-Drawer Tool Chest - 82PCS Mechanical Tool Set

	CONTENTS		DESCRIPTION
	TBAA0303	1	3-Drawer Tool Chest - 508(W)x232(D)x302(H) mm
	BAEA1207~1221	14	3/8" Dr. 6PT Flank Sockets 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21 mm
	BAEE1207~1221	14	3/8" Dr. 6PT Flank Deep Sockets 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21 mm
	BAAR1216 & 1221	2	3/8" Dr. Spark Plug Sockets 16 & 21 mm
1ST	CAHK1254	1	3/8" Dr. High-Torque Universal Joint - 52 mm (L)
	CAAA1203~1210	3	3/8" Dr. Extension Bar 3", 6", 10" (L)
	CJHM1228	1	3/8" Dr. 72 Teeth Ratchet Handle with Quick Release
	CJBM1220	1	3/8" Dr. 72 Teeth Ratchet Handle with Quick Release
	CTCK1220	1	3/8" Dr. Sliding T-Handle - 200 mm (L)
	GAAL0917	9	Extra Long Type Ball Point Hex Key Wrench Set 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm
	AAEB0707~1515	9	Standard Combination Wrench 15° Offset 7, 8, 9, 10, 11, 12, 13, 14, 15 mm
2ND	AAEI0607~1617	6	Double Ring Wrench 75° Offset 6x7, 8x9, 10x11, 12x13, 14x15, 16x17 mm
	AMAA3325	1	Paw Adjustble Wrench 10" (L)
	FBBB0203	1	Stubby Phillips Anti-Slip Screwdriver PH2x25
	FABB5E03	1	Stubby Slotted Anti-Slip Screwdriver 5.5x25
3RD	FAGB5E10 & 6E15	2	Go-Thru Slotted Screwdrivers 5.5x100 & 6.5x150
	FBGB0210 & 0315	2	Go-Thru Phillips Screwdrivers PH2x100 & PH3x150
	AIEA1015~4021	6	L-Type Two Way Star & Tamperproof Key Wrench T10, T15, T20, T25, T30, T40
	DCAA1205	1	90° Retaining Ring Pliers (External Ring) 5" (L)
	DCAB1205	1	Straight Retaining Ring Pliers (External Ring) 5" (L)
	DCAC1205	1	90° Retaining Ring Pliers (Internal Ring) 5" (L)
	DCAD1205	1	Straight Retaining Ring Pliers (Internal Ring) 5" (L)
4TH	DDAA1210	1	Groove-Joint Water Pump Pliers 10" (L)
	DFAB2206	1	Long Nose Pliers 6" (L)
	DBAB2206	1	Combination Pliers 6" (L)
	DEAB2206	1	Diagonal Cutting Pliers 6" (L)

82PCS MECHANICAL TOOL SET

1ST

2ND

3RD

4TH



Portable Tool Chest / Box

Heavy Duty Hinges & Fully Riveted
3-Section Folded, Large Storage Capacity
Reinforced Design W/Tubular Handle

62PCS Tool Chest Set

(W)470 x (D)220 x (H)350 mm

Tool Chest Set
ITEM NO. GCAZ0057

Tool Chest Set

20PCS GM-2020
1/2" DR. Flank Socket Set

6PCS GM-0604
1/2" DR. Extension Bar & Sliding T-Handle Set

3PCS GM-0301
Pliers Assortment Set

Satin Chrome Finished

62PCS Tool Chest Set

	CONTENTS		DESCRIPTION
	TBAC0502	1	3-Section Portable Tool Chest
1 GM-2020	BAEA1610~1632	18	1/2" Dr. 6PT Flank Sockets 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32 mm
	CMBG1627	1	1/2" Dr. 36 Teeth Reversible Ratchet Handle with Quick Release
	CAHA1678	1	1/2" Dr. Universal Joint
2 GM-0604	BAAR1621	1	1/2" Dr. Spark Plug Socket - 21mm
	CAAF1602	1	1/2" Dr. Extension Bar (Wobble) - 2" (L)
	CAAA1605 & 1610	2	1/2" Dr. Extension Bar - 5" & 10" (L)
	CTCK1630	1	1/2" Dr. Sliding T-Handle - 12" (L)
	CFAC1615	1	1/2" Dr. Swivel Handle - 15" (L)
3 GM-0301	DBBB2207	1	Combination Pliers - 7" (L)
	DEBB2206	1	Diagonal Cutting Pliers - 6" (L)
	DFBB2206	1	Long Nose Pliers - 6" (L)
4 GM-0602	FAGB5E10~0818	3	Go-Thru Slotted Screwdrivers 5.5x100, 6.5x150, 8x175
	FBGB0108~0315	3	Go-Thru Phillips Screwdrivers PH1x75, PH2x100, PH3x150
5 GM-2017	GAAL0917	9	Extra Long Type Ball Point Hex Key Wrench Set 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm
	AAEX0606~1616	11	Hi-Performance Combination Wrench 15° Offset 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16 mm
6 GM-0709	AAEX1717~2424	7	Hi-Performance Combination Wrench 15° Offset 17, 18, 19, 20, 21, 22, 24 mm

6PCS GM-0602
Go-Thru Slotted & Phillips Screwdriver Set (Hexagon Steel & Hexagon Driver)

20PCS GM-2017
15° Offset Hi-Performance Combination Wrench & Extra Long Type Ball Point Hex Key Wrench Set

7PCS GM-0709
15° Offset Hi-Performance Combination Wrench Set

Master Tool Sets

94PCS Tool Chest Set

(W)470 x (D)220 x (H)350 mm



• One EVA Form Tool Tray
at the bottom of the tool chest set

ITEM NO. GCAZ094A

Satin Chrome Finished

94PCS Tool Chest Set

	CONTENTS		DESCRIPTION
	TBAC0502	1	3-Section Portable Tool Chest
1 GM-3432	BAEA0804~0813	12	1/4" Dr. 6PT Flank Sockets 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13 mm
	BAEA1208~1219	12	3/8" Dr. 6PT Flank Sockets 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm
	CJBG0815 & 1220	2	1/4" & 3/8" Dr. 36 Teeth Reversible Ratchet Handle with Quick Release
	CTCK0811	1	1/4" Dr. Sliding T-Handle - 115 mm (L)
	CAHA0840 & 1254	2	1/4" & 3/8" Dr. Universal Joint
	CAAA0802 & 0804	2	1/4" Dr. Extension Bar - 2" & 4" (L)
	CAAA1203 & 1206	2	3/8" Dr. Extension Bar - 3" & 6" (L)
	CAIA0815	1	1/4" Dr. Spinner Handle - 150 mm (L)
2 GM-0727	AABW1717~2424	7	Pro-Line Combination Wrench 15° Offset 17, 18, 19, 20, 21, 22, 24 mm
3 GM-2029	AABW0606~1616	11	Pro-Line Combination Wrench 15° Offset 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16 mm
	GAAL0917	9	Extra Long Type Ball Point Hex Key Wrench Set 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm
4 GM-2221	BAEA1610~1632	18	1/2" Dr. 6PT Flank Sockets 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32 mm
	CJBG1627	1	1/2" Dr. 36 Teeth Reversible Ratchet Handle With Quick Release
	CAHA1678	1	1/2" Dr. Universal Joint
	CAAA1605 & 1610	2	1/2" Dr. Extension Bar - 5" & 10" (L)
	FAAB0410~0818	3	Slotted Anti-Slip Screwdrivers 4x100, 6.5x100, 8x175 mm
	FBAB0108~0315	3	Phillips Anti-Slip Screwdrivers PH1x80, PH2x100, PH3x150
	HAAA0330	1	Engineers Hammer (300g)
	DFBB2206	1	Long Nose Pliers - 6" (L)
	DEBB2206	1	Diagonal Cutting Pliers - 6" (L)
	DBBB2207	1	Combination Pliers - 7" (L)
	DDBA2210	1	Box-Joint Water Pump Pliers - 10" (L)

94PCS

111PCS

111PCS Tool Chest Set

(W)470 x (D)220 x (H)350 mm

ITEM NO. GCAZ111A

Satin Chrome Finished

111PCS Tool Chest Set

	CONTENTS		DESCRIPTION
	TBAC0502	1	3-Section Portable Tool Chest
1 GM-5930	BAEA0804~0813	12	1/4" Dr. 6PT Flank Sockets 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13 mm
	BAEE0806~0813	6	1/4" Dr. 6PT Flank Deep Sockets 6, 7, 8, 10, 12, 13 mm
	CJBG0815	1	1/4" Dr. 36 Teeth Reversible Ratchet Handle with Quick Release
	CTCK0811	1	1/4" Dr. Sliding T-Handle - 115 mm (L)
	CAAA0802 & 0804	2	1/4" Dr. Extension Bar - 2" & 4" (L)
	CAHA0840	1	1/4" Dr. Universal Joint
	CAIA0815	1	1/4" Dr. Spinner Handle - 150 mm (L)
	BCDA082E~0808	6	1/4" Dr. Hex Bit Sockets - 2.5, 3, 4, 5, 6, 8 mm
	BCFA0810~0840	7	1/4" Dr. Star Bit Sockets - T10, T15, T20, T25, T27, T30, T40
	BCAA08P1~08P3	3	1/4" Dr. Phillips Bit Sockets - PH1, PH2, PH3
	BCBA08P1~08P3	3	1/4" Dr. Pozi Bit Sockets - PZ1, PZ2, PZ3
	BCCA0804 & 086E	2	1/4" Dr. Slotted Bit Sockets - 4 & 6.5 mm
	GAAL0704	7	Long Type Ball Point Hex Key Wrench Set 2.5, 3, 4, 5, 6, 8, 10 mm
	GAAL0706	7	Long Type Star Key Wrench Set T10, T15, T20, T25, T27, T30, T40
2 GM-0626	AABW2020~3232	6	Pro-Line Combination Wrench 15° Offset 20, 22, 24, 27, 30, 32 mm
3 GM-1328	AABW0808~1919	8	Pro-Line Combination Wrench 15° Offset 8, 10, 11, 12, 13, 14, 17, 19 mm
	GAAV0501	5	Chusel Punch Set Pin Punch : 4x10x150 mm Cape Chisel : 5x10x130 mm Cold Chisel : 12x10x130 mm Taper Punch : 3x10x120 mm Center Punch : #2x10x120 mm
4 GM-2221	BAEA1610~1632	18	1/2" Dr. 6PT Flank Sockets 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32 mm
	CJBG1627	1	1/2" Dr. 36 Teeth Reversible Ratchet Handle With Quick Release
	CAHA1678	1	1/2" Dr. Universal Joint
	CAAA1605 & 1610	2	1/2" Dr. Extension Bar - 5" & 10" (L)
	FAAB0410~0818	3	Slotted Anti-Slip Screwdrivers 4x100, 6.5x100, 8x175 mm
	FBAB0108~0315	3	Phillips Anti-Slip Screwdrivers PH1x80, PH2x100, PH3x150
	HAAA0330	1	Engineers Hammer (300g)
	DFBB2206	1	Long Nose Pliers - 6" (L)
	DEBB2206	1	Diagonal Cutting Pliers - 6" (L)
	DBBB2207	1	Combination Pliers - 7" (L)
	DDBA2210	1	Box-Joint Water Pump Pliers - 10" (L)

• One EVA Form Tool Tray
at the bottom of the tool chest set

63PCS

63PCS Tool Chest Set

(W)470 x (D)220 x (H)350 mm

• One EVA Form Tool Tray
at the bottom of the tool chest set

ITEM NO. GCAZ0049 Satin Chrome Finished

63PCS Tool Chest Set

	CONTENTS	DESCRIPTION
	TBAC0501	1 3-Section Portable Tool Chest
1 GM-0603	FAAB0410~0818	3 Slotted Anti-Slip Screwdrivers 4x100, 6.5x100, 8x175 mm
	FBAB0108~0315	3 Phillips Anti-Slip Screwdrivers PH1x80, PH2x100, PH3x150
2 GM-0607	AAEB2020~3232	6 Standard Combination Wrench 15° Offset 20, 22, 24, 27, 30, 32 mm
3 GM-1314	AAEB0808~1919	8 Standard Combination Wrench 15° Offset 8, 10, 11, 12, 13, 14, 17, 19 mm
	GAAV0501	5 Chisel Punch Set Pin Punch : 4x10x150 mm Cape Chisel : 5x10x130 mm Cold Chisel : 12x10x130 mm Taper Punch : 3x10x120 mm Center Punch : #2x10x120 mm
4 GM-2221	BAEA1610~1632	18 1/2" Dr. 6PT Flank Sockets 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32 mm
	CJBG1627	1 1/2" Dr. 36 Teeth Reversible Ratchet Handle With Quick Release
	CAHA1678	1 1/2" Dr. Universal Joint
	CAAA1605 & 1610	2 1/2" Dr. Extension Bar - 5" & 10" (L)
	CFAC1615	1 1/2" Dr. Swivel Handle - 15" (L)
	HAAC0830	1 Ball Peen Hammer (8 oz)
	HAAB1038	1 Dead Blow Hammer (16 oz)
	DDBA2210	1 Box-Joint Water Pump Pliers - 10" (L)
	DFBB2206	1 Long Nose Pliers - 6" (L)
	DEBB2206	1 Diagonal Cutting Pliers - 6" (L)
	DBBB2207	1 Combination Pliers - 7" (L)
	GAAL0916	9 Long Type Ball Point Hex Key Wrench Set 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm

65PCS Tool Chest Set

(W)470 x (D)220 x (H)350 mm

65PCS

ITEM NO. 1 GCAZ0048 2 GCAZ0651 Satin Chrome Finished

65PCS Tool Chest Set

	CONTENTS	DESCRIPTION
	TBAC0501	1 3-Section Portable Tool Chest
1 GM-0603	FAAB0410~0818	3 Slotted Anti-Slip Screwdrivers 4x100, 6.5x100, 8x175 mm
	FBAB0108~0315	3 Phillips Anti-Slip Screwdrivers PH1x80, PH2x100, PH3x150
2 GM-0811	AAEI0607~2022	6 Double Ring Wrench 75° Offset 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22 mm
3 GM-1315	AAEJ0607~2022	6 Double Open End Wrenches 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22 mm
	GAAV0501	5 Chisel Punch Set Pin Punch : 4x10x150 mm Cape Chisel : 5x10x130 mm Cold Chisel : 12x10x130 mm Taper Punch : 3x10x120 mm Center Punch : #2x10x120 mm
4 GM-2221	BAEA1610~1632	18 1/2" Dr. 6PT Flank Sockets 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32 mm
	CJBG1627	1 1/2" Dr. 36 Teeth Reversible Ratchet Handle With Quick Release
	CAHA1678	1 1/2" Dr. Universal Joint
	CAAA1605 & 1610	2 1/2" Dr. Extension Bar - 5" & 10" (L)
	CFAC1615	1 1/2" Dr. Swivel Handle - 15" (L)
	HAAC0830	1 Ball Peen Hammer - (8 oz)
	HAAB1038	1 Dead Blow Hammer (16 oz)
	DDBA2210	1 Box-Joint Water Pump Pliers - 10" (L)
	DFBB2206	1 Long Nose Pliers - 6" (L)
	DEBB2206	1 Diagonal Cutting Pliers - 6" (L)
	DBBB2207	1 Combination Pliers - 7" (L)
	GAAL0916	9 Long Type Ball Point Hex Key Wrench Set 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm

• One EVA Form Tool Tray
at the bottom of the tool chest set

1 GCAZ0048

2 GCAZ0651

63PCS Tool Chest Set

(W)470 x (D)220 x (H)350 mm

ITEM NO. GCAZ0039 Satin Chrome Finished

63PCS Tool Chest Set

	CONTENTS	DESCRIPTION
	TBAC0501	1 3-Section Portable Tool Chest
1 GM-0603	FAAB0410~0818	3 Slotted Anti-Slip Screwdrivers 4x100, 6.5x100, 8x175 mm
	FBAB0108~0315	3 Phillips Anti-Slip Screwdrivers PH1x80, PH2x100, PH3x150
2 GM-0607	AAEB2020~3232	6 Standard Combination Wrench 15° Offset 20, 22, 24, 27, 30, 32 mm
3 GM-1314	AAEB0808~1919	8 Standard Combination Wrench 15° Offset 8, 10, 11, 12, 13, 14, 17, 19 mm
	GAAV0501	5 Chisel Punch Set Pin Punch : 4x10x150 mm Cape Chisel : 5x10x130 mm Cold Chisel : 12x10x130 mm Taper Punch : 3x10x120 mm Center Punch : #2x10x120 mm
4 GM-2221	BAEA1610~1632	16 1/2" Dr. 6PT Flank Sockets 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32 mm
	CJBG1627	1 1/2" Dr. 36 Teeth Reversible Ratchet Handle With Quick Release
	CAHA1678	1 1/2" Dr. Universal Joint
	CAAA1605 & 1610	2 1/2" Dr. Extension Bar - 5" & 10" (L)
	CFAC1615	1 1/2" Dr. Swivel Handle - 15" (L)
	HAAA0330	1 Engineer Hammer (300g)
	HAAB1038	1 Dead Blow Hammer (16 oz)
	DDBA2210	1 Box-Joint Water Pump Pliers - 10" (L)
	DFBB2206	1 Long Nose Pliers - 6" (L)
	DEBB2206	1 Diagonal Cutting Pliers - 6" (L)
	DBBB2207	1 Combination Pliers - 7" (L)
	GAAL0916	9 Long Type Ball Point Hex Key Wrench Set 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm

63PCS

65PCS Tool Chest Set

(W)470 x (D)220 x (H)350 mm

ITEM NO. GCAZ0003 Satin Chrome Finished

65PCS Tool Chest Set

	CONTENTS	DESCRIPTION
	TBAC0501	1 3-Section Portable Tool Chest
1 GM-0603	FAAB0410~0818	3 Slotted Anti-Slip Screwdrivers 4x100, 6.5x100, 8x175 mm
	FBAB0108~0315	3 Phillips Anti-Slip Screwdrivers PH1x80, PH2x100, PH3x150
2 GM-0811	AAEI0607~2022	8 Double Ring Wrench 75° Offset 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22 mm
	AAEJ0607~2022	8 Double Open End Wrenches 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22 mm
3 GM-1315	GAAV0501	5 Chisel Punch Set Pin Punch : 4x10x150 mm Cape Chisel : 5x10x130 mm Cold Chisel : 12x10x130 mm Taper Punch : 3x10x120 mm Center Punch : #2x10x120 mm
4 GM-2221	BAEA1610~1632	16 1/2" Dr. 6PT Flank Sockets 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32 mm
	CJBG1627	1 1/2" Dr. 36 Teeth Reversible Ratchet Handle With Quick Release
	CAHA1678	1 1/2" Dr. Universal Joint
	CAAA1605 & 1610	2 1/2" Dr. Extension Bar - 5" & 10" (L)
	AMAA3325	1 Paw Adjustble Wrench - 10" (L)
	HAAA0330	1 Engineer Hammer (300g)
	HAAB1038	1 Dead Blow Hammer (16 oz)
	DDBA2210	1 Box-Joint Water Pump Pliers - 10" (L)
	DFBB2206	1 Long Nose Pliers - 6" (L)
	DEBB2206	1 Diagonal Cutting Pliers - 6" (L)
	DBBB2207	1 Combination Pliers - 7" (L)
	GAAL0910	9 Short Type Hex Key Wrench Set 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm

65PCS

Master Tool Sets

TOOL TRAY SET

7PCS — Satin Chrome Finished
15° Offset Super-Torque Combination Wrench Set

ITEM NO.	CONTENTS	6 (SET)
GM-0708	7 AAEW1717~2424 Super-Torque Combination Wrench 15° Offset 17, 18, 19, 20, 21, 22, 24 mm	

6PCS — Satin Chrome Finished
15° Offset Super-Torque Combination Wrench Set

ITEM NO.	CONTENTS	6 (SET)
GM-0605	6 AAEW2020~3232 Super-Torque Combination Wrench 15° Offset 20, 22, 24, 27, 30, 32 mm	

8PCS — Satin Chrome Finished
75° Offset Double Ring Wrench Set

ITEM NO.	CONTENTS	6 (SET)
GM-0811	8 AAEI0607~2022 Double Ring Wrench 75° Offset 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22 mm	

7PCS — Satin Chrome Finished
15° Offset Hi-Performance Combination Wrench Set

ITEM NO.	CONTENTS	6 (SET)
GM-0709	7 AAEX1717~2424 Hi-Performance Combination Wrench 15° Offset 17, 18, 19, 20, 21, 22, 24 mm	

6PCS — Satin Chrome Finished
15° Offset Hi-Performance Combination Wrench Set

ITEM NO.	CONTENTS	6 (SET)
GM-0606	6 AAEX2020~3232 Hi-Performance Combination Wrench 15° Offset 20, 22, 24, 27, 30, 32 mm	

20PCS — Satin Chrome Finished
15° Offset Super-Torque Combination Wrench & Extra Long Type Ball Point Hex Key Wrench Set

ITEM NO.	CONTENTS	6 (SET)
GM-2016	11 AAEW0606~1616 Super-Torque Combination Wrench 15° Offset 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16 mm 9 GAAL0917 Extra Long Type Ball Point Hex Key Wrench Set 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm	

7PCS — Satin Chrome Finished
15° Offset Standard Combination Wrench Set

ITEM NO.	CONTENTS	6 (SET)
GM-0710	7 AAEB1717~2424 Standard Combination Wrench 15° Offset 17, 18, 19, 20, 21, 22, 24 mm	

6PCS — Satin Chrome Finished
15° Offset Standard Combination Wrench Set

ITEM NO.	CONTENTS	6 (SET)
GM-0607	6 AAEB2020~3232 Standard Combination Wrench 15° Offset 20, 22, 24, 27, 30, 32 mm	

20PCS — Satin Chrome Finished
15° Offset Hi-Performance Combination Wrench & Extra Long Type Ball Point Hex Key Wrench Set

ITEM NO.	CONTENTS	6 (SET)
GM-2017	11 AAEX0606~1616 Hi-Performance Combination Wrench 15° Offset 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16 mm 9 GAAL0917 Extra Long Type Ball Point Hex Key Wrench Set 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm	

7PCS — Satin Chrome Finished
15° Offset Pro-Line Combination Wrench Set

ITEM NO.	CONTENTS	6 (SET)
GM-0727	7 AABW1717~2424 Pro-Line Combination Wrench 15° Offset 17, 18, 19, 20, 21, 22, 24 mm	

6PCS — Satin Chrome Finished
15° Offset Pro-Line Combination Wrench Set

ITEM NO.	CONTENTS	6 (SET)
GM-0626	6 AABW2020~3232 Pro-Line Combination Wrench 15° Offset 20, 22, 24, 27, 30, 32 mm	

TOOL TRAY SET

20PCS — Satin Chrome Finished
15° Offset Standard Combination Wrench & Extra Long Type Ball Point Hex Key Wrench Set

ITEM NO.	CONTENTS	6 (SET)
GM-2018	11 AAEB0606~1616 Standard Combination Wrench 15° Offset 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16 mm 9 GAAL0917 Extra Long Type Ball Point Hex Key Wrench Set 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm	

13PCS — Satin Chrome Finished
15° Offset Super-Torque Combination Wrench & Chisel Punch Set

ITEM NO.	CONTENTS	6 (SET)
GM-1312	8 AAEW0808~1919 Super-Torque Combination Wrench 15° Offset 8, 10, 11, 12, 13, 14, 17, 19 mm 5 GAAV0501 Chisel Punch Set Pin Punch: 4x10x150 mm Cape Chisel: 5x10x130 mm Cold Chisel: 12x10x130 mm Taper Punch: 3x10x120 mm Center Punch: #2x10x120 mm	

13PCS — Satin Chrome Finished
Double Open End Wrench & Chisel Punch Set

ITEM NO.	CONTENTS	6 (SET)
GM-1315	8 AAEJ0607~2022 Double Open End Wrenches 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22 mm 5 GAAV0501 Chisel Punch Set Pin Punch: 4x10x150 mm Cape Chisel: 5x10x130 mm Cold Chisel: 12x10x130 mm Taper Punch: 3x10x120 mm Center Punch: #2x10x120 mm	

20PCS — Satin Chrome Finished
15° Offset Pro-Line Combination Wrench & Extra Long Type Ball Point Hex Key Wrench Set

ITEM NO.	CONTENTS	6 (SET)
GM-2029	11 AABW0606~1616 Pro-Line Combination Wrench 15° Offset 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16 mm 9 GAAL0917 Extra Long Type Ball Point Hex Key Wrench Set 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm	

13PCS — Satin Chrome Finished
15° Offset Hi-Performance Combination Wrench & Chisel Punch Set

ITEM NO.	CONTENTS	6 (SET)
GM-1313	8 AAEX0808~1919 Hi-Performance Combination Wrench 15° Offset 8, 10, 11, 12, 13, 14, 17, 19 mm 5 GAAV0501 Chisel Punch Set Pin Punch: 4x10x150 mm Cape Chisel: 5x10x130 mm Cold Chisel: 12x10x130 mm Taper Punch: 3x10x120 mm Center Punch: #2x10x120 mm	

6PCS
Go-Thru Slotted & Phillips Screwdriver Set (Hexagon Steel & Hexagon Driver)

ITEM NO.	CONTENTS	6 (SET)
GM-0602	3 FAGB5E10~0818 Go-Thru Slotted Screwdrivers (Hexagon Steel & Hexagon Driver) 5.5x100, 6.5x150, 8x175 3 FBGB0108~0315 Go-Thru Phillips Screwdrivers (Hexagon Steel & Hexagon Driver) PH1x75, PH2x100, PH3x150	

13PCS — Satin Chrome Finished
15° Offset Pro-Line Combination Wrench & Chisel Punch Set

ITEM NO.	CONTENTS	6 (SET)
GM-1328	8 AABW0808~1919 Pro-Line Combination Wrench 15° Offset 8, 10, 11, 12, 13, 14, 17, 19 mm 5 GAAV0501 Chisel Punch Set Pin Punch: 4x10x150 mm Cape Chisel: 5x10x130 mm Cold Chisel: 12x10x130 mm Taper Punch: 3x10x120 mm Center Punch: #2x10x120 mm	

13PCS — Satin Chrome Finished
15° Offset Standard Combination Wrench & Chisel Punch Set

ITEM NO.	CONTENTS	6 (SET)
GM-1314	8 AAEB0808~1919 Standard Combination Wrench 15° Offset 8, 10, 11, 12, 13, 14, 17, 19 mm 5 GAAV0501 Chisel Punch Set Pin Punch: 4x10x150 mm Cape Chisel: 5x10x130 mm Cold Chisel: 12x10x130 mm Taper Punch: 3x10x120 mm Center Punch: #2x10x120 mm	

6PCS
Slotted & Phillips Screwdriver Set

ITEM NO.	CONTENTS	6 (SET)
GM-0603	3 FAAB0410~0818 Slotted Anti-Slip Screwdrivers 4x100, 6.5x100, 8x175 3 FBAB0108~0315 Phillips Anti-Slip Screwdrivers PH1x80, PH2x100, PH3x150	

3PCS
Pliers Assortment Set

ITEM NO.	CONTENTS	6 (SET)
GM-0301	1 DBBB2207 Combination Pliers - 7" (L) 1 DEBB2206 Diagonal Cutting Pliers - 6" (L) 1 DFBB2206 Long Nose Pliers - 6" (L)	

Master Tool Sets

TOOL TRAY SET

34PCS
Satin Chrome Finished

1/4" & 3/8" DR. Flank Socket Set

ITEM NO.	CONTENTS (6 (SET))
GM-3432 (6PT)	12 BAEA0804~0813 1/4" Dr. 6PT Flank Sockets 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13 mm
GM-3433 (12PT)	12 BAEA1208~1219 3/8" Dr. 6PT Flank Sockets 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm
	2 CJBG0815 & 1220 1/4" & 3/8" Dr. 36 Teeth Reversible Ratchet Handle with Quick Release
	1 CTCK0811 1/4" Dr. Sliding T-Handle
	2 CAHA0840 & 1254 1/4" & 3/8" Dr. Universal Joint
	2 CAAA0802 & 0804 1/4" Dr. Extension Bar - 2" & 4" (L)
	2 CAAA1203 & 1206 3/8" Dr. Extension Bar - 3" & 6" (L)
	1 CAIA0815 1/4" Dr. Spinner Handle

59PCS
Satin Chrome Finished

1/4" DR. Flank Socket Set

ITEM NO.	CONTENTS (6 (SET))
GM-5930 (6PT)	12 BAEA0804~0813 1/4" Dr. 6PT Flank Sockets 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13 mm
	6 BAEE0806~0813 1/4" Dr. 6PT Flank Deep Sockets 6, 7, 8, 10, 12, 13 mm
GM-5934 (12PT)	1 CJBG0815 1/4" Dr. 36 Teeth Reversible Ratchet Handle with Quick Release
	1 CTCK0811 1/4" Dr. Sliding T-Handle
	2 CAAA0802 & 0804 1/4" Dr. Extension Bar - 2" & 4" (L)
	1 CAHA0840 1/4" Dr. Universal Joint
	1 CAIA0815 1/4" Dr. Spinner Handle
	6 BCDA082E~0808 1/4" Dr. Hex Bit Sockets 2.5, 3, 4, 5, 6, 8 mm
	7 BCFA0810~0840 1/4" Dr. Star Bit Sockets T10, T15, T20, T25, T27, T30, T40
	3 BCAA08P1~08P3 1/4" Dr. Phillips Bit Sockets PH1, PH2, PH3
	2 BCCA0804 & 086E 1/4" Dr. Slotted Bit Sockets 4 & 6.5 mm
	3 BCBA08P1~08P3 1/4" Dr. Pozi Bit Sockets PZ1, PZ2, PZ3
	7 GAAL0704 Long Type Ball Point Hex Key Wrench Set 2.5, 3, 4, 5, 6, 8, 10 mm
	7 GAAL0706 Long Type Star Key Wrench Set T10, T15, T20, T25, T27, T30, T40

20PCS
Satin Chrome Finished

1/2" DR. Flank Socket Set

ITEM NO.	CONTENTS (6 (SET))
GM-2019 (6PT)	18 BAEA1610~1632 1/2" Dr. 6PT Flank Sockets 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32 mm
GM-2022 (12PT)	1 CJBG1627 1/2" Dr. 36 Teeth Reversible Ratchet Handle with Quick Release
	1 CAHA1678 1/2" Dr. Universal Joint

22PCS
Satin Chrome Finished

1/2" DR. Flank Socket Set

ITEM NO.	CONTENTS (6 (SET))
GM-2221 (6PT)	18 BAEA1610~1632 1/2" Dr. 6PT Flank Sockets 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32 mm
GM-2224 (12PT)	1 CJBG1627 1/2" Dr. 36 Teeth Reversible Ratchet Handle with Quick Release
	1 CAHA1678 1/2" Dr. Universal Joint
	2 CAAA1605 & 1610 1/2" Dr. Extension Bar - 5" & 10" (L)

20PCS
Satin Chrome Finished

1/2" DR. Flank Socket Set

ITEM NO.	CONTENTS (6 (SET))
GM-2020 (6PT)	18 BAEA1610~1632 1/2" Dr. 6PT Flank Sockets 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32 mm
GM-2023 (12PT)	1 CMBG1627 1/2" Dr. 36 Teeth Reversible Ratchet Handle with Quick Release
	1 CAHA1678 1/2" Dr. Universal Joint

6PCS
Satin Chrome Finished

1/2" DR. Extension Bar & Sliding T-Handle Set

ITEM NO.	CONTENTS (6 (SET))
GM-0604	1 BAAR1621 1/2" Dr. Spark Plug Socket - 21 mm
	1 CAAF1602 1/2" Dr. Extension Bar (Wobble) - 2" (L)
	2 CAAA1605 & 1610 1/2" Dr. Extension Bar - 5" & 10" (L)
	1 CTCK1630 1/2" Dr. Sliding T-Handle - 12" (L)
	1 CFAC1615 1/2" Dr. Swivel Handle - 15" (L)

31PCS Tool Box Set

(W)445 x (D)240 x (H)202 mm

ITEM NO. GCAZ0025

31PCS Tool Box Set — Satin Chrome Finished

CONTENTS	DESCRIPTION
TBAE0301	1 Tool Box - (W)445 x (D)240x (H)202 mm
IAAA1903M	1 3M Measuring Tape
DEBB2206	1 Diagonal Cutting Pliers - 6" (L)
DBBB2207	1 Combination Pliers - 7" (L)
DDAA1210	1 Groove-Joint Water Pump Pliers - 10" (L)
DJAA1210	1 Tower Pincers - 10" (L)
FAAB0308~6E15	4 Slotted Anti-Slip Screwdrivers 3x75, 4x100, 5.5x100, 6.5x150 mm
FBAB0110 & 0215	2 Phillips Anti-Slip Screwdrivers PH1x100 & PH2x150 mm
GAAC0802	8 Double Open End Wrench Set 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22 mm
GAAL0910	9 Short Type Hex Key Wrench Set 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm
HAAA0330	1 Engineer Hammer (300g)
SBAA0414	1 Multi-Purpose Electricians Scissors - 138 mm (L)
SCAA2017	1 Heavy Duty Utility Knife With Spare Blade - 165 mm (L)

43PCS Tool Bag Set

ITEM NO. GPN-043A

(W)365 x (D)200 x (H)65 mm

43PCS Tool Bag Set — Satin Chrome Finished

CONTENTS	DESCRIPTION (4 (SET))
PPC43372000	1 Tool Bag - (W)365 x (D)200x (H)65 mm
GAAU1301	13 **1/4" Dr. Socket Rail Set** 1/4" Dr. 6PT Flank Sockets 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm 1/4" Dr. Universal Joint 1/4" Dr. x 1/4" (H) Quick Change Bit Holder
GAAV1002	10 **1/4" Hex Shank Screwdriver Bit Set** 1/4" (H) Star Insert Bit T10, T15, T20, T25, T27, T30, T40 1/4" (H) Pozi Insert Bit PZ1, PZ2, PZ3
FBBB0203	1 Stubby Phillips Anti-Slip Screwdriver - PH2x25 mm
FBAB0006	1 Phillips Anti-Slip Screwdriver - PH0x60 mm
FBAB0110	1 Phillips Anti-Slip Screwdriver - PH1x100 mm
FBAB0215	1 Phillips Anti-Slip Screwdriver - PH2x150 mm
FABB6E03	1 Stubby Slotted Anti-Slip Screwdriver - 6.5x25 mm
FAAB0308	1 Slotted Anti-Slip Screwdriver - 3.0x75 mm
FAAB6E15	1 Slotted Anti-Slip Screwdriver - 6.5x150 mm
CAIP0816	1 1/4" Dr. Spinner Handle
AGFH0701	7 7-In-1 Folding Hex Key Set 2.5, 3, 4, 5, 6, 8, 10 mm
AMAB2920	1 Adjustable Wrench - 8" (L)
DBBB2207	1 Combination Pliers - 7" (L)
DDBA2210	1 Box-Joint Water Pump Pliers - 10" (L)
SCAC1817	1 Utility Knife with Spare Blade
IAAA1905M	1 5M Measuring Tape

43PCS Tool Bag Set

ITEM NO. GPN-043C

(W)365 x (D)200 x (H)65 mm

43PCS Tool Bag Set — Satin Chrome Finished

CONTENTS	DESCRIPTION (4 (SET))
PPC43372000	1 Tool Bag - (W)365 x (D)200x (H)65 mm
GAAU1301	13 **1/4" Dr. Socket Rail Set** 1/4" Dr. 6PT Flank Sockets 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm 1/4" Dr. Universal Joint 1/4" Dr. x 1/4" (H) Quick Change Bit Holder
GAAV1002	10 **1/4" Hex Shank Screwdriver Bit Set** 1/4" (H) Star Insert Bit T10, T15, T20, T25, T27, T30, T40 1/4" (H) Pozi Insert Bit PZ1, PZ2, PZ3
FBBB0203	1 Stubby Phillips Anti-Slip Screwdriver - PH2x25 mm
FBAB0006	1 Phillips Anti-Slip Screwdriver - PH0x60 mm
FBAB0110	1 Phillips Anti-Slip Screwdriver - PH1x100 mm
FBAB0215	1 Phillips Anti-Slip Screwdriver - PH2x150 mm
FABB6E03	1 Stubby Slotted Anti-Slip Screwdriver - 6.5x25 mm
FAAB0308	1 Slotted Anti-Slip Screwdriver - 3.0x75 mm
FAAB6E15	1 Slotted Anti-Slip Screwdriver - 6.5x150 mm
CAIP0816	1 1/4" Dr. Spinner Handle
AGFH0701	7 7-In-1 Folding Hex Key Set 2.5, 3, 4, 5, 6, 8, 10 mm
AMAC2420	1 Adjustable Wrench - 8" (L)
DBBB2207B	1 Combination Pliers - 7" (L)
DAAQ1A10	1 Curved Jaw Locking Pliers with Wire Cutters - 10" (L)
SCAD1817	1 Utility Knife with Spare Blade
IAAA1903M	1 3M Measuring Tape

Master Tool Sets

130PCS

1/2" DR. Socket Display Set

(W)585 x (D)110 x (H)430 mm

130PCS 1/2" DR. Socket Display Set

ITEM NO. ★ Mirror Satin	DESCRIPTION
TBAB0800	1 Metal Socket Storage (W)585 x (D)110 x (H)430 mm
GAAY0005	130 BAEA1610~1632
GAAY0006 ○	1/2" Dr. 6PT Flank Sockets 10~14mm x 10pcs, 17mm x 9pcs, 19mm x 9pcs, 21~22mm x 8pcs, 23~24mm x 7pcs, 26~27mm x 7pcs, 29~30mm x 6pcs, 32mm x 6pcs

130PCS

1/2" DR. Impact Socket Display Set

(W)585 x (D)110 x (H)430 mm

Black Phosphate Finished

130PCS 1/2" DR. Impact Socket Display Set

ITEM NO.	DESCRIPTION
TBAB0800	1 Metal Socket Storage (W)585 x (D)110 x (H)430 mm
GAAY0007 ○	130 KABA1610~1632 1/2" Dr. 6PT Flank Impact Sockets 10~14mm x 10pcs, 17mm x 9pcs, 19mm x 9pcs, 21~22mm x 8pcs, 23~24mm x 7pcs, 26~27mm x 7pcs, 29~30mm x 6pcs, 32mm x 6pcs

189PCS

1/2" DR. Socket Shelf Set

(W)420 x (D)335 x (H)320 mm

189PCS 1/2" DR. Socket Shelf Set Satin Chrome Finished

ITEM NO.	DESCRIPTION
TBAB0304	1 Socket Shelf (W)420 x (D)335 x (H)320 mm
GAAY0011	189 BAEA1608~1632 1/2" Dr. 6PT Flank Sockets 08~17mm x 9pcs, 18~22mm x8pcs, 23~27mm x7pcs, 28~32pcs x6pcs

242PCS ★

1/2" DR. Socket Shelf Set

(W)425 x (D)290 x (H)360 mm

242PCS 1/2" DR. Socket Shelf Set

ITEM NO. Mirror Satin	DESCRIPTION
TBAB0300	1 Socket Shelf (W)425 x (D)290 x (H)360 mm
GAAY0001	182 BAEA1608~1632 1/2" Dr. 6PT Flank Sockets
GAAY0002	08~17mm x 9pcs, 18~19mm x 8pcs, 20~22mm x 7pcs, 23~27mm x 6pcs, 28~32mm x 5pcs
GAAY0003	45 BCDA1604~1619 1/2" Dr. Hex Bit Sockets ○
GAAY0004	4 x 5pcs, 5 x 5pcs, 6 x 5pcs, 8 x 5pcs, 10 x 5pcs, 12 x 5pcs, 14 x 5pcs, 17 x 5pcs, 19 x 5pcs
	15 BCAA16P2~16P4 1/2" Dr. Phillips Bit Sockets ⊕ PH2 x 5pcs, PH3 x 5pcs, PH4 x 5pcs

96PCS

Standard & Heavy Duty Screwdriver Shelf Set

(W)602 x (D)240 x (H)210 mm

96PCS Standard & Heavy Duty Screwdriver Shelf Set

ITEM NO.	DESCRIPTION	
TDAI6021	1 Screwdriver Shelf - (W)602 x (D)240 x (H)210 mm	
GAAY0008	⊕	⊖
	96 FBAB0006 - 6pcs PH0x60mm	FAAB0308 - 6pcs 3x75mm
	FBAB0108 - 6pcs PH1x80mm	FAAB3E10 - 6pcs 3.5x100mm
	FBAB0110 - 6pcs PH1x100mm	FAAB0410 - 6pcs 4x100mm
	FBAB0210 - 6pcs PH2x100mm	FAAB5E10 - 6pcs 5.5x100mm
	FBAB0215 - 6pcs PH2x150mm	FAAB5E15 - 6pcs 5.5x150mm
	FBAB0315 - 6pcs PH3x150mm	FAAB6E10 - 6pcs 6.5x100mm
	FBBB0203 - 6pcs PH2x25mm	FAAB6E15 - 6pcs 6.5x150mm
		FAAB0818 - 6pcs 8x175mm
		FABB6E03 - 6pcs 6.5x25mm

90PCS

Flat Chisel & Punch Shelf Set

(W)600 x (D)240 x (H)60 mm

90PCS Flat Chisel & Punch Shelf Set

ITEM NO.	DESCRIPTION	
GAAY0009	30 Pin Punch	12 Center Punch
	HBAA0313 - 6pcs Ø3x130mm	HBAC0412 - 6pcs Ø4x120mm
	HBAA0415 - 6pcs Ø4x150mm	HBAC0513 - 6pcs Ø5x130mm
	HBAA0516 - 6pcs Ø5x160mm	24 Flat Chisel
	HBAA0618 - 6pcs Ø6x180mm	HCAB1215 - 6pcs 12x150mm
	HBAA0820 - 6pcs Ø8x200mm	HCAB1516 - 6pcs 15x160mm
	12 Taper Punch	HCAB1918 - 6pcs 19x180mm
	HBAB0414 - 6pcs Ø4x140mm	HCAB2522 - 6pcs 25x220mm
	HBAB0616 - 6pcs Ø6x160mm	12 Ribbed Flat Chisel
		HCAA2115 - 6pcs 21x150mm
		HCAA2620 - 6pcs 26x200mm
TDAK6006	1 Chisel & Punch Shelf (W)600 x (D)240 x (H)60 mm	

24PCS

Soft Grip Chisel & Punch Shelf Set

(W)260 x (D)185 x (H)50 mm

24PCS Soft Grip Chisel & Punch Shelf Set

ITEM NO.	DESCRIPTION	
GAAY0010	6 Soft Grip Pin Punch	3 Soft Grip Center Punch
	HBBA0214 - 1pc Ø2x140mm	HBBC0419 - 1pc Ø4x185mm
	HBBA0315 - 1pc Ø3x150mm	HBBC0619 - 2pcs Ø6x185mm
	HBBA0418 - 1pc Ø4x180mm	3 Soft Grip Cape Chisel
	HBBA0520 - 1pc Ø5x200mm	HCBC0517 - 1pc 5x170mm
	HBBA0621 - 1pc Ø6x210mm	HCBC0718 - 2pcs 7x180mm
	HBBA0822 - 1pc Ø8x220mm	6 Soft Grip Flat Chisel
	6 Soft Grip Taper Punch	HCBB1015 - 1pc 10x150mm
	HBBB0219 - 1pc Ø2x185mm	HCBB1518 - 2pcs 15x180mm
	HBBB0319 - 1pc Ø3x185mm	HCBB1920 - 2pcs 19x200mm
	HBBB0419 - 1pc Ø4x185mm	HCBB2522 - 1pc 25x220mm
	HBBB0519 - 1pc Ø5x185mm	
	HBBB0619 - 1pc Ø6x185mm	
	HBBB0819 - 1pc Ø8x185mm	
TDAK2619	1 Chisel & Punch Shelf (W)260 x (D)185 x (H)50 mm	

Master Tool Sets

26PCS

15° Offset Super-Torque Combination Wrench Set

W/Merchandise Display Board

(W)700 x (H)1000 mm

Satin Chrome Finished

26PCS 15° Offset Super-Torque Combination Wrench Set

ITEM NO.		DESCRIPTION
TDAH7010	1	Merchandise Display Board - (W)700 x (H)1000 mm
TEAA0105	50	50pcs Display Stand Single Hook - 50 mm (L)
GABX2603	26	26pcs 15° Offset Super-Torque Combination Wrench Set AAEW0606~3232 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 32 mm

23PCS

Pliers Set

W/Merchandise Display Board

(W)700 x (H)1000 mm

23PCS Pliers Set W/Merchandise Display Board

ITEM NO.		DESCRIPTION
TDAH7010	1	Merchandise Display Board - (W)700 x (H)1000 mm
TEAA0105	50	50pcs Display Stand Single Hook - 50 mm (L)
GBBX2301	23	23pcs Pliers Set
	DBBB2206~2208	3 Combination Pliers - 6", 7", 8" (L)
	DFBB2206 & 2208	2 Long Nose Pliers - 6" & 8" (L)
	DEBB2206	1 Diagonal Cutting Pliers - 6" (L)
	DIBA2206	1 Wire Stripping Pliers - 6" (L)
	DDBA2210	1 Box-Joint Water Pump Pliers - 10" (L)
	DFBA2206 & 2208	2 Bent Nose Pliers - 6" & 8" (L)
	DFBC2206	1 Flat Nose Pliers - 6" (L)
	DEBC2207 & 2208	2 Heavy Duty Diagonal Cutting Pliers - 7" & 8" (L)
	DJBA2206 & 2208	2 Heavy Duty End Cutting Nippers - 6" & 8" (L)
	DGBB2106 & 2108	2 VDE Insulated Long Nose Pliers - 6" & 8" (L)
	DGBA2106~2108	3 VDE Insulated Combination Pliers - 6", 7", 8" (L)
	DGBE2110	1 VDE Insulated Box-Joint Water Pump Pliers - 10" (L)
	DGBC2106	1 VDE Insulated Diagonal Cutting Pliers - 6" (L)
	DGBD2106	1 VDE Insulated Wire Stripping Pliers - 6" (L)

42PCS

1/2" DR. Socket & Accessory Set

W/Merchandise Display Board

(W)700 x (H)1000 mm

Satin Chrome Finished
W/Merchandise Display Board

42PCS 1/2" DR. Socket & Accessory Set

ITEM NO.		DESCRIPTION
TDAH7010	1	Merchandise Display Board - (W)700 x (H)1000 mm
TEAA0105	50	50pcs Display Stand Single Hook - 50 mm (L)
GCBX4201	42	42pcs 1/2" Dr. Socket & Accessory Set
	BAEA1608~1632	25 1/2" Dr. 6PT Flank Sockets - 8~32 mm
	CAAF1605 & 1610	2 1/2" Dr. Extension Bar - 5" & 10" (L)
	CAAA1605 & 1610	2 1/2" Dr. Extension Bar - 5" & 10" (L)
	BAAT1616 & 1621	2 1/2" Dr. Magnetic Spark Plug Sockets - 16 & 21 mm
	CADC1642	1 1/2" Dr. Speed Brace - 420 mm (L)
	CTCJ1610	1 1/2" Dr. Sliding T-Handle with Quick Release - 254 mm (L)
	CTCK1625	1 1/2" Dr. Sliding T-Handle - 250 mm (L)
	CAGA1612	1 3-Way Adapter - ○1/2"(F) x ■ 3/8"(M) x○ 12.7 mm, 40 mm (L)
	CAHA1678	1 1/2" Dr. Universal Joint - 71 mm (L)
	CFKA1615	1 1/2" Dr. Swivel Handle - 15" (L)
	CJBG1627	1 1/2" Dr. 36 Teeth Reversible Ratchet Handle with Quick Release - 270 mm (L)
	CJEK1633	1 1/2" Dr. 48 Teeth Rapid Reversible Ratchet Handle with Quick Release - 325 mm (L)
	CJHM1631	1 1/2" Dr. 72 Teeth Flexible Reversible Ratchet Handle with Quick Release - 310 mm (L)
	CJLN1632	1 1/2" Dr. 72 Teeth Reversible Swivel Head Ratchet - 305 mm (L)
	CJCK1640	1 1/2" Dr. 48 Teeth Extra Long Reversible Ratchet Handle with Quick Release - 400 mm (L)

Wrenches & Torque Wrenches Series
Assortment

of super-torque wrenches supplied in both metric and inch sizes.

www.toptul.com

WRENCHES & TORQUE WRENCHES SERIES

Wrenches & Torque Wrenches

Hi-Performance Combination Wrench 15° Offset

- Chrome Vanadium Alloy Steel
- Thin profile head and ring for easy access in confined spaces
- Light weight model
- High torque performance as over 1.6 times as ANSI & DIN standard
- Satin chrome finished for maximum durability and corrosion resistance

• SAE

• METRIC

Satin Chrome Finished

ITEM NO. Satin	SIZE(mm)	L(mm)		
AAEX5E5E	5.5	104	10	320
AAEX0606	6	104	10	320
AAEX0707	7	114	10	320
AAEX0808	8	124	10	320
AAEX0909	9	131	10	320
AAEX1010	10	143	10	320
AAEX1111	11	151	10	240
AAEX1212	12	160	10	120
AAEX1313	13	169	10	120
AAEX1414	14	180	10	120
AAEX1515	15	192	10	80
AAEX1616	16	198	10	80
AAEX1717	17	206	10	80
AAEX1818	18	214	10	80
AAEX1919	19	223	10	80
AAEX2020	20	236	10	80
AAEX2121	21	243	10	80
AAEX2222	22	255	5	40
AAEX2323	23	266	5	40
AAEX2424	24	274	5	40
AAEX2525	25	284	5	40
AAEX2626	26	294	5	30
AAEX2727	27	304	5	30
AAEX2828	28	315	5	30
AAEX2929	29	327	5	30
AAEX3030	30	340	5	30
AAEX3232	32	355	5	20

Satin Chrome Finished

ITEM NO. Satin	SIZE(inch)	L(mm)		
ACEX0808	1/4	104	10	320
ACEX1010	5/16	124	10	320
ACEX1111	11/32	131	10	320
ACEX1212	3/8	143	10	320
ACEX1414	7/16	151	10	240
ACEX1616	1/2	169	10	120
ACEX1818	9/16	180	10	120
ACEX2020	5/8	198	10	80
ACEX2222	11/16	206	10	80
ACEX2424	3/4	223	10	80
ACEX2626	13/16	236	10	80
ACEX2828	7/8	255	5	40
ACEX3030	15/16	274	5	40
ACEX3232	1	284	5	40
ACEX3434	1-1/16	304	5	30
ACEX3636	1-1/8	315	5	30
ACEX4040	1-1/4	355	5	20

STORAGE RACK

15° Offset Hi-Performance Combination Wrench Set

Satin Chrome Finished

ITEM NO. Satin	CONTENTS	5 (SET)
GBAC1201	12 1/4", 5/16", 11/32", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8"	

STORAGE RACK

15° Offset Hi-Performance Combination Wrench Set

9PCS

12PCS

14PCS

HI-PERFORMANCE COMBINATION WRENCH

Satin Chrome Finished

ITEM NO. Satin	CONTENTS	5 (SET)
GAAC0901	9 6, 7, 8, 10, 12, 13, 14, 17, 19	
GAAC1201	12 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 17, 19	
GAAC1401	14 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 17, 19, 22, 24	

POUCH BAG - BLACK

15° Offset Hi-Performance Combination Wrench Set

Satin Chrome Finished

ITEM NO. Satin	CONTENTS	(SET)
GPAX0801	8 10, 11, 12, 13, 14, 15, 17, 19	20
GPAX1202	12 6, 7, 8, 10, 11, 12, 13, 14, 15, 17, 19, 22	10
GPAX1203	12 8, 9, 10, 11, 12, 13, 14, 16, 17, 19, 21, 24	10
GPAX1401	14 8, 10, 11, 12, 13, 14, 15, 17, 19, 22, 24, 27, 30, 32	4
GPAX1402	14 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 19, 21, 22, 24	10

Satin Chrome Finished

ITEM NO. Satin	CONTENTS	(SET)
GPAX1403	14 6, 7, 8, 10, 12, 13, 14, 17, 19, 22, 24, 27, 30, 32	6
GPAX1601	16 7, 8, 9, 10, 11, 12, 13, 14, 15, 17, 19, 22, 24, 27, 30, 32	4
GPBX1601	16 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-1/4"	4
GPAX2601	26 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 32	3



POUCH BAG - BLACK 8PCS

15° Offset Hi-Performance Combination Wrench Set

Satin Chrome Finished

ITEM NO. Satin	CONTENTS	10 (SET)
GPCX0801	8 8, 10, 12, 13, 14, 17, 19, 22	

METAL BOX 16PCS

15° Offset Hi-Performance Combination Wrench Set

Satin Chrome Finished

ITEM NO. Satin	CONTENTS	3 (SET)
GAAD1603	16 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 22, 24	

METAL CASE: W445 x D188 x H50 (mm)

Super-Torque Combination Wrench 15° Offset

- **More Efficient Open-End Design**
  The improved design of 15 degree bending open-end offers a better tightening and untightening accessibility.



- **Better Ring Head Accessibility**
  Specially designed ring head provides better clearance for reaching recessed spaced nuts.

- **Extra Comfort & Effective Grip**
  Larger side handle and recess frame handle design maximize the contact comfort with the hand.

Super-Torque Combination Wrench 15° Offset

- Chrome Vanadium Alloy Steel
- Robust construction design to work under extreme conditions
- High torque performance as over 2 times as ANSI & DIN standard
- Satin chrome finished for maximum durability and corrosion resistance

• METRIC

• SAE

Satin Chrome Finished

ITEM NO. Satin	SIZE(mm)	L(mm)		
AAEW0606	6	104	10	320
AAEW0707	7	114	10	320
AAEW0808	8	124	10	320
AAEW0909	9	131	10	320
AAEW1010	10	143	10	320
AAEW1111	11	151	10	240
AAEW1212	12	160	10	120
AAEW1313	13	169	10	120
AAEW1414	14	180	10	120
AAEW1515	15	192	10	80
AAEW1616	16	198	10	80
AAEW1717	17	206	10	80
AAEW1818	18	214	10	80
AAEW1919	19	223	10	80
AAEW2020	20	236	10	80
AAEW2121	21	243	10	80
AAEW2222	22	255	5	40
AAEW2323	23	266	5	40
AAEW2424	24	274	5	40
AAEW2525	25	284	5	40
AAEW2626	26	294	5	30
AAEW2727	27	304	5	30
AAEW2828	28	315	5	30
AAEW2929	29	327	5	30
AAEW3030	30	340	5	30
AAEW3232	32	355	5	20

Satin Chrome Finished

ITEM NO. Satin	SIZE(inch)	L(mm)		
ACEW0808	1/4	104	10	320
ACEW1010	5/16	124	10	320
ACEW1111	11/32	131	10	320
ACEW1212	3/8	143	10	320
ACEW1414	7/16	151	10	240
ACEW1616	1/2	169	10	120
ACEW1818	9/16	180	10	120
ACEW2020	5/8	198	10	80
ACEW2222	11/16	206	10	80
ACEW2424	3/4	223	10	80
ACEW2626	13/16	236	10	80
ACEW2828	7/8	255	5	40
ACEW3030	15/16	274	5	40
ACEW3232	1	284	5	40
ACEW3434	1-1/16	304	5	30
ACEW3636	1-1/8	315	5	30
ACEW4040	1-1/4	355	5	20

POUCH BAG - BLACK

15° Offset Super-Torque Combination Wrench Set

Satin Chrome Finished

ITEM NO. Satin	CONTENTS	(SET)
GPAW0801	8 10, 11, 12, 13, 14, 15, 17, 19	20
GPAW1202	12 6, 7, 8, 10, 11, 12, 13, 14, 15, 17, 19, 22	10
GPAW1401	14 8, 10, 11, 12, 13, 14, 15, 17, 19, 22, 24, 27, 30, 32	4
GPAW1402	14 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 19, 21, 22, 24	10
• GPAW1403	14 6, 7, 8, 10, 12, 13, 14, 17, 19, 22, 24, 27, 30, 32	6
GPAW1601	16 7, 8, 9, 10, 11, 12, 13, 14, 15, 17, 19, 22, 24, 27, 30, 32	4
GPBW1601	16 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-1/4"	4
GPAW2601	26 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 32	3

TOPTUL
YOUR BEST WORKING PARTNERS

SUPER-TORQUE COMBINATION WRENCH

Wrenches & Torque Wrenches

TOPTUL Dynamic / Ratchet-Effect Combination Wrench

This special designed open end wrench allows the user to tighten or loosen the fastener without removing the wrench from the fastener to change position. The open end grabs the fastener when torque pressure is applied making it difficult to slip. Perfect for confined space applications.



Super-Torque Dynamic Combination Wrench 15° Offset

- Chrome Vanadium Alloy Steel
- Robust construction design to work under extreme conditions
- High torque performance as over 1.6 times as ANSI & DIN standard
- Satin chrome finished for maximum durability and corrosion resistance

Satin Chrome Finished

ITEM NO. Satin	SIZE(mm)	L(mm)		
AAEQ0808	8	124	10	320
AAEQ0909	9	131	10	320
AAEQ1010	10	143	10	320
AAEQ1111	11	151	10	240
AAEQ1212	12	160	10	120
AAEQ1313	13	169	10	120
AAEQ1414	14	180	10	120
AAEQ1515	15	192	10	80
AAEQ1616	16	198	10	80
AAEQ1717	17	206	10	80
AAEQ1818	18	214	10	80
AAEQ1919	19	223	10	80
AAEQ2020	20	236	10	80
AAEQ2121	21	243	10	80
AAEQ2222	22	255	5	40
AAEQ2323	23	266	5	40
AAEQ2424	24	274	5	40

POUCH BAG - BLACK 14PCS

15° Offset Super-Torque Dynamic Combination Wrench Set

Satin Chrome Finished

ITEM NO. Satin	CONTENTS	10 (SET)
GPAQ1402 14	8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 19, 21, 22, 24	

Heavy Duty Wrenches Series

Slogging Ring Wrench 45° Offset

- Chrome Vanadium Steel Material
- Manganese Phosphate Finished

Black Phosphate Finished

ITEM NO. Black Phosphate	SIZE(mm)	L(mm)		
AAAU2424	24	250	3	12
AAAU2727	27	250	3	12
AAAU3030	30	270	3	12
AAAU3232	32	270	3	12
AAAU3636	36	300	2	8
AAAU3838	38	300	2	8
AAAU4141	41	317	2	8
AAAU4343	43	317	2	8
AAAU4646	46	360	2	4
AAAU5050	50	360	2	4
AAAU5555	55	360	2	4
AAAU6060	60	360	2	4
AAAU6565	65	380	2	4
AAAU7070	70	380	2	4
AAAU7575	75	415	1	2
AAAU8080	80	420	1	2
AAAU8585	85	450	1	2
AAAU9090	90	453	1	2
AAAU9595	95	500	1	2
AAAUA0A0	100	505	1	2
AAAUA5A5	105	520	1	2

Single Ring Wrench 45° Offset

- Chrome Vanadium Steel Material
- Manganese Phosphate Finished
- For use in combination with ALEA series handles

Black Phosphate Finished

ITEM NO. Black Phosphate	SIZE(mm)	L(mm)		
AAAV2424	24	190	5	20
AAAV2727	27	190	5	20
AAAV3030	30	195	5	20
AAAV3232	32	195	5	20
AAAV3636	36	213	2	8
AAAV3838	38	213	2	8
AAAV4141	41	251	2	8
AAAV4343	43	251	2	8
AAAV4646	46	274	2	8
AAAV5050	50	274	2	8
AAAV5555	55	287	2	8
AAAV6060	60	300	2	8
AAAV6565	65	309	2	8
AAAV7070	70	309	2	8
AAAV7575	75	340	2	4
AAAV8080	80	340	2	4
AAAV8585	85	360	2	4
AAAV9090	90	360	2	4
AAAV9595	95	378	1	2
AAAVA0A0	100	378	1	2
AAAVA5A5	105	380	1	2

Drive Handle

- Chrome Vanadium Steel Material
- For use in combination with AAAV series wrenches

Satin Finished

ITEM NO. Satin	CAPACITY(mm)	L(mm)		
ALEA2430	24-30	350	4	16
ALEA3255	32-55	580	4	16
ALEA60A5	60-105	850	4	8

- Heavy Duty Wrenches Series -

Slogging Open End Wrench
- Chrome-Molybdenum Alloy Steel
- Manganese Phosphate Finished

Black Phosphate Finished

ITEM NO. Black Phosphate	SIZE(mm)	L(mm)		
AAEY2424	24	179	5	60
AAEY2727	27	179	5	60
AAEY3030	30	189	5	40
AAEY3232	32	188	5	40
AAEY3636	36	213	4	24
AAEY3838	38	213	4	24
AAEY4141	41	234	2	12
AAEY4646	46	252	2	12
AAEY5050	50	272	2	12
AAEY5555	55	297	2	12
AAEY6060	60	316	2	8
AAEY6565	65	336	2	8
AAEY7070	70	367	1	2
AAEY7575	75	367	1	2
AAEY8080	80	398	1	2

Single Ring Wrench 45° Offset
- Chrome-Molybdenum Alloy Steel
- Manganese Phosphate Finished

Black Phosphate Finished

ITEM NO. Black Phosphate	SIZE(mm)	L(mm)		
AAAS1717	17	324	5	30
AAAS1919	19	324	5	30
AAAS2121	21	368	5	20
AAAS2222	22	368	5	20
AAAS2323	23	368	5	20
AAAS2424	24	382	5	20
AAAS2626	26	382	5	20
AAAS2727	27	394	5	20
AAAS2929	29	394	5	20
AAAS3030	30	410	5	20
AAAS3232	32	410	5	20
AAAS3434	34	465	4	16
AAAS3535	35	465	4	16
AAAS3636	36	465	4	16
AAAS3838	38	490	3	12
AAAS4141	41	490	3	12
AAAS4343	43	519	3	12
AAAS4444	44	519	3	12
AAAS4646	46	519	3	12
AAAS4848	48	594	2	4
AAAS5050	50	594	2	4
AAAS5555	55	594	2	4
AAAS5858	58	616	1	2
AAAS6060	60	616	1	2
AAAS6565	65	616	1	2

Single Open End Wrench
- Chrome-Molybdenum Alloy Steel
- Manganese Phosphate Finished

Black Phosphate Finished

ITEM NO. Black Phosphate	SIZE(mm)	L(mm)		
AAAT1616	16	161	10	160
AAAT1717	17	161	10	160
AAAT1818	18	161	10	160
AAAT1919	19	177	10	160
AAAT2020	20	177	10	160
AAAT2121	21	177	10	160
AAAT2222	22	197	6	96
AAAT2323	23	197	6	96
AAAT2424	24	197	6	96
AAAT2525	25	216	6	48
AAAT2626	26	216	6	48
AAAT2727	27	216	6	48
AAAT2828	28	243	6	48
AAAT2929	29	243	6	48
AAAT3030	30	243	6	48
AAAT3232	32	273	5	40
AAAT3333	33	273	5	40
AAAT3434	34	273	5	40
AAAT3535	35	299	5	30
AAAT3636	36	299	5	30
AAAT3838	38	299	5	30
AAAT4141	41	337	4	24
AAAT4242	42	337	4	24
AAAT4343	43	337	4	24
AAAT4444	44	374	3	18
AAAT4545	45	374	3	18
AAAT4646	46	374	3	18
AAAT4848	48	417	3	12
AAAT5050	50	417	3	12
AAAT5555	55	496	2	8
AAAT5858	58	496	2	8
AAAT6060	60	496	2	8

Slogging Ring Wrench
- Chrome-Molybdenum Alloy Steel
- Manganese Phosphate Finished

Black Phosphate Finished

ITEM NO. Black Phosphate	SIZE(mm)	L(mm)		
AAAR2222	22	162	8	96
AAAR2323	23	162	8	96
AAAR2424	24	162	8	96
AAAR2525	25	162	8	96
AAAR2626	26	179	5	60
AAAR2727	27	179	5	60
AAAR2828	28	179	5	60
AAAR2929	29	189	5	60
AAAR3030	30	189	5	60
AAAR3232	32	189	5	60
AAAR3333	33	189	5	60
AAAR3434	34	204	4	32
AAAR3535	35	204	4	32
AAAR3636	36	204	4	32
AAAR3838	38	204	4	32
AAAR4040	40	229	3	24
AAAR4141	41	229	3	24
AAAR4242	42	229	3	24
AAAR4343	43	229	3	24
AAAR4444	44	240	2	16
AAAR4545	45	240	2	16
AAAR4646	46	240	2	16
AAAR4747	47	240	2	16
AAAR4848	48	253	2	16
AAAR5050	50	253	2	16
AAAR5252	52	253	2	16
AAAR5555	55	271	2	12
AAAR6060	60	281	2	12
AAAR6565	65	281	2	12
AAAR7070	70	335	1	6
AAAR7575	75	335	1	6
AAAR8080	80	365	1	4
AAAR8585	85	365	1	4
AAAR9090	90	400	1	2
AAAR9595	95	400	1	2
AAARA0A0	100	435	1	2
AAARA5A5	105	435	1	2

Wrenches & Torque Wrenches

Extra Long Combination Wrench 15° Offset ★

- Chrome Vanadium Steel Material
- Extra long shank for reaching fasteners easily in deep space
- Professional quality for maximum durability and corrosion resistance

• METRIC

Mirror Polished

ITEM NO. Mirror	SIZE(mm)	L(mm)		
AAAL1616	16	295	10	80

Extra Long Combination Wrench 15° Offset ★

- Chrome Vanadium Steel Material
- Extra long shank for reaching fasteners easily in deep space
- Professional quality for maximum durability and corrosion resistance

• SAE

Mirror Polished

ITEM NO. Mirror	SIZE(inch)	L(mm)		
ACAL1212	3/8	187	10	120
ACAL1414	7/16	205	10	80
ACAL1616	1/2	241	10	80
ACAL1818	9/16	259	10	80
ACAL2020	5/8	295	10	80
ACAL2222	11/16	312	10	60
ACAL2424	3/4	347	10	60

Extra Long Combination Wrench 15° Offset

- Chrome Vanadium Steel Material
- Extra long shank for reaching fasteners easily in deep space
- Professional quality for maximum durability and corrosion resistance

Satin Chrome Finished

ITEM NO. Satin	SIZE(mm)	L(mm)		
AAEL1010	10	187	10	120
AAEL1111	11	205	10	80
AAEL1212	12	223	10	80
AAEL1313	13	241	10	80
AAEL1414	14	259	10	80
AAEL1515	15	277	10	80
AAEL1616	16	295	10	80
AAEL1717	17	312	10	60
AAEL1818	18	331	10	60
AAEL1919	19	347	10	60

TRAY — 10PCS

15° Offset Extra Long Combination Wrench Set

Satin Chrome Finished

ITEM NO. Satin	CONTENTS	
GAAF1008	10 10, 11, 12, 13, 14, 15, 16, 17, 18, 19	10 (SET)

STORAGE RACK — 7PCS

15° Offset Extra Long Combination Wrench Set

Mirror / Satin Chrome Finished

ITEM NO. ★ Mirror Satin	CONTENTS	
GAAM0705 GAAM0706	7 10, 11, 12, 13, 14, 17, 19	2 (SET)

Long Combination Wrench 15° Offset ★

- Chrome Vanadium Steel Material
- Long shank for extra torque with less operational strength requirement
- Professional quality for maximum durability and corrosion resistance

• METRIC

Mirror Polished

ITEM NO. Mirror	SIZE(mm)	L(mm)		
AAAA0606	6	129	10	320
AAAA0707	7	136	10	320
AAAA0909	9	157	10	240
AAAA1616	16	241	10	80
AAAA1818	18	266	10	80
AAAA2020	20	278	10	80
AAAA2121	21	301	10	60
AAAA2323	23	335	5	30
AAAA2525	25	369	5	30
AAAA2626	26	369	5	30
AAAA2828	28	385	5	30
AAAA2929	29	402	5	30

Long Combination Wrench 15° Offset ★

- Chrome Vanadium Steel Material
- Long shank for extra torque with less operational strength requirement
- Professional quality for maximum durability and corrosion resistance

• SAE

Mirror Polished

ITEM NO. Mirror	SIZE(inch)	L(mm)		
ACAA0808	1/4	129	10	320
ACAA1010	5/16	145	10	240
ACAA1111	11/32	157	10	240
ACAA1212	3/8	170	10	240
ACAA1414	7/16	182	10	120
ACAA1616	1/2	205	10	80
ACAA2222	11/16	254	10	80
ACAA2424	3/4	278	10	80
ACAA2626	13/16	301	10	60
ACAA2828	7/8	316	5	30
ACAA3232	1	369	5	30
ACAA3434	1-1/16	385	5	30
ACAA3636	1-1/8	402	5	30
ACAA4040	1-1/4	429	5	10

Long Combination Wrench 15° Offset

- Chrome Vanadium Steel Material
- Long shank for extra torque with less operational strength requirement
- Professional quality for maximum durability and corrosion resistance

• METRIC

Satin Chrome Finished

ITEM NO. Satin	SIZE(mm)	L(mm)		
AAEA0606	6	129	10	320
AAEA0707	7	136	10	320
AAEA0808	8	145	10	240
AAEA0909	9	157	10	240
AAEA1010	10	170	10	240
AAEA1111	11	182	10	120
AAEA1212	12	193	10	120
AAEA1313	13	205	10	80
AAEA1414	14	218	10	80
AAEA1515	15	230	10	80
AAEA1616	16	241	10	80
AAEA1717	17	254	10	80
AAEA1818	18	266	10	80
AAEA1919	19	278	10	80
AAEA2020	20	278	10	80
AAEA2121	21	301	10	60
AAEA2222	22	316	5	30
AAEA2323	23	335	5	30
AAEA2424	24	335	5	30
AAEA2525	25	369	5	30
AAEA2626	26	369	5	30
AAEA2727	27	385	5	30
AAEA2828	28	385	5	30
AAEA2929	29	402	5	30
AAEA3030	30	402	5	30
AAEA3232	32	429	5	10

Long Combination Wrench 15° Offset

- Chrome Vanadium Steel Material
- Long shank for extra torque with less operational strength requirement
- Professional quality for maximum durability and corrosion resistance

• SAE

Satin Chrome Finished

ITEM NO. Satin	SIZE(inch)	L(mm)		
ACEA0808	1/4	129	10	320
ACEA1010	5/16	145	10	240
ACEA1111	11/32	157	10	240
ACEA1212	3/8	170	10	240
ACEA1414	7/16	182	10	120
ACEA1616	1/2	205	10	80
ACEA1818	9/16	218	10	80
ACEA2020	5/8	241	10	80
ACEA2222	11/16	254	10	80
ACEA2424	3/4	278	10	80
ACEA2626	13/16	301	10	60
ACEA2828	7/8	316	5	30
ACEA3030	15/16	335	5	30
ACEA3232	1	369	5	30
ACEA3434	1-1/16	385	5	30
ACEA3636	1-1/8	402	5	30
ACEA4040	1-1/4	429	5	10

Wrenches & Torque Wrenches

POUCH BAG - GREEN
15° Offset Long Combination Wrench Set

GAAA0802

GAAA1215

GAAA1402

Satin Chrome Finished

ITEM NO. Satin	CONTENTS	(SET)
GAAA0802 8	10, 11, 12, 13, 14, 15, 17, 19	10
GAAA1215 12	6, 7, 8, 10, 11, 12, 13, 14, 15, 17, 19, 22	6
GAAA1402 14	8, 10, 11, 12, 13, 14, 15, 17, 19, 22, 24, 27, 30, 32	4

Satin Chrome Finished

ITEM NO. Satin	CONTENTS	(SET)
GAAA1410 14	8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 19, 21, 22, 24	6
GAAA1602 16	7, 8, 9, 10, 11, 12, 13, 14, 15, 17, 19, 22, 24, 27, 30, 32	4
GAAA2602 26	6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 32	3

GAAA1410

GAAA1602

GAAA2602

POUCH BAG - GREEN
15° Offset Long Combination Wrench Set

★16PCS

Mirror Polished

ITEM NO. Mirror	CONTENTS	4 (SET)
GBAA1601 16	1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-1/4"	

POUCH BAG - BLACK
15° Offset Long Combination Wrench Set

GPAA0802

GPAA1204

GPAA1402

Satin Chrome Finished

ITEM NO. Satin	CONTENTS	(SET)
GPAA0802 8	10, 11, 12, 13, 14, 15, 17, 19	10
GPAA1204 12	6, 7, 8, 10, 11, 12, 13, 14, 15, 17, 19, 22	6
GPAA1402 14	8, 10, 11, 12, 13, 14, 15, 17, 19, 22, 24, 27, 30, 32	4

Satin Chrome Finished

ITEM NO. Satin	CONTENTS	(SET)
GPAA1404 14	8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 19, 21, 22, 24	6
GPAA1602 16	7, 8, 9, 10, 11, 12, 13, 14, 15, 17, 19, 22, 24, 27, 30, 32	4
GPAA2602 26	6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 32	3

GPAA1404

GPAA1602

GPAA2602

POUCH BAG - BLACK
15° Offset Long Combination Wrench Set

★

GPAA1201

GPAA1401

GPAA1601

Mirror Polished

ITEM NO. Mirror	CONTENTS	(SET)
GPAA1201 12	7, 8, 10, 11, 12, 13, 16, 17, 18, 19, 22, 24	6
GPAA1401 14	8, 10, 11, 12, 13, 14, 15, 17, 19, 22, 24, 27, 30, 32	4

Mirror Polished

ITEM NO. Mirror	CONTENTS	(SET)
GPAA1601 16	7, 8, 9, 10, 11, 12, 13, 14, 15, 17, 19, 22, 24, 27, 30, 32	4

Pro-Line Combination Wrench 15° Offset

Pro-Line Combination Wrench 15° Offset

- Chrome Vanadium Alloy Steel
- Thin profile head and ring for easy access in confined spaces
- Light weight model
- High torque performance as over 1.6 times as ANSI & DIN standard
- Satin chrome finished for maximum durability and corrosion resistance

Satin Chrome Finished

ITEM NO. Satin	SIZE(mm)	L(mm)		
AABW0606	6	104	10	320
AABW0707	7	114	10	320
AABW0808	8	124	10	320
AABW0909	9	131	10	320
AABW1010	10	143	10	320
AABW1111	11	151	10	240
AABW1212	12	160	10	120
AABW1313	13	169	10	120
AABW1414	14	180	10	120
AABW1515	15	192	10	80
AABW1616	16	198	10	80
AABW1717	17	206	10	80
AABW1818	18	214	10	80
AABW1919	19	223	10	80
AABW2020	20	236	10	80
AABW2121	21	243	10	80
AABW2222	22	255	5	40
AABW2323	23	266	5	40
AABW2424	24	274	5	40
AABW2525	25	284	5	40
AABW2626	26	294	5	30
AABW2727	27	304	5	30
AABW2828	28	315	5	30
AABW2929	29	327	5	30
AABW3030	30	340	5	30
AABW3232	32	355	5	20

More Efficient Open-End Design
The design of the bending open-end aligns with center line of the handle in angle 15 degrees.
Rotate bending open-end oppositely to increase work area in confined space for tightening and loosening applications.

Extra Comfort & Effective Grip
Larger side handle to maximize the contact comfort and enhance grip power with the hand.

Better Ring Head Accessibility
Specially designed ring head provides better clearance for reaching recessed spaced nuts.

Protuberant Character Design
The visible and notable stamping characters provides easy reading before use.

PRO-LINE COMBINATION WRENCH

POUCH BAG - BLACK

15° Offset Pro-Line Combination Wrench Set

Satin Chrome Finished

ITEM NO. Satin	CONTENTS	(SET)
GPCW0801 8	8, 10, 12, 13, 14, 17, 19, 22	10

Satin Chrome Finished

ITEM NO. Satin	CONTENTS	(SET)
GPCW1401 14	8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 19, 21, 22, 24	10

POUCH BAG - GREEN

15° Offset Pro-Line Combination Wrench Set

Satin Chrome Finished

ITEM NO. Satin	CONTENTS	(SET)
GRAW0801 8	8, 10, 12, 13, 14, 17, 19, 22	10
GRAW1001 10	8, 10, 11, 12, 13, 14, 17, 19, 22, 24	10

Satin Chrome Finished

ITEM NO. Satin	CONTENTS	(SET)
GRAW1401 14	8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 19, 21, 22, 24	10
GRAW1601 16	6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 22, 24	6

METAL BOX — 16PCS

15° Offset Pro-Line Combination Wrench Set

Satin Chrome Finished

ITEM NO. Satin	CONTENTS	3 (SET)
GAAD1604 16	6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 22, 24	

METAL CASE: W445 x D188 x H50 (mm)

Wrenches & Torque Wrenches

Standard Combination Wrench 15° Offset ★

- Chrome Vanadium Steel Material
- High torque performance as over 1.6 times as ANSI & DIN standard
- Professional quality for maximum durability and corrosion resistance

• METRIC

Mirror Polished

ITEM NO. Mirror	SIZE(mm)	L(mm)		
AAAB0606	6	109	10	320
AAAB0707	7	119	10	320
AAAB0808	8	129	10	320
AAAB0909	9	139	10	320
AAAB1010	10	149	10	320
AAAB1111	11	159	10	240
AAAB1212	12	169	10	120
AAAB1313	13	179	10	120
AAAB1414	14	189	10	120
AAAB1515	15	199	10	80
AAAB1616	16	209	10	80
AAAB1717	17	219	10	80
AAAB1818	18	229	10	80
AAAB1919	19	239	10	80
AAAB2020	20	249	10	80
AAAB2121	21	259	10	80
AAAB2222	22	269	5	40
AAAB2323	23	279	5	40
AAAB2424	24	289	5	40
AAAB2525	25	299	5	40
AAAB2626	26	309	5	30
AAAB2727	27	319	5	30
AAAB2828	28	329	5	30
AAAB2929	29	339	5	30
AAAB3030	30	349	5	30
AAAB3232	32	369	5	20
AAAB3333	33	409	5	20
AAAB3434	34	409	5	20
AAAB3535	35	409	5	20

Standard Combination Wrench 15° Offset

- Chrome Vanadium Steel Material
- High torque performance as over 1.6 times as ANSI & DIN standard
- Professional quality for maximum durability and corrosion resistance

• METRIC

Satin Chrome Finished

ITEM NO. Satin	SIZE(mm)	L(mm)		
AAEB0606	6	109	10	320
AAEB0707	7	119	10	320
AAEB0808	8	129	10	320
AAEB0909	9	139	10	320
AAEB1010	10	149	10	320
AAEB1111	11	159	10	240
AAEB1212	12	169	10	120
AAEB1313	13	179	10	120
AAEB1414	14	189	10	120
AAEB1515	15	199	10	80
AAEB1616	16	209	10	80
AAEB1717	17	219	10	80
AAEB1818	18	229	10	80
AAEB1919	19	239	10	80
AAEB2020	20	249	10	80
AAEB2121	21	259	10	80
AAEB2222	22	269	5	40
AAEB2323	23	279	5	40
AAEB2424	24	289	5	40
AAEB2525	25	299	5	40
AAEB2626	26	309	5	30
AAEB2727	27	319	5	30
AAEB2828	28	329	5	30
AAEB2929	29	339	5	30
AAEB3030	30	349	5	30
AAEB3232	32	369	5	20
AAEB3333	33	409	5	20
AAEB3434	34	409	5	20
AAEB3535	35	409	5	20
AAEB3636	36	439	5	10
AAEB3838	38	439	5	10
AAEB4040	40	479	2	8
AAEB4141	41	479	2	8
AAEB4242	42	479	2	8
AAEB4343	43	479	2	8

Standard Combination Wrench 15° Offset (Jumbo)

- Chrome Vanadium Steel Material
- High torque performance as over 1.6 times as ANSI & DIN standard
- Professional quality for maximum durability and corrosion resistance

• METRIC

Satin Chrome Finished

ITEM NO. Satin	SIZE(mm)	L(mm)		
AAEB4545	45	549	2	4
AAEB4646	46	549	2	4
AAEB4848	48	549	2	4
AAEB5050	50	549	2	4
AAEB5555	55	609	2	4
AAEB6060	60	699	1	2
AAEB6565	65	699	1	2
AAEB7070	70	680	1	2
AAEB7575	75	720	1	2
AAEB8080	80	720	1	2

Standard Combination Wrench 15° Offset ★

- Chrome Vanadium Steel Material
- High torque performance as over 1.6 times as ANSI & DIN standard
- Professional quality for maximum durability and corrosion resistance

• SAE

Mirror Polished

ITEM NO. Mirror	SIZE(inch)	L(mm)		
ACAB0808	1/4	109	10	320
ACAB1010	5/16	129	10	320
ACAB1414	7/16	159	10	240
ACAB1616	1/2	179	10	120
ACAB1818	9/16	189	10	120
ACAB2020	5/8	209	10	80
ACAB2222	11/16	219	10	80
ACAB2424	3/4	239	10	80
ACAB2626	13/16	259	10	80
ACAB2828	7/8	269	5	40
ACAB3232	1	299	5	40
ACAB3636	1-1/8	339	5	30
ACAB4040	1-1/4	369	5	20

Standard Combination Wrench 15° Offset

- Chrome Vanadium Steel Material
- High torque performance as over 1.6 times as ANSI & DIN standard
- Professional quality for maximum durability and corrosion resistance

• ACEB0808 - ACEB5454

• ACEB5656 - ACEB8080

Satin Chrome Finished

ITEM NO. Satin	SIZE(inch)	L(mm)		
ACEB0808	1/4	109	10	320
ACEB1010	5/16	129	10	320
ACEB1111	11/32	139	10	320
ACEB1212	3/8	149	10	320
ACEB1414	7/16	159	10	240
ACEB1616	1/2	179	10	240
ACEB1818	9/16	189	10	120
ACEB2020	5/8	209	10	80
ACEB2222	11/16	219	10	80
ACEB2424	3/4	239	10	80
ACEB2626	13/16	259	10	80
ACEB2828	7/8	269	5	40
ACEB3030	15/16	289	5	40
ACEB3232	1	299	5	40
ACEB3434	1-1/16	319	5	30
ACEB3636	1-1/8	339	5	30
ACEB4040	1-1/4	369	5	20
ACEB4242	1-5/16	409	5	20
ACEB4444	1-3/8	409	5	20
ACEB4646	1-7/16	439	5	10
ACEB4848	1-1/2	439	5	10
ACEB5252	1-5/8	479	2	8
ACEB5454	1-11/16	479	2	8
ACEB5656	1-3/4	549	2	4
ACEB5858	1-13/16	549	2	4
ACEB6060	1-7/8	549	2	4
ACEB6464	2	549	2	4
ACEB6868	2-1/8	609	2	4
ACEB7070	2-3/16	609	2	4
ACEB7272	2-1/4	609	2	4
ACEB7676	2-3/8	699	1	2
ACEB8080	2-1/2	699	1	2

STORAGE RACK — 11PCS

15° Offset Standard Combination Wrench Set

Satin Chrome Finished

ITEM NO. Satin	CONTENTS	5 (SET)
GAAC1103 [11]	8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19	

COLOR BOX — ★12PCS

15° Offset Standard Combination Wrench Set



Mirror / Satin Chrome Finished

ITEM NO. Mirror Satin	CONTENTS	10 (SET)
GAAE1210 GAAE1211 [12]	6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 17, 19	

METAL BOX — 16PCS

15° Offset Standard Combination Wrench Set

Satin Chrome Finished

ITEM NO. Satin	CONTENTS	3 (SET)
GAAD1602 [16]	6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 22, 24	

METAL CASE: W445 x D188 x H50 (mm)

Wrenches & Torque Wrenches

POUCH BAG - BLACK
15° Offset Standard Combination Wrench Set

GPAB0802

GPAB1204

GPAB1402


GPAB1404

Satin Chrome Finished

ITEM NO. Satin	CONTENTS	(SET)
GPAB0802	8 10, 11, 12, 13, 14, 15, 17, 19	20
GPAB1204	12 6, 7, 8, 10, 11, 12, 13, 14, 15, 17, 19, 22	10
GPAB1402	14 8, 10, 11, 12, 13, 14, 15, 17, 19, 22, 24, 27, 30, 32	4
GPAB1404	14 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 19, 21, 22, 24	10

Satin Chrome Finished

ITEM NO. Satin	CONTENTS	(SET)
GPAB1406	14 6, 7, 8, 10, 12, 13, 14, 17, 19, 22, 24, 27, 30, 32	6
GPAB1602	16 7, 8, 9, 10, 11, 12, 13, 14, 15, 17, 19, 22, 24, 27, 30, 32	4
GPAB2602	26 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 32	3

GPAB1406

GPAB1602

GPAB2602

POUCH BAG - GREEN
15° Offset Standard Combination Wrench Set

GAAA0804

GAAA1213

GAAA1404

Satin Chrome Finished

ITEM NO. Satin	CONTENTS	(SET)
GAAA0804	8 10, 11, 12, 13, 14, 15, 17, 19	20
GAAA1213	12 6, 7, 8, 10, 11, 12, 13, 14, 15, 17, 19, 22	10
GAAA1404	14 8, 10, 11, 12, 13, 14, 15, 17, 19, 22, 24, 27, 30, 32	4

Satin Chrome Finished

ITEM NO. Satin	CONTENTS	(SET)
GAAA1408	14 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 19, 21, 22, 24	10
GAAA1604	16 7, 8, 9, 10, 11, 12, 13, 14, 15, 17, 19, 22, 24, 27, 30, 32	4
GAAA2604	26 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 32	3


GAAA1408

GAAA1604


GAAA2604

POUCH BAG - BLACK ★
15° Offset Standard Combination Wrench Set

GPAB0801

GPAB1203


GPAB1401


GPAB2601

Mirror Polished

ITEM NO. Mirror	CONTENTS	(SET)
GPAB0801	8 10, 11, 12, 13, 14, 15, 17, 19	20
GPAB1203	12 6, 7, 8, 10, 11, 12, 13, 14, 15, 17, 19, 22	10

Mirror Polished

ITEM NO. Mirror	CONTENTS	(SET)
GPAB1401	14 8, 10, 11, 12, 13, 14, 15, 17, 19, 22, 24, 27, 30, 32	4
GPAB2601	26 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 32	3

POUCH BAG - GREEN ★
15° Offset Standard Combination Wrench Set

Mirror Polished

ITEM NO. Mirror	CONTENTS	(SET)
GAAA1212	12 6, 7, 8, 10, 11, 12, 13, 14, 15, 17, 19, 22	10

POUCH BAG - GREEN ★
15° Offset Standard Combination Wrench Set

Mirror Polished

ITEM NO. Mirror	CONTENTS	(SET)
GAAA0803	8 10, 11, 12, 13, 14, 15, 17, 19	20

POUCH BAG - BLACK 16PCS
15° Offset Standard Combination Wrench Set

Satin Chrome Finished

ITEM NO. Satin	CONTENTS	(SET)
GPBB1602	16 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-1/4"	4

POUCH BAG - GREEN 16PCS
15° Offset Standard Combination Wrench Set

Mirror / Satin Chrome Finished

ITEM NO. ★ Mirror Satin	CONTENTS	(SET)
GBAA1603 GBAA1604	16 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-1/4"	4

Wrenches & Torque Wrenches

Standard Combination Wrench 75° Offset ★

- Chrome Vanadium Steel Material
- Professional quality for maximum durability and corrosion resistance
- 75° offset ring end in design for operating easily in recess

• METRIC

Mirror Polished

ITEM NO. Mirror	SIZE(mm)	L(mm)		
AAAN0909	9	140	10	320
AAAN2222	22	285	5	40
AAAN2323	23	315	5	30
AAAN2424	24	315	5	30
AAAN2525	25	345	5	30
AAAN2626	26	345	5	30
AAAN2727	27	365	2	12
AAAN2828	28	365	2	12
AAAN2929	29	395	2	12
AAAN3030	30	395	2	12
AAAN3232	32	415	2	12

Standard Combination Wrench 75° Offset ★

- Chrome Vanadium Steel Material
- Professional quality for maximum durability and corrosion resistance
- 75° offset ring end in design for operating easily in recess

• SAE

Mirror Polished

ITEM NO. Mirror	SIZE(inch)	L(mm)		
ACAN4040	1-1/4	415	2	12

CR-V Steel
Satin Chrome Finish
Industrial DIN Standard

With 75° offset in design, this wrench will overcome the operational restriction compared with the traditional type combination wrench

Robust construction & Precision machining
Maximum tool torque and durability

STANDARD COMBINATION WRENCH 75° OFFSET

Standard Combination Wrench 75° Offset

- Chrome Vanadium Steel Material
- Professional quality for maximum durability and corrosion resistance
- 75° offset ring end in design for operating easily in recess

• METRIC

Satin Chrome Finished

ITEM NO. Satin	SIZE(mm)	L(mm)		
AAEN0606	6	110	10	320
AAEN0707	7	120	10	320
AAEN0808	8	130	10	320
AAEN0909	9	140	10	320
AAEN1010	10	150	10	160
AAEN1111	11	160	10	240
AAEN1212	12	170	10	160
AAEN1313	13	180	10	120
AAEN1414	14	190	10	120
AAEN1515	15	205	10	80
AAEN1616	16	215	10	80
AAEN1717	17	225	10	80
AAEN1818	18	235	10	80
AAEN1919	19	255	5	40
AAEN2020	20	255	5	40
AAEN2121	21	285	5	40
AAEN2222	22	285	5	40
AAEN2323	23	315	5	30
AAEN2424	24	315	5	30
AAEN2525	25	345	5	30
AAEN2626	26	345	5	30
AAEN2727	27	365	2	12
AAEN2828	28	365	2	12
AAEN2929	29	395	2	12
AAEN3030	30	395	2	12
AAEN3232	32	415	2	12

Standard Combination Wrench 75° Offset ★

- Chrome Vanadium Steel Material
- Professional quality for maximum durability and corrosion resistance
- 75° offset ring end in design for operating easily in recess

• SAE

Satin Chrome Finished

ITEM NO. Satin	SIZE(inch)	L(mm)		
ACEN0808	1/4	110	10	320
ACEN1010	5/16	130	10	320
ACEN1212	3/8	150	10	160
ACEN1414	7/16	160	10	240
ACEN1616	1/2	180	10	120
ACEN1818	9/16	190	10	120
ACEN2020	5/8	215	10	80
ACEN2222	11/16	225	10	80
ACEN2424	3/4	255	5	40
ACEN2626	13/16	285	5	40
ACEN2828	7/8	285	5	40
ACEN3030	15/16	315	5	30
ACEN3232	1	345	5	30
ACEN3434	1-1/16	365	2	12
ACEN3636	1-1/8	395	2	12
ACEN4040	1-1/4	415	2	12

COLOR BOX ★ 8PCS

75° Offset Standard Combination Wrench Set

Satin Chorme Finished

ITEM NO. Satin	CONTENTS	10 (SET)
GAAE0811	8, 10, 12, 13, 14, 17, 19, 22	

POUCH BAG - BLACK 12PCS

75° Offset Standard Combination Wrench Set



Satin Chorme Finished

ITEM NO. Satin	CONTENTS	6 (SET)
GPAN1201	8, 10, 11, 12, 13, 14, 16, 17, 18, 19, 21, 22	

Double Open End Wrench

Double Open End Wrench ★

- Chrome Vanadium Steel Material
- Professional quality for maximum durability and corrosion resistance

• METRIC

Mirror Polished

ITEM NO. Mirror	SIZE(mm)	L(mm)		
AAAJE507	5.5x7	127	10	320
AAAJ0607	6x7	127	10	320
AAAJ0810	8x10	145	10	320
AAAJ0911	9x11	161	10	240
AAAJ1012	10x12	161	10	240
AAAJ1013	10x13	174	10	120
AAAJ1113	11x13	174	10	120
AAAJ1214	12x14	174	10	120
AAAJ1315	13x15	190	10	120
AAAJ1317	13x17	194	10	120
AAAJ1417	14x17	194	10	120
AAAJ1719	17x19	223	10	80
AAAJ1921	19x21	236	10	80
AAAJ2022	20x22	236	10	80
AAAJ2123	21x23	246	10	60
AAAJ2326	23x26	267	5	40
AAAJ2528	25x28	267	5	40
AAAJ2627	26x27	267	5	40
AAAJ2732	27x32	294	5	40
AAAJ3538	35x38	377	2	12

Double Open End Wrench ★

- Chrome Vanadium Steel Material
- Professional quality for maximum durability and corrosion resistance

• SAE

Mirror Polished

ITEM NO. Mirror	SIZE(inch)	L(mm)		
ACAJ0810	1/4x5/16	127	10	320
ACAJ1012	5/16x3/8	145	10	320
ACAJ1820	9/16x5/8	190	10	120
ACAJ1822	9/16x11/16	194	10	120
ACAJ2224	11/16x3/4	223	10	80
ACAJ2428	3/4x7/8	236	10	80
ACAJ2628	13/16x7/8	236	10	80
ACAJ3032	15/16x1	267	5	40
ACAJ3236	1x1-1/8	267	5	40
ACAJ3436	1-1/16x1-1/8	284	5	40
ACAJ3440	1-1/16x1-1/4	294	5	40
ACAJ3842	1-3/16x1-5/16	294	5	40
ACAJ4652	1-7/16x1-5/8	377	2	12

Double Open End Wrench

- Chrome Vanadium Steel Material
- Professional quality for maximum durability and corrosion resistance

• METRIC

Satin Chrome Finished

ITEM NO. Satin	SIZE(mm)	L(mm)		
AAEJ0405	4x5	99	10	320
AAEJE507	5.5x7	127	10	320
AAEJ0607	6x7	127	10	320
AAEJ0809	8x9	145	10	320
AAEJ0810	8x10	145	10	320
• AAEJ0911	9x11	161	10	240
AAEJ1011	10x11	161	10	240
AAEJ1012	10x12	161	10	240
AAEJ1013	10x13	174	10	120
AAEJ1113	11x13	174	10	120
AAEJ1213	12x13	174	10	120
AAEJ1214	12x14	174	10	120
• AAEJ1314	13x14	190	10	120
• AAEJ1315	13x15	190	10	120
AAEJ1415	14x15	190	10	120
• AAEJ1317	13x17	194	10	120
• AAEJ1417	14x17	194	10	120
AAEJ1617	16x17	210	10	80
AAEJ1618	16x18	210	10	80
AAEJ1719	17x19	223	10	80
AAEJ1819	18x19	223	10	80
• AAEJ1921	19x21	236	10	80
• AAEJ1922	19x22	236	10	80
• AAEJ2021	20x21	236	10	80
AAEJ2022	20x22	236	10	80
AAEJ2123	21x23	246	10	60
AAEJ2224	22x24	246	10	60
• AAEJ2426	24x26	267	5	40
AAEJ2427	24x27	267	5	40
AAEJ2528	25x28	267	5	40
AAEJ2628	26x28	267	5	40
AAEJ2729	27x29	284	5	40
AAEJ2730	27x30	284	5	40
• AAEJ2732	27x32	294	5	40
AAEJ3032	30x32	294	5	40
• AAEJ3235	32x35	325	2	12
AAEJ3236	32x36	325	2	12
AAEJ3335	33x35	325	2	12
AAEJ3436	34x36	325	2	12
• AAEJ3538	35x38	377	2	12
AAEJ3641	36x41	377	2	12
AAEJ3842	38x42	377	2	12
AAEJ4146	41x46	426	2	12
AAEJ4650	46x50	477	2	10
AAEJ5055	50x55	504	2	8
AAEJ5560	55x60	504	2	8

Double Open End Wrench

- Chrome Vanadium Steel Material
- Professional quality for maximum durability and corrosion resistance

• SAE

Satin Chrome Finished

ITEM NO. Satin	SIZE(inch)	L(mm)		
ACEJ0810	1/4x5/16	127	10	320
• ACEJ1012	5/16x3/8	145	10	320
ACEJ1214	3/8x7/16	161	10	240
• ACEJ1416	7/16x1/2	174	10	120
ACEJ1618	1/2x9/16	174	10	120
• ACEJ1822	9/16x11/16	194	10	120
• ACEJ1922	19/32x11/16	194	10	120
ACEJ2022	5/8x11/16	210	10	80
• ACEJ2224	11/16x3/4	223	10	80
ACEJ2426	3/4x13/16	236	10	80
• ACEJ2628	13/16x7/8	236	10	80
ACEJ2830	7/8x15/16	246	10	60
ACEJ3234	1x1-1/16	267	5	40
ACEJ3640	1-1/8x1-1/4	294	5	40
• ACEJ3842	1-3/16x1-5/16	294	5	40

POUCH BAG - GREEN — 8PCS

Double Open End Wrench Set

Mirror / Satin Chrome Finished

ITEM NO. ★ Mirror Satin	CONTENTS	20 (SET)
GAAA0811 GAAA0812	• 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22	

POUCH BAG - GREEN — 12PCS

Double Open End Wrench Set



Mirror / Satin Chrome Finished

ITEM NO. ★ Mirror Satin	CONTENTS	6 (SET)
GAAA1205 GAAA1206	12 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 21x23, 24x27, 25x28, 30x32	

Wrenches & Torque Wrenches

POUCH BAG - BLACK — 10PCS
Double Open End Wrench Set

DOUBLE OPEN END WRENCH SET

Satin Chrome Finished

ITEM NO. Satin	CONTENTS	10 (SET)
GPCJ1001	10 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 24x27, 30x32	

POUCH BAG - BLACK — 8PCS
Double Open End Wrench Set

Satin Chrome Finished

ITEM NO. Satin	CONTENTS	20 (SET)
GPAJ0802	8 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22	

STORAGE RACK — 8PCS
Double Open End Wrench Set

Satin Chrome Finished

ITEM NO. Satin	CONTENTS	5 (SET)
GAAC0802	8 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22	

POUCH BAG - BLACK — 12PCS
Double Open End Wrench Set

Satin Chrome Finished

ITEM NO. Satin	CONTENTS	6 (SET)
GPAJ1202	12 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 21x23, 24x27, 25x28, 30x32	

METAL BOX — 10PCS
Double Open End Wrench Set

Satin Chrome Finished

ITEM NO. Satin	CONTENTS	6 (SET)
GAAD1009	10 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 21x23, 24x27	

METAL CASE: W370 x D154 x H50 (mm)

Double Ring Wrench 75° Offset

With 75° offset ring end design, this wrench can overcome the operating restriction compared to those conventional combination wrenches.



Double Ring Wrench 75° Offset ★
- Chrome Vanadium Steel Material
- 75° offset ring end in design for convenient operation in recess
- High torque performance as over 1.6 times as ANSI & DIN standard

• METRIC

METRIC — Mirror Polished

ITEM NO. Mirror	SIZE(mm)	L(mm)		
AAAIE507	5.5x7	167	10	240
AAAI0607	6x7	167	10	240
AAAI0608	6x8	172	10	120
AAAI0708	7x8	172	10	120
AAAI0809	8x9	182	10	120
AAAI0810	8x10	182	10	120
AAAI1011	10x11	197	10	80
AAAI1013	10x13	217	10	80
AAAI1113	11x13	217	10	80
AAAI1213	12x13	218	10	80
AAAI1214	12x14	218	10	80
AAAI1315	13x15	238	10	80
AAAI1415	14x15	238	10	80
AAAI1316	13x16	245	10	80
AAAI1417	14x17	245	10	80
AAAI1617	16x17	258	5	40
AAAI1819	18x19	290	5	40
AAAI1821	18x21	296	5	40
AAAI2022	20x22	316	5	30
AAAI2123	21x23	316	5	30
AAAI2224	22x24	324	5	30
AAAI2426	24x26	328	5	30
AAAI2528	25x28	345	5	30
AAAI2730	27x30	353	2	12
AAAI2732	27x32	353	2	12

Double Ring Wrench 75° Offset ★
- Chrome Vanadium Steel Material
- 75° offset ring end in design for convenient operation in recess
- High torque performance as over 1.6 times as ANSI & DIN standard

• SAE

SAE — Mirror Polished

ITEM NO. Mirror	SIZE(inch)	L(mm)		
ACAI1416	7/16x1/2	217	10	80
ACAI1618	1/2x9/16	238	10	80
ACAI1820	9/16x5/8	238	10	80
ACAI2022	5/8x11/16	258	5	40
ACAI2224	11/16x3/4	290	5	40
ACAI2426	3/4x13/16	296	5	30
ACAI3032	15/16x1	328	5	30
ACAI3640	1-1/8x1-1/4	360	2	12

Double Ring Wrench 75° Offset
- Chrome Vanadium Steel Material
- 75° offset ring end in design for convenient operation in recess
- High torque performance as over 1.6 times as ANSI & DIN standard

• METRIC

• SAE

METRIC — Satin Chrome Finished

ITEM NO. Satin	SIZE(mm)	L(mm)		
• AAEIE507	5.5x7	167	10	240
AAEI0607	6x7	167	10	120
• AAEI0608	6x8	172	10	120
• AAEI0708	7x8	172	10	120
AAEI0809	8x9	182	10	120
AAEI0810	8x10	182	10	120
AAEI1011	10x11	197	10	80
• AAEI1012	10x12	217	10	80
• AAEI1013	10x13	217	10	80
• AAEI1113	11x13	217	10	80
AAEI1213	12x13	218	10	80
• AAEI1316	13x16	245	10	80
• AAEI1317	13x17	245	10	80
AAEI1415	14x15	238	10	80
• AAEI1417	14x17	245	10	80
AAEI1617	16x17	258	5	40
AAEI1618	16x18	258	5	40
AAEI1719	17x19	290	5	40
AAEI1819	18x19	290	5	40
AAEI1821	18x21	296	5	40
AAEI1922	19x22	296	5	40
AAEI2022	20x22	316	5	30
AAEI2123	21x23	316	5	30
AAEI2224	22x24	324	5	30
AAEI2426	24x26	328	5	30
AAEI2427	24x27	328	5	30
AAEI2528	25x28	345	5	30
AAEI2628	26x28	345	5	30
AAEI2729	27x29	353	2	12
AAEI2730	27x30	353	2	12
AAEI2732	27x32	353	2	12
AAEI3032	30x32	360	2	12
AAEI3034	30x34	402	2	12
• AAEI3036	30x36	402	2	12
AAEI3236	32x36	402	2	12
AAEI3436	34x36	440	2	12
• AAEI3538	35x38	440	2	12
AAEI3641	36x41	440	2	12
AAEI3842	38x42	440	2	12
AAEI4146	41x46	470	2	8
AAEI4650	46x50	510	2	8

SAE — Satin Chrome Finished

ITEM NO. Satin	SIZE(inch)	L(mm)		
ACEI0810	1/4x5/16	167	10	120
• ACEI1012	5/16x3/8	182	10	120
ACEI1214	3/8x7/16	197	10	80
• ACEI1416	7/16x1/2	217	10	80
ACEI1618	1/2x9/16	238	10	80
• ACEI1922	19/32x11/16	245	10	80
ACEI2022	5/8x11/16	258	5	40
• ACEI2224	11/16x3/4	290	5	40
• ACEI2226	11/16x13/16	290	5	40
ACEI2426	3/4x13/16	296	5	30
• ACEI2628	13/16x7/8	316	5	30
ACEI2830	7/8x15/16	324	5	30
ACEI3234	1x1-1/16	345	5	30
• ACEI3236	1x1-1/8	345	5	30
• ACEI3436	1-1/16x1-1/8	353	2	12
• ACEI3440	1-1/16x1-1/4	353	2	12
ACEI3640	1-1/8x1-1/4	360	2	12

Wrenches & Torque Wrenches

POUCH BAG - GREEN 10PCS
75° Offset Double Ring Wrench Set

Satin Chrome Finished

ITEM NO. Satin	CONTENTS	6 (SET)
GRAI1001	10 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 21x23, 24x27	

POUCH BAG - BLACK 10PCS
75° Offset Double Ring Wrench Set

Satin Chrome Finished

ITEM NO. Satin	CONTENTS	6 (SET)
GPCI1001	10 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 21x23, 22x24, 27x32	

POUCH BAG - GREEN 8PCS
75° Offset Double Ring Wrench Set



Satin Chrome Finished

ITEM NO. Satin	CONTENTS	6 (SET)
GAAA0810	6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22	

POUCH BAG - BLACK 8PCS
75° Offset Double Ring Wrench Set

Satin Chrome Finished

ITEM NO. Satin	CONTENTS	6 (SET)
GPAI0802	6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22	

POUCH BAG - GREEN 12PCS
75° Offset Double Ring Wrench Set

Mirror / Satin Chrome Finished

ITEM NO. ★ Mirror Satin	CONTENTS	6 (SET)
GAAA1203 GAAA1204	12 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 21x23, 24x27, 25x28, 30x32	

POUCH BAG - BLACK 12PCS
75° Offset Double Ring Wrench Set

Satin Chrome Finished

ITEM NO. Satin	CONTENTS	6 (SET)
GPAI1202	12 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 21x23, 24x27, 25x28, 30x32	

STORAGE RACK 6PCS
75° Offset Double Ring Wrench Set

Satin Chrome Finished

ITEM NO. Satin	CONTENTS	5 (SET)
GAAC0602	6x7, 8x9, 10x11, 12x13, 14x15, 16x17	

METAL BOX 8PCS
75° Offset Double Ring Wrench Set

Satin Chrome Finished

ITEM NO. Satin	CONTENTS	6 (SET)
GAAD0807	6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22	

METAL CASE: W370 x D154 x H50 (mm)

COLOR BOX ★
75° Offset Double Ring Wrench Set

Mirror / Satin Chrome Finished

ITEM NO. Mirror Satin	CONTENTS	10 (SET)
GAAE0812 GAAE0813	6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22	

Wrenches & Torque Wrenches



Double Ring Wrench 45° Offset ★

- Chrome Vanadium Steel Material
- 45° offset ring end in design for convenient operation in recess
- Professional quality for maximum durability and corrosion resistance

Double Ring Wrench 45° Offset

- Chrome Vanadium Steel Material
- 45° offset ring end in design for convenient operation in recess
- Professional quality for maximum durability and corrosion resistance

METRIC — Mirror Polished

ITEM NO. Mirror	SIZE(mm)	L(mm)		
AAAH0608	6x8	165	10	240
AAAH0809	8x9	170	10	240
AAAH1011	10x11	180	10	120
AAAH1113	11x13	206	10	80
AAAH1213	12x13	206	10	80
AAAH1214	12x14	206	10	80
AAAH1415	14x15	232	10	80
AAAH1617	16x17	237	10	80
AAAH1719	17x19	270	10	80
AAAH1819	18x19	270	10	80
AAAH1922	19x22	292	5	30
AAAH2022	20x22	292	5	30
AAAH2123	21x23	327	5	30
AAAH2224	22x24	327	5	30
AAAH2326	23x26	362	5	30
AAAH2426	24x26	362	5	30
AAAH2427	24x27	362	5	30
AAAH2430	24x30	372	5	30
AAAH2528	25x28	372	5	30
AAAH2629	26x29	372	5	30
AAAH2729	27x29	380	5	30
AAAH2730	27x30	380	5	30
AAAH2732	27x32	380	5	30
AAAH2932	29x32	392	2	12
AAAH3032	30x32	392	2	12
AAAH3641	36x41	440	2	12
AAAH4146	41x46	470	2	8
AAAH4650	46x50	510	2	8
AAAH5560	55x60	610	2	4

SAE — Mirror Polished

ITEM NO. Mirror	SIZE(inch)	L(mm)		
ACAH0810	1/4x5/16	165	10	240
ACAH1012	5/16x3/8	170	10	240
ACAH1214	3/8x7/16	180	10	120
ACAH1416	7/16x1/2	206	10	80
ACAH1618	1/2x9/16	206	10	80
ACAH1820	9/16x5/8	232	10	80
ACAH1922	19/32x11/16	237	10	80
ACAH2022	5/8x11/16	237	10	80
ACAH2224	11/16x3/4	270	10	80
ACAH2425	3/4x25/32	270	10	80
ACAH2426	3/4x13/16	292	5	30
ACAH2428	3/4x7/8	292	5	30
ACAH2628	13/16x7/8	292	5	30
ACAH2830	7/8x15/16	327	5	30
ACAH3032	15/16x1	362	5	30
ACAH3236	1x1-1/8	372	5	30
ACAH3436	1-1/16x1-1/8	372	5	30
ACAH3440	1-1/16x1-1/4	392	2	12
ACAH3640	1-1/8x1-1/4	392	2	12
ACAH4046	1-1/4x1-7/16	402	2	12
ACAH4248	1-5/16x1-1/2	440	2	12
ACAH4652	1-7/16x1-5/8	440	2	12
ACAH5258	1-5/8x1-13/16	470	2	8
ACAH5460	1-11/16x1-7/8	470	2	8
ACAH5864	1-13/16x2	510	2	8
ACAH7278	2-1/4x2-7/16	610	2	4

METRIC — Satin Chrome Finished

ITEM NO. Satin	SIZE(mm)	L(mm)		
AAEH0607	6x7	165	10	240
• AAEH0608	6x8	165	10	240
• AAEH0708	7x8	165	10	240
AAEH0809	8x9	170	10	240
AAEH0810	8x10	170	10	240
AAEH1011	10x11	180	10	120
AAEH1012	10x12	195	10	120
• AAEH1113	11x13	206	10	80
AAEH1213	12x13	206	10	80
AAEH1214	12x14	206	10	80
AAEH1415	14x15	232	10	80
• AAEH1317	13x17	237	10	80
AAEH1417	14x17	237	10	80
AAEH1617	16x17	237	10	80
AAEH1719	17x19	270	10	80
AAEH1819	18x19	270	10	80
• AAEH1921	19x21	292	5	30
• AAEH1922	19x22	292	5	30
AAEH2022	20x22	292	5	30
AAEH2123	21x23	327	5	30
AAEH2224	22x24	327	5	30
• AAEH2326	23x26	362	5	30
AAEH2426	24x26	362	5	30
AAEH2427	24x27	362	5	30
AAEH2528	25x28	372	5	30
AAEH2628	26x28	372	5	30
• AAEH2629	26x29	372	5	30
• AAEH2729	27x29	380	5	30
• AAEH2730	27x30	380	5	30
• AAEH2732	27x32	380	5	30
AAEH3032	30x32	392	2	12
• AAEH3034	30x34	402	2	12
• AAEH3236	32x36	402	2	12
• AAEH3436	34x36	440	2	12
• AAEH3641	36x41	440	2	12
• AAEH3842	38x42	440	2	12
• AAEH4146	41x46	470	2	8
• AAEH4650	46x50	510	2	8
• AAEH5560	55x60	610	2	4

SAE — Satin Chrome Finished

ITEM NO. Satin	SIZE(inch)	L(mm)		
ACEH0810	1/4x5/16	165	10	240
• ACEH1012	5/16x3/8	170	10	240
ACEH1214	3/8x7/16	180	10	120
• ACEH1416	7/16x1/2	206	10	80
ACEH1618	1/2x9/16	206	10	80
• ACEH1820	9/16x5/8	232	10	80
ACEH2022	5/8x11/16	237	10	80
ACEH2426	3/4x13/16	292	5	30
ACEH2830	7/8x15/16	327	5	30
ACEH3032	15/16x1	362	5	30
• ACEH3436	1-1/16x1-1/8	372	5	30
• ACEH3440	1-1/16x1-1/4	392	2	12
ACEH3640	1-1/8x1-1/4	392	2	12
• ACEH4044	1-1/4x1-3/8	402	2	12
• ACEH4046	1-1/4x1-7/16	402	2	12
• ACEH5258	1-5/8x1-13/16	470	2	8
• ACEH7076	2-3/16x2-3/8	610	2	4

COLOR BOX ★ 8PCS

45° Offset Double Ring Wrench Set

Satin Chrome Finished

ITEM NO. Satin	CONTENTS	10 (SET)
GAAE0815	• 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22	

POUCH BAG - BLACK 8PCS

45° Offset Double Ring Wrench Set

Mirror / Satin Chrome Finished

ITEM NO. ★ Mirror Satin	CONTENTS	6 (SET)
GPAH0801 GPAH0802	• 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 22x24	

METAL BOX 8PCS

45° Offset Double Ring Wrench Set

Satin Chrome Finished

ITEM NO. Satin	CONTENTS	6 (SET)
GAAD0804	• 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22	

METAL CASE: W370 x D154 x H50 (mm)

POUCH BAG - BLACK 8PCS

45° Offset Double Ring Wrench Set

Satin Chrome Finished

ITEM NO. Satin	CONTENTS	10 (SET)
GPAH0804	• 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22	

POUCH BAG - GREEN 12PCS

45° Offset Double Ring Wrench Set

Satin Chrome Finished

ITEM NO. Satin	CONTENTS	4 (SET)
GAAA1202	12 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 21x23, 24x27, 25x28, 30x32	

POUCH BAG - BLACK 12PCS

45° Offset Double Ring Wrench Set

Satin Chrome Finished

ITEM NO. Satin	CONTENTS	4 (SET)
GPAH1202	12 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 21x23, 24x27, 25x28, 30x32	

Wrenches & Torque Wrenches

6PT - Flare Nut Wrench ★

- Chrome Vanadium Steel Material
- Thick head feature ensures a strong grip on the nut and avoids damages
- Useful for tightening and loosening flare nuts at line connections
- Specially designed for use with nuts fitted in hydraulic, oil and compressed air systems

• METRIC

Mirror Polished

ITEM NO. Mirror	SIZE(mm)	L(mm)		
AEAA0809	8x9	130	15	240
AEAA1011	10x11	150	10	160
AEAA1113	11x13	170	10	120
AEAA1213	12x13	170	10	120

12PT - Flare Nut Wrench ★

- Chrome Vanadium Steel Material
- Thick head feature ensures a strong grip on the nut and avoids damages
- Useful for tightening and loosening flare nuts at line connections
- Specially designed for use with nuts fitted in hydraulic, oil and compressed air systems

• METRIC

Mirror Polished

ITEM NO. Mirror	SIZE(mm)	L(mm)		
AEAA1417	14x17	190	5	60
AEAA1618	16x18	210	5	40
AEAA1922	19x22	230	5	40
AEAA2224	22x24	252	5	40

6PT - Flare Nut Wrench ★

- Chrome Vanadium Steel Material
- Thick head feature ensures a strong grip on the nut and avoids damages
- Useful for tightening and loosening flare nuts at line connections
- Specially designed for use with nuts fitted in hydraulic, oil and compressed air systems

• SAE

Mirror Polished

ITEM NO. Mirror	SIZE(inch)	L(mm)		
AFAA1012	5/16x3/8	130	15	240
AFAA1214	3/8x7/16	150	10	160
AFAA1416	7/16x1/2	170	10	120
AFAA1618	1/2x9/16	170	10	120

12PT - Flare Nut Wrench ★

- Chrome Vanadium Steel Material
- Thick head feature ensures a strong grip on the nut and avoids damages
- Useful for tightening and loosening flare nuts at line connections
- Specially designed for use with nuts fitted in hydraulic, oil and compressed air systems

• SAE

Mirror Polished

ITEM NO. Mirror	SIZE(inch)	L(mm)		
AFAA1820	9/16x5/8	190	5	60
AFAA2224	11/16x3/4	210	5	40
AFAA2428	3/4x7/8	230	5	40

6PT - Flare Nut Wrench

- Chrome Vanadium Steel Material
- Thick head feature ensures a strong grip on the nut and avoids damages
- Useful for tightening and loosening flare nuts at line connections
- Specially designed for use with nuts fitted in hydraulic, oil and compressed air systems

• METRIC

Satin Chrome Finished

ITEM NO. Satin	SIZE(mm)	L(mm)		
AEEA0809	8x9	130	15	240
AEEA0810	8x10	130	15	240
AEEA1011	10x11	150	10	160
AEEA1012	10x12	150	10	160
AEEA1113	11x13	170	10	120
AEEA1213	12x13	170	10	120
AEEA1214	12x14	170	10	120

12PT - Flare Nut Wrench

- Chrome Vanadium Steel Material
- Thick head feature ensures a strong grip on the nut and avoids damages
- Useful for tightening and loosening flare nuts at line connections
- Specially designed for use with nuts fitted in hydraulic, oil and compressed air systems

• METRIC

Satin Chrome Finished

ITEM NO. Satin	SIZE(mm)	L(mm)		
AEEA1417	14x17	190	5	60
AEEA1618	16x18	210	5	40
AEEA1719	17x19	210	5	40
AEEA1922	19x22	230	5	40
AEEA2224	22x24	252	5	40
AEEA2427	24x27	265	5	40

6PT - Flare Nut Wrench

- Chrome Vanadium Steel Material
- Thick head feature ensures a strong grip on the nut and avoids damages
- Useful for tightening and loosening flare nuts at line connections
- Specially designed for use with nuts fitted in hydraulic, oil and compressed air systems

• SAE

Satin Chrome Finished

ITEM NO. Satin	SIZE(inch)	L(mm)		
AFEA1012	5/16x3/8	130	15	240
AFEA1214	3/8x7/16	150	10	160
AFEA1416	7/16x1/2	170	10	120
AFEA1618	1/2x9/16	170	10	120

12PT - Flare Nut Wrench

- Chrome Vanadium Steel Material
- Thick head feature ensures a strong grip on the nut and avoids damages
- Useful for tightening and loosening flare nuts at line connections
- Specially designed for use with nuts fitted in hydraulic, oil and compressed air systems

• SAE

Satin Chrome Finished

ITEM NO. Satin	SIZE(inch)	L(mm)		
AFEA1820	9/16x5/8	190	5	60
• AFEA2022	5/8x11/16	195	5	60
• AFEA2024	5/8x3/4	210	5	40
AFEA2224	11/16x3/4	210	5	40
AFEA2428	3/4x7/8	230	5	40

Star Wrench ★

- Chrome Vanadium Steel Material
- Useful for removing E-Torx fasteners
- Professional quality for maximum durability and corrosion resistance

Mirror Polished

ITEM NO. Mirror	SIZE	L(mm)		
AAAE0608	E6xE8	113	10	320
AAAE0711	E7xE11	127	10	320
AAAE1012	E10xE12	142	10	320
AAAE1418	E14xE18	181	10	240
AAAE1622	E16xE22	204	5	40
AAAE2024	E20xE24	224	5	40

POUCH BAG - BLACK 5PCS

Flare Nut Wrench Set

Mirror / Satin Chrome Finished

ITEM NO. ★ Mirror Satin	CONTENTS	10 (SET)
GPAQ0501	8x10, 11x13, 12x14, 17x19, 22x24	
GPAQ0502		

Star Wrench

- Chrome Vanadium Steel Material
- Useful for removing E-Torx fasteners
- Professional quality for maximum durability and corrosion resistance

Satin Chrome Finished

ITEM NO. Satin	SIZE	L(mm)		
AAEE0608	E6xE8	113	10	320
AAEE0711	E7xE11	127	10	320
AAEE1012	E10xE12	142	10	320
AAEE1418	E14xE18	181	10	240
AAEE1622	E16xE22	204	5	40
AAEE2024	E20xE24	224	5	40

Wrenches & Torque Wrenches

Flat Type Extra-Long Double Ring Wrench ★

- Chrome Molybdenum Steel Material
- Professional quality for maximum durability and corrosion resistance
- Long shank and thin wall ring end design for reaching bolts easily in deep restricted space

Mirror Polished

ITEM NO. Mirror	SIZE(mm)	L(mm)		
AAAP081012	8x10	230	15	120
AAAP101212	10x12	300	15	90
AAAP121412	12x14	333	10	60
AAAP141712	14x17	365	10	60
AAAP171912	17x19	400	5	30

Half-Moon Ring Wrench ★

- Chrome Vanadium Steel Material
- Speical purpose tool for hard to reach starter bolts
- Professional quality for maximum durability and corrosion resistance

Mirror Polished

ITEM NO. Mirror	SIZE(mm)	L(mm)		
AAAC080912	8x9	137	10	160
AAAC141712	14x17	190	5	80
AAAC161812	16x18	220	5	40
AAAC192212	19x22	256	5	40

Flat Type Extra-Long Double Ring Wrench

- Chrome Molybdenum Steel Material
- Professional quality for maximum durability and corrosion resistance
- Long shank and thin wall ring end design for reaching bolts easily in deep restricted space

Satin Chrome Finished

ITEM NO. Satin	SIZE(mm)	L(mm)		
AAAP081052	8x10	230	15	120
AAAP101252	10x12	300	15	90
AAAP121452	12x14	333	10	60
AAAP141752	14x17	365	10	60
AAAP171952	17x19	400	5	30
AAAP222452	22x24	430	5	30

Half-Moon Ring Wrench

- Chrome Vanadium Steel Material
- Speical purpose tool for hard to reach starter bolts
- Professional quality for maximum durability and corrosion resistance

Satin Chrome Finished

ITEM NO. Satin	SIZE(mm)	L(mm)		
AAAC080952	8x9	137	10	160
AAAC101252	10x12	142	10	160
AAAC111352	11x13	166	5	80
AAAC141752	14x17	190	5	80
AAAC161852	16x18	220	5	40
AAAC192252	19x22	256	5	40

POUCH BAG - BLACK 6PCS

Flat Type Extra-Long Double Ring Wrench Set

Mirror / Satin Chrome Finished

ITEM NO. ★ Mirror Satin	CONTENTS	12 (SET)
GPAP0601 GPAP0602	8x10, 10x12, 12x14, 14x17, 17x19, 22x24	

Midget Double Ring Wrench 45° Offset ★

- Chrome Vanadium Steel Material
- Short shank allows convenient operation in confined area
- Professional quality for maximum durability and corrosion resistance

Mirror Polished

ITEM NO. Mirror	SIZE(mm)	L(mm)		
AAAK101112	10x11	116	10	160
AAAK121312	12x13	141	10	160
AAAK141512	14x15	141	10	160
AAAK161712	16x17	158	10	120
AAAK181912	18x19	158	10	120

Midget Dynamic Combination Wrench 15° Offset ★

- Chrome Vanadium Steel Material
- Short shank allows convenient operation in confined area
- Patent dynamic open end in design for operating within 30° restricted space

• METRIC

Mirror Polished

ITEM NO. Mirror	SIZE(mm)	L(mm)		
AAAG0707	7	86	10	320
AAAG0808	8	86	10	320
AAAG0909	9	95	10	320
AAAG1010	10	95	10	320
AAAG1111	11	99	10	320
AAAG1212	12	103	10	320
AAAG1313	13	107	10	320
AAAG1414	14	113	10	160
AAAG1515	15	117	10	160
AAAG1616	16	121	10	160
AAAG1717	17	127	10	120
AAAG1818	18	131	10	120
AAAG1919	19	137	10	120

Midget Double Ring Wrench 45° Offset

- Chrome Vanadium Steel Material
- Short shank allows convenient operation in confined area
- Professional quality for maximum durability and corrosion resistance

Satin Chorme Finished

ITEM NO. Satin	SIZE(mm)	L(mm)		
AAAK080952	8x9	116	10	160
AAAK101152	10x11	116	10	160
AAAK121352	12x13	141	10	160
AAAK141552	14x15	141	10	160
AAAK161752	16x17	158	10	120
AAAK181952	18x19	158	10	120

Midget Dynamic Combination Wrench 15° Offset ★

- Chrome Vanadium Steel Material
- Short shank allows convenient operation in confined area
- Patent dynamic open end in design for operating within 30° restricted space

• SAE

Mirror Polished

ITEM NO. Mirror	SIZE(inch)	L(mm)		
ACAG1010	5/16	86	10	320
ACAG1212	3/8	95	10	320
ACAG1414	7/16	99	10	320
ACAG1616	1/2	107	10	320
ACAG1818	9/16	113	10	160
ACAG2020	5/8	121	10	160
ACAG2222	11/16	127	10	120
ACAG2424	3/4	137	10	120

10PCS

Miniature Combination Wrench Set

Mirror Polished

ITEM NO. Mirror	CONTENTS	10 (SET)
GBBA1001	10 AFAM0505~1414 ○ 5/32", 3/16" ○ 7/32", 15/64", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16"	

Wrenches & Torque Wrenches

Midget Combination Wrench 15° Offset ★

- Chrome Vanadium Steel Material
- Short shank in design for convenient operation in confined area
- Professional quality for maximum durability and corrosion resistance

• METRIC

Mirror Polished

ITEM NO. Mirror	SIZE(mm)	L(mm)		
AAAF070712	7	86	10	320
AAAF080812	8	86	10	320
AAAF090912	9	95	10	320
AAAF101012	10	95	10	320
AAAF111112	11	99	10	320
AAAF131312	13	107	10	320
AAAF141412	14	113	10	160
AAAF151512	15	117	10	160
AAAF161612	16	121	10	160
AAAF181812	18	131	10	120
AAAF191912	19	137	10	120

Midget Combination Wrench 15° Offset

- Chrome Vanadium Steel Material
- Short shank in design for convenient operation in confined area
- Professional quality for maximum durability and corrosion resistance

• METRIC

Satin Chorme Finished

ITEM NO. Satin	SIZE(mm)	L(mm)		
AAAF070752	7	86	10	320
AAAF080852	8	86	10	320
AAAF090952	9	95	10	320
AAAF101052	10	95	10	320
AAAF111152	11	99	10	320
AAAF121252	12	103	10	320
AAAF131352	13	107	10	320
AAAF141452	14	113	10	160
AAAF151552	15	117	10	160
AAAF161652	16	121	10	160
AAAF171752	17	127	10	120
AAAF181852	18	131	10	120
AAAF191952	19	137	10	120

Midget Combination Wrench 15° Offset ★

- Chrome Vanadium Steel Material
- Short shank in design for convenient operation in confined area
- Professional quality for maximum durability and corrosion resistance

• SAE

Mirror Polished

ITEM NO. Mirror	SIZE(inch)	L(mm)		
ACAF111112	11/32	95	10	320
ACAF121212	3/8	95	10	320
ACAF141412	7/16	99	10	320
ACAF161612	1/2	107	10	320
ACAF181812	9/16	113	10	160
ACAF202012	5/8	121	10	160
ACAF242412	3/4	137	10	120

Midget Combination Wrench 15° Offset

- Chrome Vanadium Steel Material
- Short shank in design for convenient operation in confined area
- Professional quality for maximum durability and corrosion resistance

• SAE

Satin Chorme Finished

ITEM NO. Satin	SIZE(inch)	L(mm)		
ACAF101052	5/16	86	10	320
ACAF111152	11/32	95	10	320
ACAF121252	3/8	95	10	320
ACAF141452	7/16	99	10	320
ACAF161652	1/2	107	10	320
ACAF181852	9/16	113	10	160
ACAF202052	5/8	121	10	160
ACAF222252	11/16	127	10	120
ACAF242452	3/4	137	10	120

POUCH BAG - GREEN — 10PCS

15° Offset Midget Combination Wrench Set



Satin Chrome Finished

ITEM NO. Satin	CONTENTS	20 (SET)
GAAA1002	10 10, 11, 12, 13, 14, 15, 16, 17, 18, 19	

Pro-Series Reversible Ratchet Combination Wrench

- Chrome Vanadium Steel Material
- Two-way reversible gear design for quick and easy fastening and loosening works
- 72 teeth ratchet mechanism, 5° increments
- High torque & durable ratcheting performance
- Stain chrome plated finish

• METRIC

Satin Chrome Finished

ITEM NO. Satin	SIZE(mm)	L(mm)		
ABAF0808	8	140	10	320
ABAF0909	9	149	10	320
ABAF1010	10	158	10	160
ABAF1111	11	165	10	120
ABAF1212	12	171	10	120
ABAF1313	13	178	10	120
ABAF1414	14	190	10	120
ABAF1515	15	199	10	80
ABAF1616	16	208	10	80
ABAF1717	17	225	10	80
ABAF1818	18	236	10	80
ABAF1919	19	247	10	80

METAL BOX — 15PCS

Pro-Series Reversible Ratchet Combination Wrench Set

Satin Chrome Finished

ITEM NO.	Black	GBA1541
CONTENTS		4 (SET)

12 ABAF0808–1919
72 Teeth Pro-Series Reversible Ratchet Combination Wrenches
8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm

3 CANA0810–1619
Socket Adapter with Quick Release (For Ratchet Wrench)
■ 1/4" x ● 10mm, ■ 3/8" x ● 13mm, ■ 1/2" x ● 19mm

METAL CASE: W361 x D137 x H53 (mm)

STORAGE RACK — 7PCS

Pro-Series Reversible Ratchet Combination Wrench Set

Satin Chrome Finished

ITEM NO. Satin	CONTENTS	2 (SET)
GAAM0709	7 8, 10, 12, 13, 14, 17, 19	

METAL BOX — 12PCS

Pro-Series Reversible Ratchet Combination Wrench Set

Satin Chrome Finished

ITEM NO. Satin	CONTENTS	6 (SET)
GAAD1205	12 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19	

METAL CASE: W370 x D154 x H50 (mm)

POUCH BAG - BLACK — 12PCS

Pro-Series Reversible Ratchet Combination Wrench Set



Satin Chrome Finished

ITEM NO. Satin	CONTENTS	10 (SET)
GPAQ1203	12 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19	

Wrenches & Torque Wrenches

Pro-Series
Ratchet Combination Wrench

- Chrome Vanadium Steel Material
- 72 teeth ratchet mechanism, 5° increments
- High torque & durable ratcheting performance
- Satin chrome plated finish

Satin Chrome Finished

ITEM NO. Satin	SIZE(mm)	L(mm)		
AOAF0808	8	140	10	320
AOAF0909	9	149	10	160
AOAF1010	10	158	10	160
AOAF1111	11	165	10	120
AOAF1212	12	171	10	120
AOAF1313	13	178	10	120
AOAF1414	14	190	10	120
AOAF1515	15	200	10	80
AOAF1616	16	208	10	80
AOAF1717	17	225	10	80
AOAF1818	18	236	10	80
AOAF1919	19	247	10	80
AOAF2222	22	289	5	40
AOAF2424	24	322	5	40

POUCH BAG - BLACK — 12PCS
Ratchet Combination Wrench Set

Satin Chrome Finished

ITEM NO. Satin	CONTENTS	10 (SET)
GPAQ1202	12 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19	

10PCS
Pro-Series Ratchet Combination Wrench Set

Satin Chrome Finished

ITEM NO. Satin	CONTENTS	10 (SET)
GAAI1004	6 AOAF0808~1919 Pro-Series Ratchet Combination Wrenches 8, 10, 12, 13, 17, 19 mm 3 CANA0810~1619 Socket Adapter with Quick Release (For Ratchet Wrench) ■1/4" x ●10mm, ■3/8" x ●13mm, ■1/2" x ●19mm 1 FTAB0810 Quick Change Bit Holder ○1/4" x ● 10mm	

BLOW CASE: W260 x D170 x H60 (mm)

METAL BOX — 8PCS
Pro-Series Ratchet Combination Wrench Set

Satin Chrome Finished

ITEM NO. Satin	CONTENTS	6 (SET)
GAAD0810	8 8, 10, 11, 12, 13, 14, 17, 19	

METAL CASE: W370 x D154 x H50 (mm)

Pro-Series
Ratchet Double Ring Wrench

- Chrome Vanadium Steel Material
- 72 teeth ratchet mechanism, 5° increments
- High torque & durable ratcheting performance

Satin Chrome Finished

ITEM NO. Satin	SIZE(mm)	L(mm)		
AOAG0809	8x9	128	10	320
AOAG1011	10x11	150	10	160
AOAG1213	12x13	170	10	160
AOAG1415	14x15	190	10	120
AOAG1618	16x18	210	10	80
AOAG1719	17x19	230	10	80

Pro-Series
4-In-1 Ratchet Double Ring Wrench

- Chrome Vanadium Steel Material
- Two-way reversible gear design for quick and easy fastening and loosening works
- 72 teeth ratchet mechanism, 5° increments
- High torque & durable ratcheting performance

Satin Chrome Finished

ITEM NO. Satin	SIZE(mm)	L(mm)		
ABAD0811	8x11-10x9	150	10	160
ABAD1215	12x15-14x13	190	5	80
ABAD1619	16x19-17x18	230	5	40

Reversible Ratchet Combination Wrench

- Chrome Vanadium Steel Material
- Two-way reversible gear design for quick and easy fastening and loosening works
- 72 teeth gear construction for optimum fastening efficiency with only 5° increment of a turn

• METRIC

Satin Chrome Finished

ITEM NO. Satin	SIZE(mm)	L(mm)		
ABEA0808	8	135	10	320
ABEA0909	9	145	10	320
ABEA1010	10	155	10	160
ABEA1111	11	165	10	120
ABEA1212	12	175	10	120
ABEA1313	13	185	10	120
ABEA1414	14	195	10	120
ABEA1515	15	205	10	80
ABEA1616	16	215	10	80
ABEA1717	17	225	10	80
ABEA1818	18	235	10	80
ABEA1919	19	245	10	80

Reversible Ratchet Combination Wrench

- Chrome Vanadium Steel Material
- Two-way reversible gear design for quick and easy fastening and loosening works
- 72 teeth gear construction for optimum fastening efficiency with only 5° increment of a turn

• SAE

Mirror Polished

ITEM NO. Mirror	SIZE(inch)	L(mm)		
ADAA1010	5/16	135	10	320
ADAA1212	3/8	155	10	160
ADAA1414	7/16	165	10	120
ADAA1616	1/2	185	10	120
ADAA1818	9/16	195	10	120
ADAA2020	5/8	215	10	80
ADAA2222	11/16	225	10	80
ADAA2424	3/4	245	10	80

METAL BOX — 8PCS
Reversible Ratchet Combination Wrench Set (SAE)

Mirror Polished

ITEM NO. Mirror	CONTENTS	6 (SET)
GBAD0802	8 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4"	

METAL CASE: W370 x D154 x H50 (mm)

Wrenches & Torque Wrenches

Flexible Ratchet Combination Wrench ★

- Chrome Vanadium Steel Material
- 72 Teeth Ratchet Mechanism (5° increments)
- Satin Chrome Finished
- The pivoting flexible ratchet ring head allows for 180 degree operation in confined spaces
- Compact ring head enables to work in tight spaces where a ratchet and socket would not fit
- Ideal for applications that present problems in terms of congestion, visibility and accessibility

Satin Chrome Finished

ITEM NO. Satin	SIZE(mm)	L(mm)		
AOAD0808	8	136	10	320
AOAD0909	9	158	10	320
AOAD1010	10	158	10	160
AOAD1111	11	175	10	120
AOAD1212	12	175	10	120
AOAD1313	13	185	10	120
AOAD1414	14	193	10	120
AOAD1515	15	213	10	80
AOAD1616	16	213	10	80
AOAD1717	17	231	10	80
AOAD1818	18	249	10	80
AOAD1919	19	249	10	80

10PCS ★

Flexible Ratchet Combination Wrench Set

Satin Chrome Finished

ITEM NO. Satin	CONTENTS	10 (SET)
GAAI1003	6 AOAD0808~1919 Flexible Ratchet Combination Wrenches 8, 10, 12, 13, 17, 19 mm	
	3 CANA0810~1619 Socket Adapter with Quick Release (For Ratchet Wrench) ■1/4" x ●10mm, ■3/8" x ●13mm, ■1/2" x ●19mm	
	1 FTAB0810 Quick Change Bit Holder ○1/4" x ●10mm	
	BLOW CASE: W260 x D170 x H60 (mm)	

POUCH BAG - BLACK ★12PCS

Flexible Ratchet Combination Wrench Set

Satin Chrome Finished

ITEM NO. Satin	CONTENTS	10 (SET)
GPAQ1204	12 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19	

Ratchet Combination Wrench ★

- Chrome Vanadium Steel Material
- 72 Teeth Ratchet Mechanism

Satin Chrome Finished

ITEM NO. Satin	SIZE(mm)	L(mm)		
AOAA0808	8	135	10	320
AOAA0909	9	158	10	160
AOAA1010	10	158	10	160
AOAA1111	11	164	10	120
AOAA1212	12	167	10	120
AOAA1313	13	176	10	120
AOAA1414	14	190	10	120
AOAA1515	15	199	10	80
AOAA1616	16	205	10	80
AOAA1717	17	223	10	80
AOAA1919	19	245	10	80
AOAA2222	22	278	5	40
AOAA2424	24	308	5	40

Stubby Ratchet Combination Wrench

- Chrome Vanadium Steel Material
- 72 Teeth Ratchet Mechanism

Satin Chrome Finished

ITEM NO. Satin	SIZE(mm)	L(mm)		
AOAB0808	8	93	10	320
AOAB0909	9	95	10	320
AOAB1010	10	95	10	320
AOAB1111	11	105	10	320
AOAB1212	12	105	10	320
AOAB1313	13	106	10	320
AOAB1414	14	115	10	160
AOAB1515	15	122	10	160
AOAB1616	16	122	10	160
AOAB1717	17	125	10	120
AOAB1818	18	138	10	120
AOAB1919	19	138	10	120

Ratchet Double Ring Wrench ★

- Chrome Vanadium Steel and special heat treatments provides thin walls for strength
- 72 teeth ratcheting system provides high torque and 5 degrees of operation in tight areas

Satin Chrome Finished

ITEM NO. Satin	SIZE(mm)	L(mm)		
AEAR0809	8x9	131	10	320
AEAR1011	10x11	144	10	160
AEAR1213	12x13	166	10	160
AEAR1415	14x15	181	10	120
AEAR1618	16x18	206	10	80

Ratchet Double E-Star Ring Wrench

- Chrome Vanadium Steel Material
- Useful for removing external E-star fasteners quickly
- 72 teeth ratcheting mechanism for optimum fastening efficiency

Satin Chrome Finished

ITEM NO. Satin	SIZE	L(mm)		
AOAC0608	E6xE8	130	10	160
AOAC1012	E10xE12	144	10	160
AOAC1418	E14xE18	181	10	80
AOAC2024	E20xE24	224	10	80

Flexible Ratchet Double Ring Wrench ★

- Chrome Vanadium Steel Material
- 72 teeth ratchet mechanism (5° increments)
- Satin chrome finished
- The pivoting flexible ratchet ring head allows for 180 degree operation in confined spaces
- Compact ring head enables to work in tight spaces where a ratchet and socket would not fit
- Ideal for applications that present problems in terms of congestion, visibility and accessibility

Satin Chrome Finished

ITEM NO. Satin	SIZE(mm)	L(mm)		
AOAE0809	8x9	182	10	120
AOAE1011	10x11	188	10	120
AOAE1213	12x13	213	10	80
AOAE1415	14x15	225	10	80
AOAE1618	16x18	235	10	80
AOAE1719	17x19	238	10	80

Socket Adapter With Quick Release (For Ratchet Wrench)

CR-V DIN3123

Mirror Polished

ITEM NO. Mirror	DRIVE	L(mm)		
CANA0810	■1/4" x ●10mm	20	10	180
CANA1213	■3/8" x ●13mm	24	10	180
CANA1619	■1/2" x ●19mm	32	10	180

Quick Change Bit Holder (For Ratchet Wrench)

CR-V

Mirror Polished

ITEM NO. Mirror	DRIVE	L(mm)		
FTAB0810	○1/4" x ●10mm	17	50	800

Wrenches & Torque Wrenches

Double Socket Ratchet Wrench

- Chrome Vanadium Steel Material
- Two-way reversible gear design for quick and easy fastening and loosening works

Satin Finished

ITEM NO. Satin	SIZE(mm)	L(mm)		
• AEAH1012	10x12	240	2	50
AEAH1013	10x13	240	2	50
AEAH1214	12x14	240	2	50
AEAH1317	13x17	280	2	50
• AEAH1415	14x15	280	2	50
AEAH1417	14x17	280	2	50
• AEAH1419	14x19	315	2	50
AEAH1719	17x19	315	2	50
AEAH1721	17x21	315	2	50
AEAH1921	19x21	315	2	50
AEAH1922	19x22	315	2	50
AEAH1924	19x24	360	2	30
AEAH2123	21x23	360	2	30
• AEAH2127	21x27	360	2	30
AEAH2224	22x24	360	2	30
AEAH2427	24x27	360	2	30
AEAH2430	24x30	450	2	20
• AEAH2629	26x29	450	2	20
AEAH2730	27x30	450	2	20
AEAH2732	27x32	450	2	20
AEAH3032	30x32	450	2	20
AEAH3236	32x36	450	2	20
AEAH3641	36x41	450	2	20
• AEAH3650	36x50	500	2	8
• AEAH3846	38x46	500	2	8
• AEAH3850	38x50	500	2	8
AEAH4146	41x46	500	2	8
• AEAH4150	41x50	500	2	8
• AEAH4155	41x55	500	2	8
AEAH4650	46x50	500	2	8
• AEAH4655	46x55	500	2	8
AEAH5055	50x55	500	2	8

Open-End Ratcheting Wrench

- Chrome Molybdenum Steel Open-End
- Chrome Vanadium Steel Handle
- Speical purpose tool for hard to reach starter bolts
- Professional quality for maximum durability and corrosion resistance

Satin Finished

ITEM NO. Satin	SIZE(mm)	L(mm)		
AEAT1010	10	156	10	160
AEAT1111	11	156	10	160
AEAT1313	13	156	10	160
AEAT1717	17	210	10	80
AEAT1919	19	212	10	80
AEAT2222	22	220	10	80

Adjustable Hook Spanner Wrench

Adjustable Hook Spanner Wrench

- Made of Chrome Vanadium Alloy Steel
- Ideal for adjusting collars, lock nut rings and bearings
- Five sizes cover the full range of conventional fixed wrenches



Satin Finished

ITEM NO. Satin	Diameter Capacity (mm)	Hook Depth (A) (mm)	Hook Thickness (H) (mm)	Overall Length (L) (mm)		
AEEX1A35	13-35	3.5	9	170	5	60
AEEX1A50	35-50	4.5	10	215	5	40
AEEX1A80	50-80	5.5	12	285	5	40
AEEX1AA2	80-120	6.0	13	345	5	30
AEEX1AA8	120-180	8.0	15	465	2	8

Aluminum Alloy Pipe Wrench

- Aluminum alloy body
- Chrome molybdenum jaw
- Extra hardened jaw and deep milled teeth provide maximum strength at stress point
- Balanced for proper weight distribution

ITEM NO.	SIZE/LENGTH (inch)	JAW OPENING CAPACITY Ø (inch)		
DDAC1A14	14	2	2	8
DDAC1A18	18	2-1/2	2	4
DDAC1A24	24	3	2	4
DDAC1A36	36	5	1	2
DDAC1A48	48	6	1	2

Adjustable Wrench

- Chrome Vanadium Steel Material
- Millimeter graduation head for quick adjustment
- Black phosphate finish
- Polished head

ITEM NO.	SIZE (inch/mm)	MAXIMUM JAW OPENING WIDTH (mm)	L (mm)		
AMAC2015	6"(150mm)	20	160	6	150
AMAC2420	8"(200mm)	24	210	6	96
AMAC2925	10"(250mm)	29	260	6	54
AMAC3430	12"(300mm)	34	310	6	36
AMAC4338	15"(375mm)	43	390	2	8

Pipe Wrench

- Cast iron body
- Chrome molybdenum jaw

ITEM NO.	SIZE/LENGTH (inch)	JAW OPENING CAPACITY Ø (inch)		
DDAB1A08	8	1	5	40
DDAB1A10	10	1-1/2	5	20
DDAB1A12	12	2	2	12
DDAB1A14	14	2	2	8
DDAB1A18	18	2-1/2	2	4
DDAB1A24	24	3	2	4
DDAB1A36	36	5	1	2
DDAB1A48	48	6	1	2

Heavy Duty Adjustable Wrench

- Chrome Vanadium Steel Material
- Millimeter graduation head for quick adjustment
- Industrial-grade quality for maximum durability and corrosion resistance

ITEM NO.	SIZE (inch/mm)	MAXIMUM JAW OPENING WIDTH (mm)	L (mm)		
AMAB1710	4"(100mm)	17.0	110	6	120
AMAB2415	6"(150mm)	23.9	160	6	90
AMAB2920	8"(200mm)	28.6	205	6	60
AMAB3325	10"(250mm)	32.8	255	6	36
AMAB3830	12"(300mm)	38.1	305	6	24
AMAB5038	15"(375mm)	50.0	380	2	4
AMAB6045	18"(450mm)	60.0	460	2	4

Pipe Wrench
(45° Swedish model pipe wrench with S-shaped jaw)

- Swedish pattern pipe wrench
- Made of drop forged Chrome Vanadium Steel
- Slim, S-shaped jaws with induction hardened teeth
- Special jaw design grips pipes at three points
- Teeth offset against direction of rotation
- Suitable for working in confined spaces

ITEM NO.	SIZE (inch)	JAW OPENING CAPACITY Ø (inch)	L (mm)		
DDAD1A32	1	1-1/2	345	2	12
DDAD1A48	1-1/2	2-1/4	440	2	12
DDAD1A64	2	2-1/2	560	2	8

Paw Adjustable Wrench

- Chrome Vanadium Steel Material
- Millimeter graduation head for quick adjustment
- Handle weight less by 10% and over 18% wider jaw opening increase torsional rigidity and useful range of fastener sizes
- Rubber (TPR) cushion handle provides a comfortable and strong grip

ITEM NO.	SIZE (inch/mm)	MAXIMUM JAW OPENING WIDTH (mm)	L (mm)		
AMAA2415	6"(150mm)	23.9	165	5	90
AMAA2920	8"(200mm)	28.6	210	6	60
AMAA3325	10"(250mm)	32.8	260	6	48
AMAA3830	12"(300mm)	38.1	310	6	24

Wrenches & Torque Wrenches

Double End Swivel-Socket Wrench ★

- Chrome Vanadium Steel Material
- Unique swivel function in design enables the socket end to rotate through 180° moment for convenient access to confined area

12PT

Mirror Polished

ITEM NO. Mirror	SIZE(mm)	L(mm)		
AEAC0607	6x7	185	10	240
AEAC0809	8x9	180	10	160
AEAC0810	8x10	185	10	160
AEAC1011	10x11	200	10	80
AEAC1012	10x12	205	10	80
AEAC1214	12x14	225	10	80
AEAC1415	14x15	242	10	80
AEAC1417	14x17	244	10	80
AEAC1617	16x17	258	5	40
AEAC1719	17x19	260	5	40
AEAC1819	18x19	275	5	40
AEAC2022	20x22	305	5	30
AEAC2123	21x23	305	5	30

POUCH BAG - GREEN ★6PCS

Double End Swivel-Socket Wrench Set

Satin Chrome Finished

ITEM NO. Satin	CONTENTS	6 (SET)
GAAA0623	8x9, 10x11, 12x13, 14x15, 16x17, 18x19	

Double End Swivel-Socket Wrench

- Chrome Vanadium Steel Material
- Unique swivel function in design enables the socket end to rotate through 180° moment for convenient access to confined area

12PT

Satin Chrome Finished

ITEM NO. Satin	SIZE(mm)	L(mm)		
AEEC0607	6x7	185	10	240
AEEC0809	8x9	185	10	160
AEEC0810	8x10	185	10	160
AEEC1011	10x11	200	10	80
AEEC1012	10x12	205	10	80
AEEC1213	12x13	220	10	80
AEEC1214	12x14	225	10	80
AEEC1415	14x15	242	10	80
AEEC1417	14x17	244	10	80
AEEC1617	16x17	258	5	40
AEEC1719	17x19	260	5	40
AEEC1819	18x19	270	5	40
AEEC2022	20x22	305	5	30
• AEEC2123	21x23	305	5	30

POUCH BAG - GREEN 7PCS

Double End Swivel-Socket Wrench Set

Satin Chrome Finished

ITEM NO. Satin	CONTENTS	10 (SET)
GAAA0704	6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19	

METAL BOX 7PCS

Double End Swivel-Socket Wrench Set

Satin Chrome Finished

ITEM NO. Satin	CONTENTS	6 (SET)
GAAD0703	6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19	

METAL CASE: W370 x D154 x H50 (mm)

POUCH BAG - BLACK 7PCS

Double End Swivel-Socket Wrench Set

Satin Chrome Finished

ITEM NO. Satin	CONTENTS	10 (SET)
GPAQ0701	6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19	

Swivel-Socket Combination Wrench ★

- Chrome Vanadium Steel Material
- Unique swivel function in design enables the socket end to rotate through 180° moment for convenient access to confined area

12PT

Mirror Polished

ITEM NO. Mirror	SIZE(mm)	L(mm)		
AEAB0808	8	170	20	240
AEAB0909	9	170	20	240
AEAB1010	10	180	15	180
AEAB1111	11	190	10	120
AEAB1212	12	195	10	120
AEAB1313	13	210	10	80
AEAB1414	14	223	10	80
AEAB1515	15	223	10	80
AEAB1616	16	235	5	40
AEAB1717	17	235	5	40
AEAB1818	18	255	5	40
AEAB1919	19	255	5	40

Swivel-Socket Combination Wrench

- Chrome Vanadium Steel Material
- Unique swivel function in design enables the socket end to rotate through 180° moment for convenient access to confined area

12PT

Satin Chrome Finished

ITEM NO. Satin	SIZE(mm)	L(mm)		
AEEB0808	8	170	20	240
AEEB0909	9	170	20	240
AEEB1010	10	180	15	180
AEEB1111	11	190	10	120
AEEB1212	12	195	10	120
AEEB1313	13	210	10	80
AEEB1414	14	223	10	80
AEEB1515	15	223	10	80
AEEB1616	16	235	5	40
AEEB1717	17	235	5	40
AEEB1818	18	255	5	40
AEEB1919	19	255	5	40

1/4" Square Drive & Bit Holder Swivel Wrench

- Chrome Vanadium Steel Material
- Swivel head design for working in areas with restricted access

• Quick Change 1/4" (Hex) Bit Holder

• 1/4" Drive Socket Adaptor

Dual Finished

ITEM NO. Dual	SIZE	L(mm)		
AREA0808	■ 1/4" Dr. x ○ 1/4"	185	10	80

Angled Socket Wrench

- Chrome Vanadium Steel Material
- Unique designed open hole on the angle socket end allows access to nuts fitted onto protruding threads

6PT

12PT



Satin Chrome Finished

ITEM NO. Satin	SIZE(mm)	L(mm)		
AEAE0606	6	100	10	320
AEAE0707	7	100	10	320
AEAE0808	8	120	10	160
AEAE0909	9	122	10	160
AEAE1010	10	135	10	160
AEAE1111	11	135	10	160
AEAE1212	12	145	5	60
AEAE1313	13	149	5	60
AEAE1414	14	160	5	60
AEAE1515	15	165	5	60
AEAE1616	16	185	5	40
AEAE1717	17	185	5	40
AEAE1818	18	200	5	40
AEAE1919	19	200	2	16
AEAE2020	20	210	2	16
AEAE2121	21	210	2	16
AEAE2222	22	230	2	16
AEAE2323	23	228	2	12
AEAE2424	24	230	2	12
AEAE2525	25	232	2	12
AEAE2626	26	268	2	12
AEAE2727	27	268	2	12
AEAE2828	28	270	2	12
AEAE2929	29	285	2	12
AEAE3030	30	299	2	12
AEAE3232	32	310	2	12

POUCH BAG - BLACK 9PCS

Angled Socket Wrench Set

Satin Chrome Finished

ITEM NO. Satin	CONTENTS	6 (SET)
GPAQ0901	8, 10, 11, 12, 13, 14, 16, 17, 19	

Wrenches & Torque Wrenches

Double End Socket Wrench

- Chrome Vanadium Steel Material
- With hexagonal shaft and hole, designed for turning and tightening with steel bar or wrench

- Hollow tube design allows screws may go through

Satin Chrome Finished

ITEM NO. Satin	SIZE (mm)	L (mm)		
AEBE0607	6x7	105	10	320
AEBE0809	8x9	110	10	160
AEBE1011	10x11	120	10	160
AEBE1213	12x13	140	10	160
AEBE1415	14x15	145	10	160
AEBE1617	16x17	155	8	128
AEBE1819	18x19	165	4	64
AEBE2022	20x22	170	4	64
AEBE2123	21x23	185	4	64
AEBE2426	24x26	190	2	16
AEBE2528	25x28	205	2	16
AEBE2729	27x29	210	2	16
AEBE3032	30x32	212	2	16

Double-End Truck Wrench W/Bar

- Chrome Vanadium Steel Material
- Wheel nut removal tools
- 6-point socket wrench

Satin Chrome Finished

ITEM NO. Satin	SIZE (mm)	Bar Size (Dia.x L1)	L (mm)		
CTIA2427	24 x 27	Ø3/4"x16"	406	2	8
CTIA2730	27 x 30	Ø3/4"x16"	406	2	8
CTIA2732	27 x 32	Ø3/4"x16"	406	2	8
CTIA3032	30 x 32	Ø3/4"x16"	406	2	8
CTIA3233	32 x 33	Ø3/4"x16"	406	2	8
CTIA3238	32 x 38	Ø3/4"x16"	406	2	8

Double-End Truck Wrench W/Bar

- Chrome Vanadium Steel Material
- For off-road Budd-type wheels



Satin Chrome Finished

ITEM NO. Satin	SIZE (mm)	Bar Size (Dia.x L1)	L (mm)		
CTIB3517	○35 x ○17 Sq.	Ø1"x16"	330	2	8
CTIB3821	○38 x ○21 Sq.	Ø1"x16"	430	2	8
CTIB4121	○41 x ○21 Sq.	Ø1"x16"	430	2	8

4-Way Wheel Nut Wrench

- Chrome Vanadium Steel Material
- Specially designed handle for quick removal of wheel bolts

Dual Finished

ITEM NO. Dual	SIZE	L(inch)		
AEAL1616	17 x 19 x 21mm x 1/2" Dr.	16	5	15

4-Way Wheel Nut Wrench

- Chrome Vanadium Steel Material
- Specially designed handle for quick removal of wheel bolts

- Heavy-duty forged four way wheel nut wrench. Fits most vans and trucks. 24, 27 and 32mm flange drive hexagons, and 3/4" square drive. Heat treated chrome vanadium alloy steel. Shiny Satin Finish. 22mm dia. Arm length: 700 mm.

Painting Finished

ITEM NO. Painting	SIZE	L(inch)	
AEAL2401	24 x 27 x 32mm x 3/4" Dr.	27.5	5

Foldable Cross Rim Wrench

- Chrome Vanadium Steel Material



Mirror Polished

ITEM NO. Mirror	SIZE(mm)	L(inch)		
AEAQ2214	17 x 19 x 21 x 22	14	4	16

Ball Swivel Magnetic Spark Plug Socket T-Handle ★

- Chrome Vanadium Steel Material



Dual Finished

ITEM NO. Dual	SIZE (mm)	L1 (mm)	L (mm)		
CTHA1645	16	200	465	10	40
CTHA2145	21	200	465	10	40

Sliding T-Handle Socket Wrench

Mirror Polished

ITEM NO. Mirror	SIZE (mm)	L1 (mm)	L (mm)		
CTDA0831	8	200	310	10	40
CTDA0931	9	200	310	10	40
CTDA1031	10	200	310	10	40
CTDA1131	11	200	310	10	40
CTDA1231	12	200	310	10	40
CTDA1331	13	200	310	10	40
CTDA1431	14	200	310	10	40
CTDA1731	17	200	310	10	40
CTDA1931	19	200	310	10	40

Jointed Socket Sliding T-Wrench

- Made of Chrome Vanadium Steel Material
- Easy to use T-handle tools
- Equipped with universal joint can adjust the operating angle for easy access spots

- Drive bar can be take out for easy storage.

- Square drive opening on the T-wrench for use with ratchets or extension tools.

Satin Chrome Finished

ITEM NO. Satin	SIZE (mm)	Extension Drive	L1 (mm)	L (mm)		
CTKA0806	6	1/4"	160	400	10	40
CTKA0807	7	1/4"	160	400	10	40
CTKA0808	8	1/4"	160	400	10	40
CTKA0809	9	1/4"	160	400	10	40
CTKA1210	10	3/8"	200	450	10	40
CTKA1211	11	3/8"	200	450	10	40
CTKA1212	12	3/8"	200	450	10	40
CTKA1213	13	3/8"	200	450	10	40
CTKA1214	14	3/8"	200	450	10	40
CTKA1215	15	3/8"	200	450	10	40
CTKA1216	16	3/8"	200	450	10	40
CTKA1217	17	3/8"	200	450	10	40
CTKA1218	18	3/8"	200	450	10	40
CTKA1219	19	3/8"	200	450	10	40

Mini 3 Way T-Handle Socket Wrench

- Made of Chrome Vanadium Steel Material
- Most common sockets sizes in one compact T-type wrench
- Polished chrome finish
- 6-point socket wrench

Mirror Polished

ITEM NO. Mirror	SIZE (mm)	L1 (mm)	L (mm)		
CTMA0810	8x10x12	135	145	30	90

Ball Swivel Socket Sliding T-Handle

- Chrome Vanadium Steel Material



Mirror Polished

ITEM NO. Mirror	SIZE (mm)	L1 (mm)	L (mm)		
CTBA0832	8	200	320	10	40
CTBA1032	10	200	320	10	40
CTBA1132	11	200	320	10	40
CTBA1232	12	200	320	10	40
CTBA1332	13	200	320	10	40
CTBA1432	14	200	320	10	40
CTBA0860	8	200	600	10	40
CTBA1060	10	200	600	10	40
CTBA1160	11	200	600	10	40
CTBA1260	12	200	600	10	40
CTBA1360	13	200	600	10	40
CTBA1460	14	200	600	10	40

Flexible Drivers with Sliding T-Handle

- Made of Chrome Vanadium Steel Material
- Easy to use T-handle tools
- Use 1/4", 3/8" or 1/2" square drive attachments such as sockets, hex drives, crowfoot wrench or swivels



- Drive bar can be take out for easy storage.

- Square drive opening on the T-handle for use with ratchets or extension tools.

Satin Chrome Finished

ITEM NO. Satin	DRIVE	Extension Drive	L1 (mm)	L (mm)		
CTLA0840	1/4"	1/4"	160	400	10	40
CTLA1245	3/8"	3/8"	200	450	10	40
CTLA1650	1/2"	1/2"	230	500	10	20

Wrenches & Torque Wrenches

Hex Nut Driver T-Handle

- Chrome Vanadium Steel Material



Satin Chrome Finished

ITEM NO. Satin	SIZE(mm)	L1(mm)	L(mm)		
CTJA0523	5	95	230	5	30
CTJA0623	6	95	230	5	30
CTJA0723	7	95	230	5	30
CTJA0823	8	95	230	5	30
CTJA0923	9	95	230	5	30
CTJA1023	10	95	230	5	30
CTJA1123	11	95	230	5	30
CTJA1223	12	95	230	5	30
CTJA1323	13	95	230	5	30
CTJA1423	14	95	230	5	30

8PCS

Hex Nut Driver T-Handle Set

ITEM NO.	GZC0802
CONTENTS	5 (SET)
• CTJA0723~CTJA1423 Hex Nut Driver T-Handle 7, 8, 9, 10, 11, 12, 13, 14 mm	
PLASTIC BOX: W373 x D289 x H56 (mm)	

10PCS

3/8" Dr. 6PT Flare Nut Crowfoot Wrench Set (METRIC)

Satin Finished

ITEM NO.	CONTENTS	10 (SET)
GAAR1001	10 AEAV1210~1219 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm	

3/8" Dr. 6PT Flare Nut Crowfoot Wrench

- Made of drop forged Chrome Molybdenum Alloy Steel (CR-MO)
- Designed to provide access to the hard to reach fasteners
- Oversized wrench surfaces grip multiple sides to reduce rounding
- Chrome plated for maximum durability and corrosion resistance
- Ideal for use on soft fittings in aluminum, copper and brass

• METRIC

Satin Finished

ITEM NO. Satin	SIZE(mm)	L(mm)		
AEAV1210	10	36	40	400
AEAV1211	11	38	40	400
AEAV1212	12	38	40	400
AEAV1213	13	43	30	300
AEAV1214	14	43	30	300
AEAV1215	15	44	30	300
AEAV1216	16	44	30	300
AEAV1217	17	48	30	300
AEAV1218	18	48	30	300
AEAV1219	19	49	30	300

3/8" Dr. 6PT Flare Nut Crowfoot Wrench

- Made of drop forged Chrome Molybdenum Alloy Steel (CR-MO)
- Designed to provide access to the hard to reach fasteners
- Oversized wrench surfaces grip multiple sides to reduce rounding
- Chrome plated for maximum durability and corrosion resistance
- Ideal for use on soft fittings in aluminum, copper and brass

• SAE

Satin Finished

ITEM NO. Satin	SIZE(inch)	L(mm)		
AFAV1212	3/8	36	40	400
AFAV1214	7/16	38	40	400
AFAV1216	1/2	43	30	300
AFAV1218	9/16	43	30	300
AFAV1220	5/8	44	30	300
AFAV1222	11/16	48	30	300
AFAV1224	3/4	49	30	300
AFAV1228	7/8	56	20	200

8PCS

3/8" Dr. 6PT Flare Nut Crowfoot Wrench Set (SAE)

Satin Finished

ITEM NO.	CONTENTS	10 (SET)
GBAR0801	• AFAV1212~1228 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 7/8"	

Digital Torque Wrench

- Torque Accuracy: CW ±1% & CCW ±1.5 % tolerance of the set scale value
- Precise reading accuracy for a minimum 5,000 tightening cycles
- Operating Mode: Peak hold mode (peak value detection) / Track mode (continuous display)
- Torque Unit Selection: Nm, Ft-Lb, In-Lb, Kg-m
- Storage Memory: 10 Readings
- Three way lights and buzzer when torque value is reached
- Low battery indicator and auto shut off (after 65 seconds)
- 3 Position, 32 Teeth Ratcheting Mechanism: Clockwise / Fixed / Counterclockwise
- Ergonomically designed bi-component soft grip handle
- Tested and certified according to DIN EN ISO 6789, BS EN 26789

Torque Accuracy	CW ± 1% / CCW ±1.5 %
Storage Memory	10 Readings
Torque Unit Selection	Nm, Ft-Lb, In-Lb, Kg-m
Display Resolution	0.1 Nm, 0.1 Ft-Lb, 1 In-Lb, 0.01 Kg-m
Operating Mode	Peak Hold Mode / Track Mode
Gear Teeth	32 Precision Teeth
Ratcheting Mechanism	Clockwise / Fixed / Counterclockwise
Working Temperature	-15°C ~ 55°C
Storage Temperature	-40°C ~ 85°C
Humidity	0 ~ 90%
Battery	1.5V AA x 3pcs
Battery Life	200 Hours
Auto Shut Off	65 Seconds (when not in use)



ITEM NO.	DRIVE	Torque Range (Nm)	(Ft-Lb)	(In-Lb)	(Kg-m)	L (mm)	
DT-100N	3/8"	10~100	7.3~73.7	88~885	1.02~10.20	440	12
DT-200N	1/2"	20~200	14.7~147.5	176~1769	2.03~20.38	530	6

Digital Torque Adapter

- Torque Accuracy: CW ±2% & CCW ±2% tolerance of the set scale value
- Precise reading accuracy for a minimum 5000 tightening cycles
- Operating Mode: Peak hole mode (peak value detection) / Track mode (continuous display)
- Torque Unit Selection: Nm, Ft-Lb, In-Lb, Kg-m, Kg-cm
- Storage Memory: 10 Sets
- Low battery indicator and auto shut off (after 3 minutes)
- Large LCD Display for clear reading
- Tested and certified according to DIN EN ISO 6789, BS EN 26789
- Buzzer & LED indication for pre-settable target torque



■ Rotatable mechanism design can reach total 240° view area for easily reading the torque value on the LCD display.

Torque Accuracy	CW ±2% / CCW ±2%
Storage Memory	10 Sets
Torque Unit Selection	Nm, Ft-Lb, In-Lb, Kg-m, Kg-cm
Display Resolution	0.1 Nm, 0.1 Ft-Lb, 1 In-Lb, 0.01 Kg-m, 1Kg-cm
Operating Mode	Peak Hole Mode / Track Mode
Working Temperature	-10°C ~ 60°C
Storage Temperature	-20°C ~ 70°C
Humidity	0 ~ 90%
Battery	3V CR2032 x 1pc
Battery Life	50 Hours
Auto Shut Off	3 Minutes (when not in use)

ITEM NO.	DRIVE	Torque Range (Nm)	(Ft-Lb)	(In-Lb)	(Kg-m)	(Kg-cm)	L (mm)	
DTA-200N	1/2"	40~200	29.5~147.6	354~1770	4.08~20.4	408~2040	75	48

Micrometer Adjustable Torque Wrench (Window Display)

- CR-MO Steel Ratchet Head
- Spring ball socket retention and push-button quick release
- Push to lock / pull to unlock scale setting feature
- Large digits for exact and easy-to-read torque setting
- Convex display simplified reading
- Ergonomically designed, Nylon material anti-slip handle
- Tolerance of torque accuracy ±3%

Safety Locking Design

Easy Reading Screen

48 Gears

ITEM NO.	DRIVE	CAPACITY	L(mm)	
ANAU0803	1/4"	5~25 Nm	323	6
ANAU1210	3/8"	20~100 Nm	400	6
ANAU1620	1/2"	40~200 Nm	517	6

Micrometer Adjustable Torque Wrench (Window Display)

- CR-MO Steel Ratchet Head
- Push to lock / pull to unlock scale setting feature
- Large digits for exact and easy-to-read torque setting
- Convex display simplified reading
- Ergonomically designed, Nylon material anti-slip handle
- Tolerance of torque accuracy ±3%

Safety Locking Design

Easy Reading Screen

· ANAU2475

· ANAU32A0

48 Gears

ITEM NO.	DRIVE	CAPACITY	L(mm)	
ANAU2475	3/4"	150~750 Nm	1210	1
ANAU32A0	1"	200~1000 Nm	1500	1

Wrenches & Torque Wrenches

Micrometer Adjustable Torque Wrench

- Chrome Vanadium Steel Ratchet Head
- 3-Way Ratchet Drive Mechanism: Forward / Lock / Reverse
- Quick release button ensures firm socket retention and easy socket removal
- Easy torque adjustment, positive lock with spring loaded pull-down lock ring
- Applied to test torque clockwise and counterclockwise direction
- Comfortable ergonomic handle
- Tolerance of torque accuracy ±4% CW and ±6% CCW

32 Gears

ITEM NO.	DRIVE	CAPACITY	L(mm)	
ANAS0803	1/4"	6-30Nm	260	20
ANAS1211	3/8"	20-110Nm	435	10
ANAS1621	1/2"	40-210Nm	495	10
ANAS1635	1/2"	70-350Nm	560	6

Micrometer Adjustable Torque Wrench

- Chrome Vanadium Steel Ratchet Head
- 3-Way Ratchet Drive Mechanism: Forward / Lock / Reverse
- Easy torque adjustment, positive lock with spring loaded pull-down lock ring
- Applied to test torque clockwise and counterclockwise direction
- Comfortable ergonomic handle
- Tolerance of torque accuracy ±4% CW and ±6% CCW

36 Gears

ITEM NO.	DRIVE	CAPACITY	L(mm)	
ANAS2480	3/4"	100-800Nm	1000	1

Torque Wrench

- CR-V/CR-MO Steel Ratchet Head
- Equip flip reverse ratchet action function
- Unique push to lock/pull to unlock scale setting feature
- Ergonomically designed, TPR material anti-slip handle
- Tolerance of torque accuracy ±4%

24 Gears

ITEM NO.	DRIVE	CAPACITY	L(mm)	
ANAG0825	1/4"	40-250in-LB	350	20
ANAG1225	3/8"	40-250in-LB	350	20
ANAG1208	3/8"	15-80Ft-LB	385	12
ANAG1615	1/2"	30-150Ft-LB	535	10
ANAG1625	1/2"	50-250Ft-LB	645	6
ANAG2430	3/4"	50-300Ft-LB	865	4

Torque Wrench

- CR-V/CR-MO Steel Ratchet Head
- Equip flip reverse ratchet action function
- Unique push to lock/pull to unlock scale setting feature
- Ergonomically designed, TPR material anti-slip handle
- Tolerance of torque accuracy ±4%

24 Gears

ITEM NO.	DRIVE	CAPACITY	L(mm)	
ANAF0803	1/4"	6-30Nm	350	20
ANAF1203	3/8"	6-30Nm	350	20
ANAF1211	3/8"	20-110Nm	385	12
ANAF1621	1/2"	40-210Nm	535	10
ANAF1635	1/2"	70-350Nm	645	6
ANAF2450	3/4"	100-500Nm	865	4

11PCS

1/2" DR. Torque Wrench Set

ITEM NO.	CONTENTS	6 (SET)
GAAI1102	ANAF1621 1/2" Dr. Torque Wrench (40-210Nm) BAEA1617~1627 1/2" Dr. 6PT Flank Sockets 17, 19, 21, 22, 24, 27 mm BCDA1606~1612 1/2" Dr. Hex Bit Sockets 6, 8, 10, 12 mm	
	BLOW CASE: W588 x D80 x H74 (mm)	

Torque Wrench

- CR-MO Steel Ratchet Head
- Equip flip reverse ratchet action function
- Unique push to lock/pull to unlock scale setting feature
- Tolerance of torque accuracy ±4%

Torque Wrench

- CR-MO Steel Ratchet Head
- Equip flip reverse ratchet action function
- Unique push to lock/pull to unlock scale setting feature
- Tolerance of torque accuracy ±4%

- Torque Wrench
  - ANAA2470 (140-700Nm)

- Torque Wrench
  - ANAB2460 (100-600Ft-LB)

24 Gears

ITEM NO.	DRIVE	CAPACITY	L(mm)	
• ANAA1211	3/8"	19-110Nm	385	12
• ANAA2450	3/4"	100-500Nm	865	4
ANAA2470	3/4"	140-700Nm	1092	4
ANAA2498	3/4"	140-980Nm	1230	2
ANAA3298	1"	140-980Nm	1230	2

24 Gears

ITEM NO.	DRIVE	CAPACITY	L(mm)	
• ANAB0825	1/4"	40-250in-LB	350	12
• ANAB1225	3/8"	40-250in-LB	350	12
ANAB2460	3/4"	100-600Ft-LB	1092	4
ANAB2470	3/4"	100-700Ft-LB	1230	2
ANAB3270	1"	100-700Ft-LB	1230	2

Wrenches & Torque Wrenches

Micrometer Adjustable Torque Wrench (Window Display)

- Chrome Molybdenum Steel Ratchet Head
- Flip reverse ratchet action
- Spring ball socket retention and push-button quick release
- Push to lock / pull to unlock scale setting feature
- Large digits for exact and easy-to-read torque setting
- Convex display simplifies reading
- Ergonomically designed, Nylon material anti-slip handle
- Tolerance of torque accuracy ±3%

45 Gears

ITEM NO.	DRIVE	CAPACITY	L(mm)	
ANAM0803	1/4"	1-25Nm	290	10
ANAM1205	3/8"	5-50Nm	360	10
ANAM1610	1/2"	10-100Nm	405	10
ANAM1620	1/2"	20-200Nm	500	10
ANAM1630	1/2"	60-300Nm	595	10
ANAM1640	1/2"	80-400Nm	680	8

Interchangeable Torque Handle

ITEM NO.	HEAD SIZE	CAPACITY	L(mm)	
ANAH0303	9x12	6-30Nm	280	12
ANAH0108	14x18	10-80Nm	360	12
ANAH0121	14x18	40-210Nm	509	10

Interchangeable Torque Handle (Window Display)

ITEM NO.	HEAD SIZE	CAPACITY	L(mm)	
ANAJ0130	14x18	60-300Nm	575	6

Ratchet Head

- CR-MO Steel Ratchet Head
- 24 teeth

ITEM NO.	HEAD SIZE	DRIVE	L(mm)		
ANAL0412	9x12	3/8"	56	25	100
ANAL0216	14x18	1/2"	78	10	40
ANAL0116	14x18	1/2"	94	10	40

Spanner Head

- CR-V Steel Head

ITEM NO.	HEAD SIZE	SIZE(mm)	L(mm)		
ANAR0307	9x12	7	42	20	80
ANAR0308	9x12	8	42	20	80
ANAR0309	9x12	9	44	20	80
ANAR0310	9x12	10	45	20	80
ANAR0311	9x12	11	45	20	80
ANAR0312	9x12	12	46	20	80
ANAR0313	9x12	13	49	20	80
ANAR0314	9x12	14	50	20	80
ANAR0113	14x18	13	70	20	80
ANAR0114	14x18	14	70	20	80
ANAR0115	14x18	15	70	20	80
ANAR0116	14x18	16	73	20	80
ANAR0117	14x18	17	73	20	80
ANAR0119	14x18	19	75	15	60
ANAR0122	14x18	22	77	10	40
ANAR0124	14x18	24	78	10	40
ANAR0126	14x18	26	78	10	40
ANAR0127	14x18	27	82	10	40
ANAR0129	14x18	29	85	10	40
ANAR0130	14x18	30	87	10	40
ANAR0132	14x18	32	87	10	40

Spanner Head

- CR-V Steel Head

ITEM NO.	HEAD SIZE	SIZE(mm)	L(mm)		
ANAK0307	9x12	7	37	25	100
ANAK0308	9x12	8	37	25	100
ANAK0309	9x12	9	38	25	100
ANAK0310	9x12	10	39	25	100
ANAK0311	9x12	11	39	25	100
ANAK0312	9x12	12	40	25	100
ANAK0313	9x12	13	42	25	100
ANAK0314	9x12	14	42	25	100
ANAK0315	9x12	15	42	25	100
ANAK0316	9x12	16	43	25	100
ANAK0317	9x12	17	43	25	100
ANAK0318	9x12	18	46	25	100
ANAK0319	9x12	19	46	25	100
ANAK0113	14x18	13	63	20	80
ANAK0114	14x18	14	63	20	80
ANAK0115	14x18	15	64	20	80
ANAK0116	14x18	16	64	20	80
ANAK0117	14x18	17	64	20	80
ANAK0118	14x18	18	65	20	80
ANAK0119	14x18	19	65	20	80
ANAK0121	14x18	21	66	10	40
ANAK0122	14x18	22	66	10	40
ANAK0124	14x18	24	67	10	40
ANAK0126	14x18	26	70	10	40
ANAK0127	14x18	27	70	10	40
ANAK0129	14x18	29	74	10	40
ANAK0130	14x18	30	74	10	40
ANAK0132	14x18	32	77	10	40
ANAK0134	14x18	34	82	5	20
ANAK0136	14x18	36	82	5	20
ANAK0138	14x18	38	82	5	20
ANAK0141	14x18	41	83	5	20
ANAK0146	14x18	46	86	5	20



Wrenches & Torque Wrenches

8PCS
1/2" DR. Head-Interchangeable Spanner Torque Wrench Set

ITEM NO.	CONTENTS	6 (SET)
GAAI0801	1 ANAH0108 14x18 Head Size Interchangeable Torque Handle (10-80Nm) 1 ANAL0216 1/2" Dr. Ratchet Head 8 ANAK0117~0129 Spanner Head 17, 22, 24, 26, 27, 29 mm	
	BLOW CASE: W420 x D210 x H55 (mm)	

10PCS
3/8" DR. Head-Interchangeable Spanner Torque Wrench Set

ITEM NO.	CONTENTS	10 (SET)
GAAI1001	1 ANAH0303 9x12 Head Size Interchangeable Torque Handle (6-30Nm) 1 ANAL0412 3/8" Dr. Ratchet Head 8 ANAK0307~0314 Spanner Head 7, 8, 9, 10, 11, 12, 13, 14 mm	
	BLOW CASE: W360 x D140 x H64 (mm)	

11PCS
1/2" DR. Head-Interchangeable Spanner Torque Wrench Set

ITEM NO.	CONTENTS	4 (SET)
GAAI1101	1 ANAH0121 14x18 Head Size Interchangeable Torque Handle (40-210Nm) 1 ANAL0116 1/2" Dr. Ratchet Head 8 ANAK0113~0130 Spanner Head 13, 14, 15, 17, 19, 22, 24, 27, 30 mm	
	BLOW CASE: W545 x D146 x H55 (mm)	

1/2" DR. Torque Wrench
- This torque wrench is accurated to ±4% of the set load and has been manufactured and tested in accordance with DIN3122 & ISO 6789.

32 Gears

ITEM NO.	CAPACITY	L(mm)	
ANAC1607	65Ft-LB/88 Nm	578	12
ANAC1608	80Ft-LB/108 Nm	578	12
ANAC1610	100Ft-LB/135 Nm	578	12
ANAC1612	120Ft-LB/163 Nm	578	12
ANAC1614	140Ft-LB/190 Nm	578	12

2PCS
1/4" DR. Torque Screwdriver Set
- Easy to read window scale
- Clockwise operation device
- 1/4" square driver head for sockets, bit holders and accessories
- Micrometer scale graduation: 0.5 Nm
- Actuation accuracy: ±6% tolerance of the set scale value
- Test certificate in accordance with DIN EN ISO 6789 national standard

ITEM NO.	CONTENTS	30 (SET)
GCAI0201	1 ANAD0808 1/4" Dr. Torque Screwdriver 1~8 Nm (L=153mm) 1 FTAB0808 1/4" Dr. x 1/4" (H) Quick Change Bit Holder (L=25mm)	
	BLOW CASE: W200 x D68 x H57 (mm)	

1/4" Hex Drive Torque Screwdriver NEW
- Clockwise and counterclockwise operation device
- 1/4" female hexagon drive for use with 1/4" hexagon bits
- Actuation accuracy: ±6% tolerance of the set scale value
- Test certificate in accordance with DIN ISO 6789 national standard
- Ergonomically designed anti-slip grip handle

ITEM NO.	CAPACITY	1 ON FINE SCALE	L(mm)	
ANCD081B	10-120 cNm	1 cNm	180	24
ANCD0806	1-6 Nm	0.1 Nm	200	24

2PCS
1/4" Hex Drive Torque Screwdriver Set
- Reduced weight and size specifically designed for low torque application
- Clockwise operation device
- Easy to read window scale
- 1/4" female hexagon drive for use with 1/4" hexagon bits
- Ease of use, additional 1/4" female square drive on the handle accommodates T-handle, ratchet handle and etc.
- Micrometer scale graduation: 0.1 Nm
- Actuation accuracy: ±6% tolerance of the set scale value
- Test certificate in accordance with DIN EN ISO 6789 national standard

ITEM NO.	CONTENTS	30 (SET)
GCAI0202	1 ANBD0808 1/4" Hex Drive Torque Screwdriver 1.5~8 Nm (L=162mm) 1 CTCK0811 1/4" Dr. Sliding T-Handle (L=115mm)	
	BLOW CASE: W200 x D68 x H57 (mm)	

Professional Grade
Torque Tester (Calibrator)

ITEM NO.	IEA040400
TECHNICAL SPECIFICATION	
Calibration Range	40~400 Nm
Display	5 alphanumeric digits max.
Accuracy	±0.5%
Units of Measurement	Nm, Ft-Lb, In-Lb, Kg-cm
Operating Temperature	+5°C~+40°C
Storage Temperature	0°C~+50°C
Operating Humidity	25~85 % RH
Power Supply	90~260 V.A.C. at 50/60 Hz.
Power Consumption	Less than 1.5 Watt
Power Cable	1.8 Meter
Base Material	Anodized Aluminum Alloy
Dimension	850(L)x650(W)x450(H) mm
PC Connection	RS 232
Net Weight	38.2Kg
(*Includes 3 Test Drive Adapter: 3/8", 1/2" & 3/4" S.Q. Drive)	

Wrenches & Torque Wrenches

Torque Multiplier

- Torque Multiplier is made of Chrome Molybdenum Alloy Steel
- Tolerance of torque accuracy ±6%

DIN3122

ITEM NO.	SIZE (CAPACITY)		
ANAE1624	1/2"(F)x3/4"(M) INPUT(MAX) : 500Nm / 365Ft-LB OUTPUT(MAX) : 1500Nm / 1100Ft-LB	1	4
ANAE2432	3/4"(F)x1"(M) INPUT(MAX) : 1000Nm / 730Ft-LB OUTPUT(MAX) : 3000Nm / 2200Ft-LB	1	4

BLOW CASE: W426 x D208 x H105 (mm)

Reaction Arm

- Chrome-Molybdenum Steel
- Accessory kits for ANAE series only



ITEM NO.	SIZE(W)x(D)x(H)mm	Application		
ALAE162414	115x55x117	ANAE1624	2	16
ALAE243214	150x72x155	ANAE2432	2	8

3PCS

- NEW

Industrial Torque Multiplier Set

- Torque Multiplier is made of Chrome Molybdenum Alloy Steel
- High-efficiency planetary gear sets achieve high output torque from low input torque
- Additional safety break-away adapter to prevent direct damages to multiplier in case of overload
- Special anti backlash device can prevent incidental reverse force during operation
- Include reaction arm can easy to adjust reaction square and firm on an adjacent screw with an impact socket
- Gear Ratio - 1:5.5 Torque Ratio - 1:4.8
- Tolerance of torque accuracy ±5%
- Applications : Industry, construction sites, car and truck garages, agricultural technology, bridge, aircraft and railway construction, shipbuilding, refineries and etc.

- Safety Break-Away Adapter will protect and prevent the torque multiplier from damages caused by an overload.

ITEM NO.	CONTENTS	
ANDE2448	1 Torque Multiplier 3/4" (F) x 1-1/2" (M) Input (Max.): 938Nm / 691Ft-Lb Output (Max.): 4500Nm / 3320Ft-Lb 1 Safety Break-Away Adapter	1 (SET)

BLOW CASE: W450 x D225 x H160 (mm)

2PCS

- NEW

Torque Multiplier Set

- Torque Multiplier is made of Chrome Molybdenum Alloy Steel
- High-efficiency planetary gear sets achieve high output torque from low input torque
- Gear Ratio - 1:12.8 Torque Ratio - 1:10
- Tolerance of torque accuracy ±6%
- Bar type design for easy access in confined spaces
- Applications : Industry, construction sites, car and truck garages, agricultural technology, bridge, aircraft and railway construction, shipbuilding, refineries and etc.

ITEM NO.	CONTENTS	
ANCE1624	1 Torque Multiplier 1/2" (F) x 3/4" (M) Input (Max.): 150Nm / 110Ft-Lb Output (Max.): 1500Nm / 1100Ft-Lb 1 Reaction Arm	4 (SET)

BLOW CASE: W355 x D165 x H83 (mm)

5PCS

- NEW

Torque Multiplier Set

- Torque Multiplier is made of Chrome Molybdenum Alloy Steel
- High-efficiency planetary gear sets achieve high output torque from low input torque
- Gear Ratio - 1:12.8 Torque Ratio - 1:10
- Tolerance of torque accuracy ±6%
- Bar type design for easy access in confined spaces
- Special anti backlash device can prevent incidental reverse force during operation
- Applications : Industry, construction sites, car and truck garages, agricultural technology, bridge, aircraft and railway construction, shipbuilding, refineries and etc.

- Anti Backlash Device



ITEM NO.	CONTENTS	
ANCE1648	1 Torque Multiplier 1/2" (F) x 1-1/2" (M) Input (Max.): 400Nm / 290Ft-Lb Output (Max.): 4000Nm / 2900Ft-Lb 1 Reaction Arm 1 Support Stand 1 Screw 1 Adapter ○ 1-1/2" (F) x ■ 1" (M)	1 (SET)

BLOW CASE: W358 x D315 x H130 (mm)

Wrenches & Torque Wrenches

5PCS
Torque Multiplier Set

- Torque Multiplier is made of Chrome Molybdenum Alloy Steel
- High-efficiency planetary gear sets achieve high output torque from low input torque
- Gear Ratio - 1:12 Torque Ratio - 1:9
- Supplied with two reaction arm styles for maximum versatility
- Additional safety break-away adapter to prevent direct damages to multiplier in case of overload



ITEM NO.	CONTENTS	2 (SET)
ANBE1632	1 Torque Multiplier 1/2" (F) x 1" (M) Input (Max.): 222Nm / 164Ft-Lb Output (Max.): 2000Nm / 1475Ft-Lb 1 Reaction Arm 1 Safety Break-Away Adapter 1 90° Reaction Arm 1 90° Reaction Base	
	BLOW CASE: W400 x D260 x H110 (mm)	

5PCS
Torque Multiplier Set

- Gear Ratio - 1:4 Torque Ratio - 1:3.3

ITEM NO.	CONTENTS	2 (SET)
ANBE2432	1 Torque Multiplier 3/4" (F) x 1" (M) Input (Max.): 758Nm / 560Ft-Lb Output (Max.): 2500Nm / 1845Ft-Lb 1 Reaction Arm 1 Safety Break-Away Adapter 1 90° Reaction Arm 1 90° Reaction Base	
	BLOW CASE: W400 x D260 x H110 (mm)	

Use the attached hex key to fix the adapter to the torque multiplier square opening/female drive. (tightening the screw inside the square opening)



The safety break-away adapter is inserted into the square opening of the torque multiplier. In case of an overload, the adapter will break first instead of cause a damage directly to the torque multiplier.

90° Reaction Arm can be adjusted in the reaction base to use with both standard and deep sockets.



Hand Sockets, Bit Sockets & Accessories Series
Full

range of flank sockets with maxi-drive. Available in 1/4", 3/8", 1/2", 3/4" & 1".

www.toptul.com

HAND SOCKETS, BIT SOCKETS & ACCESSORIES SERIES

PROFESSIONAL HAND TOOLS

Hand Sockets, Bit Sockets & Accessories

6PT Sockets

CR-V DIN3124

METRIC

Mirror / Satin Chrome Finished

DRIVE	ITEM NO. Mirror Satin	SIZE(mm)	L(mm)		
1/4" 6.35mm sq.	BAEA0804	4	25	30	540
	BAEA084E	4.5	25	30	540
	BAEA0805	5	25	30	540
	BAEA085E	5.5	25	30	540
	BAEA0806	6	25	30	540
	BAEA0807	7	25	30	540
	BAEA0808	8	25	20	360
	BAEA0809	9	25	20	360
	BAEA0810	10	25	20	360
	BAEA0811	11	25	10	180
	BAEA0812	12	25	10	180
	BAEA0813	13	25	10	180
	BAEA0814	14	25	10	180
3/8" 9.5mm sq.	BAEA1206	6	28	15	270
	BAEA1207	7	28	15	270
	BAEA1208	8	28	15	270
	BAEA1209	9	28	15	270
	BAEA1210	10	28	15	270
	BAEA1211	11	28	15	270
	BAEA1212	12	28	15	270
	BAEA1213	13	28	10	180
	BAEA1214	14	28	10	180
	BAEA1215	15	28	10	160
	BAEA1216	16	30	10	160
	BAEA1217	17	30	10	160
	BAEA1218	18	30	10	160
	BAEA1219	19	30	10	160
	BAEA1220	20	30	10	160
	BAEA1221	21	30	10	160
	BAEA1222	22	30	10	160
	• BAEA1223	23	32	10	160
	BAEA1224	24	30	10	160
1/2" 12.7mm sq.	BAEA1608	8	38	15	240
	BAEA1609	9	38	15	240
	BAEA1610	10	38	15	240
	BAEA1611	11	38	15	240
	BAEA1612	12	38	15	240
	BAEA1613	13	38	15	240
	BAEA1614	14	38	15	240
	BAEA1615	15	38	15	240
	BAEA1616	16	38	15	240
	BAEA1617	17	38	10	160
	BAEA1618	18	38	10	160
	BAEA1619	19	38	10	160
	BAEA1620	20	38	10	160
	BAEA1621	21	38	10	160
	BAEA1622	22	40	10	160
	BAEA1623	23	40	10	160
	BAEA1624	24	40	10	100
	BAEA1625	25	42	10	100
	BAEA1626	26	42	10	100
	BAEA1627	27	44	10	100
	BAEA1628	28	44	10	100
	BAEA1629	29	44	10	100
	BAEA1630	30	45	10	100
	BAEA1631	31	45	10	100
	BAEA1632	32	45	10	100
	BAEA1634	34	45	5	40

Satin Chrome Finished

DRIVE	ITEM NO. Satin	SIZE(mm)	L(mm)		
3/4" 19.0mm sq.	BAEA2419	19	50	5	80
	BAEA2421	21	50	5	80
	BAEA2422	22	50	5	80
	BAEA2423	23	50	5	80
	BAEA2424	24	51	5	80
	BAEA2426	26	52	5	80
	BAEA2427	27	52	5	80
	BAEA2428	28	52	5	40
	BAEA2429	29	52	5	40
	BAEA2430	30	54	5	40
	BAEA2432	32	56	5	40
	BAEA2433	33	56	5	40
	BAEA2434	34	56	5	40
	BAEA2435	35	58	5	40
	BAEA2436	36	58	5	40
	BAEA2437	37	60	5	40
	BAEA2438	38	60	5	40
	BAEA2439	39	62	5	40
	BAEA2440	40	62	2	16
	BAEA2441	41	64	2	16
	BAEA2442	42	64	2	16
	BAEA2443	43	65	2	16
	BAEA2444	44	66	2	16
	BAEA2445	45	66	2	16
	BAEA2446	46	68	2	16
	BAEA2448	48	70	2	16
	BAEA2450	50	72	2	16
	BAEA2451	51	72	2	16
	BAEA2452	52	72	2	16
	BAEA2454	54	74	2	16
	BAEA2455	55	76	2	16
	BAEA2456	56	76	2	16
	BAEA2457	57	76	2	16
	BAEA2458	58	78	2	16
	BAEA2460	60	78	2	16
	BAEA2465	65	82	2	8
	BAEA2470	70	86	2	8
1" 25.4mm sq.	BAEA3236	36	65	3	24
	BAEA3238	38	65	3	24
	BAEA3241	41	70	3	24
	BAEA3246	46	75	2	16
	BAEA3250	50	75	2	16
	BAEA3254	54	80	2	16
	BAEA3255	55	80	2	16
	BAEA3258	58	80	2	16
	BAEA3260	60	84	2	8
	BAEA3263	63	87	2	8
	BAEA3265	65	87	2	8
	BAEA3267	67	90	2	8
	BAEA3270	70	93	2	8
	BAEA3271	71	93	2	8
	BAEA3275	75	97	2	8
	BAEA3277	77	103	2	8
	BAEA3280	80	103	2	8

20PCS
1/2" DR. 6PT Socket Set

Satin Chrome Finished

ITEM NO. Satin	CONTENTS	2 (SET)
GABB2001	18 BAEA1608~1632 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32 1 CAAA1605 1/2" Dr. Extension Bar - 5" (L) 1 CJBG1627 1/2" Dr. 36 Teeth Reversible Ratchet Handle with Quick Release	

13PCS
1/4" DR. 6PT Socket Rail Set

Mirror / Satin Chrome Finished

ITEM NO. Mirror Satin	CONTENTS	10 (SET)
GAAQ1301 GAAQ1308	13 BAEA0804~0814 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14	

6PCS
3/8" DR. 6PT Socket Rail Set ★

Mirror Polished

ITEM NO. Mirror	CONTENTS	10 (SET)
GAAQ0601	6 BAEA1208~1217 8, 10, 12, 13, 14, 17	

13PCS
3/8" DR. 6PT Socket Rail Set

Mirror / Satin Chrome Finished

ITEM NO. Mirror Satin	CONTENTS	10 (SET)
GAAQ1302 GAAQ1310	13 BAEA1207~1221 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 19, 21	

11PCS
1/2" DR. 6PT Socket Rail Set

Mirror / Satin Chrome Finished

ITEM NO. Mirror Satin	CONTENTS	10 (SET)
GAAQ1104 GAAQ1103	11 BAEA1610~1622 10, 11, 12, 13, 14, 15, 16, 17, 19, 21, 22	

37PCS
1/4", 3/8" & 1/2" DR. 6PT Socket Rail Set

Mirror / Satin Chrome Finished

ITEM NO. Mirror Satin	CONTENTS	5 (SET)
GAAQ3702 GAAQ3704	13 BAEA0804~0814 1/4" Dr. - 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 13 BAEA1207~1221 3/8" Dr. - 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 19, 21 11 BAEA1610~1622 1/2" Dr. - 10, 11, 12, 13, 14, 15, 16, 17, 19, 21, 22	

10PCS
1/2" DR. 6PT Socket Rail Set

Satin Chrome Finished

ITEM NO. Satin	CONTENTS	8 (SET)
GAAG1007	• BAEA1608~1622 8, 10, 12, 13, 14, 17, 19, 21, 22 1 AFAN1610 1/2" Dr. L-Handle (90° Offset) - 10" (L)	

6PT Sockets

CR-V DIN3124

SAE

Mirror Polished

DRIVE	ITEM NO. Mirror	SIZE(inch)	L(mm)		
1/4" 6.35mm sq.	BBEA0805	5/32	25	30	540
	BBEA0806	3/16	25	30	540
	BBEA0807	7/32	25	30	540
	BBEA0808	1/4	25	30	540
	BBEA0809	9/32	25	30	540
	BBEA0810	5/16	25	20	360
	BBEA0811	11/32	25	20	360
	BBEA0812	3/8	25	20	360
	BBEA0814	7/16	25	10	180
	BBEA0816	1/2	25	10	180
	BBEA0818	9/16	25	10	180
3/8" 9.5mm sq.	BBEA1208	1/4	28	15	270
	• BBEA1209	9/32	28	15	270
	BBEA1210	5/16	28	15	270
	• BBEA1211	11/32	28	15	270
	BBEA1212	3/8	28	15	270
	BBEA1214	7/16	28	15	270
	BBEA1216	1/2	28	10	180
	BBEA1218	9/16	28	10	180
	• BBEA1219	19/32	28	10	160
	BBEA1220	5/8	30	10	160
	BBEA1222	11/16	30	10	160
	BBEA1224	3/4	30	10	160
	BBEA1225	25/32	30	10	160
	BBEA1226	13/16	30	10	160
	BBEA1228	7/8	30	10	160
	• BBEA1230	15/16	30	10	160
1/2" 12.7mm sq.	BBEA1610	5/16	38	15	240
	• BBEA1611	11/32	38	15	240
	BBEA1612	3/8	38	15	240
	BBEA1614	7/16	38	15	240
	BBEA1616	1/2	38	15	240
	BBEA1618	9/16	38	15	240
	BBEA1619	19/32	38	15	240
	BBEA1620	5/8	38	15	240
	• BBEA1621	21/32	38	10	160
	BBEA1622	11/16	38	10	160
	BBEA1624	3/4	38	10	160
	BBEA1625	25/32	38	10	160
	BBEA1626	13/16	38	10	160
	BBEA1628	7/8	40	10	160
	BBEA1630	15/16	40	10	100
	BBEA1632	1	42	10	100
	BBEA1634	1-1/16	44	10	100
	BBEA1636	1-1/8	44	10	100
	BBEA1638	1-3/16	45	10	100
	BBEA1640	1-1/4	45	10	100

Hand Sockets, Bit Sockets & Accessories

6PT Deep Sockets

CR-V DIN3124

METRIC

Satin Chrome Finished

DRIVE	ITEM NO. Satin	SIZE(mm)	L(mm)		
1/4" 6.35mm sq.	BAEE0804	4	50	20	360
	BAEE084E	4.5	50	20	360
	BAEE0805	5	50	20	360
	BAEE085E	5.5	50	20	360
	BAEE0806	6	50	20	360
	BAEE0807	7	50	20	360
	BAEE0808	8	50	20	360
	BAEE0809	9	50	20	320
	BAEE0810	10	50	20	320
	BAEE0811	11	50	20	320
	BAEE0812	12	50	20	320
	BAEE0813	13	50	20	320
	BAEE0814	14	50	20	320
3/8" 9.5mm sq.	BAEE1206	6	63	20	320
	BAEE1207	7	63	20	320
	BAEE1208	8	63	20	320
	BAEE1209	9	63	10	160
	BAEE1210	10	63	10	160
	BAEE1211	11	63	10	160
	BAEE1212	12	63	10	160
	BAEE1213	13	63	10	160
	BAEE1214	14	63	10	160
	BAEE1215	15	63	10	160
	BAEE1216	16	63	10	160
	BAEE1217	17	63	10	100
	BAEE1218	18	63	10	100
	BAEE1219	19	63	10	100
	BAEE1220	20	63	10	100
	BAEE1221	21	63	10	100
	BAEE1222	22	63	10	100

Mirror / Satin Chrome Finished

DRIVE	ITEM NO. Mirror / Satin	SIZE(mm)	L(mm)		
1/2" 12.7mm sq.	BAEE1608	8	77	10	160
	BAEE1609	9	77	10	160
	BAEE1610	10	77	10	160
	BAEE1611	11	77	10	160
	BAEE1612	12	77	10	160
	BAEE1613	13	77	10	160
	BAEE1614	14	77	10	160
	BAEE1615	15	77	10	100
	BAEE1616	16	77	10	100
	BAEE1617	17	77	10	100
	BAEE1618	18	77	10	100
	BAEE1619	19	77	10	100
	BAEE1620	20	77	5	80
	BAEE1621	21	77	5	80
	BAEE1622	22	77	5	80
	BAEE1623	23	77	5	50
	BAEE1624	24	77	5	50
	BAEE1625	25	77	5	50
	BAEE1626	26	77	5	50
	BAEE1627	27	77	5	50
	BAEE1628	28	77	5	50
	BAEE1629	29	77	5	50
	BAEE1630	30	77	5	40
	BAEE1632	32	77	5	40

5PCS

1/4" DR. 6PT Deep Socket Rail Set

Satin Chrome Finished

ITEM NO. Satin	CONTENTS	10 (SET)
GAAQ0502	5 BAEE0806~0814 6, 8, 10, 12, 14	

13PCS

1/4" DR. 6PT Deep Socket Rail Set

Mirror / Satin Chrome Finished

ITEM NO. ★ Mirror Satin	CONTENTS	10 (SET)
GAAQ1304 GAAQ1309	13 BAEE0804~0814 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14	

13PCS

3/8" DR. 6PT Deep Socket Rail Set

Satin Chrome Finished

ITEM NO. Satin	CONTENTS	5 (SET)
GAAQ1311	13 BAEE1207~1221 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 19, 21	

11PCS

1/2" DR. 6PT Deep Socket Rail Set

Satin Chrome Finished

ITEM NO. Satin	CONTENTS	5 (SET)
GAAQ1106	11 BAEE1610~1622 10, 11, 12, 13, 14, 15, 16, 17, 19, 21, 22	

37PCS

1/4", 3/8" & 1/2" DR. 6PT Deep Socket Rail Set

Satin Chrome Finished

ITEM NO. Satin	CONTENTS	2 (SET)
GAAQ3703	13 BAEE0804~0814 1/4" Dr. - 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 13 BAEE1207~1221 3/8" Dr. - 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 19, 21 11 BAEE1610~1622 1/2" Dr. - 10, 11, 12, 13, 14, 15, 16, 17, 19, 21, 22	

6PT Deep Sockets

CR-V DIN3124

SAE

Mirror Polished

DRIVE	ITEM NO. Mirror	SIZE(inch)	L(mm)		
1/4" 6.35mm sq.	BBEE0805	5/32	50	20	360
	BBEE0806	3/16	50	20	360
	BBEE0807	7/32	50	20	360
	BBEE0808	1/4	50	20	360
	BBEE0809	9/32	50	20	360
	BBEE0810	5/16	50	20	360
	BBEE0811	11/32	50	20	320
	• BBEE0812	3/8	50	20	320
	BBEE0814	7/16	50	20	320
	• BBEE0816	1/2	50	20	320
	• BBEE0818	9/16	50	20	320
3/8" 9.5mm sq.	• BBEE1208	1/4	63	20	320
	• BBEE1209	9/32	63	20	320
	• BBEE1211	11/32	63	10	160
	• BBEE1215	15/32	63	10	160
1/2" 12.7mm sq.	• BBEE1610	5/16	77	10	160
	• BBEE1611	11/32	77	10	160
	BBEE1612	3/8	77	10	160
	BBEE1614	7/16	77	10	160
	• BBEE1615	15/32	77	10	160
	BBEE1616	1/2	77	10	160
	BBEE1618	9/16	77	10	160
	• BBEE1619	19/32	77	10	100
	BBEE1620	5/8	77	10	100
	• BBEE1621	21/32	77	10	100
	BBEE1622	11/16	77	10	100
	BBEE1624	3/4	77	10	100
	• BBEE1625	25/32	77	5	80
	BBEE1626	13/16	77	5	80
	BBEE1628	7/8	77	5	80
	BBEE1630	15/16	77	5	50
	BBEE1632	1	77	5	50
	BBEE1634	1-1/16	77	5	50
	BBEE1636	1-1/8	77	5	50
	BBEE1638	1-3/16	77	5	50
	BBEE1640	1-1/4	77	5	50

Hand Sockets, Bit Sockets & Accessories

12PT Sockets

CR-V DIN3124

METRIC

Satin Chrome Finished

DRIVE	ITEM NO. Satin	SIZE(mm)	L(mm)		
1/4" 6.35mm sq.	BAEB0804	4	25	30	540
	BAEB084E	4.5	25	30	540
	BAEB0805	5	25	30	540
	BAEB085E	5.5	25	30	540
	BAEB0806	6	25	30	540
	BAEB0807	7	25	30	540
	BAEB0808	8	25	20	360
	BAEB0809	9	25	20	360
	BAEB0810	10	25	20	360
	BAEB0811	11	25	10	180
	BAEB0812	12	25	10	180
	BAEB0813	13	25	10	180
	BAEB0814	14	25	10	180
3/8" 9.5mm sq.	BAEB1206	6	28	15	270
	BAEB1207	7	28	15	270
	BAEB1208	8	28	15	270
	BAEB1209	9	28	15	270
	BAEB1210	10	28	15	270
	BAEB1211	11	28	15	270
	BAEB1212	12	28	15	270
	BAEB1213	13	28	10	180
	BAEB1214	14	28	10	180
	BAEB1215	15	28	10	160
	BAEB1216	16	30	10	160
	BAEB1217	17	30	10	160
	BAEB1218	18	30	10	160
	BAEB1219	19	30	10	160
	BAEB1220	20	30	10	160
	BAEB1221	21	30	10	160
	BAEB1222	22	30	10	160
	BAEB1224	24	30	10	160

Mirror / Satin Chrome Finished

DRIVE	ITEM NO. Mirror Satin	SIZE(mm)	L(mm)		
1/2" 12.7mm sq.	BAEB1608	8	38	15	240
	BAEB1609	9	38	15	240
	BAEB1610	10	38	15	240
	BAEB1611	11	38	15	240
	BAEB1612	12	38	15	240
	BAEB1613	13	38	15	240
	BAEB1614	14	38	15	240
	BAEB1615	15	38	15	240
	BAEB1616	16	38	15	240
	BAEB1617	17	38	10	160
	BAEB1618	18	38	10	160
	BAEB1619	19	38	10	160
	BAEB1620	20	38	10	160
	BAEB1621	21	38	10	160
	BAEB1622	22	40	10	160
	BAEB1623	23	40	10	160
	BAEB1624	24	40	10	100
	BAEB1625	25	42	10	100
	BAEB1626	26	42	10	100
	BAEB1627	27	44	10	100
	BAEB1628	28	44	10	100
	BAEB1629	29	44	10	100
	BAEB1630	30	45	10	100
	BAEB1632	32	45	10	100

Satin Chrome Finished

DRIVE	ITEM NO. Satin	SIZE(mm)	L(mm)		
3/4" 19.0mm sq.	BAEB2419	19	50	5	80
	BAEB2421	21	50	5	80
	BAEB2422	22	50	5	80
	BAEB2423	23	50	5	80
	BAEB2424	24	51	5	80
	BAEB2426	26	52	5	80
	BAEB2427	27	52	5	80
	BAEB2428	28	52	5	40
	BAEB2429	29	52	5	40
	BAEB2430	30	54	5	40
	BAEB2432	32	56	5	40
	BAEB2433	33	56	5	40
	BAEB2434	34	56	5	40
	BAEB2435	35	58	5	40
	BAEB2436	36	58	5	40
	BAEB2438	38	60	5	40
	BAEB2441	41	64	2	16
	BAEB2446	46	68	2	16
	BAEB2450	50	72	2	16
	BAEB2455	55	76	2	16
	BAEB2460	60	78	2	16
	BAEB2465	65	82	2	8
	BAEB2470	70	86	2	8

11PCS

1/2" DR. 12PT Socket Rail Set

Mirror / Satin Chrome Finished

ITEM NO. ★ Mirror Satin	CONTENTS	10 (SET)
GAAQ1101	11 BAEB1610~1622	
GAAQ1102	10, 11, 12, 13, 14, 15, 16, 17, 19, 21, 22	

13PCS

3/8" DR. 12PT Socket Rail Set

Satin Chrome Finished

ITEM NO. Satin	CONTENTS	10 (SET)
GAAQ1312	13 BAEB1207~1221 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 19, 21	

10PCS

1/2" DR. 12PT Socket Rail Set

Satin Chrome Finished

ITEM NO. Satin	CONTENTS	8 (SET)
GAAG1008	9 BAEB1608~1622 8, 10, 12, 13, 14, 17, 19, 21, 22	
	1 AFAN1610 1/2" Dr. L-Handle (90° Offset) - 10" (L)	

12PT Sockets

CR-V DIN3124

SAE

Mirror Polished

DRIVE	ITEM NO. Mirror	SIZE(inch)	L(mm)		
1/4" 6.35mm sq.	BBEB0806	3/16	25	30	540
	BBEB0807	7/32	25	30	540
	BBEB0808	1/4	25	30	540
	BBEB0809	9/32	25	30	540
	BBEB0810	5/16	25	20	360
	BBEB0811	11/32	25	20	360
	BBEB0812	3/8	25	20	360
	BBEB0814	7/16	25	10	180
	BBEB0816	1/2	25	10	180
	BBEB0818	9/16	25	10	180
3/8" 9.5mm sq.	BBEB1208	1/4	28	15	270
	BBEB1210	5/16	28	15	270
	BBEB1211	11/32	28	15	270
	BBEB1212	3/8	28	15	270
	BBEB1214	7/16	28	15	270
	BBEB1216	1/2	28	10	180
	BBEB1218	9/16	28	10	180
	BBEB1219	19/32	28	10	160
	BBEB1220	5/8	30	10	160
	BBEB1222	11/16	30	10	160
	BBEB1224	3/4	30	10	160
	BBEB1226	13/16	30	10	160
	BBEB1228	7/8	30	10	160
1/2" 12.7mm sq.	BBEB1610	5/16	38	15	240
	BBEB1612	3/8	38	15	240
	BBEB1614	7/16	38	15	240
	BBEB1616	1/2	38	15	240
	BBEB1618	9/16	38	15	240
	BBEB1619	19/32	38	15	240
	BBEB1620	5/8	38	15	240
	BBEB1622	11/16	38	10	160
	BBEB1624	3/4	38	10	160
	BBEB1625	25/32	38	10	160
	BBEB1626	13/16	38	10	160
	BBEB1628	7/8	40	10	160
	BBEB1630	15/16	40	10	100
	BBEB1632	1	42	10	100
	BBEB1634	1-1/16	44	10	100
	BBEB1636	1-1/8	44	10	100
	BBEB1638	1-3/16	45	10	100
	BBEB1640	1-1/4	45	10	100
3/4" 19.0mm sq.	BBEB2424	3/4	50	5	80
	BBEB2426	13/16	50	5	80
	BBEB2428	7/8	50	5	80
	BBEB2430	15/16	51	5	80
	BBEB2432	1	52	5	40
	BBEB2434	1-1/16	52	5	40
	BBEB2436	1-1/8	52	5	40
	BBEB2438	1-3/16	54	5	40
	BBEB2440	1-1/4	56	5	40
	BBEB2442	1-5/16	56	5	40
	BBEB2444	1-3/8	58	5	40
	BBEB2446	1-7/16	58	5	40
	BBEB2448	1-1/2	60	5	40
	BBEB2452	1-5/8	64	2	16
	BBEB2454	1-11/16	64	2	16
	BBEB2456	1-3/4	66	2	16
	BBEB2460	1-7/8	70	2	16
	BBEB2464	2	72	2	16

11PCS

1/2" DR. 12PT Socket Rail Set

Mirror Polished

ITEM NO. Mirror	CONTENTS	10 (SET)
GBAQ1102	11 BBEB1612~1632 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1"	

13PCS

3/8" DR. 12PT Socket Rail Set

Mirror Polished

ITEM NO. Mirror	CONTENTS	10 (SET)
GBAQ1301	13 BBEB1208~1228 1/4", 5/16", 11/32", 3/8", 7/16", 1/2", 9/16", 19/32", 5/8", 11/16", 3/4", 13/16", 7/8"	

Hand Sockets, Bit Sockets & Accessories

12PT Deep Sockets

CR-V DIN3124

METRIC — Satin Chrome Finished

DRIVE	ITEM NO. Satin	SIZE(mm)	L(mm)		
1/4" 6.35mm sq.	BAEF0806	6	50	20	360
	BAEF0807	7	50	20	360
	BAEF0808	8	50	20	360
	BAEF0809	9	50	20	320
	BAEF0810	10	50	20	320
	BAEF0811	11	50	20	320
	BAEF0812	12	50	20	320
	BAEF0813	13	50	20	320
3/8" 9.5mm sq.	BAEF1206	6	63	20	320
	BAEF1207	7	63	20	320
	BAEF1208	8	63	20	320
	BAEF1209	9	63	10	160
	BAEF1210	10	63	10	160
	BAEF1211	11	63	10	160
	BAEF1212	12	63	10	160
	BAEF1213	13	63	10	160
	BAEF1214	14	63	10	160
	BAEF1215	15	63	10	160
	BAEF1216	16	63	10	160
	BAEF1217	17	63	10	100
	BAEF1218	18	63	10	100
	BAEF1219	19	63	10	100
	BAEF1220	20	63	10	100
	BAEF1221	21	63	10	100
	BAEF1222	22	63	10	100
1/2" 12.7mm sq.	BAEF1608	8	77	10	160
	BAEF1609	9	77	10	160
	BAEF1610	10	77	10	160
	BAEF1611	11	77	10	160
	BAEF1612	12	77	10	160
	BAEF1613	13	77	10	160
	BAEF1614	14	77	10	160
	BAEF1615	15	77	10	100
	BAEF1616	16	77	10	100
	BAEF1617	17	77	10	100
	BAEF1618	18	77	10	100
	BAEF1619	19	77	10	100
	BAEF1620	20	77	5	80
	BAEF1621	21	77	5	80
	BAEF1622	22	77	5	80
	BAEF1623	23	77	5	50
	BAEF1624	24	77	5	50
	BAEF1626	26	77	5	50
	BAEF1627	27	77	5	50
	BAEF1628	28	77	5	50
	BAEF1629	29	77	5	50
	BAEF1630	30	77	5	40
	BAEF1632	32	77	5	40

12PT Deep Sockets

CR-V DIN3124

SAE — Mirror Polished

DRIVE	ITEM NO. Mirror	SIZE(inch)	L(mm)		
1/4" 6.35mm sq.	BBEF0806	3/16	50	20	360
	BBEF0807	7/32	50	20	360
	BBEF0808	1/4	50	20	360
	BBEF0809	9/32	50	20	360
	BBEF0810	5/16	50	20	360
	BBEF0811	11/32	50	20	320
	BBEF0812	3/8	50	20	320
	BBEF0814	7/16	50	20	320
	BBEF0816	1/2	50	20	320
	BBEF0818	9/16	50	20	320
3/8" 9.5mm sq.	BBEF1208	1/4	63	20	320
	BBEF1210	5/16	63	20	320
	BBEF1212	3/8	63	10	160
	BBEF1214	7/16	63	10	160
	BBEF1216	1/2	63	10	160
	BBEF1218	9/16	63	10	160
	BBEF1220	5/8	63	10	160
	BBEF1222	11/16	63	10	100
	BBEF1224	3/4	63	10	100
	BBEF1226	13/16	63	10	100
	BBEF1228	7/8	63	10	100

10PCS

1/4" DR. 12PT Deep Socket Rail Set

Mirror Polished

ITEM NO. Mirror	CONTENTS	10 (SET)
GBAR1001	10 BBEF0806~0818 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2", 9/16"	

11PCS

3/8" DR. 12PT Deep Socket Rail Set

Mirror Polished

ITEM NO. Mirror	CONTENTS	10 (SET)
GBAQ1101	11 BBEF1208~1228 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8"	

13PCS

3/8" DR. 12PT Deep Socket Rail Set

Satin Chrome Finished

ITEM NO. Satin	CONTENTS	5 (SET)
GAAQ1313	13 BAEF1207~1221 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 19, 21	

11PCS

1/2" DR. 12PT Deep Socket Rail Set

Satin Chrome Finished

ITEM NO. Satin	CONTENTS	5 (SET)
GAAQ1105	11 BAEF1610~1622 10, 11, 12, 13, 14, 15, 16, 17, 19, 21, 22	

Star Sockets

CR-V DIN3120

Satin Chrome Finished

DRIVE	ITEM NO. Satin	SIZE	L(mm)		
1/4" 6.35mm sq.	BAED0804	E4	25	30	540
	BAED0805	E5	25	30	540
	BAED0806	E6	25	30	540
	BAED0807	E7	25	30	540
	BAED0808	E8	25	30	540
	BAED0810	E10	25	20	360
3/8" 9.5mm sq.	BAED1208	E8	28	15	270
	BAED1210	E10	28	15	270
	BAED1211	E11	28	15	270
	BAED1212	E12	28	15	270
	BAED1214	E14	28	10	180
	BAED1216	E16	28	10	180
	BAED1218	E18	28	10	160
	BAED1220	E20	28	10	160
1/2" 12.7mm sq.	BAED1610	E10	38	15	240
	BAED1611	E11	38	15	240
	BAED1612	E12	38	15	240
	BAED1614	E14	38	15	240
	BAED1616	E16	38	15	240
	BAED1618	E18	38	15	240
	BAED1620	E20	38	15	240
	BAED1622	E22	38	10	160
	BAED1624	E24	38	10	160

8PCS

3/8" DR. Star Socket Rail Set

Satin Chrome Finished

ITEM NO. Satin	CONTENTS	15 (SET)
GAAG0802	8 BAED1208~1220 E8, E10, E11, E12, E14, E16, E18, E20	

7PCS

1/2" DR. Star Socket Rail Set

Satin Chrome Finished

ITEM NO. Satin	CONTENTS	10 (SET)
GAAG0704	7 BAED1610~1624 E10, E12, E14, E16, E18, E20, E24	

9PCS

1/2" DR. Star Socket Rail Set

Satin Chrome Finished

ITEM NO. Satin	CONTENTS	10 (SET)
GAAG0901	9 BAED1610~1624 E10, E11, E12, E14, E16, E18, E20, E22, E24	

14PCS

1/4", 3/8" & 1/2" DR. Star Socket Rail Set

Satin Chrome Finished

ITEM NO. Satin	CONTENTS	10 (SET)
GAAR1402	5 BAED0804~0808 1/4" Dr. - E4, E5, E6, E7, E8	
	4 BAED1210~1214 3/8" Dr. - E10, E11, E12, E14	
	5 BAED1616~1624 1/2" Dr. - E16, E18, E20, E22, E24	

Deep Star Sockets

CR-V DIN3120

Satin Chrome Finished

DRIVE	ITEM NO. Satin	SIZE	L(mm)		
1/2" 12.7mm sq.	BAEH1610	E10	77	10	160
	BAEH1612	E12	77	10	160
	BAEH1614	E14	77	10	160
	BAEH1616	E16	77	10	100
	BAEH1618	E18	77	10	100
	BAEH1620	E20	77	5	80

Hand Sockets, Bit Sockets & Accessories

1/2" DR. Damaged Bolt Remover Sockets

CR-MO DIN3120

- Made of Chrome Molybdenum Alloy Steel
- For easy removal of rounded-off, rusted tight or painted-over bolts and nuts

- A unique, reverse spiral flute design provides a positive grip to remove rounded or damaged bolts and nuts

METRIC

Black Phosphate Finished

DRIVE	ITEM NO.	SIZE(mm)	L(mm)		
1/2" 12.7mm sq.	BAAK1610	10	34	20	320
	BAAK1611	11	34	20	320
	BAAK1612	12	34	20	320
	BAAK1613	13	34	20	320
	BAAK1614	14	34	15	240
	BAAK1615	15	34	15	240
	BAAK1616	16	34	15	240
	BAAK1617	17	34	15	240
	BAAK1618	18	34	10	160
	BAAK1619	19	34	10	160

9PCS

1/2" DR. Damaged Bolt Remover Socket Rail Set

Black Phosphate Finished

ITEM NO.	CONTENTS	
GAAG0903	9 BAAK1610~1619 10, 11, 12, 13, 14, 15, 16, 17, 19 mm	10 (SET)

3/8" DR. Flexible Universal Sockets

CR-V ANSI / ASME 107.1 DIN3124

Satin Chrome Finished

ITEM NO. Satin	SIZE(mm)	L(mm)		
BAAL1210	10	50	10	160
BAAL1211	11	51	10	160
BAAL1212	12	51	10	160
BAAL1213	13	52	10	160
BAAL1214	14	52	10	160
BAAL1215	15	55	10	160
BAAL1216	16	55	10	160
BAAL1217	17	56	10	100
BAAL1218	18	56	10	100
BAAL1219	19	58	10	100

ITEM NO. Satin	SIZE(inch)	L(mm)		
BBAL1212	3/8	50	10	160
BBAL1214	7/16	51	10	160
BBAL1216	1/2	52	10	160
BBAL1218	9/16	52	10	160
BBAL1220	5/8	55	10	160
BBAL1222	11/16	56	10	100
BBAL1224	3/4	58	10	100

10PCS

3/8" DR. Flexible Universal Socket Rail Set

Satin Chrome Finished

ITEM NO. Satin	CONTENTS	
GAAG1004	10 BAAL1210~1219 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm	10 (SET)

7PCS

3/8" DR. Flexible Universal Socket Rail Set

Satin Chrome Finished

ITEM NO. Satin	CONTENTS	
GBAG0701	7 BBAL1212~1224 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4"	15 (SET)

Adapter

CR-V DIN3123

Mirror / Satin Chrome Finished

ITEM NO. Mirror Satin	DRIVE	L(mm)		
CAEA0812	○ 1/4"(F)x ■ 3/8"(M)	26	20	360
CAEA1208	○ 3/8"(F)x ■ 1/4"(M)	25	20	360
CAEA1216	○ 3/8"(F)x ■ 1/2"(M)	36	10	180
CAEA1612	○ 1/2"(F)x ■ 3/8"(M)	36	10	180

Satin Chrome Finished

ITEM NO. Satin	DRIVE	L(mm)		
CAEA1624	○ 1/2"(F)x ■ 3/4"(M)	51	10	80
CAEA2416	○ 3/4"(F)x ■ 1/2"(M)	57	10	80

Adapter

CR-V DIN3123

Satin Chrome Finished

ITEM NO. Satin	DRIVE	L(mm)		
CAEB0812	○ 1/4"(F)x ■ 3/8"(M)	26	20	360
CAEB1208	○ 3/8"(F)x ■ 1/4"(M)	25	20	360

Mirror Polished

ITEM NO. Mirror	DRIVE	L(mm)		
CAEB1612	○ 1/2"(F)x ■ 3/8"(M)	36	10	180

3-Way Adapter

CR-V DIN 3123

Mirror / Satin Chrome Finished

ITEM NO. ★ Mirror Satin	DRIVE	L(mm)		
CAGA1208	○3/8"(F)x■1/4"(M)x○8.8mm	28	10	160
CAGA1216	○3/8"(F)x■1/2"(M)x○17.2mm	44	10	160
CAGA1612	○1/2"(F)x■3/8"(M)x○12.7mm	40	10	160

Satin Chrome Finished

ITEM NO. Satin	DRIVE	L(mm)		
CAGA3232	○1"(F)x■1"(M)x○34mm	74	5	40

1/4" DR. Finger Ratchet & Bit Driver

- Palm control design
- 3 position, reversible ratchet mechanism: Forward / Lock / Reverse
- High torque performance: 350 kgf-cm
- 36 teeth gear action
- Internal retaining clip hold bit securely in place
- Contoured grip for comfort and power
- Designed to use in confined spaces
- Material: Anodized Aluminum Color Grip

DRIVE	ITEM NO.	L(mm)		
■ 1/4" x ○ 1/4"	CAUA0808	33.5	10	80

Magnetic Socket Pick-Up

CR-V DIN3120

Satin Chrome Finished

DRIVE	ITEM NO. Satin	L(mm)		
1/4"	CAEE0820	20	30	540

Super-Torque Universal Joint

CR-V DIN3123

Satin Chrome Finished

DRIVE	ITEM NO. Satin	L(mm)		
1/4"	CAHK0840	35	10	180
3/8"	CAHK1254	52	10	160
1/2"	CAHK1678	68	10	100

Universal Joint

CR-V DIN3123

Mirror / Satin Chrome Finished

DRIVE	ITEM NO. Mirror Satin	L(mm)		
1/4"	CAHA0840	39	10	180
3/8"	CAHA1254	54	10	160
1/2"	CAHA1678	71	10	100

Satin Chrome Finished

DRIVE	ITEM NO. Satin	L(mm)		
3/4"	CAHA24A0	111	5	40

Ratchet Unit

CR-MO DIN 3120

72 Gears / Satin Chrome Finished

DRIVE	ITEM NO. Satin	L(mm)		
3/8"	CAQA1255	56	10	80
1/2"	CAQA1660	60	10	80

Hand Sockets, Bit Sockets & Accessories

Spark Plug Sockets

CR-V DIN3120

Dual Finished

DRIVE	ITEM NO. Dual	SIZE(mm)	L(mm)		
3/8"	BAAR1216	16	65	10	160
	BAAR1218	18	64	10	80
	BAAR1221	21	67	10	80
1/2"	BAAR1616	16	65	10	160
	BAAR1621	21	67	10	80

DRIVE	ITEM NO. Dual	SIZE(inch)	L(mm)		
1/2"	BBAR1626	13/16	67	10	80

Magnetic Spark Plug Sockets

CR-V DIN3120

• Magnetic

Dual Finished

DRIVE	ITEM NO. Dual	SIZE(mm)	L(mm)		
3/8"	BAAT1216	16	65	10	160
	BAAT1221	21	67	10	80
1/2"	BAAT1616	16	65	10	160
	BAAT1621	21	67	10	80

3/8" DR. Spark Plug Socket (Leaf Spring)

CR-V DIN 3120

• Special leaf spring design to retain/clip the spark plug

Satin Finished

DRIVE	ITEM NO. Satin	SIZE(mm)	L(mm)		
3/8"	BAAX1214	14	63	10	160

1/2" DR. Spark Plug Socket (Thin Wall)

CR-V DIN 3120

Dual Finished

DRIVE	ITEM NO. Dual	SIZE(mm)	L(mm)		
1/2"	BAAU1616	16	65	10	160

1/2" DR. Magnetic Spark Plug Socket

CR-V DIN 3120

• Magnetic

Dual Finished

DRIVE	ITEM NO. Dual	SIZE(mm)	L(mm)		
1/2"	BAAT1614	14	77	10	160

1/2" DR. Magnetic Spark Plug Socket (Thin Wall)

CR-V DIN 3120

• Magnetic

Dual Finished

DRIVE	ITEM NO. Dual	SIZE(mm)	L(mm)		
1/2"	BAAV1616	16	65	10	160

1/2" DR. Stud Puller Sockets

CR-V DIN 3120

Dual Finished

DRIVE	ITEM NO. Dual	SIZE(mm)	L(mm)		
1/2" (12.7mm)	BAAM1606	6	60	10	160
	BAAM1608	8	60	10	160
	BAAM1610	10	69	10	80
	BAAM1612	12	69	10	80

4PCS

1/2" DR. Stud Puller Socket Set

Dual Finished

ITEM NO. Dual	CONTENTS	10 (SET)
GAAI0401	BAAM1606~1612 1/2" Dr. Stud Puller Sockets 6, 8, 10, 12 mm	

BLOW CASE: W210 x D110 x H40 (mm)

Magnetic Aluminum Socket Rail

- Portable socket holder
- Anodized aluminum rail construction
- Super strong magnet for solid placement
- Holds both standard and deep sockets
- Removable fasteners



ITEM NO.	DRIVE	Fastener	L(mm)		
PBKB2R2414	1/4"	14 pcs	240	6	72
PBKB3R2412	3/8"	12 pcs	240	6	72

Magnetic Aluminum Socket Rail

- Portable socket holder
- Anodized aluminum rail construction
- Super strong magnet for solid placement
- Holds both standard and deep sockets
- 360° rotatable fasteners



ITEM NO.	DRIVE	Fastener	L(mm)		
PBKB2B26143	1/4"	14 pcs	260	6	60
PBKB3B26123	3/8"	12 pcs	260	6	60
PBKB4B26103	1/2"	10 pcs	260	6	60

TOPTUL
STANDARD, LONG & EXTRA LONG BIT SOCKETS

Standard

Hex Bit Sockets

CR-V+S2 DIN 7422

METRIC — Mirror Polished

DRIVE	ITEM NO. Mirror	SIZE(mm)	L(mm)		
1/4" 6.35mm sq.	BCDA082E12	2.5	37	30	540
	BCDA080312	3	37	30	540
	BCDA080412	4	37	30	540
	BCDA080512	5	37	30	540
	BCDA080712	7	37	30	540
	BCDA080812	8	37	30	540
3/8" 9.5mm sq.	BCDA120312	3	48	10	180
	BCDA120412	4	48	10	180
	BCDA120512	5	48	10	180
	BCDA120612	6	48	10	180
	BCDA120712	7	48	10	180
	BCDA120812	8	48	10	180
1/2" 12.7mm sq.	BCDA160612	6	55	15	240
	BCDA160712	7	55	15	240
	BCDA161012	10	55	10	160
	BCDA161912	19	55	10	100

SAE — Mirror Polished

DRIVE	ITEM NO. Mirror	SIZE(inch)	L(mm)		
1/4" 6.35mm sq.	BDDA080412	1/8	37	30	540
	BDDA080512	5/32	37	30	540
	BDDA080612	3/16	37	30	540
	BDDA080712	7/32	37	30	540
	BDDA080812	1/4	37	30	540
3/8" 9.5mm sq.	BDDA120512	5/32	48	10	180
	BDDA120612	3/16	48	10	180
	BDDA120712	7/32	48	10	180
	BDDA120812	1/4	48	10	180
	BDDA121012	5/16	48	10	180
	BDDA121212	3/8	48	10	180
1/2" 12.7mm sq.	BDDA160812	1/4	55	15	240
	BDDA161012	5/16	55	15	240
	BDDA161212	3/8	55	10	160
	BDDA161412	7/16	55	10	160
	BDDA161612	1/2	55	10	100
	BDDA161812	9/16	55	10	100
	BDDA162012	5/8	55	10	100
	BDDA162412	3/4	55	10	100

Hex Bit Sockets

CR-V+S2 DIN 7422

METRIC — Satin Chrome Finished

DRIVE	ITEM NO. Satin	SIZE(mm)	L(mm)		
1/4" 6.35mm sq.	BCDA082E52	2.5	37	30	540
	BCDA080352	3	37	30	540
	BCDA080452	4	37	30	540
	BCDA080552	5	37	30	540
	BCDA085E52	5.5	37	30	540
	BCDA080652	6	37	30	540
	BCDA086E52	6.5	37	30	540
	BCDA080752	7	37	30	540
	BCDA080852	8	37	30	540
3/8" 9.5mm sq.	BCDA120352	3	48	10	180
	BCDA120452	4	48	10	180
	BCDA120552	5	48	10	180
	BCDA120652	6	48	10	180
	BCDA120752	7	48	10	180
	BCDA120852	8	48	10	180
	BCDA121052	10	48	10	180
1/2" 12.7mm sq.	BCDA160452	4	55	15	240
	BCDA160552	5	55	15	240
	BCDA160652	6	55	15	240
	BCDA160752	7	55	15	240
	BCDA160852	8	55	15	240
	BCDA161052	10	55	10	160
	BCDA161252	12	55	10	160
	BCDA161452	14	55	10	100
	BCDA161752	17	55	10	100
	BCDA161952	19	55	10	100

SAE — Satin Chrome Finished

DRIVE	ITEM NO. Satin	SIZE(inch)	L(mm)		
1/4" 6.35mm sq.	BDDA080452	1/8	37	30	540
	BDDA080552	5/32	37	30	540
	BDDA080652	3/16	37	30	540
	BDDA080752	7/32	37	30	540
	BDDA080852	1/4	37	30	540
3/8" 9.5mm sq.	BDDA120452	1/8	48	10	180
	BDDA120552	5/32	48	10	180
	BDDA120652	3/16	48	10	180
	BDDA120752	7/32	48	10	180
	BDDA120852	1/4	48	10	180
	BDDA121052	5/16	48	10	180
	BDDA121252	3/8	48	10	180
1/2" 12.7mm sq.	BDDA160852	1/4	55	15	240
	BDDA161052	5/16	55	15	240
	BDDA161252	3/8	55	10	160
	BDDA161452	7/16	55	10	160
	BDDA161652	1/2	55	10	100
	BDDA161852	9/16	55	10	100
	BDDA162052	5/8	55	10	100
	BDDA162452	3/4	55	10	100

Hand Sockets, Bit Sockets & Accessories

Standard

Phillips Bit Sockets

CR-V+S2 DIN ISO 8764-1

Mirror Polished

DRIVE	ITEM NO. Mirror	SIZE	L(mm)		
1/4" 6.35mm sq.	BCAA08P012	PH0	37	30	540
	BCAA08P312	PH3	37	30	540
	BCAA08P412	PH4	37	30	540
3/8" 9.5mm sq.	BCAA12P112	PH1	48	10	180
	BCAA12P212	PH2	48	10	180
	BCAA12P312	PH3	48	10	180
1/2" 12.7mm sq.	BCAA16P312	PH3	55	10	160
	BCAA16P412	PH4	55	10	160

Phillips Bit Sockets

CR-V+S2 DIN ISO 8764-1

Satin Chrome Finished

DRIVE	ITEM NO. Satin	SIZE	L(mm)		
1/4" 6.35mm sq.	BCAA08P052	PH0	37	30	540
	BCAA08P152	PH1	37	30	540
	BCAA08P252	PH2	37	30	540
	BCAA08P352	PH3	37	30	540
	BCAA08P452	PH4	37	30	540
3/8" 9.5mm sq.	BCAA12P152	PH1	48	10	180
	BCAA12P252	PH2	48	10	180
	BCAA12P352	PH3	48	10	180
	BCAA12P452	PH4	48	10	180
1/2" 12.7mm sq.	BCAA16P252	PH2	55	10	160
	BCAA16P352	PH3	55	10	160
	BCAA16P452	PH4	55	10	160

Slotted Bit Sockets

CR-V+S2 DIN ISO 2380-1

Mirror Polished

DRIVE	ITEM NO. Mirror	SIZE(mm)	L(mm)		
1/4" 6.35mm sq.	BCCA080312	0.5x3	37	30	540
	BCCA080412	0.5x4	37	30	540
	BCCA084E12	0.6x4.5	37	30	540
	BCCA080812	1.2x8	37	30	540
3/8" 9.5mm sq.	BCCA126E12	1.2x6.5	48	10	180
	BCCA120812	1.2x8	48	10	180
	BCCA121012	1.6x10	48	10	180
1/2" 12.7mm sq.	BCCA160812	1.2x8	55	10	160
	BCCA161012	1.6x10	55	10	160
	BCCA161212	2.0x12	55	10	160
	BCCA161412	2.5x14	55	10	160
	BCCA161612	2.5x16	55	10	160

Slotted Bit Sockets

CR-V+S2 DIN ISO 2380-1

Satin Chrome Finished

DRIVE	ITEM NO. Satin	SIZE(mm)	L(mm)		
1/4" 6.35mm sq.	BCCA080352	0.5x3	37	30	540
	BCCA080452	0.5x4	37	30	540
	BCCA084E52	0.6x4.5	37	30	540
	BCCA085E52	1.0x5.5	37	30	540
	BCCA080652	1.0x6	37	30	540
	BCCA086E52	1.2x6.5	37	30	540
	BCCA080752	1.2x7	37	30	540
	BCCA080852	1.2x8	37	30	540
3/8" 9.5mm sq.	BCCA125E52	1.0x5.5	48	10	180
	BCCA126E52	1.2x6.5	48	10	180
	BCCA120852	1.2x8	48	10	180
	BCCA121052	1.6x10	48	10	180
1/2" 12.7mm sq.	BCCA160852	1.2x8	55	10	160
	BCCA161052	1.6x10	55	10	160
	BCCA161252	2.0x12	55	10	160
	BCCA161452	2.5x14	55	10	160
	BCCA161652	2.5x16	55	10	160

Pozi Bit Sockets

CR-V+S2 DIN ISO 8764-1

Mirror Polished

DRIVE	ITEM NO. Mirror	SIZE	L(mm)		
1/4" 6.35mm sq.	BCBA08P012	PZ0	37	30	540
	BCBA08P112	PZ1	37	30	540
	BCBA08P212	PZ2	37	30	540
	BCBA08P312	PZ3	37	30	540
3/8" 9.5mm sq.	BCBA12P112	PZ1	48	10	180
	BCBA12P212	PZ2	48	10	180
	BCBA12P312	PZ3	48	10	180
	BCBA12P412	PZ4	48	10	180

Pozi Bit Sockets

CR-V+S2 DIN ISO 8764-1

Satin Chrome Finished

DRIVE	ITEM NO. Satin	SIZE	L(mm)		
1/4" 6.35mm sq.	BCBA08P052	PZ0	37	30	540
	BCBA08P152	PZ1	37	30	540
	BCBA08P252	PZ2	37	30	540
	BCBA08P352	PZ3	37	30	540
	BCBA08P452	PZ4	37	30	540
3/8" 9.5mm sq.	BCBA12P152	PZ1	48	10	180
	BCBA12P252	PZ2	48	10	180
	BCBA12P352	PZ3	48	10	180
	BCBA12P452	PZ4	48	10	180

Star Bit Sockets

CR-V+S2

Mirror Polished

DRIVE	ITEM NO. Mirror	SIZE	L(mm)		
1/4" 6.35mm sq.	BCFA080812	T8	37	30	540
	BCFA081012	T10	37	30	540
	BCFA081512	T15	37	30	540
	BCFA082512	T25	37	30	540
	BCFA083012	T30	37	30	540
3/8" 9.5mm sq.	BCFA122712	T27	48	10	180
1/2" 12.7mm sq.	BCFA162512	T25	55	10	160
	BCFA165512	T55	55	10	160

Star Bit Sockets

CR-V+S2

Satin Chrome Finished

DRIVE	ITEM NO. Satin	SIZE	L(mm)		
1/4" 6.35mm sq.	BCFA080852	T8	37	30	540
	BCFA080952	T9	37	30	540
	BCFA081052	T10	37	30	540
	BCFA081552	T15	37	30	540
	BCFA082052	T20	37	30	540
	BCFA082552	T25	37	30	540
	BCFA082752	T27	37	30	540
	BCFA083052	T30	37	30	540
	BCFA083552	T35	37	30	540
	BCFA084052	T40	37	20	360
3/8" 9.5mm sq.	BCFA121552	T15	48	10	180
	BCFA122052	T20	48	10	180
	BCFA122552	T25	48	10	180
	BCFA122752	T27	48	10	180
	BCFA123052	T30	48	10	180
	BCFA124052	T40	48	10	180
	BCFA124552	T45	48	10	180
	BCFA125052	T50	48	10	180
	BCFA125552	T55	48	10	180
1/2" 12.7mm sq.	BCFA162052	T20	55	10	160
	BCFA162552	T25	55	10	160
	BCFA162752	T27	55	10	160
	BCFA163052	T30	55	10	160
	BCFA164052	T40	55	10	160
	BCFA164552	T45	55	10	160
	BCFA165052	T50	55	10	160
	BCFA165552	T55	55	10	160
	BCFA166052	T60	55	10	160
	BCFA167052	T70	55	10	160

Star Tamperproof Bit Sockets

CR-V+S2

Satin Chrome Finished

DRIVE	ITEM NO. Satin	SIZE	L(mm)		
1/4" 6.35mm sq.	BCLA0808	T8	37	30	360
	BCLA0809	T9	37	30	360
	BCLA0810	T10	37	30	360
	BCLA0815	T15	37	30	360
	BCLA0820	T20	37	30	360
	BCLA0825	T25	37	30	360
	BCLA0827	T27	37	30	360
	BCLA0830	T30	37	30	360
	BCLA0835	T35	37	30	360
	BCLA0840	T40	37	30	360
3/8" 9.5mm sq.	BCLA1240	T40	48	10	180
	BCLA1245	T45	48	10	180
	BCLA1250	T50	48	10	180
1/2" 12.7mm sq.	BCLA1620	T20	55	10	160
	BCLA1625	T25	55	10	160
	BCLA1627	T27	55	10	160
	BCLA1630	T30	55	10	160
	BCLA1640	T40	55	10	160
	BCLA1645	T45	55	10	160
	BCLA1650	T50	55	10	160
	BCLA1655	T55	55	10	160
	BCLA1660	T60	55	10	160

Hand Sockets, Bit Sockets & Accessories

Standard

Spline Bit Sockets

CR-V+S2 DIN 2324

Mirror Polished

DRIVE	ITEM NO. Mirror	SIZE	L(mm)		
1/2" 12.7mm sq.	BCHA161212	M12	55	15	240

Pentacle Bit Sockets

CR-V+S2

Satin Chrome Finished

DRIVE	ITEM NO. Satin	SIZE	L(mm)		
1/4" 6.35mm sq.	BCNA0808	T8	37	30	360
	BCNA0810	T10	37	30	360
	BCNA0815	T15	37	30	360
	BCNA0820	T20	37	30	360
	BCNA0825	T25	37	30	360
	BCNA0827	T27	37	30	360
	BCNA0830	T30	37	30	360
	BCNA0840	T40	37	30	360
1/2" 12.7mm sq.	BCNA1620	T20	55	10	160
	BCNA1625	T25	55	10	160
	BCNA1627	T27	55	10	160
	BCNA1630	T30	55	10	160
	BCNA1640	T40	55	10	160
	BCNA1645	T45	55	10	160
	BCNA1650	T50	55	10	160
	BCNA1655	T55	55	10	160

TOPTUL
Standard Bit Sockets

Spline Bit Sockets

CR-V+S2 DIN 2324

Satin Chrome Finished

DRIVE	ITEM NO. Satin	SIZE	L(mm)		
3/8" 9.5mm sq.	BCHA120552	M5	48	10	180
	BCHA120652	M6	48	10	180
	BCHA120852	M8	48	10	180
	BCHA121052	M10	48	10	180
1/2" 12.7mm sq.	BCHA160552	M5	55	15	240
	BCHA160652	M6	55	15	240
	BCHA160852	M8	55	15	240
	BCHA161052	M10	55	15	240
	BCHA161252	M12	55	15	240
	BCHA161452	M14	55	10	100
	BCHA161652	M16	55	10	100

Ribe Bit Sockets

CR-V+S2

Satin Chrome Finished

DRIVE	ITEM NO. Satin	SIZE	L(mm)		
1/2" 12.7mm sq.	BCQA1605	M5	55	15	240
	BCQA1606	M6	55	15	240
	BCQA1607	M7	55	15	240
	BCQA1608	M8	55	15	240
	BCQA1609	M9	55	15	240
	BCQA1610	M10	55	15	240
	BCQA1612	M12	55	15	240
	BCQA1613	M13	55	10	100
	BCQA1614	M14	55	10	100
	BCQA1616	M16	55	10	100

7PCS
1/4" DR. Bit Socket Rail Set

Satin Chrome Finished

ITEM NO. Satin		CONTENTS	10 (SET)
GAAQ0701	3	BCAA08P1~08P3 1/4" Dr. Phillips Bit Sockets (37mmL) PH1, PH2, PH3	
	3	BCCA0804~086E 1/4" Dr. Slotted Bit Sockets (37mmL) 4, 5.5, 6.5	
	1	CAAA0802 1/4" Dr. Extension Bar - 2" (L)	

7PCS
3/8" DR. Hex Bit Socket Rail Set

Satin Chrome Finished

ITEM NO. Satin		CONTENTS	15 (SET)
GAAG0702	7	BCDA1203~1210 3/8" Dr. Hex Bit Sockets (48mmL) 3, 4, 5, 6, 7, 8, 10 mm	

7PCS
3/8" DR. Hex Bit Socket Rail Set

Satin Chrome Finished

ITEM NO. Satin		CONTENTS	10 (SET)
GBAG0702	7	BDDA1204~1212 3/8" Dr. Hex Bit Sockets (48mmL) 1/8", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8"	

10PCS
1/2" DR. Hex Bit Socket Rail Set

Satin Chrome Finished

ITEM NO. Satin		CONTENTS	10 (SET)
GAAG1005	10	BCDA1604~1619 1/2" Dr. Hex Bit Sockets (55mmL) 4, 5, 6, 7, 8, 10, 12, 14, 17, 19 mm	

8PCS
1/2" DR. Hex Bit Socket Rail Set

Satin Chrome Finished

ITEM NO. Satin		CONTENTS	10 (SET)
GBAG0801	8	BDDA1608~1624 1/2" Dr. Hex Bit Sockets (55mmL) 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 3/4"	

5PCS
1/2" DR. Spline Bit Socket Rail Set

Satin Chrome Finished

ITEM NO. Satin		CONTENTS	15 (SET)
GAAG0501	5	BCHA1605~1612 1/2" Dr. Spline Bit Sockets (55mmL) M5, M6, M8, M10, M12	

7PCS
1/2" DR. Spline Bit Socket Rail Set

Satin Chrome Finished

ITEM NO. Satin		CONTENTS	8 (SET)
GAAG0703	7	BCHA1605~1616 1/2" Dr. Spline Bit Sockets (55mmL) M5, M6, M8, M10, M12, M14, M16	

Hand Sockets, Bit Sockets & Accessories

Standard

8PCS
1/4" DR. Star Bit Socket Rail Set

Satin Chrome Finished

ITEM NO. Satin		CONTENTS	15 (SET)
GAAG0808	8	BCFA0808~0840 1/4" Dr. Star Bit Sockets (37mmL) T8, T10, T15, T20, T25, T27, T30, T40	

8PCS
3/8" DR. Star Bit Socket Rail Set

Satin Chrome Finished

ITEM NO. Satin		CONTENTS	15 (SET)
GAAG0804	8	BCFA1215~1250 3/8" Dr. Star Bit Sockets (48mmL) T15, T20, T25, T27, T30, T40, T45, T50	

5PCS
1/2" DR. Star Bit Socket Rail Set

Satin Chrome Finished

ITEM NO. Satin		CONTENTS	10 (SET)
GAAG0502	5	BCFA1640~1660 1/2" Dr. Star Bit Sockets (55mmL) T40, T45, T50, T55, T60	

10PCS
1/2" DR. Star Bit Socket Rail Set

Satin Chrome Finished

ITEM NO. Satin		CONTENTS	10 (SET)
GAAG1006	10	BCFA1620~1670 1/2" Dr. Star Bit Sockets (55mmL) T20, T25, T27, T30, T40, T45, T50, T55, T60, T70	

10PCS
1/4" & 3/8" DR. Star Bit Socket Rail Set

Satin Chrome Finished

ITEM NO. Satin		CONTENTS	15 (SET)
GAAG1009	6	BCFA0810~0830 1/4" Dr. Star Bit Sockets (37mmL) T10, T15, T20, T25, T27, T30	
	4	BCFA1240~1255 3/8" Dr. Star Bit Sockets (48mmL) T40, T45, T50, T55	

12PCS
1/4" & 1/2" DR. Star Bit Socket Rail Set

Satin Chrome Finished

ITEM NO. Satin		CONTENTS	10 (SET)
GAAG1202	7	BCFA0810~0840 1/4" Dr. Star Bit Sockets (37mmL) T10, T15, T20, T25, T27, T30, T40	
	5	BCFA1645~1670 1/2" Dr. Star Bit Sockets (55mmL) T45, T50, T55, T60, T70	

Standard

12PCS
1/4", 3/8" & 1/2" DR. Star Bit Socket Rail Set

Satin Chrome Finished

ITEM NO. Satin		CONTENTS	10 (SET)
GAAG1201	3	BCFA0808~0815 1/4" Dr. Star Bit Sockets (37mmL) T8, T10, T15	
	4	BCFA1220~1230 3/8" Dr. Star Bit Sockets (48mmL) T20, T25, T27, T30	
	5	BCFA1640~1660 1/2" Dr. Star Bit Sockets (55mmL) T40, T45, T50, T55, T60	

10PCS
1/2" DR. Ribe Bit Socket Rail Set

Satin Chrome Finished

ITEM NO. Satin		CONTENTS	10 (SET)
GAAG1002	10	BCQA1605~1616 1/2 " Dr. Ribe Bit Sockets (55mmL) M5, M6, M7, M8, M9, M10, M12, M13, M14, M16	

8PCS
1/4" DR. Star Tamperproof Bit Socket Rail Set

Satin Chrome Finished

ITEM NO. Satin		CONTENTS	15 (SET)
GAAG0809	8	BCLA0808~0840 1/4" Dr. Star Tamperproof Bit Sockets (37mmL) T8, T10, T15, T20, T25, T27, T30, T40	

8PCS
1/4" DR. Pentacle Bit Socket Rail Set

Satin Chrome Finished

ITEM NO. Satin		CONTENTS	15 (SET)
GAAG0805	8	BCNA0808~0840 1/4 " Dr. Pentacle Bit Sockets (37mmL) T8, T10, T15, T20, T25, T27, T30, T40	

9PCS
1/2" DR. Star Tamperproof Bit Socket Rail Set

Satin Chrome Finished

ITEM NO. Satin		CONTENTS	10 (SET)
GAAG0904	9	BCLA1620~1660 1/2" Dr. Star Tamperproof Bit Sockets (55mmL) T20, T25, T27, T30, T40, T45, T50, T55, T60	

8PCS
1/2" DR. Pentacle Bit Socket Rail Set

Satin Chrome Finished

ITEM NO. Satin		CONTENTS	10 (SET)
GAAG0806	8	BCNA1620~1655 1/2" Dr. Pentacle Bit Sockets (55mmL) T20, T25, T27, T30, T40, T45, T50, T55	

Long

Hex Bit Sockets

CR-V+S2 DIN 7422

Satin Chrome Finished

DRIVE	ITEM NO. Satin	SIZE(mm)	L(mm)		
1/2" 12.7mm sq.	BCWA1604	4	80	20	160
	BCWA1605	5	80	20	160
	BCWA1606	6	80	20	160
	BCWA1607	7	80	20	160
	BCWA1608	8	80	20	160
	BCWA1610	10	80	20	160
	BCWA1612	12	80	20	160
	BCWA1614	14	80	20	160
	BCWA1617	17	80	15	120

Star Bit Sockets

CR-V+S2

Satin Chrome Finished

DRIVE	ITEM NO. Satin	SIZE	L(mm)		
1/2" 12.7mm sq.	BCXA1620	T20	80	20	160
	BCXA1625	T25	80	20	160
	BCXA1627	T27	80	20	160
	BCXA1630	T30	80	20	160
	BCXA1640	T40	80	20	160
	BCXA1645	T45	80	20	160
	BCXA1650	T50	80	20	160
	BCXA1655	T55	80	20	160
	BCXA1660	T60	80	20	160

Hex Bit Sockets ★

CR-V+S2 DIN 7422

Mirror Polished

DRIVE	ITEM NO. Mirror	SIZE(mm)	L(mm)		
1/2" 12.7mm sq.	BCIA1607	7	100	10	160

Hex Bit Sockets

CR-V+S2 DIN 7422

Satin Chrome Finished

DRIVE	ITEM NO. Satin	SIZE(mm)	L(mm)		
1/2" 12.7mm sq.	BCEA1605	5	100	10	160
	BCEA1606	6	100	10	160
	BCEA1607	7	100	10	160
	BCEA1608	8	100	10	160

Spline Bit Sockets

CR-V+S2 DIN 2324

Satin Chrome Finished

DRIVE	ITEM NO. Satin	SIZE	L(mm)		
1/2" 12.7mm sq.	BCJA1606	M6	100	10	160
	BCJA1608	M8	100	10	160
	BCJA1609	M9	100	10	160
	BCJA169E	M9.5	100	10	160
	BCJA1610	M10	100	10	160
	BCJA1612	M12	100	10	160

Spline Bit Sockets

CR-V+S2

Satin Chrome Finished

DRIVE	ITEM NO. Satin	SIZE	L(mm)		
1/2" 12.7mm sq.	BCJD1610	M10	100	10	160
	BCJD1612	M12	100	10	160
	BCJD1614	M14	100	5	80

Pentacle Bit Sockets

CR-V+S2

Satin Chrome Finished

DRIVE	ITEM NO. Satin	SIZE	L(mm)		
1/2" 12.7mm sq.	BCOA1620	T20	100	10	160
	BCOA1625	T25	100	10	160
	BCOA1627	T27	100	10	160
	BCOA1630	T30	100	10	160
	BCOA1640	T40	100	10	160
	BCOA1645	T45	100	10	160
	BCOA1650	T50	100	10	160
	BCOA1655	T55	100	10	160

Ribe Bit Sockets

CR-V+S2

Satin Chrome Finished

DRIVE	ITEM NO. Satin	SIZE	L(mm)		
1/2" 12.7mm sq.	BCRA1605	M5	100	10	160
	BCRA1606	M6	100	10	160
	BCRA1607	M7	100	10	160
	BCRA1608	M8	100	10	160
	BCRA1609	M9	100	10	160
	BCRA1610	M10	100	10	160
	BCRA1612	M12	100	10	160
	BCRA1613	M13	100	10	160
	BCRA1614	M14	100	10	160
	BCRA1616	M16	100	10	100

Long

Ball Point Bit Sockets

CR-V+S2

Satin Chrome Finished

DRIVE	ITEM NO. Satin	SIZE(mm)	L(mm)		
1/2" 12.7mm sq.	BCPA1605	5	100	10	160
	BCPA1606	6	100	10	160
	BCPA1607	7	100	10	160
	BCPA1608	8	100	10	160
	BCPA1610	10	100	10	160

Star Bit Sockets

CR-V+S2

Satin Chrome Finished

DRIVE	ITEM NO. Satin	SIZE	L(mm)		
1/2" 12.7mm sq.	BCGA1640	T40	120	10	100
	BCGA1645	T45	120	10	100

Star Tamperproof Bit Sockets ★

CR-V+S2

Mirror Polished

DRIVE	ITEM NO. Mirror	SIZE	L(mm)		
1/2" 12.7mm sq.	BCKA164012	T40	120	10	100
	BCKA164512	T45	120	10	100
	BCKA165012	T50	120	10	100

Star Tamperproof Bit Sockets

CR-V+S2

Satin Chrome Finished

DRIVE	ITEM NO. Satin	SIZE	L(mm)		
1/2" 12.7mm sq.	BCKA164052	T40	120	10	100
	BCKA164552	T45	120	10	100
	BCKA165052	T50	120	10	100

9PCS

1/2" DR. Long Hex Bit Socket Rail Set

Satin Chrome Finished

ITEM NO. Satin	CONTENTS	10 (SET)
GAAG0902	• BCWA1604~1617 1/2 " Dr. Long Hex Bit Sockets (80mmL) 4, 5, 6, 7, 8, 10, 12, 14, 17 mm	

8PCS

1/2" DR. Long Pentacle Bit Socket Rail Set

Satin Chrome Finished

ITEM NO. Satin	CONTENTS	10 (SET)
GAAG0807	• BCOA1620~1655 1/2 " Dr. Long Pentacle Bit Sockets (100mmL) T20, T25, T27, T30, T40, T45, T50, T55	

10PCS

1/2" DR. Long Ribe Bit Socket Rail Set



Satin Chrome Finished

ITEM NO. Satin	CONTENTS	8 (SET)
GAAG1003	10 BCRA1605~1616 1/2 " Dr. Long Ribe Bit Sockets (100mmL) M5, M6, M7, M8, M9, M10, M12, M13, M14, M16	

Hand Sockets, Bit Sockets & Accessories

Extra Long

Hex Bit Sockets

CR-V+S2 DIN 7422

Mirror Polished

DRIVE	ITEM NO. Mirror	SIZE(mm)	L(mm)		
1/2" 12.7mm sq.	BCIA160612	6	140	10	100
	BCIA161212	12	140	10	100

Star Bit Sockets

CR-V+S2

Satin Chrome Finished

DRIVE	ITEM NO. Satin	SIZE	L(mm)		
1/2" 12.7mm sq.	BCUA1655	T55	140	10	100
	BCUA1670	T70	140	10	100

Hex Bit Sockets

CR-V+S2 DIN 7422

Satin Chrome Finished

DRIVE	ITEM NO. Satin	SIZE(mm)	L(mm)		
1/2" 12.7mm sq.	BCIA160652	6	140	10	100
	BCIA161052	10	140	10	100
	BCIA161252	12	140	10	100

Star Tamperproof Bit Sockets

CR-V+S2

Satin Chrome Finished

DRIVE	ITEM NO. Satin	SIZE	L(mm)		
1/2" 12.7mm sq.	BCVA1655	T55	140	10	100
	BCVA1660	T60	140	10	100

Hex Bit Sockets

CR-V+S2 DIN 7422

Mirror Polished

DRIVE	ITEM NO. Mirror	SIZE(mm)	L(mm)		
1/2" 12.7mm sq.	BCIA1605	5	180	10	100

Ball Point Bit Sockets

CR-V+S2

Satin Chrome Finished

DRIVE	ITEM NO. Satin	SIZE(mm)	L(mm)		
1/2" 12.7mm sq.	BCSA1605	5	140	10	100
	BCSA1606	6	140	10	100
	BCSA1608	8	140	10	100
	BCSA1610	10	140	10	100

Hex Bit Sockets

CR-V+S2 DIN 7422

Satin Chrome Finished

DRIVE	ITEM NO. Satin	SIZE(mm)	L(mm)		
1/2" 12.7mm sq.	BCTA1605	5	180	10	100

Spline Bit Sockets

CR-V+S2

Satin Chrome Finished

DRIVE	ITEM NO. Satin	SIZE	L(mm)		
1/2" 12.7mm sq.	BCMD1610	M10	140	10	100
	BCMD1612	M12	140	10	100
	BCMD1614	M14	140	5	50

19.5MM SHORT LENGTH

12.9MM DIAMETER

One-Piece Stubby Bit Sockets

- Made of high quality SNCM+V Alloy Steel
- Precision machined one-piece construction
- High torque performance
- Manganese phosphate finished
- Stubby model for working in confined spaces
- Hand-operated tool

One-Piece Stubby Phillips Bit Sockets

SNCM+V

Black Phosphate Finished

DRIVE	ITEM NO.	SIZE	L(mm)	D(mm)		
1/4" 6.35mm sq.	BCAB08P1	PH1	19.5	12.9	50	900
	BCAB08P2	PH2	19.5	12.9	50	900
	BCAB08P3	PH3	19.5	12.9	50	900

One-Piece Stubby Slotted Bit Sockets

SNCM+V

Black Phosphate Finished

DRIVE	ITEM NO.	SIZE(mm)	L(mm)	D(mm)		
1/4" 6.35mm sq.	BCCB0803	0.5 x 3	19.5	12.9	50	900
	BCCB084E	0.6 x 4.5	19.5	12.9	50	900
	BCCB086E	1.2 x 6.5	19.5	12.9	50	900
	BCCB0808	1.2 x 8	19.5	12.9	50	900

One-Piece Stubby Hex Bit Sockets

SNCM+V

Black Phosphate Finished

DRIVE	ITEM NO.	SIZE(mm)	L(mm)	D(mm)		
1/4" 6.35mm sq.	BCDB0803	3	19.5	12.9	50	900
	BCDB0804	4	19.5	12.9	50	900
	BCDB0805	5	19.5	12.9	50	900
	BCDB0806	6	19.5	12.9	50	900
	BCDB0807	7	19.5	12.9	50	900
	BCDB0808	8	19.5	12.9	50	900

One-Piece Stubby Star Bit Sockets

SNCM+V

Black Phosphate Finished

DRIVE	ITEM NO.	SIZE	L(mm)	D(mm)		
1/4" 6.35mm sq.	BCFB0806	T6	19.5	12.9	50	900
	BCFB0807	T7	19.5	12.9	50	900
	BCFB0808	T8	19.5	12.9	50	900
	BCFB0809	T9	19.5	12.9	50	900
	BCFB0810	T10	19.5	12.9	50	900
	BCFB0815	T15	19.5	12.9	50	900
	BCFB0820	T20	19.5	12.9	50	900
	BCFB0825	T25	19.5	12.9	50	900
	BCFB0827	T27	19.5	12.9	50	900
	BCFB0830	T30	19.5	12.9	50	900
	BCFB0840	T40	19.5	12.9	50	900

Hand Sockets, Bit Sockets & Accessories

Mini Reversible Ratchet & Bit Ratchet Handle

1/4" DR. Flexible Head Mini Reversible Ratchet Handle with Quick Release

DIN 3122

- Chrome Vanadium Steel Material
- Fine 60 teeth ratcheting mechanism with hard-wearing construction
- Low back-torque design allows faster turning and removal of fastener
- Flex head for accessing hard to reach fasteners
- Anti-slip bi-component PP+TPR plastic soft grip handle
- Ideal for use in confined spaces

60 Gears / Mirror Finished

DRIVE	ITEM NO. Mirror	L(mm)		
1/4"	CJHU0811	113	10	120

1/4" (H) Flexible Head Mini Reversible Bit Ratchet Handle

- Chrome Vanadium Steel Material
- Fine 60 teeth ratcheting mechanism with hard-wearing construction
- Low back-torque design allows faster turning and removal of fastener
- Flex head for accessing hard to reach fastener
- Anti-slip bi-component PP+TPR plastic soft grip handle
- Ideal for use in confined spaces

60 Gears / Satin Chrome Finished

HEX	ITEM NO. Satin	L(mm)		
1/4"	CJHV0811	113	10	120

Mini Reversible Ratchet Handle with Quick Release

DIN 3122

- Chrome Vanadium Steel Material
- Fine 60 teeth ratcheting mechanism with hard-wearing construction
- Low back-torque design allows faster turning and removal of fastener
- Curved handle for easy and comfort grip
- Ideal for use in confined spaces

60 Gears / Mirror Finished

DRIVE	ITEM NO. Mirror	L(mm)		
1/4"	CHDU0809	90	15	180

Mini Reversible Bit Ratchet Handle

- Chrome Vanadium Steel Material
- Fine 60 teeth ratcheting mechanism with hard-wearing construction
- Low back-torque design allows faster turning and removal of fastener
- Curved handle for easy and comfort grip
- Ideal for use in confined spaces

60 Gears / Mirror Finished

HEX	ITEM NO. Mirror	L(mm)		
1/4"	CHDV0809	90	15	180

1/4" DR. Flexible Head Mini Reversible Ratchet Handle with Quick Release

DIN 3122

- Chrome Vanadium Steel Material
- Fine 60 teeth ratcheting mechanism with hard-wearing construction
- Low back-torque design allows faster turning and removal of fastener
- Flex head for accessing hard to reach fasteners
- Curved handle for easy and comfort grip
- Ideal for use in confined spaces

60 Gears / Mirror Finished

DRIVE	ITEM NO. Mirror	L(mm)		
1/4"	CHKU0811	105	10	120

1/4" (H) Flexible Head Mini Reversible Bit Ratchet Handle

- Chrome Vanadium Steel Material
- Fine 60 teeth ratcheting mechanism with hard-wearing construction
- Low back-torque design allows faster turning and removal of fastener
- Flex head for accessing hard to reach fasteners
- Curved handle for easy and comfort grip
- Ideal for use in confined spaces

60 Gears / Mirror Finished

HEX	ITEM NO. Mirror	L(mm)		
1/4"	CHKV0811	105	10	120

1/4" DR. Reversible Ratchet Handle with Quick Release

DIN 3122

- Anti-slip grip handle design
- Improved PP+soft PP material plastic handle for better anti-alkali, acid and corrosion effect

36 Gears / Satin Chrome Finished

DRIVE	ITEM NO. Satin	L(mm)		
1/4"	S135	135	10	100

Rotatory Ratchet Handle with Push - Through mechanism

NEW

DIN 3122

- Chrome Molybdenum Steel Ratchet Head
- Fine 60 teeth ratcheting mechanism with hard-wearing construction
- Unique 360° rotatory handle, ideal for access in confined spaces
- One-way ratcheting mechanism
- Anti-slip bi-component PP+TPR plastic soft grip handle

60 Gears / Mirror Polished

DRIVE	ITEM NO. Mirror	L(mm)		
1/4"	CJTV0818	180	5	60
3/8"	CJTV1224	240	5	30
1/2"	CJTV1629	290	5	30

Gearless Reversible Ratchet Handle with Quick Release

DIN 3122

Mirror Polished

DRIVE	ITEM NO. Mirror	L(mm)		
1/4"	CJBT0816	155	10	100
3/8"	CJBT1220	200	5	40
1/2"	CJBT1627	265	5	30

Curved Reversible Compact-Head Ratchet Handle with Quick Release

DIN 3122

72 Gears / Satin Chrome Finished

DRIVE	ITEM NO. Satin	L(mm)		
1/4"	CHJM0815	145	10	100
3/8"	CHJM1220	200	5	40
1/2"	CHJM1625	250	5	30

Stubby Reversible Ratchet Handle with Quick Release

DIN 3122

45 Gears / Satin Chrome Finished

DRIVE	ITEM NO. Satin	L(mm)		
1/4"	CJDI0812	115	10	80
3/8"	CJDI1215	145	5	40

Stubby Swivel-Head Ratchet with Bit Drives

DIN 3122

72 Gears / Satin Chrome Finished

DRIVE	ITEM NO. Satin	L(mm)		
3/8" x 1/4" (H)	CJOM1216	160	2	32

Stubby Swivel-Head Ratchet

DIN 3122

72 Gears / Satin Chrome Finished

DRIVE	ITEM NO. Satin	L(mm)		
1/2"	CJNM1616	160	2	32

Stubby Swivel-Head Ratchet with Dual Drives

DIN 3122

72 Gears / Satin Chrome Finished

DRIVE	ITEM NO. Satin	L(mm)		
3/8" x 1/4"	CJMM1216	160	2	32
1/2" x 1/4"	CJMM1616	160	2	32

Hand Sockets, Bit Sockets & Accessories

TOPTUL HIGH PERFORMANCE 72-TEETH RATCHET MECHANISM

Ergonomic Soft Handle Design

Safety, comfort and practicality are the notable features of this super-grip handle. The special, new developed anti-slip soft PP material on the handle is delicately formed to fit users' palm shapes, so the comfort is doubtless. Moreover, these slip-proof handles can always prevent incidental slip while conducting on-site fastening tasks.
TOPTUL Professional Tool truly grasps the power for you.

Reversible Ratchet Handle with Quick Release

DIN 3122

36 Gears / Satin Chrome Finished

DRIVE	ITEM NO. Satin	L(mm)		
1/4"	CJBG0815	150	10	100
3/8"	CJBG1220	200	5	40
1/2"	CJBG1627	270	5	30

Reversible Ratchet Handle with Quick Release

- Special textured surface on the handle for anti-slip and effective grip
- Improved PP+soft PP material plastic handle for better anti-alkali, acid and corrosion effect

DIN 3122

36 Gears / Satin Chrome Finished

DRIVE	ITEM NO. Satin	L(mm)		
1/2"	CMBG1627	273	5	30

Reversible Ratchet Handle with Quick Release

DIN 3122

45 Gears / Satin Chrome Finished

DRIVE	ITEM NO. Satin	L(mm)		
1/4"	CJPI0815	145	10	100
3/8"	CJPI1220	200	5	40
1/2"	CJPI1627	265	5	30

Compact Head Reversible Ratchet Handle with Quick Release ★

DIN 3122

- Special textured surface on the handle for anti-slip and effective grip
- Improved PP+soft PP material plastic handle for better anti-alkali, acid and corrosion effect

60 Gears / Satin Chrome Finished

DRIVE	ITEM NO. Satin	L(mm)		
1/2"	CMSU1627	270	5	30

Reversible Ratchet Handle with Quick Release

DIN 3122

72 Gears / Satin Chrome Finished

DRIVE	ITEM NO. Satin	L(mm)		
1/4"	CJBM0815	145	10	100
3/8"	CJBM1220	200	5	40
1/2"	CJBM1627	265	5	30

Reversible Ratchet Handle with Quick Release

- Special textured surface on the handle for anti-slip and effective grip
- Improved PP+soft PP material plastic handle for better anti-alkali, acid and corrosion effect

DIN 3122

72 Gears / Satin Chrome Finished

DRIVE	ITEM NO. Satin	L(mm)		
1/2"	CMRM1627	270	5	30

Compact Head Reversible Ratchet Handle with Quick Release

DIN 3122

60 Gears / Satin Chrome Finished

DRIVE	ITEM NO. Satin	L(mm)		
1/4"	CJSU0815	145	10	100
3/8"	CJSU1220	202	5	40
1/2"	CJSU1626	262	5	30

Reversible Ratchet Handle with Quick Release

DIN 3122

72 Gears / Satin Chrome Finished

DRIVE	ITEM NO. Satin	L(mm)		
1/4"	CJRM0815	145	10	100
3/8"	CJRM1220	202	5	40
1/2"	CJRM1626	262	5	30

Flexible Reversible Ratchet Handle with Quick Release

DIN 3122

72 Gears / Satin Chrome Finished

DRIVE	ITEM NO. Satin	L(mm)		
1/4"	CJHM0814	140	10	100
3/8"	CJHM1228	280	5	40
1/2"	CJHM1631	310	5	30

Rapid Reversible Ratchet Handle with Quick Release

DIN 3122

48 Gears / Satin Chrome Finished

DRIVE	ITEM NO. Satin	L(mm)		
1/4"	• CJEK0819	190	5	60
3/8"	• CJEK1225	250	5	40
1/2"	CJEK1633	325	5	30

Swivel Head Reversible Ratchet Handle

DIN 3122

72 Gears / Satin Chrome Finished

DRIVE	ITEM NO. Satin	L(mm)		
1/4"	CJLN0816	155	10	100
3/8"	CJLN1224	240	5	40
1/2"	CJLN1632	315	5	30

Super Long Flex-Head Ratchet Handle

DIN 3122

72 Gears / Satin Chrome Finished

DRIVE	ITEM NO. Satin	L(mm)		
1/4"	CJKN0818	180	5	60
1/2"	CJKN1643	430	2	12

Extra Long Reversible Ratchet Handle with Quick Release

DIN 3122

48 Gears / Satin Chrome Finished

DRIVE	ITEM NO. Satin	L(mm)		
1/4"	CJCK0819	195	5	60
3/8"	CJCK1228	320	5	30
1/2"	CJCK1640	400	3	18

Hand Sockets, Bit Sockets & Accessories

Stubby Reversible Ratchet Handle with Quick Release

DIN 3122

45 Gears / Mirror Polished

DRIVE	ITEM NO. Mirror	L(mm)		
1/4"	CHDI0809	90	10	80
3/8"	CHDI1211	110	5	40
1/2"	CHDI1613	130	5	40

Reversible Ratchet Handle with Quick Release

DIN 3122

48 Gears / Mirror Polished

DRIVE	ITEM NO. Mirror	L(mm)		
1/2"	CHOK1625	250	5	30

Reversible Ratchet Handle with Quick Release

DIN 3122

36 Gears / Mirror Polished

DRIVE	ITEM NO. Mirror	L(mm)		
1/4"	CHAG0813	131	10	100
3/8"	CHAG1218	180	5	40
1/2"	CHAG1626	255	5	30

Compact Head Reversible Ratchet Handle with Quick Release

DIN 3122

60 Gears / Mirror Polished

DRIVE	ITEM NO. Mirror	L(mm)		
1/4"	CHAU0813	130	10	100
3/8"	CHAU1220	198	5	40
1/2"	CHAU1625	250	5	30

Reversible Ratchet Handle with Quick Release (Knurled Handle)

DIN 3122

36 Gears / Satin Finished

DRIVE	ITEM NO. Satin	L(mm)		
1/4"	CHUG0812	124	10	100
3/8"	CHUG1218	180	5	40
1/2"	CHUG1626	250	5	30

Reversible Ratchet Handle with Quick Release

DIN 3122

72 Gears / Mirror Polished

DRIVE	ITEM NO. Mirror	L(mm)		
1/4"	CHAM0813	130	10	100
3/8"	CHAM1220	198	5	40
1/2"	CHAM1625	250	5	30

Flexible Reversible Ratchet Handle with Quick Release ★

DIN 3122

45 Gears / Mirror Polished

DRIVE	ITEM NO. Mirror	L(mm)		
1/2"	CHLI1628	278	5	30

Reversible Ratchet Handle with Quick Release

DIN 3122

- Made of Chrome Molybdenum Alloy Steel
- Drop forged one piece steel construction ratchet body and driver
- Reversible 72 gear teeth high torque ratchet mechanism
- Quick release with spring-ball socket retention
- Compact ratchet head
- Light weight model
- Ergonomically designed anti-slip grip handle

72 Gears / Satin Chrome Finished

DRIVE	ITEM NO. Satin	L(inch)		
3/4"	CHWM2451	20	2	8

Ratchet with Adjustable Handle

ITEM NO.	CONTENTS	6 (SET)
GBAE0201	1 CHAG1636 1/2" Dr. Reversible Ratchet Handle with Quick Release 1 COAI1633 1/2" Dr. Adjustable Handle (turn-lock) Design	

Reversible Ratchet Handle with Quick Release

DIN 3122

36 Gears / Satin Chrome Finished

DRIVE	ITEM NO. Satin	L(mm)	Ø (mm)		
1/2"	CHAG1636	360	16	3	12

Adjustable Handle (turn-lock)

Dual Finished

DRIVE	ITEM NO. Dual	L(mm)	Ø (mm)		
1/2"	COAI1633	325	29.8	5	30

Reversible Ratchet with Tube Handle (Quick-Release)

DIN 3122

24 Gears / Dual Finished

DRIVE	ITEM NO. Dual	L(inch)		
3/4"	CHNC2420	20	3	6

Reversible Ratchet with Tube Handle

DIN 3122

24 Gears / Dual Finished

DRIVE	ITEM NO. Dual	L(inch)		
1"	CHND3226	26	5	5

Reversible Ratchet with Tube Handle

DIN 3122

24 Gears / Dual Finished

DRIVE	ITEM NO. Dual	L(inch)		
1"	CHNC3232	32	1	4

Hand Sockets, Bit Sockets & Accessories

Reversible Ratchet Handle with Quick Release

DIN 3122

43 Gears / Satin Chrome Finished

DRIVE	ITEM NO. Satin	L(inch)		
3/4"	CHFS2451	20	2	8

Ratchet Head Swivel Handle

DIN 3122

- Chrome molybdenum steel ratchet head
- Reversible 3-way ratchet mechanism: Driving, Fixed & Withdrawing

24 Gears / Mirror Polished

DRIVE	ITEM NO. Mirror	L(inch)		
3/8"	• CEAD1215	15	3	18
1/2"	CEAD1618	18	3	6

Reversible Ratchet with Adjustable Tube Handle

(Quick-Release)

DIN 3122

· CHES2408 (500~800mm)

· CHES3208 (500~800mm)



43 Gears / Satin Chrome Finished

DRIVE	ITEM NO. Satin	L(mm)		
3/4"	CHES2408	500~800	1	4
1"	CHES3208	500~800	1	4

TOPTUL REVERSIBLE RATCHET WITH ADJUSTABLE & EXTENDABLE TUBE HANDLE

Swivel Handle

DIN 3122

Mirror Polished

DRIVE	ITEM NO. Mirror	L(inch)		
1/4"	CFAC0806	6	10	80
3/8"	CFAC1210	10	5	40
1/2"	CFAC1610	10	5	40
	CFAC1615	15	5	30
	CFAC1618	18	5	20
	CFAC1624	24	5	10
3/4"	CFAC2418	18	2	8
	CFAC2424	24	2	4

Satin Chrome Finished

DRIVE	ITEM NO. Satin	L(inch)		
1/4"	CFAC080652	6	10	80
3/8"	CFAC121052	10	5	40
1/2"	CFAC161552	15	5	30

Swivel Handle

DIN 3122

Satin Finished

DRIVE	ITEM NO. Satin	L(inch)		
1/4"	CFAE0806	6	10	80
3/8"	CFAE1210	10	5	40
1/2"	CFAE1615	15	5	20

Extra Long Swivel Handle

DIN 3122

Mirror Polished

DRIVE	ITEM NO. Mirror	L(inch)		
3/8"	CFBC1215	15	5	30
1/2"	CFBC1618	18	5	20
	CFBC1624	24	5	10
	CFBC1630	30	6	12
3/4"	CFBC2440	40	6	6
1"	CFBC3240	40	6	6

Swivel Handle

DIN 3122

Satin Chrome Finished

DRIVE	ITEM NO. Satin	L(inch)		
1/4"	CFKA0806	6	10	80
3/8"	CFKA1210	10	5	40
1/2"	CFKA1615	15	3	18
	CFKA1618	18	2	10
	CFKA1624	24	2	4

Swivel Handle

(Quick-Release)

DIN 3122

Satin Chrome Finished

DRIVE	ITEM NO. Satin	L(inch)		
3/4"	CFJB2419	21	5	10

Swivel Handle with Adjustable Tube Handle

(Quick-Release)

CR-V DIN 3122

· CFDC2408 (500~800mm)



· CFDC2410 (700~1000mm)

Satin Chrome Finished

DRIVE	ITEM NO. Satin	L(mm)		
3/4"	CFDC2408	500~800	2	8
	• CFDC2410	700~1000	1	2

Sliding T-Handle with Quick Release

CR-V DIN 3122

Satin Chrome Finished

DRIVE	ITEM NO. Satin	L(mm)		
3/8"	CTCJ1208	202	5	60
1/2"	CTCJ1610	250	5	40
3/4"	CTCJ2418	457	5	10
	CTCJ2420	497	5	10
1"	CTCJ3222	560	2	4

Sliding T-Handle

CR-V DIN 3122

Mirror / Satin Chrome Finished

DRIVE	ITEM NO. Mirror Satin	L(mm)		
1/4"	CTCK0811	115	15	240
3/8"	CTCK1220	202	5	40
1/2"	CTCK1625	250	5	40
	CTCK1630	303	5	40

Sliding T-Handle

CR-V DIN 3122

Mirror / Satin Chrome Finished

DRIVE	ITEM NO. Mirror Satin	L(mm)		
3/4"	CTCA2446	460	5	10
	CTCA2451	508	5	10

Sliding T-Handle

CR-V DIN 3122

Dual Finished

DRIVE	ITEM NO. Dual	L(mm)		
1"	CTCK3222	560	2	4



• The connected extension bar will not be slipped out or removed unless the quick-release button is pressed.

Hand Sockets, Bit Sockets & Accessories

T-Handle Magnetic Spark Plug Socket

DIN 899

· Magnetic

Mirror Polished

ITEM NO. Mirror	SIZE(mm)	L(mm)		
CTFB1435	14	350	2	12

T-Handle Magnetic Spark Plug Socket

DIN 899

· Magnetic

Mirror Polished

ITEM NO. Mirror	SIZE(mm)	L(mm)		
CTFB1635	16	350	2	12
CTFB2135	21	350	2	12

Extension Bar with Swivel Magnetic Spark Plug Socket

★

DIN 3123

· Magnetic

· CACM

· CACN

Satin Chrome Finished

DRIVE	ITEM NO. Satin	SIZE(mm)	L(inch)		
3/8"	CACM1208	16	8	5	30
	CACM1215	16	15	5	30
1/2"	CACM1615	16	15	5	30

Satin Chrome Finished

DRIVE	ITEM NO. Satin	SIZE(mm)	L(inch)		
3/8"	CACN1208	21	8	5	30
	CACN1215	21	15	5	30
1/2"	CACN1608	21	8	5	30
	CACN1615	21	15	5	30

L-Handle (90° Offset)

CR-V DIN 3122

· AFAN1612

· AFAO2412

Satin Chrome Finished

DRIVE	ITEM NO. Satin	SIZE(inch)	L1(mm)	L(mm)		
3/8"	AFAN1208	8	45	210	5	40
1/2"	AFAN1610	10	60	250	5	40
	AFAN1612	12	60	300	5	30
	AFAN1614	14	120	360	4	16
3/4"	AFAN2416	16	150	400	4	12

Satin Chrome Finished

DRIVE	ITEM NO. Satin	SIZE(inch)	L1(mm)	L(mm)		
3/4"	AFAO2412	12	95	300	2	12
	AFAO2414	14	95	365	2	12
	AFAO2418	18	95	455	2	10
1"	AFAO3226	26	130	660	2	4

L-Handle / 105°

CR-V DIN 3122

Satin Chrome Finished

DRIVE	ITEM NO. Satin	L(inch)	Ø (mm)		
1/2"	AFAS1612	12	16	5	30

L-Handle with Adjustable Handle

ITEM NO.	CONTENTS	6 (SET)
GBAE0202	AFAS1612 1/2" Dr. L-Handle COAI1633 1/2" Dr. Adjustable Handle (turn-lock) Design	

Extension Bar with Quick Release

CR-V DIN 3123

Satin Chrome Finished

DRIVE	ITEM NO. Satin	L(inch)		
3/4"	CABA2404	4	2	32
	CABA2408	8	2	24
	CABA2416	16	2	12
1"	CABA3208	8	2	16
	CABA3216	16	2	8

• The locked-on design mechanism acts to lock the socket in place. Sockets will not be slipped out or removed unless the quick-release mechanism is released.

Extension Bar

CR-V DIN 3123

Mirror / Satin Chrome Finished

DRIVE	ITEM NO. Mirror Satin	L(inch)		
1/4"	CAAA0802	2	30	480
	CAAA0803	3	30	480
	CAAA0804	4	30	480
	CAAA0806	6	30	300
3/8"	CAAA1203	3	25	200
	CAAA1206	6	15	120
	CAAA1210	10	10	80
1/2"	CAAA1603	3	10	80
	CAAA1605	5	10	80
	CAAA1610	10	5	40

Extension Bar

CR-V DIN 3123

Satin Chrome Finished

DRIVE	ITEM NO. Satin	L(inch)		
3/4"	CAAO2404	4	5	40
	CAAO2408	8	2	24
	CAAO2416	16	2	12
1"	CAAO3208	8	2	16
	CAAO3216	16	2	8

Hand Sockets, Bit Sockets & Accessories

Extension Bar

CR-V DIN 3123

Satin Chrome Finished

DRIVE	ITEM NO. Satin	L(inch)		
1/4"	CAAH0809	9	10	100

Extension Bar

CR-V DIN 3123

Mirror Polished

DRIVE	ITEM NO. Mirror	L(inch)		
1/4"	CAAF0802	2	30	480
	CAAF0803	3	30	480
	CAAF0804	4	30	480
	CAAF0806	6	30	300
3/8"	CAAF1203	3	25	200
	CAAF1206	6	15	120
	CAAF1209	9	10	80
1/2"	CAAF1602	2	10	160
	CAAF1605	5	10	80
	CAAF1610	10	5	40

Extra Long Extension Bar

CR-V DIN 3123

Satin Chrome Finished

DRIVE	ITEM NO. Satin	L(inch)		
1/2"	CAAJ1615	15	10	20
	CAAJ1624	24	10	20

Flexible Extension Bar

Mirror Polished

DRIVE	ITEM NO. Mirror	L(inch)		
1/4"	CASA0806	6	30	300

Extra Long Flexible Extension Bar

Mirror Polished

DRIVE	ITEM NO. Mirror	L(inch)		
1/4"	CASA0818	18	10	60

Speed Brace

DIN 3122

Mirror Polished

DRIVE	ITEM NO. Mirror	L(mm)		
1/4"	• CADC0838	380	10	40
	CADC0840	400	5	20
3/8"	CADC1240	400	5	20
1/2"	CADC1642	420	5	10

Spinner Handle

DIN 3122

Satin Chrome Finished

DRIVE	ITEM NO. Satin	L(mm)		
1/4"	CAIA0815	150	10	100

Spinner Handle

DIN 3122

Satin Chrome Finished

DRIVE	ITEM NO. Satin	L(mm)		
1/4"	CAIP0814	135	5	40
	CAIP0816	165	5	50

LED LIGHTING ADAPTER

- Expert quality made of Chrome Vanadium Steel
- Strong LED light pass through socket overcomes working with bolts or nuts in the deep and dark space
- A perfect auto mechanical tool for working under the chassis or hood
- Available in satin-chrome finish

Adapter

Satin Chrome Finished

ITEM NO. Satin	SIZE	L(mm)		
CAEC1216	3/8"(F) x 1/2"(M)	30	15	240

15PCS

1/2" DR. LED Lighting Adapter
W/Display Color Box

Satin Chrome Finished

ITEM NO. Satin	SIZE	L(mm)		
CAED1612	1/2"(F) x 3/8"(M)	58	1	12
CAED1616	1/2"(F) x 1/2"(M)	63	1	12

28PCS Professional Grade

1/2" DR. Flank Socket Set

1/2"

• Special 1/2" Dr. socket set includes one LED lighting adapter

ITEM NO.

6PT	Mirror	GCAI2801	Satin	GCAI2802

CONTENTS 4 (SET)

- 19 BAEA1608~1632
  1/2" Dr. 6PT Flank Sockets
  8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 23, 24, 27, 30, 32 mm
- 2 CAAA1605 & 1610
  1/2" Dr. Extension Bar - 5" & 10" (L)
- 1 CAHA1678
  1/2" Dr. Universal Joint
- 1 CJBG1627
  1/2" Dr. 36 Teeth Reversible Ratchet Handle with Quick Release
- 1 CTCK1625
  1/2" Dr. Sliding T-Handle - 10" (L)
- 1 CAED1616
  1/2" Dr. LED Lighting Adapter
- 3 ALDA1205
  LED Battery (LR44)

BLOW CASE: W392 x D210 x H88 (mm)

Hand Sockets, Bit Sockets & Accessories

10PCS
1/2" DR. Hex Bit Socket Set

1/2"

ITEM NO. Satin	CONTENTS	10 (SET)
GAAD1007	10 BCDA1604~1619 ○ 1/2" Dr. Hex Bit Sockets (55mmL) 4, 5, 6, 7, 8, 10, 12, 14, 17, 19 mm	

METAL CASE: W197 x D103 x H33 (mm)

9PCS
1/2" DR. Long Hex Bit Socket Set

1/2"

ITEM NO. Satin	CONTENTS	10 (SET)
GAAD0905	9 BCWA1604~1617 ○ 1/2" Dr. Long Hex Bit Sockets (80mmL) 4, 5, 6, 7, 8, 10, 12, 14, 17 mm	

METAL CASE: W197 x D103 x H33 (mm)

27PCS
1/4" DR. Socket Set

1/4"

Stubby 19.5mmL One-Piece Construction Bit Sockets
- Made of SNCM+V Alloy Steel
- Black Phosphate Finish
- Ideal for Use in Confined Spaces

ITEM NO.

6PT	Satin	GCAD2701
12PT	Satin	GCAD2702

CONTENTS	10 (SET)
11 BAEA0804~0813 1/4" Dr. 6PT Flank Sockets 4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13 mm	
1 CAHA0840 1/4" Dr. Universal Joint	
2 CAAA0802 & 0804 1/4" Dr. Extension Bar - 2" & 4" (L)	
1 CTCK0811 1/4" Dr. Sliding T-Handle	
1 S135 1/4" Dr. 36 Teeth Reversible Ratchet Handle with Quick Release	
1 CAIA0815 1/4" Dr. Spinner Handle	
4 BCDB0804~0808 ○ 1/4" Dr. One-Piece Stubby Hex Bit Sockets 4, 5, 6, 8 mm	
3 BCCB084E~0808 ⊖ 1/4" Dr. One-Piece Stubby Slotted Bit Sockets 4.5, 6.5, 8 mm	
3 BCAB08P1~08P3 ✪ 1/4" Dr. One-Piece Stubby Phillips Bit Sockets PH1, PH2, PH3	

METAL CASE: W197 x D103 x H33 (mm)

17PCS
1/4" DR. Socket Set

1/4"

ITEM NO.

6PT	Mirror	GCAD1701	Satin	GCAD1702

CONTENTS	10 (SET)
12 BAEA0804~0813 1/4" Dr. 6PT Flank Sockets 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13 mm	
1 CAHA0840 1/4" Dr. Universal Joint	
1 CAAA0804 1/4" Dr. Extension Bar - 4" (L)	
1 CTCK0811 1/4" Dr. Sliding T- Handle	
1 CAIA0815 1/4" Dr. Spinner Handle	
1 CHAG0813 - Mirror 1/4" Dr. 36 Teeth Reversible Ratchet Handle with Quick Release CJBG0815 - Satin 1/4" Dr. 36 Teeth Reversible Ratchet Handle with Quick Release	

METAL CASE: W197 x D103 x H33 (mm)

9PCS
1/2" DR. Star Bit Socket Set

1/2"

ITEM NO. Satin	CONTENTS	10 (SET)
GAAD0903	9 BCFA1620~1660 ○ 1/2" Dr. Star Bit Sockets (55mmL) T20, T25, T27, T30, T40, T45, T50, T55, T60	

METAL CASE: W197 x D103 x H33 (mm)

9PCS
1/2" DR. Long Star Bit Socket Set

1/2"

ITEM NO. Satin	CONTENTS	10 (SET)
GAAD0906	9 BCXA1620~1660 ○ 1/2" Dr. Long Star Bit Sockets (80mmL) T20, T25, T27, T30, T40, T45, T50, T55, T60	

METAL CASE: W197 x D103 x H33 (mm)

Hand Sockets, Bit Sockets & Accessories

21PCS
3/8" DR. 6PT Flank Socket Set

3/8"

ITEM NO.

6PT	★Mirror	GCAD2101	Satin	GCAD2102

CONTENTS — 8 (SET)

- 15 BAEA1208~1224
  3/8" Dr. 6PT Flank Sockets
  8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24 mm
- 1 CAHA1254
  3/8" Dr. Universal Joint
- 3 CAAA1203~1210
  3/8" Dr. Extension Bar - 3", 6", 10" (L)
- 1 CAGA1612
  1/2"(F) x 3/8"(M) Dr. 3-Way Adapter
- 1 CHAG1218 - Mirror
  3/8" Dr. 36 Teeth Reversible Ratchet Handle with Quick Release
  CJBG1220 - Satin
  3/8" Dr. 36 Teeth Reversible Ratchet Handle with Quick Release

METAL CASE: W400 x D95 x H30 (mm)

15PCS
1/2" DR. 6PT Flank Socket Set

1/2"

ITEM NO.

6PT	Mirror	GCAD1508	Satin	GCAD1510

CONTENTS — 8 (SET)

- 12 BAEA1608~1627
  1/2" Dr. 6PT Flank Sockets
  8, 10, 11, 12, 13, 14, 17, 18, 19, 22, 24, 27 mm
- 1 CHAU1625
  1/2" Dr. 60 Teeth Compact Head Reversible Ratchet Handle with Quick Release
- 1 CAAA1605
  1/2" Dr. Extension Bar - 5" (L)
- 1 CFAC1615
  1/2" Dr. Swivel Handle - 15" (L)

METAL CASE: W400 x D95 x H30 (mm)

18PCS
1/2" DR. 6PT Flank Socket Set

1/2"

ITEM NO.

6PT	Mirror	GCAD1820	Satin	GCAD1821

CONTENTS — 8 (SET)

- 14 BAEA1608~1627
  1/2" Dr. 6PT Flank Sockets
  8, 10, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27 mm
- 1 CAHA1678
  1/2" Dr. Universal Joint
- 2 CAAA1605 & 1610
  1/2" Dr. Extension Bar - 5" & 10" (L)
- 1 CHAG1626 - Mirror
  1/2" Dr. 36 Teeth Reversible Ratchet Handle with Quick Release
  CHUG1626 - Satin
  1/2" Dr. 36 Teeth Reversible Ratchet Handle with Quick Release

METAL CASE: W400 x D95 x H30 (mm)

16PCS
1/2" DR. 6PT Flank Socket Set

1/2"

ITEM NO.

6PT	Mirror	GCAD1601	Satin	GCAD1603

CONTENTS — 8 (SET)

- 12 BAEA1608~1632
  1/2" Dr. 6PT Flank Sockets
  8, 10, 12, 13, 14, 17, 19, 22, 24, 27, 30, 32 mm
- 2 CAAA1603 & 1605
  1/2" Dr. Extension Bar - 3" & 5" (L)
- 1 CAHA1678
  1/2" Dr. Universal Joint
- 1 CHAG1626 - Mirror
  1/2" Dr. 36 Teeth Reversible Ratchet Handle with Quick Release
  CHUG1626 - Satin
  1/2" Dr. 36 Teeth Reversible Ratchet Handle with Quick Release

METAL CASE: W400 x D95 x H30 (mm)

16PCS
1/2" DR. 12PT Flank Socket Set

1/2"

ITEM NO.

12PT	Mirror	GCAD1602	Satin	GCAD1604

CONTENTS — 8 (SET)

- 12 BAEB1608~1632
  1/2" Dr. 12PT Flank Sockets
  8, 10, 12, 13, 14, 17, 19, 22, 24, 27, 30, 32 mm
- 2 CAAA1603 & 1605
  1/2" Dr. Extension Bar - 3" & 5" (L)
- 1 CAHA1678
  1/2" Dr. Universal Joint
- 1 CHAG1626 - Mirror
  1/2" Dr. 36 Teeth Reversible Ratchet Handle with Quick Release
  CHUG1626 - Satin
  1/2" Dr. 36 Teeth Reversible Ratchet Handle with Quick Release

METAL CASE: W400 x D95 x H30 (mm)

27PCS
1/4" & 1/2" DR. Socket Set

1/4"

1/2"

ITEM NO.

6PT	Mirror	GCAD2802

CONTENTS — 6 (SET)

- 9 BAEA0805~0813
  1/4" Dr. 6PT Flank Sockets
  5, 6, 7, 8, 9, 10, 11, 12, 13 mm
- 11 BAEA1610~1627
  1/2" Dr. 6PT Flank Sockets
  10, 11, 12, 13, 14, 16, 17, 19, 21, 24, 27 mm
- 2 CHAG0813 & 1626
  1/4" & 1/2" Dr. 36 Teeth Reversible Ratchet Handle with Quick Release
- 1 CTCK0811
  1/4" Dr. Sliding T- Handle
- 2 CAHA0840 & 1678
  1/4" & 1/2" Dr. Universal Joint
- 1 CAAA0804
  1/4" Dr. Extension Bar - 4" (L)
- 1 CAAA1605
  1/2" Dr. Extension Bar - 5" (L)

METAL CASE: W324 x D149 x H48 (mm)

27PCS
3/8" DR. Socket Wrench Set ★

3/8"

ITEM NO.

6PT	Mirror	GCAD2801

CONTENTS — 6 (SET)

- 10 BAEA1208~1217
  3/8" Dr. 6PT Flank Sockets
  8, 9, 10, 11, 12, 13, 14, 15, 16, 17 mm
- 1 CAHA1254
  3/8" Dr. Universal Joint
- 1 CAGA1612
  1/2"(F) x 3/8"(M) Dr. 3-Way Adapter
- 2 CAAA1203 & 1206
  3/8" Dr. Extension Bar - 3" & 6" (L)
- 1 CHAG1218
  3/8" Dr. 36 Teeth Reversible Ratchet Handle with Quick Release
- 2 BAAR1216 & 1221
  3/8" Dr. Spark Plug Sockets - 16 & 21 mm
- 10 AAAB0808~1717
  Standard Combination Wrenches
  8, 9, 10, 11, 12, 13, 14, 15, 16, 17 mm

METAL CASE: W324 x D149 x H48 (mm)

40PCS
1/4" & 3/8" DR. Socket Set (METRIC & SAE)

1/4"

3/8"

ITEM NO.

6PT	Mirror	GCAD4002

CONTENTS — 6 (SET)

- 9 BAEA0804~0812
  1/4" Dr. 6PT Flank Sockets
  4, 5, 6, 7, 8, 9, 10, 11, 12 mm
- 9 BBEA0806~0816
  1/4" Dr. 6PT Flank Sockets
  3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2"
- 9 BAEA1209~1219
  3/8" Dr. 6PT Flank Sockets
  9, 10, 11, 12, 13, 14, 16, 17, 19 mm
- 7 BBEA1212~1224
  3/8" Dr. 6PT Flank Sockets
  3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4"
- 1 CHAG1218
  3/8" Dr. 36 Teeth Reversible Ratchet Handle with Quick Release
- 1 BAAR1216
  3/8" Dr. Spark Plug Socket - 16 mm
- 1 ALAC1212
  3/8" Dr. Disc
- 1 CAIA0815
  1/4" Dr. Spinner Handle
- 1 CAAA1203
  3/8" Dr. Extension Bar - 3" (L)
- 1 CAEA1208
  3/8"(F) x 1/4"(M) Dr. Adapter

METAL CASE: W324 x D149 x H48 (mm)

16PCS
1/2" DR. Socket Set

1/2"

ITEM NO.

6PT	Satin	GCAD1607

CONTENTS — 6 (SET)

- 12 BAEA1610~1632
  1/2" Dr. 6PT Flank Sockets
  10, 11, 12, 13, 14, 17, 19, 22, 24, 27, 30, 32 mm
- 1 CAAA1605
  1/2" Dr. Extension Bar - 5" (L)
- 1 CAHA1678
  1/2" Dr. Universal Joint
- 1 CTCK1630
  1/2" Dr. Sliding T-Handle - 12" (L)
- 1 CJBG1627
  1/2" Dr. 36 Teeth Reversible Ratchet Handle with Quick Release

METAL CASE: W324 x D149 x H48 (mm)

Hand Sockets, Bit Sockets & Accessories

50PCS
1/4" DR. Socket Set (METRIC)

1/4"

ITEM NO.		
6PT	Satin	GCAD5005
12PT	Satin	GCAD5006

CONTENTS — 6 (SET)

- 10 **BAEA0805~0813**
  1/4" Dr. 6PT Flank Sockets
  5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13 mm
- 8 **BAEE0806~0813**
  1/4" Dr. 6PT Flank Deep Sockets
  6, 7, 8, 9, 10, 11, 12, 13 mm
- 3 **FSBA0801~0803**
  1/4" Hex Shank Phillips Insert Bits
  PH1, PH2, PH3
- 3 **FSCA0801~0803**
  1/4" Hex Shank Pozi Insert Bits
  PZ1, PZ2, PZ3
- 5 **FSAA0803~0808**
  1/4" Hex Shank Slotted Insert Bits
  3, 4.5, 5.5, 6.5, 8 mm
- 5 **FSDA0803~0808**
  1/4" Hex Shank Hexagon Insert Bits
  3, 4, 5, 6, 8 mm
- 8 **FSEA0808~0840**
  1/4" Hex Shank Star Insert Bits
  T8, T10, T15, T20, T25, T27, T30, T40
- 1 **FTAB0808**
  1/4" Dr. x 1/4" (H) Quick Change Bit Holder
- 2 **CAAA0802 & 0806**
  1/4" Dr. Extension Bar - 2" & 6" (L)
- 1 **CAHA0840**
  1/4" Dr. Universal Joint
- 1 **CTCK0811**
  1/4" Dr. Sliding T-Handle
- 1 **CAIP0816**
  1/4" Dr. Spinner Handle
- 1 **CFKA0806**
  1/4" Dr. Swivel Handle - 6" (L)
- 1 **CJBG0815**
  1/4" Dr. 36 Teeth Reversible Ratchet Handle with Quick Release

METAL CASE: W370 x D154 x H50 (mm)

50PCS
1/4" DR. Socket Set (METRIC)

1/4"

ITEM NO.		
6PT	Satin	GCAD5003
12PT	Satin	GCAD5004

CONTENTS — 6 (SET)

- 10 **BAEA0805~0813**
  1/4" Dr. 6PT Flank Sockets
  5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13 mm
- 8 **BAEE0806~0813**
  1/4" Dr. 6PT Flank Deep Sockets
  6, 7, 8, 9, 10, 11, 12, 13 mm
- 3 **FSBA0801~0803**
  1/4" Hex Shank Phillips Insert Bits
  PH1, PH2, PH3
- 3 **FSCA0801~0803**
  1/4" Hex Shank Pozi Insert Bits
  PZ1, PZ2, PZ3
- 5 **FSAA0803~0808**
  1/4" Hex Shank Slotted Insert Bits
  3, 4.5, 5.5, 6.5, 8 mm
- 5 **FSDA0803~0808**
  1/4" Hex Shank Hexagon Insert Bits
  3, 4, 5, 6, 8 mm
- 8 **FSEA0808~0840**
  1/4" Hex Shank Star Insert Bits
  T8, T10, T15, T20, T25, T27, T30, T40
- 1 **FTAB0808**
  1/4" Dr. x 1/4" (H) Quick Change Bit Holder
- 2 **CAAA0802 & 0806**
  1/4" Dr. Extension Bar - 2" & 6" (L)
- 1 **CAHA0840**
  1/4" Dr. Universal Joint
- 1 **CTCK0811**
  1/4" Dr. Sliding T-Handle
- 1 **CAIP0816**
  1/4" Dr. Spinner Handle
- 1 **CFAC0806**
  1/4" Dr. Swivel Handle - 6" (L)
- 1 **CJBG0815**
  1/4" Dr. 36 Teeth Reversible Ratchet Handle with Quick Release

METAL CASE: W370 x D154 x H50 (mm)

24PCS
1/2" DR. Bit Socket Set

1/2"

ITEM NO.		
	Satin	GAAD2402

CONTENTS — 6 (SET)

- 7 **BCDA1604~1612**
  1/2" Dr. Hex Bit Sockets
  4, 5, 6, 7, 8, 10, 12 mm
- 5 **BCCA1608~1616**
  1/2" Dr. Slotted Bit Sockets
  8, 10, 12, 14, 16 mm
- 3 **BCAA16P2~16P4**
  1/2" Dr. Phillips Bit Sockets
  PH2, PH3, PH4
- 9 **BCFA1620~1660**
  1/2" Dr. Star Bit Sockets
  T20, T25, T27, T30, T40, T45, T50, T55, T60

METAL CASE: W370 x D154 x H50 (mm)

50PCS
1/4" DR. Socket Set (METRIC)

1/4"

ITEM NO.		
6PT	Satin	GCAD5001
12PT	Satin	GCAD5002

CONTENTS — 6 (SET)

- 10 **BAEA0805~0813**
  1/4" Dr. 6PT Flank Sockets
  5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13 mm
- 8 **BAEE0806~0813**
  1/4" Dr. 6PT Flank Deep Sockets
  6, 7, 8, 9, 10, 11, 12, 13 mm
- 3 **FSBA0801~0803**
  1/4" Hex Shank Phillips Insert Bits
  PH1, PH2, PH3
- 3 **FSCA0801~0803**
  1/4" Hex Shank Pozi Insert Bits
  PZ1, PZ2, PZ3
- 5 **FSAA0803~0808**
  1/4" Hex Shank Slotted Insert Bits
  3, 4.5, 5.5, 6.5, 8 mm
- 5 **FSDA0803~0808**
  1/4" Hex Shank Hexagon Insert Bits
  3, 4, 5, 6, 8 mm
- 8 **FSEA0808~0840**
  1/4" Hex Shank Star Insert Bits
  T8, T10, T15, T20, T25, T27, T30, T40
- 1 **FTAB0808**
  1/4" Dr. x 1/4" (H) Quick Change Bit Holder
- 2 **CAAA0802 & 0806**
  1/4" Dr. Extension Bar - 2" & 6" (L)
- 1 **CAHA0840**
  1/4" Dr. Universal Joint
- 1 **CTCK0811**
  1/4" Dr. Sliding T-Handle
- 1 **CAIP0816**
  1/4" Dr. Spinner Handle
- 1 **CFAE0806**
  1/4" Dr. Swivel Handle - 6" (L)
- 1 **CHUG0812**
  1/4" Dr. 36 Teeth Reversible Ratchet Handle with Quick Release

METAL CASE: W370 x D154 x H50 (mm)

50PCS
1/4" DR. Socket Set (SAE)

1/4"

ITEM NO.		
6PT	Mirror	GCAD5007
12PT	Mirror	GCAD5008

CONTENTS — 6 (SET)

- 10 **BBEA0806~0818**
  1/4" Dr. 6PT Flank Sockets
  3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2", 9/16"
- 8 **BBEE0807~0816**
  1/4" Dr. 6PT Flank Deep Sockets
  7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2"
- 3 **FSBA0801~0803**
  1/4" Hex Shank Phillips Insert Bits
  PH1, PH2, PH3
- 3 **FSCA0801~0803**
  1/4" Hex Shank Pozi Insert Bits
  PZ1, PZ2, PZ3
- 5 **FSAA0803~0808**
  1/4" Hex Shank Slotted Insert Bits
  3, 4.5, 5.5, 6.5, 8 mm
- 5 **FSDA0803~0808**
  1/4" Hex Shank Hexagon Insert Bits
  3, 4, 5, 6, 8 mm
- 8 **FSEA0808~0840**
  1/4" Hex Shank Star Insert Bits
  T8, T10, T15, T20, T25, T27, T30, T40
- 1 **FTAB0808**
  1/4" Dr. x 1/4" (H) Quick Change Bit Holder
- 2 **CAAA0802 & 0806**
  1/4" Dr. Extension Bar - 2" & 6" (L)
- 1 **CAHA0840**
  1/4" Dr. Universal Joint
- 1 **CTCK0811**
  1/4" Dr. Sliding T-Handle
- 1 **CAIP0816**
  1/4" Dr. Spinner Handle
- 1 **CFAC0806**
  1/4" Dr. Swivel Handle - 6" (L)
- 1 **CHAG0813**
  1/4" Dr. 36 Teeth Reversible Ratchet Handle with Quick Release

METAL CASE: W370 x D154 x H50 (mm)

24PCS
1/2" DR. Bit Socket Set

1/2"

ITEM NO.		
	Satin	GAAD2404

CONTENTS — 6 (SET)

- 2 **BCAA16P2 & 16P3**
  1/2" Dr. Phillips Bit Sockets
  PH2 & PH3
- 7 **BCDA1604~1612**
  1/2" Dr. Hex Bit Sockets
  4, 5, 6, 7, 8, 10, 12 mm
- 6 **BCHA1606~1616**
  1/2" Dr. Spline Bit Sockets
  M6, M8, M10, M12, M14, M16
- 9 **BCFA1620~1660**
  1/2" Dr. Star Bit Sockets
  T20, T25, T27, T30, T40, T45, T50, T55, T60

METAL CASE: W370 x D154 x H50 (mm)

Hand Sockets, Bit Sockets & Accessories

20PCS
3/8" DR. Socket Set (METRIC)

3/8"

ITEM NO.		
6PT	Satin	GCAD2006
12PT	Satin	GCAD2007

CONTENTS 6 (SET)

- 13 **BAEA1208~1222**
  3/8" Dr. 6PT Flank Sockets
  8, 9, 10, 11, 12, 13, 14, 15, 17, 18, 19, 21, 22 mm
- 2 **CAAA1203 & 1206**
  3/8" Dr. Extension Bar - 3" & 6" (L)
- 1 **CAHA1254**
  3/8" Dr. Universal Joint
- 1 **CTCK1220**
  3/8" Dr. Sliding T-Handle - 8" (L)
- 1 **BAAR1216**
  3/8" Dr. Spark Plug Socket - 16 mm
- 1 **CFKA1210**
  3/8" Dr. Swivel Handle - 10" (L)
- 1 **CJBG1220**
  3/8" Dr. 36 Teeth Reversible Ratchet Handle with Quick Release

METAL CASE: W370 x D154 x H50 (mm)

20PCS
3/8" DR. Socket Set (METRIC)

3/8"

ITEM NO.				
6PT	Mirror	GCAD2001	Satin	GCAD2004
12PT	Satin	GCAD2005		

CONTENTS 6 (SET)

- 13 **BAEA1208~1222**
  3/8" Dr. 6PT Flank Sockets
  8, 9, 10, 11, 12, 13, 14, 15, 17, 18, 19, 21, 22 mm
- 2 **CAAA1203 & 1206**
  3/8" Dr. Extension Bar - 3" & 6" (L)
- 1 **CAHA1254**
  3/8" Dr. Universal Joint
- 1 **CTCK1220**
  3/8" Dr. Sliding T-Handle - 8" (L)
- 1 **BAAR1216**
  3/8" Dr. Spark Plug Socket - 16 mm
- 1 **CFAC1210**
  3/8" Dr. Swivel Handle - 10" (L)
- 1 CHAG1218 - Mirror
  3/8" Dr. 36 Teeth Reversible Ratchet Handle with Quick Release
  CJBG1220 - Satin
  3/8" Dr. 36 Teeth Reversible Ratchet Handle with Quick Release

METAL CASE: W370 x D154 x H50 (mm)

12PCS
1/2" DR. Bit Socket Set

1/2"

ITEM NO.		
	Satin	GAAD1202

CONTENTS 6 (SET)

- 1 **BCTA1605**
  ○ 1/2" Dr. Extra Long Hex Bit Socket
  5 mm (L=180mm)
- 2 **BCEA1607 & 1608**
  ○ 1/2" Dr. Long Hex Bit Sockets
  7 & 8 mm (L=100mm)
- 2 **BCIA1606 & 1610**
  ○ 1/2" Dr. Extra Long Hex Bit Sockets
  6 & 10 mm (L=140mm)
- 4 **BCJA1606~1612**
  ○ 1/2" Dr. Long Spline Bit Sockets
  M6, M8, M10, M12 (L=100mm)
- 2 **BCKA1640 & 1645**
  ⊙ 1/2" Dr. Extra Long Star Tamperproof Bit Sockets
  T40 & T45 (L=120mm)
- 1 **BCVA1655**
  ⊙ 1/2" Dr. Extra Long Star Tamperproof Bit Socket
  T55 (L=140mm)

METAL CASE: W370 x D154 x H50 (mm)

25PCS
3/8" DR. Socket Set

3/8"

ITEM NO.				
6PT	Mirror	GCAD2501	Satin	GCAD2502
12PT	Satin	GCAD2504		

CONTENTS 6 (SET)

- 19 **BAEA1206~1224**
  3/8" Dr. 6PT Flank Sockets
  6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24 mm
- 2 **CAAA1203 & 1206**
  3/8" Dr. Extension Bar - 3" & 6" (L)
- 1 **CAHA1254**
  3/8" Dr. Universal Joint
- 2 **BAAT1216 & 1221**
  3/8" Dr. Magnetic Spark Plug Sockets - 16 & 21 mm
- 1 **CJBG1220**
  3/8" Dr. 36 Teeth Reversible Ratchet Handle with Quick Release
- 1 **CTCK1220**
  3/8" Dr. Sliding T- Handle

METAL CASE: W370 x D154 x H50 (mm)

20PCS
3/8" DR. Socket Set (METRIC)

3/8"

ITEM NO.		
6PT	Satin	GCAD2002
12PT	Satin	GCAD2003

CONTENTS 6 (SET)

- 13 **BAEA1208~1222**
  3/8" Dr. 6PT Flank Sockets
  8, 9, 10, 11, 12, 13, 14, 15, 17, 18, 19, 21, 22 mm
- 2 **CAAA1203 & 1206**
  3/8" Dr. Extension Bar - 3" & 6" (L)
- 1 **CAHA1254**
  3/8" Dr. Universal Joint
- 1 **CTCK1220**
  3/8" Dr. Sliding T-Handle - 8" (L)
- 1 **BAAR1216**
  3/8" Dr. Spark Plug Socket - 16 mm
- 1 **CFAE1210**
  3/8" Dr. Swivel Handle - 10" (L)
- 1 **CHUG1218**
  3/8" Dr. 36 Teeth Reversible Ratchet Handle with Quick Release

METAL CASE: W370 x D154 x H50 (mm)

33PCS
3/8" DR. Socket Set (METRIC & SAE)

3/8"

ITEM NO.		
6PT	Satin	GCAD3303

CONTENTS 3 (SET)

- 11 **BAEA1208~1222**
  3/8" Dr. 6PT Flank Sockets
  8, 10, 12, 13, 14, 16, 17, 18, 19, 21, 22 mm
- 11 **BBEA1210~1228**
  3/8" Dr. 6PT Flank Sockets
  5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 25/32", 13/16", 7/8"
- 1 **CAHA1254**
  3/8" Dr. Universal Joint
- 3 **CAAA1203~1210**
  3/8" Dr. Extension Bar - 3", 6", 10" (L)
- 1 **CTCJ1208**
  3/8" Dr. Sliding T-Handle With Quick Release - 8" (L)
- 1 **CFKA1210**
  3/8" Dr. Swivel Handle - 10" (L)
- 2 **BAAR1216 & 1221**
  3/8" Dr. Spark Plug Sockets - 16 & 21 mm
- 1 **CJBG1220**
  3/8" Dr. 36 Teeth Reversible Ratchet Handle with Quick Release
- 1 **CAIP0816**
  1/4" Dr. Spinner Handle
- 1 **CAEB0812**
  1/4"(F) x 3/8"(M) Dr. Adapter

METAL CASE: W445 x D188 x H50 (mm)

38PCS
1/2" DR. Socket Set (METRIC & SAE)

1/2"

ITEM NO.		
6PT	Satin	GCAD3803

CONTENTS 3 (SET)

- 18 **BAEA1608~1632**
  1/2" Dr. 6PT Flank Sockets
  8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 29, 30, 32 mm
- 14 **BBEA1612~1640**
  1/2" Dr. 6PT Flank Sockets
  3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-1/4"
- 1 **CAHA1678**
  1/2" Dr. Universal Joint
- 2 **CAAA1603 & 1610**
  1/2" Dr. Extension Bar - 3" & 10" (L)
- 1 **CFKA1615**
  1/2" Dr. Swivel Handle - 15" (L)
- 1 **CJBG1627**
  1/2" Dr. 36 Teeth Reversible Ratchet Handle with Quick Release
- 1 **CAGA1216**
  3/8"(F) x1/2"(M) Dr. 3-Way Adapter

METAL CASE: W445 x D188 x H50 (mm)

Hand Sockets, Bit Sockets & Accessories

25PCS
1/2" DR. Socket Set (METRIC)

1/2"

ITEM NO.		
6PT	Satin	GCAD2511
12PT	Satin	GCAD2512

CONTENTS 3 (SET)

- 18 **BAEA1610~1632**
  1/2" Dr. 6PT Flank Sockets
  10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32 mm
- 2 **CAAA1605 & 1610**
  1/2" Dr. Extension Bar - 5" & 10" (L)
- 1 **CAHA1678**
  1/2" Dr. Universal Joint
- 1 **CTCK1630**
  1/2" Dr. Sliding T-Handle - 12" (L)
- 1 **BAAR1621**
  1/2" Dr. Spark Plug Socket - 21 mm
- 1 **CFKA1615**
  1/2" Dr. Swivel Handle - 15" (L)
- 1 **CJBG1627**
  1/2" Dr. 36 Teeth Reversible Ratchet Handle with Quick Release

METAL CASE: W445 x D188 x H50 (mm)

25PCS
1/2" DR. Socket Set (METRIC)

1/2"

ITEM NO.				
6PT	Mirror	GCAD2505	Satin	GCAD2507
12PT	Mirror	GCAD2506	Satin	GCAD2508

CONTENTS 3 (SET)

- 18 **BAEA1608~1632**
  1/2" Dr. 6PT Flank Sockets
  8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 23, 24, 27, 30, 32 mm
- 2 **CAAA1605 & 1610**
  1/2" Dr. Extension Bar - 5" & 10" (L)
- 1 **CAHA1678**
  1/2" Dr. Universal Joint
- 1 **CTCK1630**
  1/2" Dr. Sliding T-Handle - 12" (L)
- 1 **BAAR1621**
  1/2" Dr. Spark Plug Socket - 21 mm
- 1 **CFAC1615**
  1/2" Dr. Swivel Handle - 15" (L)
- 1 CHAG1626 - Mirror
  1/2" Dr. 36 Teeth Reversible Ratchet Handle with Quick Release
  CJBG1627 - Satin
  1/2" Dr. 36 Teeth Reversible Ratchet Handle with Quick Release

METAL CASE: W445 x D188 x H50 (mm)

25PCS
1/2" DR. Socket Set (METRIC)

1/2"

ITEM NO.		
6PT	Satin	GCAD2509
12PT	Satin	GCAD2510

CONTENTS 3 (SET)

- 18 **BAEA1608~1632**
  1/2" Dr. 6PT Flank Sockets
  8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 23, 24, 27, 30, 32 mm
- 2 **CAAA1605 & 1610**
  1/2" Dr. Extension Bar - 5" & 10" (L)
- 1 **CAHA1678**
  1/2" Dr. Universal Joint
- 1 **CTCK1630**
  1/2" Dr. Sliding T-Handle - 12" (L)
- 1 **BAAR1621**
  1/2" Dr. Spark Plug Socket - 21 mm
- 1 **CFAE1615**
  1/2" Dr. Swivel Handle - 15" (L)
- 1 **CHUG1626**
  1/2" Dr. 36 Teeth Reversible Ratchet Handle with Quick Release

METAL CASE: W445 x D188 x H50 (mm)

25PCS
1/2" DR. Socket Set (SAE)

1/2"

ITEM NO.		
6PT	Mirror	GCAD2513
12PT	Mirror	GCAD2514

CONTENTS 3 (SET)

- 18 **BBEA1610~1640**
  1/2" Dr. 6PT Flank Sockets
  5/16", 3/8", 7/16", 1/2", 9/16", 19/32", 5/8", 11/16", 3/4", 25/32", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-3/16", 1-1/4"
- 2 **CAAA1605 & 1610**
  1/2" Dr. Extension Bar - 5" & 10" (L)
- 1 **CAHA1678**
  1/2" Dr. Universal Joint
- 1 **CTCK1630**
  1/2" Dr. Sliding T-Handle - 12" (L)
- 1 **BBAR1626**
  1/2" Dr. Spark Plug Socket - 13/16"
- 1 **CFAC1615**
  1/2" Dr. Swivel Handle - 15" (L)
- 1 **CHAG1626**
  1/2" Dr. 36 Teeth Reversible Ratchet Handle with Quick Release

METAL CASE: W445 x D188 x H50 (mm)

24PCS
1/2" DR. Socket Set

1/2"

ITEM NO.				
6PT	Mirror	GCAD2401	Satin	GCAD2403
12PT	Satin	GCAD2404		

CONTENTS 3 (SET)

- 18 **BAEA1608~1632**
  1/2" Dr. 6PT Flank Sockets
  8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 19, 21, 22, 23, 24, 27, 30, 32 mm
- 2 **CAAA1605 & 1610**
  1/2" Dr. Extension Bar - 5" & 10" (L)
- 1 **CTCK1625**
  1/2" Dr. Sliding T- Handle - 10" (L)
- 1 **CAHA1678**
  1/2" Dr. Universal Joint
- 1 **CFAC1615**
  1/2" Dr. Swivel Handle
- 1 CHAG1626 - Mirror
  1/2" Dr. 36 Teeth Reversible Ratchet Handle with Quick Release
  CJBG1627 - Satin
  1/2" Dr. 36 Teeth Reversible Ratchet Handle with Quick Release

METAL CASE: W445 x D188 x H50 (mm)

26PCS
1/2" DR. Socket Set

1/2"

ITEM NO.				
6PT	Mirror	GCAD2601	Satin	GCAD2603
12PT	Mirror	GCAD2602	Satin	GCAD2604

CONTENTS 3 (SET)

- 20 **BAEA1610~1632**
  1/2" Dr. 6PT Flank Sockets
  10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 30, 32 mm
- 1 **CAHA1678**
  1/2" Dr. Universal Joint
- 2 **CAAA1605 & 1610**
  1/2" Dr. Extension Bar - 5" & 10" (L)
- 1 **CTCK1625**
  1/2" Dr. Sliding T- Handle - 10" (L)
- 1 **CADC1642**
  1/2" Dr. Speed Brace
- 1 CHAG1626 - Mirror
  1/2" Dr. 36 Teeth Reversible Ratchet Handle with Quick Release
  CJBG1627 - Satin
  1/2" Dr. 36 Teeth Reversible Ratchet Handle with Quick Release

METAL CASE: W445 x D188 x H50 (mm)

22PCS
1/2" DR. Flank Deep Socket Set

1/2"

ITEM NO.		
6PT	Satin	GAAD2202

CONTENTS 3 (SET)

- 20 **BAEE1608~1632**
  1/2" Dr. 6PT Flank Deep Sockets
  8, 10, 11, 12, 13, 14, 15, 17, 18, 19, 20, 21, 22, 23, 24, 26, 27, 29, 30, 32 mm
- 2 **BAAT1616 & 1621**
  1/2" Dr. Magnetic Spark Plug Sockets - 16 & 21 mm

METAL CASE: W445 x D188 x H50 (mm)

72PCS
1/4" DR. Socket & Ball Point Hex Key Wrench Set

1/4"

ITEM NO.		
6PT	Satin	GCAD7202

CONTENTS 3 (SET)

- 13 **BAEA0804~0814**
  1/4" Dr. 6PT Flank Sockets
  4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm
- 13 **BAEE0804~0814**
  1/4" Dr. 6PT Flank Deep Sockets
  4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm
- 7 **BCDA082E~0808**
  1/4" Dr. Hex Bit Sockets
  2.5, 3, 4, 5, 6, 7, 8 mm
- 6 **BCCA0803~0808**
  1/4" Dr. Slotted Bit Sockets
  3, 4, 4.5, 5.5, 6.5, 8 mm
- 5 **BCAA08P0~08P4**
  1/4" Dr. Phillips Bit Sockets
  PH0, PH1, PH2, PH3, PH4
- 4 **BCBA08P0~08P3**
  1/4" Dr. Pozi Bit Sockets
  PZ0, PZ1, PZ2, PZ3
- 8 **BCFA0808~0840**
  1/4" Dr. Star Bit Sockets
  T8, T10, T15, T20, T25, T27, T30, T40
- 1 **CTCK0811**
  1/4" Dr. Sliding T- Handle
- 1 **CAHA0840**
  1/4" Dr. Universal Joint
- 1 **CAIA0815**
  1/4" Dr. Spinner Handle
- 9 **GAAL0916**
  Long Type Ball Point Hex Key Wrench Set
- 1 **CJBM0815**
  1/4" Dr. 72 Teeth Reversible Ratchet Handle with Quick Release
- 3 **CAAA0802~0806**
  1/4" Dr. Extension Bar - 2", 4", 6" (L)

METAL CASE: W445 x D188 x H50 (mm)

Hand Sockets, Bit Sockets & Accessories

14PCS Professional Grade
3/4" Dr. 6PT Flank Socket Set (METRIC)

3/4"

ITEM NO.
6PT | Satin | GCAD1405

CONTENTS — 1 (SET)

- 10 BAEA2422~2450
  3/4" Dr. 6PT Flank Sockets
  22, 24, 27, 30, 32, 36, 38, 41, 46, 50 mm
- 2 CAAO2404 & 2408
  3/4" Dr. Extension Bar - 4" & 8" (L)
- 1 CTCA2451
  3/4" Dr. Sliding T-Handle - 20" (L)
- 1 CHNC2420
  3/4" Dr. 24 Teeth Reversible Ratchet with Tube Handle (Quick Release) - 20" (L)

METAL CASE: W536 x D178 x H79 (mm)

14PCS Professional Grade
3/4" Dr. 12PT Flank Socket Set (METRIC)

3/4"

ITEM NO.
12PT | Satin | GCAD1406

CONTENTS — 1 (SET)

- 10 BAEB2422~2450
  3/4" Dr. 12PT Flank Sockets
  22, 24, 27, 30, 32, 36, 38, 41, 46, 50 mm
- 2 CAAO2404 & 2408
  3/4" Dr. Extension Bar - 4" & 8" (L)
- 1 CTCA2451
  3/4" Dr. Sliding T-Handle - 20" (L)
- 1 CHNC2420
  3/4" Dr. 24 Teeth Reversible Ratchet with Tube Handle (Quick Release) - 20" (L)

METAL CASE: W536 x D178 x H79 (mm)

14PCS Professional Grade
3/4" Dr. 12PT Flank Socket Set (SAE)

3/4"

ITEM NO.
12PT | Satin | GCAD1407

CONTENTS — 1 (SET)

- 10 BBEB2428~2464
  3/4" Dr. 12PT Flank Sockets
  7/8", 15/16", 1", 1-1/8", 1-1/4", 1-7/16", 1-1/2", 1-5/8", 1-3/4", 2"
- 2 CAAO2404 & 2408
  3/4" Dr. Extension Bar - 4" & 8" (L)
- 1 CTCA2451
  3/4" Dr. Sliding T-Handle - 20" (L)
- 1 CHNC2420
  3/4" Dr. 24 Teeth Reversible Ratchet with Tube Handle (Quick Release) - 20" (L)

METAL CASE: W536 x D178 x H79 (mm)

26PCS Professional Grade
3/4" DR. 12PT Flank Socket Set (METRIC & SAE)

3/4"

ITEM NO.
12PT | Satin | GCAD2608

CONTENTS — 1 (SET)

- 10 BAEB2422~2450
  3/4" Dr. 12PT Flank Sockets
  22, 24, 27, 30, 32, 36, 38, 41, 46, 50 mm
- 12 BBEB2428~2464
  3/4" Dr. 12PT Flank Sockets
  7/8", 15/16", 1", 1-1/8", 1-3/16", 1-5/16", 1-3/8", 1-7/16", 1-5/8", 1-3/4", 1-7/8", 2"
- 2 CAAO2404 & 2408
  3/4" Dr. Extension Bar - 4" & 8" (L)
- 1 CTCA2451
  3/4" Dr. Sliding T-Handle - 20" (L)
- 1 CHNC2420
  3/4" Dr. 24 Teeth Reversible Ratchet with Tube Handle (Quick Release) - 20" (L)

METAL CASE: W536 x D178 x H79 (mm)

24PCS Professional Grade
3/4" DR. 12PT Flank Socket Set (SAE)

3/4"

ITEM NO.
12PT | Satin | GCAD2405

CONTENTS — 1 (SET)

- 18 BBEB2424~2464
  3/4" Dr. 12PT Flank Sockets
  3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-3/16", 1-1/4", 1-5/16", 1-3/8", 1-7/16", 1-1/2", 1-5/8", 1-11/16", 1-3/4", 1-7/8", 2"
- 2 CAAO2404 & 2408
  3/4" Dr. Extension Bar - 4" & 8" (L)
- 1 CTCA2446
  3/4" Dr. Sliding T-Handle - 18" (L)
- 1 CHNC2420
  3/4" Dr. 24 Teeth Reversible Ratchet with Tube Handle (Quick Release) - 20" (L)
- 1 CFAC2418
  3/4" Dr. Swivel Handle - 18" (L)
- 1 CAHA24A0
  3/4" Dr. Universal Joint

METAL CASE: W536 x D178 x H79 (mm)

14PCS Professional Grade
1" DR. 6PT Socket Set (METRIC)

1"

ITEM NO.
6PT | Satin | GCAD1402

CONTENTS — 1 (SET)

- 10 BAEA3236~3280
  1" Dr. 6PT Flank Sockets
  36, 41, 46, 50, 55, 60, 65, 70, 75, 80 mm
- 2 CAAO3208 & 3216
  1" Dr. Extension Bar - 8" & 16" (L)
- 1 CHNC3232
  1" Dr. 24 Teeth Reversible Ratchet with Tube Handle (Quick Release) - 32" (L)
- 1 CTCK3222
  1" Dr. Sliding T- Handle - 22" (L)

METAL CASE: W660 x D205 x H108 (mm)

14PCS Professional Grade
1" DR. 6PT Flank Socket Set (METRIC)

1"

ITEM NO.
6PT | Satin | GCAD1403

CONTENTS — 1 (SET)

- 10 BAEA3236~3280
  1" Dr. 6PT Flank Sockets
  36, 41, 46, 50, 55, 60, 65, 70, 75, 80 mm
- 2 CABA3208 & 3216
  1" Dr. Extension Bar with Quick Release - 8" & 16" (L)
- 1 CHES3208
  1" Dr. 43 Teeth Reversible Ratchet with Adjustable Tube Handle (Quick Release) - 500~800mm (L)
- 1 CTCJ3222
  1" Dr. Sliding T-Handle with Quick Release - 22" (L)

METAL CASE: W660 x D205 x H108 (mm)

14PCS Professional Grade
1" DR. 6PT Flank Socket Set (METRIC)

1"

ITEM NO.
6PT | Satin | GCAD1404

CONTENTS — 1 (SET)

- 10 BAEA3236~3280
  1" Dr. 6PT Flank Sockets
  36, 41, 46, 50, 55, 60, 65, 70, 75, 80 mm
- 2 CAAO3208 & 3216
  1" Dr. Extension Bar - 8" & 16" (L)
- 1 CHND3226
  1" Dr. 24 Teeth Reversible Ratchet with Tube Handle - 26" (L)
- 1 CAGA3232
  1" Dr. 3-Way Adapter: ○1"(F) x ■1"(M) x ○34mm - 74mm (L)

METAL CASE: W660 x D205 x H108 (mm)

METAL TOOL BOX SET

54PCS
1/4" DR. Socket Set (METRIC & SAE)

1/4"

ITEM NO.

6PT	Satin	GBA5440

CONTENTS — 4 (SET)

- 13 BAEA0804~0814
  1/4" Dr. 6PT Flank Sockets
  4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm
- 13 BAEE0804~0814
  1/4" Dr. 6PT Flank Deep Sockets
  4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm
- 11 BBEA0805~0818
  1/4" Dr. 6PT Flank Sockets
  5/32", 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2", 9/16"
- 11 BBEE0805~0818
  1/4" Dr. 6PT Flank Deep Sockets
  5/32", 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2", 9/16"
- 1 CAHA0840
  1/4" Dr. Universal Joint
- 2 CAAA0802 & 0806
  1/4" Dr. Extension Bar – 2" & 6" (L)
- 1 CAIP0816
  1/4" Dr. Spinner Handle
- 1 CTCK0811
  1/4" Dr. Sliding T-Handle
- 1 CJBM0815
  1/4" Dr. 72 Teeth Reversible Ratchet Handle with Quick Release

METAL CASE: W361 x D137 x H53 (mm)

35PCS
3/8" DR. Socket Set

3/8"

ITEM NO.

6PT	Satin	GBB3514

CONTENTS — 4 (SET)

- 18 BAEA1206~1224
  3/8" Dr. 6PT Flank Sockets
  6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24 mm
- 8 BAEE1208~1219
  3/8" Dr. 6PT Flank Deep Sockets
  8, 10, 11, 12, 13, 14, 17, 19 mm
- 2 BAAT1216 & 1221
  3/8" Dr. Magnetic Spark Plug Sockets - 16 & 21 mm
- 2 CAAA1203 & 1206
  3/8" Dr. Extension Bar - 3" & 6" (L)
- 1 CTCK1220
  3/8" Dr. Sliding T-Handle
- 1 CAEA1612
  1/2"(F) x 3/8"(M) Dr. Adapter
- 1 CAHA1254
  3/8" Dr. Universal Joint
- 1 CFAC1210
  3/8" Dr. Swivel Handle - 10" (L)
- 1 CJBG1220
  3/8" Dr. 36 Teeth Reversible Ratchet Handle with Quick Release

METAL CASE: W417 x D176 x H53 (mm)

25PCS
1/2" DR. Flank Socket Set

1/2"

ITEM NO.

6PT	Satin	GBB2515

CONTENTS — 4 (SET)

- 19 BAEA1608~1632
  1/2" Dr. 6PT Flank Sockets
  8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 23, 24, 27, 30, 32 mm
- 2 CAAA1605 & 1610
  1/2" Dr. Extension Bar - 5" & 10" (L)
- 1 CTCK1625
  1/2" Dr. Sliding T-Handle - 10" (L)
- 1 CAHA1678
  1/2" Dr. Universal Joint
- 1 CFAC1615
  1/2" Dr. Swivel Handle - 15" (L)
- 1 CJBG1627
  1/2" Dr. 36 Teeth Reversible Ratchet Handle with Quick Release

METAL CASE: W417 x D176 x H53 (mm)

41PCS Professional Grade
1/2" DR. Socket Set

1/2"

ITEM NO.

6PT	Satin	GCAD4102
12PT	Satin	GCAD4103

CONTENTS — 3 (SET)

- 24 BAEA1608~1632
  1/2" Dr. 6PT Flank Sockets
  8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 32 mm
- 9 BAEE1610~1622
  1/2" Dr. 6PT Flank Deep Sockets
  10, 11, 12, 13, 14, 15, 17, 19, 22 mm
- 2 BAAR1616 & 1621
  1/2" Dr. Spark Plug Sockets - 16 & 21 mm
- 2 CAAA1605 & 1610
  1/2" Dr. Extension Bar - 5" & 10" (L)
- 1 CAHA1678
  1/2" Dr. Universal Joint
- 1 CFAC1615
  1/2" Dr. Swivel Handle
- 1 CTCK1625
  1/2" Dr. Sliding T-Handle - 10" (L)
- 1 CMBG1627
  1/2" Dr. 36 Teeth Reversible Ratchet Handle with Quick Release

METAL CASE: W480 x D290 x H60 (mm)

46PCS Professional Grade
1/2" DR. Socket Set (METRIC & SAE)

1/2"

ITEM NO.

6PT	Mirror	GCAD4601	Satin	GCAD4602

CONTENTS — 3 (SET)

- 24 BAEA1608~1632
  1/2" Dr. 6PT Flank Sockets
  8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 32 mm
- 14 BBEA1612~1640
  1/2" Dr. 6PT Flank Sockets
  3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/8", 1-3/16", 1-1/4"
- 2 BAAT1616 & 1621
  1/2" Dr. Magnetic Spark Plug Sockets - 16 & 21 mm
- 1 CAHA1678
  1/2" Dr. Universal Joint
- 1 CFAC1615
  1/2" Dr. Swivel Handle
- 1 CMBG1627
  1/2" Dr. 36 Teeth Reversible Ratchet Handle with Quick Release
- 2 CAAA1605 & 1610
  1/2" Dr. Extension Bar - 5" & 10" (L)
- 1 CTCK1625
  1/2" Dr. Sliding T-Handle - 10" (L)

METAL CASE: W480 x D290 x H60 (mm)

Hand Sockets, Bit Sockets & Accessories

18PCS
1/4" DR. 12PT Socket Set (SAE)

1/4"

ITEM NO.

12PT	Mirror	GCAD1811	Mirror	GCAD1818

CONTENTS — 10 (SET)

- 10 **BBEB0806~0818**
  1/4" Dr. 12PT Flank Sockets
  3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2", 9/16"
- 3 **CAAA0802~0806**
  1/4" Dr. Extension Bar - 2", 4", 6" (L)
- 1 **CAHA0840**
  1/4" Dr. Universal Joint
- 1 **CAEA0812**
  1/4"(F) x 3/8"(M) Dr. Adapter
- 1 **CTCK0811**
  1/4" Dr. Sliding T-Handle
- 1 **CFAC0806**
  1/4" Dr. Swivel Handle
- 1 CHAG0813 - GCAD1818
  1/4" Dr. 36 Teeth Reversible Ratchet Handle with Quick Release
  CJBG0815 - GCAD1811
  1/4" Dr. 36 Teeth Reversible Ratchet Handle with Quick Release

METAL CASE: W221 x D129 x H44 (mm)

18PCS
1/4" DR. 12PT Socket Set (SAE)

1/4"

ITEM NO.

12PT	Mirror	GCAD1813	Mirror	GCAD1817

CONTENTS — 10 (SET)

- 10 **BBEF0806~0818**
  1/4" Dr. 12PT Flank Deep Sockets
  3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2", 9/16"
- 3 **CAAA0802~0806**
  1/4" Dr. Extension Bar - 2", 4", 6" (L)
- 1 **CAHA0840**
  1/4" Dr. Universal Joint
- 1 **CAEA0812**
  1/4"(F) x 3/8"(M) Dr. Adapter
- 1 **CTCK0811**
  1/4" Dr. Sliding T-Handle
- 1 **CFAC0806**
  1/4" Dr. Swivel Handle
- 1 CHAG0813 - GCAD1817
  1/4" Dr. 36 Teeth Reversible Ratchet Handle with Quick Release
  CJBG0815 - GCAD1813
  1/4" Dr. 36 Teeth Reversible Ratchet Handle with Quick Release

METAL CASE: W221 x D129 x H44 (mm)

31PCS
1/4" DR. Socket Set

1/4"

ITEM NO.

6PT	Mirror	GCAD3101	Satin	GCAD3102

CONTENTS — 10 (SET)

- 11 **BAEA0804~0814**
  1/4" Dr. 6PT Flank Sockets
  4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm
- 3 **BCBA08P1~08P3**
  1/4" Dr. Pozi Bit Sockets - PZ1, PZ2, PZ3
- 3 **BCAA08P1~08P3**
  1/4" Dr. Phillips Bit Sockets - PH1, PH2, PH3
- 3 **BCCA0804~086E**
  1/4" Dr. Slotted Bit Sockets - 4, 5.5, 6.5 mm
- 5 **BCDA0803~0808**
  1/4" Dr. Hex Bit Sockets - 3, 4, 5, 6, 8 mm
- 1 **CAIP0816**
  1/4" Dr. Spinner Handle
- 1 **CJBG0815**
  1/4" Dr. 36 Teeth Reversible Ratchet Handle with Quick Release
- 2 **CAAA0802 & 0806**
  1/4" Dr. Extension Bar - 2" & 6" (L)
- 1 **CAHA0840**
  1/4" Dr. Universal Joint
- 1 **CTCK0811**
  1/4" Dr. Sliding T-Handle

METAL CASE: W221 x D129 x H44 (mm)

38PCS
1/4" DR. Socket Set

1/4"

Stubby 19.5mmL One-Piece Construction Bit Sockets
- Made of SNCM+V Alloy Steel
- Black Phosphate Finish
- Ideal for Use in Confined Spaces

ITEM NO.

6PT	Satin	GCAD3801
12PT	Satin	GCAD3802

CONTENTS — 10 (SET)

- 12 **BAEA0804~0813**
  1/4" Dr. 6PT Flank Sockets
  4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13 mm
- 1 **CAHA0840**
  1/4" Dr. Universal Joint
- 2 **CAAA0802 & 0804**
  1/4" Dr. Extension Bar - 2" & 4"(L)
- 1 **CTCK0811**
  1/4" Dr. Sliding T-Handle
- 1 **S135**
  1/4" Dr. 36 Teeth Reversible Ratchet Handle with Quick Release
- 1 **CAIP0816**
  1/4" Dr. Spinner Handle
- 6 **BAED0804~0810**
  1/4" Dr. Star Sockets
  E4, E5, E6, E7, E8, E10
- 8 **BCFB0808~0840**
  1/4" Dr. One-Piece Stubby Star Bit Sockets
  T8, T10, T15, T20, T25, T27, T30, T40
- 5 **BCDB0803~0808**
  1/4" Dr. One-Piece Stubby Hex Bit Sockets
  3, 4, 5, 6, 7, 8 mm

METAL CASE: W221 x D129 x H44 (mm)

18PCS
1/4" DR. 6PT Socket Set (METRIC)

1/4"

ITEM NO.

6PT	Satin	GCAD1822

CONTENTS — 10 (SET)

- 10 **BAEE0804~0813**
  1/4" Dr. 6PT Flank Deep Sockets
  4, 5, 6, 7, 8, 9, 10, 11, 12, 13 mm
- 3 **CAAA0802~0806**
  1/4" Dr. Extension Bar - 2", 4", 6" (L)
- 1 **CAHA0840**
  1/4" Dr. Universal Joint
- 1 **CAEA0812**
  1/4"(F) x 3/8"(M) Dr. Adapter
- 1 **CTCK0811**
  1/4" Dr. Sliding T-Handle
- 1 **CFAC0806**
  1/4" Dr. Swivel Handle
- 1 **CJBG0815**
  1/4" Dr. 36 Teeth Reversible Ratchet Handle with Quick Release

METAL CASE: W221 x D129 x H44 (mm)

29PCS
1/4" DR. Socket Set (METRIC & SAE)

1/4"

ITEM NO.

6PT	Mirror	GCAD2901	Satin	GCAD2902

CONTENTS — 10 (SET)

- 13 **BAEA0804~0814**
  1/4" Dr. 6PT Flank Sockets
  4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm
- 10 **BBEA0806~0818**
  1/4" Dr. 6PT Flank Sockets
  3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2", 9/16"
- 1 **CAIP0816**
  1/4" Dr. Spinner Handle
- 1 **CJBG0815**
  1/4" Dr. 36 Teeth Reversible Ratchet Handle with Quick Release
- 2 **CAAA0802 & 0806**
  1/4" Dr. Extension Bar - 2" & 6" (L)
- 1 **CAHA0840**
  1/4" Dr. Universal Joint
- 1 **CTCK0811**
  1/4" Dr. Sliding T-Handle

METAL CASE: W221 x D129 x H44 (mm)

Hand Sockets, Bit Sockets & Accessories

32PCS
1/4" DR. Socket Set

1/4"

ITEM NO.		
6PT	Satin	GCAD3202
12PT	Satin	GCAD3203

CONTENTS — 10 (SET)

- 13 BAEA0804~0814
  1/4" Dr. 6PT Flank Sockets
  4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm
- 3 BCAA08P1~08P3
  1/4" Dr. Phillips Bit Sockets
  PH1, PH2, PH3
- 4 BCCA0803~086E
  1/4" Dr. Slotted Bit Sockets
  3, 4.5, 5.5, 6.5 mm
- 6 BCDA0803~0808
  1/4" Dr. Hex Bit Sockets
  3, 4, 5, 6, 7, 8 mm
- 2 CAAA0802 & 0804
  1/4" Dr. Extension Bar - 2" & 4" (L)
- 1 CTCK0811
  1/4" Dr. Sliding T-Handle
- 1 CAHA0840
  1/4" Dr. Universal Joint
- 1 CAIP0816
  1/4" Dr. Spinner Handle
- 1 CJBG0815
  1/4" Dr. 36 Teeth Reversible Ratchet Handle with Quick Release

METAL CASE: W221 x D129 x H44 (mm)

32PCS
1/4" DR. Socket Set

1/4"

ITEM NO.		
6PT	Satin	GCAD3204
12PT	Satin	GCAD3205

CONTENTS — 10 (SET)

- 13 BAEA0804~0814
  1/4" Dr. 6PT Flank Sockets
  4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm
- 7 BCFA0810~0840
  1/4" Dr. Star Bit Sockets
  T10, T15, T20, T25, T27, T30, T40
- 6 BCDA0803~0808
  1/4" Dr. Hex Bit Sockets
  3, 4, 5, 6, 7, 8 mm
- 2 CAAA0802 & 0804
  1/4" Dr. Extension Bar - 2" & 4" (L)
- 1 CTCK0811
  1/4" Dr. Sliding T-Handle
- 1 CAHA0840
  1/4" Dr. Universal Joint
- 1 CAIP0816
  1/4" Dr. Spinner Handle
- 1 CJBG0815
  1/4" Dr. 36 Teeth Reversible Ratchet Handle with Quick Release

METAL CASE: W221 x D129 x H44 (mm)

40PCS
1/4" & 3/8" DR. Socket Set (METRIC & SAE)

1/4"

3/8"

ITEM NO.		
6PT	Satin	GCAD4004

CONTENTS — 6 (SET)

- 8 BAEA0804~0812
  1/4" Dr. 6PT Flank Sockets
  4, 5, 6, 7, 8, 9, 10, 12 mm
- 9 BBEA0806~0816
  1/4" Dr. 6PT Flank Sockets
  3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2"
- 10 BAEA1209~1219
  3/8" Dr. 6PT Flank Sockets
  9, 10, 11, 12, 13, 14, 16, 17, 18, 19 mm
- 7 BBEA1212~1224
  3/8" Dr. 6PT Flank Sockets
  3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4"
- 1 BAAR1216
  3/8" Dr. Spark Plug Socket - 16mm
- 1 CJBG1220
  3/8" Dr. 36 Teeth Reversible Ratchet Handle with Quick Release
- 1 CAAA1203
  3/8" Dr. Extension Bar - 3" (L)
- 1 ALAC1212
  3/8" Dr. Disc
- 1 CAIP0816
  1/4" Dr. Spinner Handle
- 1 CAEB1208
  3/8"(F) x 1/4"(M) Dr. Adapter

METAL CASE: W380 x D140 x H52 (mm)

18PCS
3/8" DR. Socket Set

3/8"

ITEM NO.				
6PT	Mirror	GCAD1806	Satin	GCAD1805
12PT	Satin	GCAD1815		

CONTENTS — 6 (SET)

- 13 BAEA1206~1224
  3/8" Dr. 6PT Flank Sockets
  6, 7, 8, 10, 11, 12, 13, 14, 17, 19, 21, 22, 24 mm
- 1 CAHA1254
  3/8" Dr. Universal Joint
- 1 CJBG1220
  3/8" Dr. 36 Teeth Reversible Ratchet Handle with Quick Release
- 2 CAAA1203 & 1206
  3/8" Dr. Extension Bar - 3" & 6" (L)
- 1 CFAC1210
  3/8" Dr. Swivel Handle - 10" (L)

METAL CASE: W380 x D140 x H52 (mm)

15PCS
1/2" DR. Socket Set

1/2"

ITEM NO.				
6PT	Mirror	GCAD1502	Satin	GCAD1501

CONTENTS — 6 (SET)

- 11 BAEA1608~1624
  1/2" Dr. 6PT Flank Sockets
  8, 10, 11, 12, 13, 14, 17, 19, 21, 22, 24 mm
- 1 CAHA1678
  1/2" Dr. Universal Joint
- 2 CAAA1603 & 1605
  1/2" Dr. Extension Bar - 3" & 5" (L)
- 1 CJBG1627
  1/2" Dr. 36 Teeth Reversible Ratchet Handle with Quick Release

METAL CASE: W380 x D140 x H52 (mm)

39PCS
3/8" DR. Socket Set

3/8"

ITEM NO.		
6PT	Satin	GCAD3902

CONTENTS — 3 (SET)

- 15 BAEA1208~1222
  3/8" Dr. 6PT Flank Sockets
  8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22 mm
- 6 BAEE1208~1219
  3/8" Dr. 6PT Flank Deep Sockets
  8, 10, 12, 13, 17, 19 mm
- 2 CAAA1203 & 1206
  3/8" Dr. Extension Bar - 3" & 6" (L)
- 2 BAAT1216 & 1221
  3/8" Dr. Magnetic Spark Plug Sockets - 16 & 21 mm
- 2 BCDA1205 & 1206
  3/8" Dr. Hex Bit Sockets - 5 & 6 mm
- 1 BDDA1208
  3/8" Dr. Hex Bit Socket - 1/4"
- 2 BCFA1215 & 1220
  3/8" Dr. Star Bit Sockets - T15 & T20
- 2 BCAA12P1 & 12P2
  3/8" Dr. Phillips Bit Sockets - PH1 & PH2
- 2 BCBA12P1 & 12P2
  3/8" Dr. Pozi Bit Sockets - PZ1 & PZ2
- 1 BCCA125E
  3/8" Dr. Slotted Bit Socket - 5.5 mm
- 1 CAHA1254
  3/8" Dr. Universal Joint
- 1 CAEA1216
  3/8"(F) x 1/2"(M) Dr. Adapter
- 1 CTCJ1208
  3/8" Dr. Sliding T-Handle With Qucik Release
- 1 CJBM1220
  3/8" Dr. 72 Teeth Reversible Ratchet Handle with Quick Release

METAL CASE: W440 x D190 x H52 (mm)

5PCS ★
Ratchet Handle Set

ITEM NO.		
	Satin	GCAD0501

CONTENTS — 6 (SET)

- 3 CJLN0816~1632
  72 Teeth Ratchet Handles - 1/4", 3/8", 1/2" Drive
- 2 BAAT1216 & 1221
  3/8" Dr. Magnetic Spark Plug Sockets - 16 & 21 mm

METAL CASE: W380 x D140 x H52 (mm)

34PCS
3/8" DR. Socket Set (METRIC & SAE)

3/8"

ITEM NO.		
6PT	Satin	GCAD3403

CONTENTS — 3 (SET)

- 11 BAEA1208~1222
  3/8" Dr. 6PT Flank Sockets
  8, 10, 12, 13, 14, 16, 17, 18, 19, 21, 22 mm
- 11 BBEA1210~1228
  3/8" Dr. 6PT Flank Sockets
  5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 25/32", 13/16", 7/8"
- 2 BAAR1216 & 1221
  3/8" Dr. Spark Plug Sockets - 16 & 21mm
- 1 CJBG1220
  3/8" Dr. 36 Teeth Reversible Ratchet Handle with Quick Release
- 3 CAAA1203~1210
  3/8" Dr. Extension Bar - 3", 6", 10" (L)
- 1 CTCJ1208
  3/8" Dr. Sliding T- Handle with Quick Release
- 1 CFKA1210
  3/8" Dr. Swivel Handle
- 1 CAHA1254
  3/8" Dr. Universal Joint
- 1 CADC1240
  3/8" Dr. Speed Brace
- 1 CAEB0812
  1/4"(F) x 3/8"(M) Dr. Adapter
- 1 CAIP0816
  1/4" Dr. Spinner Handle

METAL CASE: W440 x D190 x H52 (mm)

Hand Sockets, Bit Sockets & Accessories

34PCS
1/4" & 1/2" DR. Socket Set

1/4"
1/2"

ITEM NO.

6PT	Mirror	GCAD3401	Satin	GCAD3402

CONTENTS — 3 (SET)

10 **BAEA0805~0813**
1/4" Dr. 6PT Flank Sockets
5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13 mm

17 **BAEA1610~1632**
1/2" Dr. 6PT Flank Sockets
10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 29, 30, 32 mm

1 **CAAA0804**
1/4" Dr. Extension Bar - 4" (L)

1 **CAAA1605**
1/2" Dr. Extension Bar - 5" (L)

2 **CAHA0840 & 1678**
1/4" & 1/2" Dr. Universal Joint

1 **CTCK0811**
1/4" Dr. Sliding T-Handle

2 **CJBG0815 & 1627**
1/4" & 1/2" Dr. 36 Teeth Reversible Ratchet Handle with Quick Release

METAL CASE: W440 x D190 x H52 (mm)

43PCS
1/2" DR. Socket Set (METRIC & SAE)

1/2"

ITEM NO.

6PT	Satin	GCAD4303

CONTENTS — 3 (SET)

20 **BAEA1608~1632**
1/2" Dr. 6PT Flank Sockets
8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 23, 24, 26, 27, 29, 30, 32 mm

14 **BBEA1612~1640**
1/2" Dr. 6PT Flank Sockets
3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-1/4"

2 **BAAR1616 & 1621**
1/2" Dr. Spark Plug Sockets - 16 & 21 mm

1 **CJBG1627**
1/2" Dr. 36 Teeth Reversible Ratchet Handle with Quick Release

3 **CAAA1603~1610**
1/2" Dr. Extension Bar - 3", 5", 10" (L)

1 **CAGA1216**
3/8" (F) x 1/2" (M) Dr. 3-Way Adapter

1 **CFKA1615**
1/2" Dr. Swivel Handle - 15" (L)

1 **CAHA1678**
1/2" Dr. Universal Joint

METAL CASE: W440 x D190 x H52 (mm)

18PCS
1/2" DR. Socket Set (MERIC)

1/2"

ITEM NO.

6PT	Mirror	GCAD1802	Satin	GCAD1801
12PT	★Mirror	GCAD1804	Satin	GCAD1803

CONTENTS — 3 (SET)

12 **BAEA1610~1632**
1/2" Dr. 6PT Flank Sockets
10, 12, 13, 14, 17, 19, 21, 22, 24, 27, 30, 32 mm

1 **CAHA1678**
1/2" Dr. Universal Joint

3 **CAAA1603~1610**
1/2" Dr. Extension Bar - 3", 5", 10" (L)

1 **CJBG1627**
1/2" Dr. 36 Teeth Reversible Ratchet Handle with Quick Release

1 **CFAC1615**
1/2" Dr. Swivel Handle - 15" (L)

METAL CASE: W440 x D190 x H52 (mm)

18PCS
1/2" DR. Socket Set (SAE)

1/2"

ITEM NO.

6PT	Mirror	GCAD1810

CONTENTS — 3 (SET)

12 **BBEA1612~1640**
1/2" Dr. 6PT Flank Sockets
3/8", 7/16", 1/2", 9/16", 11/16", 3/4", 13/16", 7/8", 15/16", 1-1/16", 1-3/16", 1-1/4"

1 **CAHA1678**
1/2" Dr. Universal Joint

3 **CAAA1603~1610**
1/2" Dr. Extension Bar - 3", 5", 10" (L)

1 **CJBG1627**
1/2" Dr. 36 Teeth Reversible Ratchet Handle with Quick Release

1 **CFAC1615**
1/2" Dr. Swivel Handle - 15" (L)

METAL CASE: W440 x D190 x H52 (mm)

6 PT

41 PCS

Professional Grade 1/4" DR. Flank Socket Set

- Bit holder rail swivel upwards for easy access
- EVA form + PP inner tool tray
- Robust, high quality and light weight ABS+TPU material plastic storage tool box

Swivel Mechanism Bit Holder

1/4" DRIVE

Professional Grade 1/4" DR. Flank Socket Set

6PT	Satin	GADW4101

CONTENTS — 20 (SET)

13 **BAEA0804~0814**
1/4" Dr. 6PT Flank Sockets
4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm

2 **CAAA0802 & 0804**
1/4" Dr. Extension Bar - 2" & 4" (L)

1 **CAHA0840**
1/4" Dr. Universal Joint

1 **CAIP0814**
1/4" Dr. Spinner Handle

1 **S135**
1/4" Dr. 36 Teeth Reversible Ratchet Handle with Quick Release

1 **FTAB0808**
1/4" Dr. x 1/4" (H) Quick Change Bit Holder (25mmL)

1 **FSKA0808**
1/4" (H) x 1/4" Dr. Socket Adapter (25mmL)

3 **FSBA0801~0803**
1/4" Hex Shank Phillips Insert Bits (25mmL)
PH1, PH2, PH3

3 **FSCA0801~0803**
1/4" Hex Shank Pozi Insert Bits (25mmL)
PZ1, PZ2, PZ3

3 **FSAA084E~0808**
1/4" Hex Shank Slotted Insert Bits (25mmL)
4.5, 6.5, 8 mm

5 **FSDA0803~0808**
1/4" Hex Shank Hexagon Insert Bits (25mmL)
3, 4, 5, 6, 8 mm

7 **FSGA0810~0840**
1/4" Hex Shank Star Tamperproof Insert Bits (25mmL)
T10, T15, T20, T25, T27, T30, T40

PLASTIC BOX: W172 x D105 x H48 (mm)

Hand Sockets, Bit Sockets & Accessories

6 SETS
1/4" DR. Mini Ratchet Socket & Bit Set W/Display Box

1/4"

- Protective PC+ABS Plastic Box
- EPE Form Inner Tool Tray
- 6 Sets Packed in Each Display Color Box

ITEM NO.

6PT	Satin	GABW4301S

CONTENTS 4 (SET)

6 **GABW4301**
43PCS 1/4" DR. Mini Ratchet Socket & Bit Set

Per Set Contents:
BAEA085E~0813
1/4" Dr. 6PT Flank Sockets
5.5, 6, 7, 8, 10, 11, 12, 13 mm
FSAA0804~0808
1/4" Hex Shank Slotted Insert Bits
4, 5.5, 6.5, 8 mm
FSBA0801~0803
1/4" Hex Shank Phillips Insert Bits
PH1, PH2x2pcs, PH3
FSCA0801~0803
1/4" Hex Shank Pozi Insert Bits
PZ1, PZ2, PZ3
FSDA0803~0808
1/4" Hex Shank Hexagon Insert Bits
3, 4, 5, 6, 8 mm
FSEA0810~0840
1/4" Hex Shank Star Insert Bits
T10, T15, T20, T25, T27, T30, T40
FSGA0810~0840
1/4" Hex Shank Star Tamperproof Insert Bits
T10, T15, T20, T25, T27, T30, T40
FSHA0802
1/4" Hex Shank Square Insert Bits
SQ2
FSKA0808
1/4" (H) x 1/4" Dr. Socket Adapter
FTDC0808
1/4" x 1/4" Magnetic Power Bit Holder
CAAA0802
1/4" Dr. Extension Bar - 2" (L)
CJHV0811
1/4" (H) 60 Teeth Flexible Head Mini Reversible Bit Ratchet Handle

PLASTIC BOX: W133 x D97 x H39 (mm)

6 SETS
1/4" DR. Mini Ratchet Socket & Bit Set W/Display Box

1/4"

- Protective PC+ABS Plastic Box
- EPE Form Inner Tool Tray
- 6 Sets Packed in Each Display Color Box

ITEM NO.

6PT	Mirror	GABW4101S

CONTENTS 4 (SET)

6 **GABW4101**
41PCS 1/4" DR. Mini Ratchet Socket & Bit Set

Per Set Contents:
BAEA085E~0813
1/4" Dr. 6PT Flank Sockets
5.5, 6, 7, 8, 10, 11, 12, 13 mm
FSAA0804~086E
1/4" Hex Shank Slotted Insert Bits
4, 5.5, 6.5 mm
FSBA0801~0803
1/4" Hex Shank Phillips Insert Bits
PH1, PH2x2pcs, PH3
FSCA0801~0803
1/4" Hex Shank Pozi Insert Bits
PZ1, PZ2, PZ3
FSDA0803~0806
1/4" Hex Shank Hexagon Insert Bits
3, 4, 5, 6 mm
FSEA0810~0840
1/4" Hex Shank Star Insert Bits
T10, T15, T20, T25, T27, T30, T40
FSGA0810~0840
1/4" Hex Shank Star Tamperproof Insert Bits
T10, T15, T20, T25, T27, T30, T40
FSHA0801 & 0802
1/4" Hex Shank Square Insert Bits
SQ1 & SQ2
FTAB0808
1/4" Dr. x 1/4" (H) Quick Change Bit Holder
CAAA0803
1/4" Dr. Extension Bar - 3" (L)
CJHU0811
1/4" Dr. 60 Teeth Flexible Head Mini Reversible Ratchet Handle with Quick Release

PLASTIC BOX: W133 x D97 x H39 (mm)

13PCS
1/4" DR. Mini Ratchet Socket Set

1/4"

- 1/4" Square Drive Mini Ratchet, Fine 60 teeth ratcheting mechanism with hard-wearing construction, Ideal for use in confined spaces, Push-button quick release feature, Low back-torque design allows faster turning and removal of fastener, Curved handle for easy and comfort grip, Made of chrome Vanadium Alloy Steel, Overall Length: 3-1/2"

ITEM NO.

6PT	Mirror	GABW1301

CONTENTS 30 (SET)

12 **BAEA0804~0813**
1/4" Dr. 6PT Flank Sockets
4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13 mm

1 **CHDU0809**
1/4" Dr. 60 Teeth Mini Reversible Ratchet Handle with Quick Release

PLASTIC BOX: W115 x D85 x H37 (mm)

TOPTUL
YOUR BEST WORKING PARTNERS

30PCS
1/4" DR. Mini Ratchet Socket & Bit Set

1/4"

- 1/4" Hex Mini Bit Ratchet, Fine 60 teeth ratcheting mechanism with hard-wearing construction, Ideal for use in confined spaces, Low back-torque design allows faster turning and removal of fastener, Curved handle for easy and comfort grip, Made of chrome Vanadium Alloy Steel, Overall Length: 3-1/2"

ITEM NO.

6PT	Mirror	GABW3001

CONTENTS 30 (SET)

7 **BAEA0804~0808**
1/4" Dr. 6PT Flank Sockets
4, 4.5, 5, 5.5, 6, 7, 8 mm

3 **FSAA0804~086E**
1/4" Hex Shank Slotted Insert Bits
4, 5.5, 6.5 mm

4 **FSBA0801~0803**
1/4" Hex Shank Phillips Insert Bits
PH1, PH2x2pcs, PH3

3 **FSCA0801~0803**
1/4" Hex Shank Pozi Insert Bits
PZ1, PZ2, PZ3

4 **FSDA0803~0806**
1/4" Hex Shank Hexagon Insert Bits
3, 4, 5, 6 mm

7 **FSEA0810~0840**
1/4" Hex Shank Star Insert Bits
T10, T15, T20, T25, T27, T30, T40

1 **FSKA0808**
1/4" (H) x 1/4" Dr. Socket Adapter

1 **CHDV0809**
1/4" (H) 60 Teeth Mini Reversible Bit Ratchet Handle

PLASTIC BOX: W115 x D85 x H37 (mm)

Hand Sockets, Bit Sockets & Accessories

46PCS Professional Grade
1/4" DR. Flank Socket Set

1/4"

ITEM NO.

6PT	Satin	GCAI4601

CONTENTS — 10 (SET)

- 11 **BAEA0804~0813**
  1/4" Dr. 6PT Flank Sockets
  4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13 mm
- 9 **BAEE0805~0813**
  1/4" Dr. 6PT Flank Deep Sockets
  5, 6, 7, 8, 9, 10, 11, 12, 13 mm
- 1 **CJBG0815**
  1/4" Dr. 36 Teeth Reversible Ratchet Handle with Quick Release
- 1 **CAIP0816**
  1/4" Dr. Spinner Handle
- 2 **CAAA0802 & 0806**
  1/4" Dr. Extension Bar - 2" & 6" (L)
- 6 **BCDA0803~0808**
  ○ 1/4" Dr. Hex Bit Sockets
  3, 4, 5, 6, 7, 8 mm
- 3 **BCCA0804~086E**
  ⊖ 1/4" Dr. Slotted Bit Sockets
  4, 5.5, 6.5 mm
- 3 **BCAA08P1~08P3**
  ✪ 1/4" Dr. Phillips Bit Sockets
  PH1, PH2, PH3
- 3 **BCBA08P1~08P3**
  ✪ 1/4" Dr. Pozi Bit Sockets
  PZ1, PZ2, PZ3
- 7 **BCFA0810~0840**
  ○ 1/4" Dr. Star Bit Sockets
  T10, T15, T20, T25, T27, T30, T40

BLOW CASE: W245 x D160 x H66 (mm)

51PCS Professional Grade
1/4" DR. Flank Socket & Hex Key Wrench Set

1/4"

ITEM NO.

6PT	Satin	GCAI5102

CONTENTS — 10 (SET)

- 13 **BAEA0804~0814**
  1/4" Dr. 6PT Flank Sockets
  4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm
- 6 **BCDA0803~0808**
  ○ 1/4" Dr. Hex Bit Sockets
  3, 4, 5, 6, 7, 8 mm
- 3 **BCCA0804~086E**
  ⊖ 1/4" Dr. Slotted Bit Sockets
  4, 5.5, 6.5 mm
- 3 **BCAA08P1~08P3**
  ✪ 1/4" Dr. Phillips Bit Sockets
  PH1, PH2, PH3
- 3 **BCBA08P1~08P3**
  ✪ 1/4" Dr. Pozi Bit Sockets
  PZ1, PZ2, PZ3
- 7 **BCFA0810~0840**
  ○ 1/4" Dr. Star Bit Sockets
  T10, T15, T20, T25, T27, T30, T40
- 1 **CASA0806**
  1/4" Dr. Flexible Extension Bar - 6" (L)
- 1 **CJBG0815**
  1/4" Dr. 36 Teeth Reversible Ratchet Handle with Quick Release
- 1 **CAIP0816**
  1/4" Dr. Spinner Handle
- 1 **CAHA0840**
  1/4" Dr. Universal Joint
- 2 **CAAA0802 & 0804**
  1/4" Dr. Extension Bar - 2" & 4" (L)
- 1 **CTCK0811**
  1/4" Dr. Sliding T-Handle
- 9 **GAAL0910**
  Short Type Hex Key Wrench Set
  1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm

BLOW CASE: W245 x D160 x H66 (mm)

24PCS Professional Grade
1/4" DR. Flank Socket Set

1/4"

ITEM NO.

6PT	Satin	GCAI2403

CONTENTS — 10 (SET)

- 11 **BAEA0804~0813**
  1/4" Dr. 6PT Flank Sockets
  4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13 mm
- 9 **BAEE0805~0813**
  1/4" Dr. 6PT Flank Deep Sockets
  5, 6, 7, 8, 9, 10, 11, 12, 13 mm
- 1 **CJBG0815**
  1/4" Dr. 36 Teeth Reversible Ratchet Handle with Quick Release
- 1 **CAIP0816**
  1/4" Dr. Spinner Handle
- 2 **CAAA0802 & 0806**
  1/4" Dr. Extension Bar - 2" & 6" (L)

BLOW CASE: W245 x D160 x H66 (mm)

41PCS Professional Grade
1/4" DR. Flank Socket Set

1/4"

ITEM NO.

6PT	★Mirror	GCAI4101	Satin	GCAI4102

CONTENTS — 10 (SET)

- 13 **BAEA0804~0814**
  1/4" Dr. 6PT Flank Sockets
  4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm
- 3 **FSAA0804~086E**
  ⊖ 1/4" Hex Shank Slotted Insert Bits
  4, 5.5, 6.5 mm
- 5 **FSDA0803~0808**
  ○ 1/4" Hex Shank Hexagon Insert Bits
  3, 4, 5, 6, 8 mm
- 6 **FSEA0810~0840**
  ○ 1/4" Hex Shank Star Insert Bits
  T10, T15, T20, T25, T30, T40
- 3 **FSBA0801~0803**
  ✪ 1/4" Hex Shank Phillips Insert Bits
  PH1, PH2, PH3
- 3 **FSCA0801~0803**
  ✪ 1/4" Hex Shank Pozi Insert Bits
  PZ1, PZ2, PZ3
- 1 **CJBG0815**
  1/4" Dr. 36 Teeth Reversible Ratchet Handle with Quick Release
- 1 **CAHA0840**
  1/4" Dr. Universal Joint
- 2 **CAAA0802 & 0806**
  1/4" Dr. Extension Bar - 2" & 6" (L)
- 1 **CAIP0816**
  1/4" Dr. Spinner Handle
- 1 **CAGA1208**
  3/8" (F) x 1/4" (M) Dr. 3-Way Adapter
- 1 **CAEE0820**
  1/4" Dr. Magnetic Socket Pick-Up
- 1 **FTAB0808**
  1/4" Dr. x 1/4" (H) Quick Change Bit Holder

BLOW CASE: W245 x D160 x H66 (mm)

25PCS Professional Grade
1/4" DR. Flank Socket Set

1/4"

ITEM NO.

6PT	Satin	GCAI2501

CONTENTS — 10 (SET)

- 11 **BAEA0804~0813**
  1/4" Dr. 6PT Flank Sockets
  4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13 mm
- 8 **BAEE0806~0813**
  1/4" Dr. 6PT Flank Deep Sockets
  6, 7, 8, 9, 10, 11, 12, 13 mm
- 1 **CJBG0815**
  1/4" Dr. 36 Teeth Reversible Ratchet Handle with Quick Release
- 1 **CAIP0816**
  1/4" Dr. Spinner Handle
- 2 **CAAA0802 & 0806**
  1/4" Dr. Extension Bar - 2" & 6" (L)
- 1 **CAHA0840**
  1/4" Dr. Universal Joint
- 1 **CAGA1208**
  3/8" (F) x 1/4" (M) Dr. 3-Way Adapter

BLOW CASE: W245 x D160 x H66 (mm)

49PCS Professional Grade
1/4" DR. Flank Socket Wrench Set

1/4"

ITEM NO.

6PT	Satin	GCAI4901
12PT	Satin	GCAI4902

CONTENTS — 10 (SET)

- 8 **AAEX0606~1313**
  Hi-Performance Combination Wrench 15° Offset
  6, 7, 8, 9, 10, 11, 12, 13 mm
- 13 **BAEA0804~0814**
  1/4" Dr. 6PT Flank Sockets
  4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm
- 3 **FSAA0804~086E**
  ⊖ 1/4" Hex Shank Slotted Insert Bits - 4, 5.5, 6.5 mm
- 5 **FSDA0803~0808**
  ○ 1/4" Hex Shank Hexagon Insert Bits - 3, 4, 5, 6, 8 mm
- 6 **FSEA0810~0840**
  ○ 1/4" Hex Shank Star Insert Bits - T10, T15, T20, T25, T30, T40
- 3 **FSBA0801~0803**
  ✪ 1/4" Hex Shank Phillips Insert Bits - PH1, PH2, PH3
- 3 **FSCA0801~0803**
  ✪ 1/4" Hex Shank Pozi Insert Bits - PZ1, PZ2, PZ3
- 1 **CJBG0815**
  1/4" Dr. 36 Teeth Reversible Ratchet Handle with Quick Release
- 1 **CAHA0840**
  1/4" Dr. Universal Joint
- 2 **CAAA0802 & 0806**
  1/4" Dr. Extension Bar - 2" & 6" (L)
- 1 **CAIP0816**
  1/4" Dr. Spinner Handle
- 1 **CAGA1208**
  3/8" (F) x 1/4" (M) Dr. 3-Way Adapter
- 1 **CAEE0820**
  1/4" Dr. Magnetic Socket Pick-Up
- 1 **FTAB0808**
  1/4" Dr. x 1/4" (H) Quick Change Bit Holder

BLOW CASE: W245 x D160 x H66 (mm)

Hand Sockets, Bit Sockets & Accessories

49PCS Professional Grade

1/4" & 3/8" DR. Flank Socket Set

1/4"
3/8"

ITEM NO.

6PT	Mirror	GCAI4903	Satin	GCAI4904
12PT	Satin	GCAI4905		

CONTENTS — 10 (SET)

- 8 BAEA0804~0810
  1/4" Dr. 6PT Flank Sockets
  4, 5, 5.5, 6, 7, 8, 9, 10 mm
- 10 BAEA1210~1219
  3/8" Dr. 6PT Flank Sockets
  10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm
- 7 GAAV0701
  ○ 1/4" Hex Shank Hexagon Insert Bits
  FSDA0802~0808 - 2, 2.5, 3, 4, 5, 6, 8 mm
- 7 GAAV0702
  ○ 1/4" Hex Shank Star Insert Bits
  FSEA0810~0840 - T10, T15, T20, T25, T27, T30, T40
- 7 GAAV0704
  ⊖ 1/4" Hex Shank Slotted Insert Bits
  FSAA0804~086E - 4, 5.5, 6.5 mm
  ✪ 1/4" Hex Shank Phillips Insert Bits
  FSBA0801 & 0802 - PH1 & PH2
  ✪ 1/4" Hex Shank Pozi Insert Bits
  FSCA0801 & 0802 - PZ1 & PZ2
- 1 CJBG1220
  3/8" Dr. 36 Teeth Reversible Ratchet Handle with Quick Release
- 1 CAIA0815
  1/4" Dr. Spinner Handle
- 2 CAAA1203 & 1206
  3/8" Dr. Extension Bar - 3" & 6" (L)
- 1 CAHA1254
  3/8" Dr. Universal Joint
- 2 BAAR1216 & 1221
  3/8" Dr. Spark Plug Sockets - 16 & 21 mm
- 1 FTAB0808
  1/4" Dr. x 1/4" (H) Quick Change Bit Holder
- 1 FTAB1208
  3/8" Dr. x 1/4" (H) Quick Change Bit Holder
- 1 CAEA1208
  3/8" (F) x 1/4" (M) Dr. Adapter

BLOW CASE: W245 x D160 x H66 (mm)

45PCS Professional Grade

3/8" DR. Flank Socket Set

3/8"

ITEM NO.

6PT	Mirror	GCAI4501	Satin	GCAI4502
12PT	Satin	GCAI4503		

CONTENTS — 10 (SET)

- 10 BAEA1206~1222
  3/8" Dr. 6PT Flank Sockets
  6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 22 mm
- 7 GAAV0701
  ○ 1/4" Hex Shank Hexagon Insert Bits
  FSDA0802-0808 - 2, 2.5, 3, 4, 5, 6, 8 mm
- 7 GAAV0702
  ○ 1/4" Hex Shank Star Insert Bits
  FSEA0810~0840 - T10, T15, T20, T25, T27, T30, T40
- 7 GAAV0704
  ⊖ 1/4" Hex Shank Slotted Insert Bits
  FSAA0804~086E - 4, 5.5, 6.5 mm
  ✪ 1/4" Hex Shank Phillips Insert Bits
  FSBA0801 & 0802 - PH1 & PH2
  ✪ 1/4" Hex Shank Pozi Insert Bits
  FSCA0801 & 0802 - PZ1 & PZ2
- 1 CJBG1220
  3/8" Dr. 36 Teeth Reversible Ratchet Handle with Quick Release
- 1 CAIA0815
  1/4" Dr. Spinner Handle
- 2 CAAA1203 & 1206
  3/8" Dr. Extension Bar - 3" & 6" (L)
- 1 CAHA1254
  3/8" Dr. Universal Joint
- 2 BAAR1216 & 1221
  3/8" Dr. Spark Plug Sockets - 16 & 21 mm
- 1 FTAB0808
  1/4" Dr. x 1/4" (H) Quick Change Bit Holder
- 1 FTAB1208
  3/8" Dr. x 1/4" (H) Quick Change Bit Holder

BLOW CASE: W245 x D160 x H66 (mm)

22PCS Professional Grade

3/8" DR. Flank Socket Set

3/8"

ITEM NO.

6PT	Mirror	GCAI2201	Satin	GCAI2202
12PT	Satin	GCAI2203		

CONTENTS — 10 (SET)

- 15 BAEA1206~1222
  3/8" Dr. 6PT Flank Sockets
  6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 22 mm
- 1 CJBG1220
  3/8" Dr. 36 Teeth Reversible Ratchet Handle with Quick Release
- 2 CAAA1203 & 1206
  3/8" Dr. Extension Bar - 3" & 6" (L)
- 1 CAHA1254
  3/8" Dr. Universal Joint
- 2 BAAR1216 & 1221
  3/8" Dr. Spark Plug Sockets - 16 & 21 mm
- 1 CTCK1220
  3/8" Dr. Sliding T-Handle

BLOW CASE: W245 x D160 x H66 (mm)

26PCS Professional Grade

3/8" DR. Flank Socket Set

3/8"

ITEM NO.

6PT	Satin	GCAI2601
12PT	Satin	GCAI2602

CONTENTS — 10 (SET)

- 14 BAEA1208~1224
  3/8" Dr. 6PT Flank Sockets
  8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24 mm
- 8 BAEE1208~1219
  3/8" Dr. 6PT Flank Deep Sockets
  8, 10, 11, 12, 13, 14, 17, 19 mm
- 1 CJBG1220
  3/8" Dr. 36 Teeth Reversible Ratchet Handle with Quick Release
- 2 CAAA1203 & 1206
  3/8" Dr. Extension Bar - 3" & 6" (L)
- 1 CAHA1254
  3/8" Dr. Universal Joint

BLOW CASE: W245 x D160 x H66 (mm)

32PCS Professional Grade

3/8" DR. Flank Socket Set

3/8"

ITEM NO.

6PT	Satin	GCAI3201
12PT	Satin	GCAI3202

CONTENTS — 10 (SET)

- 14 BAEA1208~1224
  3/8" Dr. 6PT Flank Sockets
  8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24 mm
- 5 BCDA1203~1208
  ○ 3/8" Dr. Hex Bit Sockets
  3, 4, 5, 6, 8 mm
- 3 BCAA12P1~12P3
  ✪ 3/8" Dr. Phillips Bit Sockets
  PH1, PH2, PH3
- 3 BCBA12P1~12P3
  ✪ 3/8" Dr. Pozi Bit Sockets
  PZ1, PZ2, PZ3
- 2 BCCA126E & 1208
  ⊖ 3/8" Dr. Slotted Bit Sockets
  6.5 & 8 mm
- 2 CAAA1203 & 1206
  3/8" Dr. Extension Bar - 3" & 6" (L)
- 1 CAHA1254
  3/8" Dr. Universal Joint
- 1 CJBG1220
  3/8" Dr. 36 Teeth Reversible Ratchet Handle with Quick Release
- 1 CAGA1612
  1/2" (F) x 3/8" (M) Dr. 3-Way Adapter

BLOW CASE: W245 x D160 x H66 (mm)

39PCS Professional Grade

3/8" DR. Flank Socket Set

3/8"

ITEM NO.

6PT	Satin	GCAI3901
12PT	Satin	GCAI3902

CONTENTS — 10 (SET)

- 14 BAEA1207~1222
  3/8" Dr. 6PT Flank Sockets
  7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 22 mm
- 4 BAEE1210~1219
  3/8" Dr. 6PT Flank Deep Sockets
  10, 13, 17, 19 mm
- 7 GAAV0701
  ○ 1/4" Hex Shank Hexagon Insert Bits
  FSDA0802~0808 - 2, 2.5, 3, 4, 5, 6, 8 mm
- 7 GAAV0704
  ⊖ 1/4" Hex Shank Slotted Insert Bits
  FSAA0804~086E - 4, 5.5, 6.5 mm
  ✪ 1/4" Hex Shank Phillips Insert Bits
  FSBA0801 & 0802 - PH1 & PH2
  ✪ 1/4" Hex Shank Pozi Insert Bits
  FSCA0801 & 0802 - PZ1 & PZ2
- 1 CJBG1220
  3/8" Dr. 36 Teeth Reversible Ratchet Handle with Quick Release
- 2 CAAA1203 & 1206
  3/8" Dr. Extension Bar - 3" & 6" (L)
- 1 CAHA1254
  3/8" Dr. Universal Joint
- 1 FTAB1208
  3/8" Dr. x 1/4" (H) Quick Change Bit Holder
- 2 BAAR1216 & 1221
  3/8" Dr. Spark Plug Sockets - 16 & 21 mm

BLOW CASE: W245 x D160 x H66 (mm)

Hand Sockets, Bit Sockets & Accessories

60PCS Professional Grade
3/8" DR. Flank Socket Set

3/8"

ITEM NO.		
6PT	Satin	GCAI6001
12PT	Satin	GCAI6002

CONTENTS — 6 (SET)

- 18 **BAEA1206~1224** 3/8" Dr. 6PT Flank Sockets 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24 mm
- 10 **BAEE1208~1219** 3/8" Dr. 6PT Flank Deep Sockets 8, 9, 10, 11, 12, 13, 14, 15, 17, 19 mm
- 3 **BCAA12P1~12P3** 3/8" Dr. Phillips Bit Sockets PH1, PH2, PH3
- 3 **BCBA12P1~12P3** 3/8" Dr. Pozi Bit Sockets PZ1, PZ2, PZ3
- 3 **BCCA125E~1208** 3/8" Dr. Slotted Bit Sockets 5.5, 6.5, 8 mm
- 7 **BCDA1203~1210** 3/8" Dr. Hex Bit Sockets 3, 4, 5, 6, 7, 8, 10 mm
- 9 **BCFA1215~1255** 3/8" Dr. Star Bit Sockets T15, T20, T25, T27, T30, T40, T45, T50, T55
- 2 **CAAA1203 & 1210** 3/8" Dr. Extension Bar - 3" & 10" (L)
- 2 **BAAR1216 & 1221** 3/8" Dr. Spark Plug Sockets - 16 & 21 mm
- 1 **CJBG1220** 3/8" Dr. 36 Teeth Reversible Ratchet Handle with Quick Release
- 1 **CAHA1254** 3/8" Dr. Universal Joint
- 1 **CAGA1612** 1/2" (F) X 3/8" (M) Dr. 3-Way Adapter

BLOW CASE: W300 x D220 x H70 (mm)

35PCS Professional Grade
3/8" DR. Flank Socket Set (METRIC & SAE)

3/8"

ITEM NO.		
6PT	Mirror	GCAI3501

CONTENTS — 4 (SET)

- 16 **BAEA1206~1222** 3/8" Dr. 6PT Flank Sockets 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22 mm
- 11 **BBEA1208~1228** 3/8" Dr. 6PT Flank Sockets 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8"
- 2 **CAAA1203 & 1206** 3/8" Dr. Extension Bar - 3" & 6" (L)
- 1 **CAHA1254** 3/8" Dr. Universal Joint
- 1 **CJBG1220** 3/8" Dr. 36 Teeth Reversible Ratchet Handle with Quick Release
- 1 **CTCK1220** 3/8" Dr. Sliding T-Handle
- 1 **CFKA1210** 3/8" Dr. Swivel Handle
- 2 **BAAT1216 & 1221** 3/8" Dr. Magnetic Spark Plug Socket - 16 & 21 mm

BLOW CASE: W392 x D210 x H88 (mm)

31PCS Professional Grade ★
1/4" & 1/2" DR. Flank Socket Set

1/4" 1/2"

ITEM NO.		
6PT	Satin	GAAI3102

CONTENTS — 3 (SET)

- 10 **BAEA0805~0813** 1/4" Dr. 6PT Flank Sockets 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13 mm
- 13 **BAEA1610~1624** 1/2" Dr. 6PT Flank Sockets 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24 mm
- 2 **CJBG0815 & 1627** 1/4" & 1/2" Dr. 36 Teeth Reversible Ratchet Handle with Quick Release
- 1 **CAAA0804** 1/4" Dr. Extension Bar - 4" (L)
- 2 **CAAA1605 & 1610** 1/2" Dr. Extension Bar - 5" & 10" (L)
- 2 **CAHA0840 & 1678** 1/4" & 1/2" Dr. Universal Joint
- 1 **CAGA1216** 3/8" (F) x 1/2" (M) Dr. 3-Way Adapter

BLOW CASE: W478 x D234 x H100 (mm)

31PCS Professional Grade
1/2" DR. Flank Socket Set

1/2"

ITEM NO.				
6PT	Mirror	GAAI3103	Satin	GAAI3104

CONTENTS — 3 (SET)

- 24 **BAEA1608~1632** 1/2" Dr. 6PT Flank Sockets 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 32 mm
- 2 **CAAA1605 & 1610** 1/2" Dr. Extension Bar - 5" & 10" (L)
- 1 **CTCK1625** 1/2" Dr. Sliding T-Handle - 10" (L)
- 1 **CJBG1627** 1/2" Dr. 36 Teeth Reversible Ratchet Handle with Quick Release
- 1 **CAHA1678** 1/2" Dr. Universal Joint
- 2 **BAAT1616 & 1621** 1/2" Dr. Magnetic Spark Plug Sockets - 16 & 21 mm

BLOW CASE: W478 x D234 x H100 (mm)

TOPTUL
ROBUST PLASTIC TOOL BOX SERIES

42PCS Professional Grade
1/4" & 1/2" DR. Flank Socket Wrench Set

1/4" 1/2"

ITEM NO.		
6PT	Satin	GAAI4201

CONTENTS — 3 (SET)

- 10 **BAEA0805~0813** 1/4" Dr. 6PT Flank Sockets 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13 mm
- 13 **BAEA1610~1624** 1/2" Dr. 6PT Flank Sockets 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24 mm
- 1 **CAAA0804** 1/4" Dr. Extension Bar - 4" (L)
- 2 **CAAA1605 & 1610** 1/2" Dr. Extension Bar - 5" & 10" (L)
- 2 **CAHA0840 & 1678** 1/4" & 1/2" Dr. Universal Joint
- 2 **CJBG0815 & 1627** 1/4" & 1/2" Dr. 36 Teeth Reversible Ratchet Handle with Quick Release
- 1 **CAGA1216** 3/8" (F) x 1/2" (M) Dr. 3-Way Adapter
- 11 **AAEX0808~2222** Hi-Performance Combination Wrench 15° Offset 8, 9, 10, 11, 12, 13, 14, 17, 19, 21, 22 mm

BLOW CASE: W478 x D234 x H100 (mm)

42PCS Professional Grade
1/2" DR. Flank Socket Wrench Set

1/2"

ITEM NO.		
6PT	Satin	GCAI4201

CONTENTS — 3 (SET)

- 11 **AAEX0808~2222** Hi-Performance Combination Wrench 15° Offset 8, 9, 10, 11, 12, 13, 14, 17, 19, 21, 22 mm
- 24 **BAEA1608~1632** 1/2" Dr. 6PT Flank Sockets 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 32 mm
- 2 **BAAR1616 & 1621** 1/2" Dr. Spark Plug Sockets - 16 & 21 mm
- 2 **CAAA1605 & 1610** 1/2" Dr. Extension Bar - 5" & 10" (L)
- 1 **CTCK1625** 1/2" Dr. Sliding T-Handle - 10" (L)
- 1 **CJBG1627** 1/2" Dr. 36 Teeth Reversible Ratchet Handle with Quick Release
- 1 **CAHA1678** 1/2" Dr. Universal Joint

BLOW CASE: W478 x D234 x H100 (mm)

55PCS Professional Grade
1/2" DR. Flank Socket Set

1/2"

ITEM NO.		
6PT	Satin	GAAI5502

CONTENTS — 3 (SET)

- 17 **BAEA1610~1632** 1/2" Dr. 6PT Flank Sockets 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24, 27, 30, 32 mm
- 10 **BAEE1610~1622** 1/2" Dr. 6PT Flank Deep Sockets 10, 11, 12, 13, 14, 15, 16, 17, 19, 22 mm
- 7 **BCDA1604~1614** 1/2" Dr. Hex Bit Sockets - 4, 5, 6, 8, 10, 12, 14 mm
- 3 **BCCA1608~1612** 1/2" Dr. Slotted Bit Sockets - 8, 10, 12 mm
- 3 **BCAA16P2~16P4** 1/2" Dr. Phillips Bit Sockets - PH2, PH3, PH4
- 8 **BCLA1620~1655** 1/2" Dr. Star Tamperproof Bit Sockets T20, T25, T27, T30, T40, T45, T50, T55
- 1 **CJBG1627** 1/2" Dr. 36 Teeth Reversible Ratchet Handle with Quick Release
- 2 **BAAT1616 & 1621** 1/2" Dr. Magnetic Spark Plug Sockets - 16 & 21 mm
- 2 **CAAA1605 & 1610** 1/2" Dr. Extension Bar - 5" & 10" (L)
- 1 **CAHA1678** 1/2" Dr. Universal Joint
- 1 **CAGA1216** 3/8" (F) x 1/2" (M) Dr. 3-Way Adapter

BLOW CASE: W478 x D234 x H100 (mm)

30PCS Professional Grade
Home Repairs & Maintenance Tool Set

HOME BAG

ITEM NO.		
	Satin	GAAI3001

CONTENTS — 3 (SET)

- 8 **AAEJ0607~2022** Double Open End Wrenches 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22 mm
- 9 **GAAL0910** Hex Key Wrench Set (Short Type) 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm
- 1 **DBAC1209** High-Leverage Combination Pliers - 9" (L)
- 1 **DDAA1210** Groove-Joint Water Pump Pliers - 10" (L)
- 1 **HAAA0330** Engineers Hammer (300g)
- 1 **IAAC1905M** Measuring Tape - 5M
- 1 **SCAA2017** Heavy Duty Utility Knife with Spare Blade - 165 mm (L)
- 1 **SBAA0414** Electricians Scissors - 138 mm (L)
- 3 **FBAB0006~0210** Phillips Anti-Slip Screwdrivers PH0, PH1, PH2
- 4 **FAAB0308~6E15** Slotted Anti-Slip Screwdrivers 3, 4, 5.5, 6.5 mm

BLOW CASE: W478 x D234 x H100 (mm)

Hand Sockets, Bit Sockets & Accessories

24PCS Professional Grade
1/2" DR. Flank Socket Set

1/2"

• CHUG1626 - Ratchet with knurled grip handle

ITEM NO.				
6PT	Mirror	GCAI2411	Satin	GCAI2412
12PT	Mirror	GCAI2413	Satin	GCAI2414

CONTENTS 4 (SET)

- 18 **BAEA1608~1632**
  1/2" Dr. 6PT Flank Sockets
  8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 23, 24, 27, 30, 32 mm
- 2 **CAAA1605 & 1610**
  1/2" Dr. Extension Bar - 5" & 10" (L)
- 1 **CTCK1630**
  1/2" Dr. Sliding T-Handle - 12" (L)
- 1 **CHUG1626**
  1/2" Dr. 36 Teeth Reversible Ratchet Handle with Quick Release
- 1 **CAHA1678**
  1/2" Dr. Universal Joint
- 1 **CFAE1615**
  1/2" Dr. Swivel Handle - 15" (L)

BLOW CASE: W380 x D275 x H75 (mm)

24PCS Professional Grade
1/2" DR. Flank Socket Set

1/2"

ITEM NO.				
6PT	Mirror	GCAI2401	Satin	GCAI2404
12PT	Satin	GCAI2406		

CONTENTS 4 (SET)

- 18 **BAEA1608~1632**
  1/2" Dr. 6PT Flank Sockets
  8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32 mm
- 2 **CAAA1605 & 1610**
  1/2" Dr. Extension Bar - 5" & 10" (L)
- 1 **CAHA1678**
  1/2" Dr. Universal Joint
- 1 **CJBG1627**
  1/2" Dr. 36 Teeth Reversible Ratchet Handle with Quick Release
- 1 **CTCK1625**
  1/2" Dr. Sliding T-Handle - 10" (L)
- 1 **BAAT1621**
  1/2" Dr. Magnetic Spark Plug Socket - 21 mm

BLOW CASE: W380 x D275 x H75 (mm)

24PCS Professional Grade
1/2" DR. Flank Socket Set

1/2"

ITEM NO.				
6PT	Mirror	GCAI2407	Satin	GCAI2408
12PT	Satin	GCAI2410		

CONTENTS 4 (SET)

- 18 **BAEA1608~1632**
  1/2" Dr. 6PT Flank Sockets
  8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32 mm
- 2 **CAAA1605 & 1610**
  1/2" Dr. Extension Bar - 5" & 10" (L)
- 1 **CAHA1678**
  1/2" Dr. Universal Joint
- 1 **CJBG1627**
  1/2" Dr. 36 Teeth Reversible Ratchet Handle with Quick Release
- 1 **CTCK1625**
  1/2" Dr. Sliding T-Handle - 10" (L)
- 1 **BBAR1626**
  1/2" Dr. Spark Plug Socket - 13/16"

BLOW CASE: W380 x D275 x H75 (mm)

150PCS
1/4" & 1/2" DR. Tool Kit

1/4"
1/2"

Professional quality meets or exceeds both ANSI & DIN standards

Rugged blow molded case for perfect tool protection and storage

DIN ANSI CR-V S2

ITEM NO.		
6PT	Satin	GCAI150R
12PT	Satin	GCAI150R1

CONTENTS 2 (SET)

- 12 **BAEA0804~0813**
  1/4" Dr. 6PT Flank Sockets - 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13 mm
- 8 **BAEE0806~0813**
  1/4" Dr. 6PT Flank Deep Sockets - 6, 7, 8, 9, 10, 11, 12, 13 mm
- 5 **BAED0804~0808**
  1/4" Dr. Star Sockets - E4, E5, E6, E7, E8
- 2 **CAAA0802 & 0804**
  1/4" Dr. Extension Bar - 2" & 4" (L)
- 1 **CASA0806**
  1/4" Dr. Flexible Extension Bar - 6" (L)
- 1 **CTCK0811**
  1/4" Dr. Sliding T-Handle
- 1 **CAHA0840**
  1/4" Dr. Universal Joint
- 1 **FTAB0808**
  1/4" Dr. x 1/4" (H) Quick Change Bit Holder
- 7 **GAAV0704**
  1/4" Hex Shank Slotted Insert Bits
  FSAA0804~086E - 4, 5.5, 6.5 mm
  1/4" Hex Shank Phillips Insert Bits
  FSBA0801 & 0802 - PH1 & PH2
  1/4" Hex Shank Pozi Insert Bits
  FSCA0801 & 0802 - PZ1 & PZ2
- 7 **GAAV0701**
  1/4" Hex Shank Hexagon Insert Bits
  FSDA0802~0808 - 2, 2.5, 3, 4, 5, 6, 8 mm
- 7 **GAAV0702**
  1/4" Hex Shank Star Insert Bits
  FSEA0810~0840 - T10, T15, T20, T25, T27, T30, T40
- 7 **GAAV0703**
  1/4" Hex Shank Star Tamperproof Insert Bits
  FSGA0810~0840 - T10, T15, T20, T25, T27, T30, T40
- 1 **CAIP0816**
  1/4" Dr. Spinner Handle
- 1 **CJBG0815**
  1/4" Dr. 36 Teeth Reversible Ratchet Handle with Quick Release
- 20 **BAEA1608~1632**
  1/2" Dr. 6PT Flank Sockets
  8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32 mm
- 5 **BAEE1614~1622**
  1/2" Dr. 6PT Flank Deep Sockets - 14, 15, 17, 19, 22 mm
- 6 **BAED1610~1620**
  1/2" Dr. Star Sockets - E10, E12, E14, E16, E18, E20
- 2 **CAAA1605 & 1610**
  1/2" Dr. Extension Bar - 5" & 10" (L)
- 1 **CAGA1216**
  3/8" (F) x 1/2" (M) Dr. 3-Way Adapter

CONTENTS

- 1 **CAHA1678**
  1/2" Dr. Universal Joint
- 2 **BAAR1616 & 1621**
  1/2" Dr. Spark Plug Sockets - 16 & 21mm
- 1 **FTAB1610**
  1/2" Dr. x 5/16" (H) Quick Change Bit Holder
- 1 **FSBA1003**
  5/16" Hex Shank Phillips Insert Bits - PH3
- 2 **FSDA1012 &1014**
  5/16" Hex Shank Hexagon Insert Bits - 12 & 14 mm
- 2 **FSEA1045 &1050**
  5/16" Hex Shank Star Insert Bits - T45 & T50
- 1 **CFAE1615**
  1/2" Dr. Swivel Handle - 15" (L)
- 1 **AFAN1610**
  1/2" Dr. L-Handle (90° Offset) - 10" (L)
- 1 **CJBG1627**
  1/2" Dr. 36 Teeth Reversible Ratchet Handle with Quick Release
- 17 **AAEX0606~2424**
  Hi-Performance Combination Wrench 15° Offset
  6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24 mm
- 4 **AEEA0810~1719**
  Flare Nut Wrenches - 8x10, 11x13, 12x14, 17x19 mm
- 7 **GAAL0701**
  Short Type Hex Key Wrench Set - 2.5, 3, 4, 5, 6, 8, 10 mm
- 1 **DBBB2207B**
  Combination Pliers - 7" (L)
- 1 **DEBB2206B**
  Diagonal Cutting Pliers - 6" (L)
- 1 **DAAQ1A10**
  Curved Jaw Locking Pliers with Wire Cutter - 10" (L)
- 1 **HAAA0532**
  Engineers Hammer - 500g
- 5 **GAAV0501**
  Chisel Punch Set
  Pin Punch - 4x10x150 mm
  Cape Chisel - 5x10x130 mm
  Cold Chisel - 12x10x130 mm
  Taper Punch - 3x10x120 mm
  Center Punch - #2x10x120 mm
- 1 **FBBB0203**
  Stubby Phillips Anti-Slip Screwdriver - PH2x25
- 2 **FBAB0108 & 0210**
  Phillips Anti-Slip Screwdrivers - PH1x80 & PH2x100
- 1 **FABB6E03**
  Stubby Slotted Anti-Slip Screwdriver - 6.5x25
- 2 **FAAB5E10 & 6E15**
  Slotted Anti-Slip Screwdrivers - 5.5x100 & 6.5x150

BLOW CASE: W560 x D412 x H120 (mm)

Hand Sockets, Bit Sockets & Accessories

216PCS 1/4", 3/8" & 1/2" DR. Flank Socket Wrench Set

1/4"
3/8"
1/2"

Rugged blow molded case for perfect tool protection and storage

Professional quality meets or exceeds both ANSI & DIN standards

DIN ANSI CR-V S2

ITEM NO.

6PT	Satin	GCAI216R

CONTENTS 2 (SET)

13 BAEA0804~0814
1/4" Dr. 6PT Flank Sockets
4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm
10 BAEA1210~1219
3/8" Dr. 6PT Flank Sockets
10, 11, 12, 13, 14, 15, 16, 17, 18, 19, mm
15 BAEA1610~1632
1/2" Dr. 6PT Flank Sockets
10, 11, 12, 13, 14, 15, 17, 19, 20, 21, 22, 24, 27, 30, 32 mm
7 BAEE0804~0810
1/4" Dr. 6PT Flank Deep Sockets - 4, 5, 6, 7, 8, 9, 10 mm
6 BAEE1210~1215
3/8" Dr. 6PT Flank Deep Sockets - 10, 11, 12, 13, 14, 15 mm
5 BAEE1616~1622
1/2" Dr. 6PT Flank Deep Sockets - 16, 17, 18, 19, 22 mm
5 BAED0804~0808
1/4" Dr. Star Sockets - E4, E5, E6, E7, E8
6 BAED1210~1218
3/8" Dr. Star Sockets - E10, E11, E12, E14, E16, E18
3 BAED1620~1624
1/2" Dr. Star Sockets - E20, E22, E24
3 CJRM0815~1626
1/4", 3/8" & 1/2" Dr. 72 Teeth Reversible Ratchet Handle with Quick Release
3 CAHA0840~1678
1/4", 3/8" & 1/2" Dr. Universal Joint
2 CTCK0811 & 1625
1/4" & 1/2" Dr. Sliding T-Handle
1 CAIA0815
1/4" Dr. Spinner Handle
2 CAAA0802 & 0804
1/4" Dr. Extension Bar - 2" & 4" (L)
1 CAAA1206
3/8" Dr. Extension Bar - 6" (L)
2 CAAA1605 & 1610
1/2" Dr. Extension Bar - 5" & 10" (L)
3 BCCA0806~0808
1/4" Dr. Slotted Bit Sockets - 6, 6.5, 8 mm
2 BCAA08P3 & 08P4
1/4" Dr. Phillips Bit Sockets - PH3 & PH4
2 BCBA08P3 & 08P4
1/4" Dr. Pozi Bit Sockets - PZ3 & PZ4
4 BCFA0825~0835
1/4" Dr. Star Bit Sockets - T25, T27, T30, T35
4 BCFA1240~1250
3/8" Dr. Star Bit Sockets - T40x2pcs, T45, T50
2 BCFA1655 & 1660
1/2" Dr. Star Bit Sockets - T55 & T60
3 BCLA0827~0835
1/4" Dr. Star Tamperproof Bit Sockets - T27, T30, T35
3 BCLA1240~1250
3/8" Dr. Star Tamperproof Bit Sockets - T40, T45, T50
5 BCDA085E~0808
1/4" Dr. Hex Bit Sockets - 5.5, 6, 6.5, 7, 8 mm

CONTENTS
4 BCHA1205~1210
3/8" Dr. Spline Bit Sockets - M5, M6, M8, M10
3 FSAA1006~1008
5/16" Hex Shank Slotted Insert Bits - 6, 6.5, 8 mm
2 FSBA1003 & 1004
5/16" Hex Shank Phillips Insert Bits - PH3 & PH4
2 FSCA1003 & 1004
5/16" Hex Shank Pozi Insert Bits - PZ3 & PZ4
8 FSEA1025~1050
5/16" Hex Shank Star Insert Bits - T25, T27, T30, T35, T40x2pcs, T45, T50
6 FSGA1027~1050
5/16" Hex Shank Star Tamperproof Insert Bits - T27, T30, T35, T40, T45, T50
5 FSDA105E~1008
5/16" Hex Shank Hexagon Insert Bits - 5.5, 6, 6.5, 7, 8 mm
4 FSFA1005~1010
5/16" Hex Shank Spline Insert Bits - M5, M6, M8, M10
11 GAAV1101
FSGA0808~0840
1/4" Hex Shank Star Tamperproof Insert Bits
T8, T10x2pcs, T15x2pcs, T20x2pcs, T25x2pcs, T40
FSHA0801
1/4" Hex Shank Square Insert Bits - SQ1
11 GAAV1102
FSAA0804~086E
1/4" Hex Shank Slotted Insert Bits - 4, 5.5, 6.5 mm
FSBA0801 & 0802
1/4" Hex Shank Phillips Insert Bits - PH1 & PH2
FSCA0801 & 0802
1/4" Hex Shank Pozi Insert Bits - PZ1 & PZ2
FSDA0803~0806
1/4" Hex Shank Hexagon Insert Bits - 3, 4, 5, 6 mm
11 GAAV1103
FSXA0806~0810
1/4" Hex Shank Torq-Set Insert Bits - 6, 8, 10 mm
FSYA0801~0803
1/4" Hex Shank Tri-Wing Insert Bits - 1, 2, 3 mm
FSEA0808~0825
1/4" Hex Shank Star Insert Bits - T8, T10, T15, T20, T25
11 GAAV1104
FSPA0804~0808
1/4" Hex Shank Spanner Insert Bits - 4, 6, 8 mm
FSNA0803~0806
1/4" Hex Shank Hexagon Tamperproof Insert Bits - 3, 4, 5, 6 mm
FSFA0805~0808
1/4" Hex Shank Spline Insert Bits - M5, M6, M8
FSHA0802
1/4" Hex Shank Square Insert Bits - SQ2
1 BAAR1218
3/8" Dr. Spark Plug Socket - 18 mm
2 BAAR1616 & 1621
1/2" Dr. Spark Plug Sockets - 16 & 21 mm
1 FTAB0808
1/4" Dr. x 1/4" (H) Quick Change Bit Holder
2 FTAB1210 & 1610
3/8" & 1/2" Dr. x 5/16" (H) Quick Change Bit Holder
1 FTBA0824
1/4" (H) Magnetic Bit Holder with Handle
12 AAEX0808~2222
Hi-Performance Combination Wrench 15° Offset
8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 22 mm
7 AGAS1C04~0509
Short Type Hex Key Wrenches - 1.27, 1.5, 2, 2.5, 3, 4, 5 mm

BLOW CASE: W560 x D412 x H120 (mm)

94PCS Professional Grade

1/4" & 1/2" DR. Flank Socket Set

1/4"
1/2"

ITEM NO.

6PT	Satin	GCAI094R
12PT	Satin	GCAI094R1

CONTENTS 3 (SET)

13 BAEA0804~0814
1/4" Dr. 6PT Flank Sockets
4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm
8 BAEE0806~0813
1/4" Dr. 6PT Flank Deep Sockets
6, 7, 8, 9, 10, 11, 12, 13 mm
4 BCDA0803~0806
1/4" Dr. Hex Bit Sockets
3, 4, 5, 6 mm
6 BCFA0808~0830
1/4" Dr. Star Bit Sockets
T8, T10, T15, T20, T25, T30
3 BCCA0804~086E
1/4" Dr. Slotted Bit Sockets
4, 5.5, 6.5 mm
2 BCAA08P1 & 08P2
1/4" Dr. Phillips Bit Sockets
PH1 & PH2
2 BCBA08P1 & 08P2
1/4" Dr. Pozi Bit Sockets
PZ1 & PZ2
18 BAEA1610~1632
1/2" Dr. 6PT Flank Sockets
10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32 mm
5 BAEE1614~1622
1/2" Dr. 6PT Flank Deep Sockets
14, 15, 17, 19, 22 mm
2 BAAR1616 & 1621
1/2" Dr. Spark Plug Sockets
16 & 21 mm
4 FSDA1008~1014
5/16" Hex Shank Hexagon Insert Bits
8, 10, 12, 14 mm
4 FSEA1040~1055
5/16" Hex Shank Star Insert Bits
T40, T45, T50, T55
3 FSAA1008~1012
5/16" Hex Shank Slotted Insert Bits
8, 10, 12 mm
2 FSBA1003 & 1004
5/16" Hex Shank Phillips Insert Bits
PH3 & PH4
2 FSCA1003 & 1004
5/16" Hex Shank Pozi Insert Bits
PZ3 & PZ4
2 CJBG0815 & 1627
1/4" & 1/2" Dr. 36 Teeth Reversible Ratchet Handle with Quick Release
2 CAHA0840 & 1678
1/4" & 1/2" Dr. Universal Joint
2 CAAA0802 & 0804
1/4" Dr. Extension Bar - 2" & 4" (L)
1 CAIA0815
1/4" Dr. Spinner Handle
1 CTCK0811
1/4" Dr. Sliding T-Handle
1 CASA0806
1/4" Dr. Flexible Extension Bar - 6" (L)
1 FTAB1610
1/2" Dr. x 5/16" (H) Quick Change Bit Holder
2 CAAA1605 & 1610
1/2" Dr. Extension Bar - 5" & 10" (L)
1 CAGA1216
3/8"(F) x 1/2"(M) Dr. 3-Way Adapter
3 AGAS1E05~2E06
Short Type Hex Key Wrenches
1.5, 2, 2.5 mm

BLOW CASE: W375 x D282 x H87 (mm)

108PCS Professional Grade

1/4" & 1/2" DR. Flank Socket Set

1/4"
1/2"

ITEM NO.

6PT	Satin	GCAI108R
12PT	Satin	GCAI108R1

CONTENTS 3 (SET)

13 BAEA0804~0814
1/4" Dr. 6PT Flank Sockets
4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm
8 BAEE0806~0813
1/4" Dr. 6PT Flank Deep Sockets
6, 7, 8, 9, 10, 11, 12, 13 mm
5 BAED0804~0808
1/4" Dr. Star Sockets
E4, E5, E6, E7, E8
4 BCDA0803~0806
1/4" Dr. Hex Bit Sockets
3, 4, 5, 6 mm
7 BCFA0808~0830
1/4" Dr. Star Bit Sockets
T8, T10, T15, T20, T25, T27, T30
3 BCCA0804~086E
1/4" Dr. Slotted Bit Sockets
4, 5.5, 6.5 mm
2 BCAA08P1 & 08P2
1/4" Dr. Phillips Bit Sockets
PH1 & PH2
2 BCBA08P1 & 08P2
1/4" Dr. Pozi Bit Sockets
PZ1 & PZ2
1 CJBG0815
1/4" Dr. 36 Teeth Reversible Ratchet Handle with Quick Release
2 CAAA0802 & 0804
1/4" Dr. Extension Bar - 2" & 4"
1 CTCK0811
1/4" Dr. Sliding T-Handle
1 CAHA0840
1/4" Dr. Universal Joint
1 CAIA0815
1/4" Dr. Spinner Handle
3 AGAS1E05~2E06
Short Type Hex Key Wrenches
1.5, 2, 2.5 mm
17 BAEA1610~1632
1/2" Dr. 6PT Flank Sockets
10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24, 27, 30, 32 mm
5 BAEE1614~1622
1/2" Dr. 6PT Flank Deep Sockets
14, 15, 17, 19, 22 mm
8 BAED1610~1624
1/2" Dr. Star Sockets
E10, E11, E12, E14, E16, E18, E20, E24
5 FSDA1007~1014
5/16" Hex Shank Hexagon Insert Bits
7, 8, 10, 12, 14 mm
5 FSEA1040~1060
5/16" Hex Shank Star Insert Bits
T40, T45, T50, T55, T60
3 FSAA1008~1012
5/16" Hex Shank Slotted Insert Bits
8, 10, 12 mm
2 FSBA1003 & 1004
5/16" Hex Shank Phillips Insert Bits
PH3 & PH4
2 FSCA1003 & 1004
5/16" Hex Shank Pozi Insert Bits
PZ3 & PZ4
1 CJBG1627
1/2" Dr. 36 Teeth Reversible Ratchet Handle with Quick Release
2 CAAA1605 & 1610
1/2" Dr. Extension Bar - 5" & 10"
1 CAHA1678
1/2" Dr. Universal Joint
2 BAAR1616 & 1621
1/2" Dr. Spark Plug Sockets - 16 & 21mm
1 FTAB1610
1/2" Dr. x 5/16" (H) Quick Change Bit Holder
1 CAGA1216
3/8" (F) x 1/2" (M) Dr. 3-Way Adapter

BLOW CASE: W375 x D282 x H87 (mm)

Hand Sockets, Bit Sockets & Accessories

82PCS Professional Grade

1/4" & 1/2" DR. Flank Socket Wrench Set

1/4"
1/2"

ITEM NO.		
6PT	Satin	GCAI8201
12PT	Satin	GCAI8202

CONTENTS — 3 (SET)

12 BAEA0804~0813
1/4" Dr. 6PT Flank Sockets
4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13 mm

3 BCCA0804~086E
1/4" Dr. Slotted Bit Sockets
4, 5.5, 6.5 mm

2 BCAA08P1 & 08P2
1/4" Dr. Phillips Bit Sockets
PH1 & PH2

2 BCBA08P1 & 08P2
1/4" Dr. Pozi Bit Sockets
PZ1 & PZ2

4 BCDA0803~0806
1/4" Dr. Hex Bit Sockets
3, 4, 5, 6 mm

7 BCFA0808~0830
1/4" Dr. Star Bit Sockets
T8, T10, T15, T20, T25, T27, T30

2 CAAA0802 & 0804
1/4" Dr. Extension Bar - 2" & 4" (L)

1 CASA0806
1/4" Dr. Flexible Extension Bar - 6" (L)

1 CTCK0811
1/4" Dr. Sliding T-Handle

1 CAIP0816
1/4" Dr. Spinner Handle

2 FSBA1003 & 1004
5/16" Hex Shank Phillips Insert Bits
PH3 & PH4

2 FSCA1003 & 1004
5/16" Hex Shank Pozi Insert Bits
PZ3 & PZ4

3 FSAA1008~1012
5/16" Hex Shank Slotted Insert Bits
8, 10, 12 mm

4 FSDA1008~1014
5/16" Hex Shank Hexagon Insert Bits
8, 10, 12, 14 mm

5 FSEA1040~1060
5/16" Hex Shank Star Insert Bits
T40, T45, T50, T55, T60

12 BAEA1614~1632
1/2" Dr. 6PT Flank Sockets
14, 15, 16, 17, 18, 19, 20, 22, 24, 27, 30, 32 mm

2 CAAA1605 & 1610
1/2" Dr. Extension Bar - 5" & 10" (L)

2 BAAR1616 & 1621
1/2" Dr. Spark Plug Sockets - 16 & 21 mm

2 CJBG0815 & 1627
1/4" & 1/2" Dr. 36 Teeth Reversible Ratchet Handle with Quick Release

2 CAHA0840 & 1678
1/4" & 1/2" Dr. Universal Joint

1 FTAB1610
1/2" Dr. x 5/16" (H) Quick Change Bit Holder

1 CAGA1216
3/8" (F) x 1/2" (M) Dr. 3-Way Adapter

5 AAEX0808~2222
Hi-Performance Combination Wrench 15° Offset
8, 10, 11, 12, 13, 14, 17, 19, 22 mm

BLOW CASE: W375 x D282 x H75 (mm)

97PCS

1/4" & 1/2" DR. Tool Kit

1/4"
1/2"

ITEM NO.		
6PT	Satin	GCAI9701

CONTENTS — 2 (SET)

12 BAEA0804~0813
1/4" Dr. 6PT Flank Sockets
4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13 mm

10 BAEE0804~0813
1/4" Dr. 6PT Flank Deep Sockets
4, 5, 6, 7, 8, 9, 10, 11, 12, 13 mm

1 CAHA0840
1/4" Dr. Universal Joint

1 CAAA0803
1/4" Dr. Extension Bar - 3" (L)

1 CASA0806
1/4" Dr. Flexible Extension Bar - 6" (L)

1 CTCK0811
1/4" Dr. Sliding T-Handle

1 CFAC0806
1/4" Dr. Swivel Handle - 6" (L)

1 FTAB0808
1/4" Dr. x 1/4" (H) Quick Change Bit Holder

7 GAAV0702
1/4" Hex Shank Star Insert Bits
FSEA0810~0840 - T10, T15, T20, T25, T27, T30, T40

7 GAAV0704
1/4" Hex Shank Slotted Insert Bits
FSAA0804~086E - 4, 5.5, 6.5 mm
1/4" Hex Shank Phillips Insert Bits
FSBA0801 & 0802 - PH1 & PH2
1/4" Hex Shank Pozi Insert Bits
FSCA0801 & 0802 - PZ1 & PZ2

1 CAIP0816
1/4" Dr. Spinner Handle

1 CJBG0815
1/4" Dr. 36 Teeth Reversible Ratchet Handle with Quick Release

18 BAEA1610~1632
1/2" Dr. 6PT Flank Sockets
10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32 mm

10 BAEE1610~1624
1/2" Dr. 6PT Flank Deep Sockets
10, 12, 13, 14, 16, 17, 19, 21, 22, 24 mm

1 CAHA1678
1/2" Dr. Universal Joint

2 BAAR1616 & 1621
1/2" Dr. Spark Plug Sockets - 16 & 21 mm

2 CAAA1605 & 1610
1/2" Dr. Extension Bar - 5" & 10" (L)

1 CTCK1625
1/2" Dr. Sliding T-Handle

1 CFAC1615
1/2" Dr. Swivel Handle - 15" (L)

1 CJBG1627
1/2" Dr. 36 Teeth Reversible Ratchet Handle with Quick Release

9 GAAL0910
Short Type Hex Key Wrench Set
1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm

1 FBBB0203
Stubby Phillips Anti-Slip Screwdriver
PH2x25

2 FBAB0210 & 0315
Phillips Anti-Slip Screwdrivers
PH2x100 & PH3x150

1 FABB6E03
Stubby Slotted Anti-Slip Screwdriver
6.5x25

1 FAAB5E10
Slotted Anti-Slip Screwdriver
5.5x100

1 DEBB2206
Diagonal Cutting Pliers - 6" (L)

1 DBBB2207
Combination Pliers - 7" (L)

1 AMAC2420
Adjustable Wrench - 8" (L)

BLOW CASE: W473 x D345 x H82 (mm)

151PCS Professional Grade

1/4", 3/8" & 1/2" DR. Flank Socket Set



1/4"
3/8"
1/2"

ITEM NO.		
6PT	Satin	GCAI151R

CONTENTS — 2 (SET)

13 BAEA0804~0814
1/4" Dr. 6PT Flank Sockets
4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm

10 BAEA1210~1219
3/8" Dr. 6PT Flank Sockets
10, 11, 12, 13, 14, 15, 16, 17, 18, 19, mm

17 BAEA1610~1632
1/2" Dr. 6PT Flank Sockets
10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24, 27, 30, 32 mm

7 BAEE0804~0810
1/4" Dr. 6PT Flank Deep Sockets
4, 5, 6, 7, 8, 9, 10 mm

6 BAEE1210~1215
3/8" Dr. 6PT Flank Deep Sockets
10, 11, 12, 13, 14, 15 mm

5 BAEE1616~1622
1/2" Dr. 6PT Flank Deep Sockets
16, 17, 18, 19, 22 mm

5 BAED0804~0808
1/4" Dr. Star Sockets
E4, E5, E6, E7, E8

6 BAED1210~1218
3/8" Dr. Star Sockets
E10, E11, E12, E14, E16, E18

2 BAED1620 & 1624
1/2" Dr. Star Sockets - E20 & E24

4 BCCA0804~0807
1/4" Dr. Slotted Bit Sockets
4, 5.5, 6.5, 7 mm

3 BCAA08P0~08P2
1/4" Dr. Phillips Bit Sockets
PH0, PH1, PH2

3 BCBA08P0~08P2
1/4" Dr. Pozi Bit Sockets
PZ0, PZ1, PZ2

8 BCFA0808~0830
1/4" Dr. Star Bit Sockets
T8, T9, T10, T15, T20, T25, T27, T30

4 BCDA0803~0806
1/4" Dr. Hex Bit Sockets
3, 4, 5, 6 mm

8 BCLA0808~0830
1/4" Dr. Star Tamperproof Bit Sockets
T8, T9, T10, T15, T20, T25, T27, T30

CONTENTS

1 BAAR1218
3/8" Dr. Spark Plug Socket - 18 mm

2 BAAR1616 & 1621
1/2" Dr. Spark Plug Sockets - 16 & 21 mm

1 FTAB1210
3/8" Dr. x 5/16" (H) Quick Change Bit Holder

1 FTAB1610
1/2" Dr. x 5/16" (H) Quick Change Bit Holder

3 FSAA1008~1012
5/16" Hex Shank Slotted Insert Bits
8, 10, 12 mm

2 FSBA1003 & 1004
5/16" Hex Shank Phillips Insert Bits - PH3 & PH4

2 FSCA1003 & 1004
5/16" Hex Shank Pozi Insert Bits - PZ3 & PZ4

6 FSEA1040~1070
5/16" Hex Shank Star Insert Bits
T40, T45, T50, T55, T60, T70

5 FSDA1007~1014
5/16" Hex Shank Hexagon Insert Bits
7, 8, 10, 12, 14 mm

6 FSGA1040~1070
5/16" Hex Shank Star Tamperproof Insert Bits
T40, T45, T50, T55, T60, T70

3 CJRM0815~1626
1/4", 3/8" & 1/2" Dr. 72 Teeth Reversible Ratchet Handle with Quick Release

3 CAHA0840~1678
1/4", 3/8" & 1/2" Dr. Universal Joint

1 CTCK0811
1/4" Dr. Sliding T-Handle

1 CAIA0815
1/4" Dr. Spinner Handle

2 CAAA0802 & 0804
1/4" Dr. Extension Bar - 2" & 4" (L)

1 CAAA1206
3/8" Dr. Extension Bar - 6" (L)

2 CAAA1605 & 1610
1/2" Dr. Extension Bar - 5" & 10" (L)

1 CAGA1216
3/8" (F) x 1/2" (M) Dr. 3-Way Adapter

7 AGAS1C04~0509
Short Type Hex Key Wrenches
1.27, 1.5, 2, 2.5, 3, 4, 5 mm

BLOW CASE: W483 x D346 x H91 (mm)

Hand Sockets, Bit Sockets & Accessories

80PCS Professional Grade

1/4" & 1/2" DR. Tool Kit

1/4"
1/2"

ITEM NO.

6PT	Satin	GCAI8002

CONTENTS — 2 (SET)

- 9 AAEW0808~1919
  Super-Torque Combination Wrench 15° Offset
  8, 10, 12, 13, 14, 15, 17, 18, 19 mm
- 10 BAEA0804~0813
  1/4" Dr. 6PT Flank Sockets
  4, 5, 6, 7, 8, 9, 10, 11, 12, 13 mm
- 3 BAEE0808~0812
  1/4" Dr. 6PT Flank Deep Sockets
  8, 10, 12 mm
- 11 BAEA1614~1632
  1/2" Dr. 6PT Flank Sockets
  14, 15, 17, 18, 19, 21, 22, 24, 27, 30, 32 mm
- 3 BAEE1614~1619
  1/2" Dr. 6PT Flank Deep Sockets
  14, 17, 19 mm
- 2 BAAR1616 & 1621
  1/2" Dr. Spark Plug Sockets - 16 & 21 mm
- 1 CAAA0804
  1/4" Dr. Extension Bar - 4" (L)
- 2 CAAA1605 & 1610
  1/2" Dr. Extension Bar - 5" & 10" (L)
- 1 CTCK0811
  1/4" Dr. Sliding T-Handle
- 1 CTCK1625
  1/2" Dr. Sliding T-Handle - 10" (L)
- 2 CAHA0840 & 1678
  1/4" & 1/2" Dr. Universal Joint
- 1 CAIA0815
  1/4" Dr. Spinner Handle
- 1 CASA0806
  1/4" Dr. Flexible Extension Bar - 6" (L)
- 2 CJBG0815 & 1627
  1/4" & 1/2" Dr. 36 Teeth Reversible Ratchet Handle with Quick Release
- 1 DDBA2210
  Box-Joint Water Pump Pliers - 10" (L)
- 1 DFBB2208
  Long Nose Pliers - 8" (L)
- 1 DBBB2207
  Combination Pliers - 7" (L)
- 1 FTAB0808
  1/4" Dr. x 1/4" (H) Quick Change Bit Holder
- 3 FBAB0108~0315
  ✚ Phillips Anti-Slip Screwdrivers
  PH1x80, PH2x100, PH3x150
- 2 FAAB5E10 & 6E10
  ⬌ Slotted Anti-Slip Screwdrivers
  5.5x100 & 6.5x100 mm
- 7 GAAV0704
  ⬌ 1/4" Hex Shank Slotted Insert Bits
  FSAA0804~086E - 4, 5.5, 6.5 mm
  ✚ 1/4" Hex Shank Phillips Insert Bits
  FSBA0801~0802 - PH1 & PH2
  ✚ 1/4" Hex Shank Pozi Insert Bits
  FSCA0801~0802 - PZ1 & PZ2
- 7 GAAV0702
  ○ 1/4" Hex Shank Star Insert Bits
  FSEA0810~0840 - T10, T15, T20, T25, T27, T30, T40
- 7 GAAV0701
  ⬡ 1/4" Hex Shank Hexagon Insert Bits
  FSDA0802~0808 - 2, 2.5, 3, 4, 5, 6, 8 mm
- 1 HAAA0330
  Engineers Hammer (300g)

BLOW CASE: W483 x D346 x H91 (mm)

96PCS

1/4" & 1/2" DR. Tool Kit

1/4"
1/2"

ITEM NO.

6PT	Satin	GCAI9601
12PT	Satin	GCAI9602

CONTENTS — 2 (SET)

- 9 BAEA0804~0810
  1/4" Dr. 6PT Flank Sockets
  4, 4.5, 5, 5.5, 6, 7, 8, 9, 10 mm
- 6 BAED0804~0810
  1/4" Dr. Star Sockets
  E4, E5, E6, E7, E8, E10
- 1 CAAA0803
  1/4" Dr. Extension Bar - 3" (L)
- 1 CASA0806
  1/4" Dr. Flexible Extension Bar - 6" (L)
- 1 CAHA0840
  1/4" Dr. Universal Joint
- 1 CTCK0811
  1/4" Dr. Sliding T-Handle
- 1 CJBG0815
  1/4" Dr. 36 Teeth Reversible Ratchet Handle with Quick Release
- 1 FTAB0808
  1/4" Dr. x 1/4" (H) Quick Change Bit Holder
- 1 CAIP0816
  1/4" Dr. Spinner Handle
- 10 FSDA0802~0812
  ⬡ 1/4" Hex Shank Hexagon Insert Bits
  2, 2.5, 3, 4, 5, 6, 7, 8, 10, 12 mm
- 10 FSEA0808~0850
  ○ 1/4" Hex Shank Star Insert Bits
  T8, T10, T15, T20, T25, T27, T30, T40, T45, T50
- 20 BAEA1608~1632
  1/2" Dr. 6PT Flank Sockets
  8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32 mm
- 6 BAED1611~1620
  1/2" Dr. Star Sockets
  E11, E12, E14, E16, E18, E20
- 2 BAAR1616 & 1621
  1/2" Dr. Spark Plug Sockets - 16 & 21 mm
- 2 CAAA1605 & 1610
  1/2" Dr. Extension Bar - 5" & 10" (L)
- 1 CAHA1678
  1/2" Dr. Universal Joint
- 1 CTCK1625
  1/2" Dr. Sliding T-Handle
- 1 CJBG1627
  1/2" Dr. 36 Teeth Reversible Ratchet Handle with Quick Release
- 11 AAEX0808~1919
  Hi-Performance Combination Wrench 15° Offset
  8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm
- 4 AEEA0810~1719
  Flare Nut Wrenches
  8x10, 11x13, 12x14, 17x19 mm
- 1 AMAC2420
  Adjustable Wrench - 8" (L)
- 1 DBBB2207
  Combination Pliers - 7" (L)
- 2 FBAB0108 & 0210
  ✚ Phillips Anti-Slip Screwdrivers
  PH1x80 & PH2x100
- 2 FAAB5E10 & 6E15
  ⬌ Slotted Anti-Slip Screwdrivers
  5.5x100 & 6.5x150

BLOW CASE: W483 x D346 x H91 (mm)

TOPTUL
BLOW CASE TOOL SET

106PCS Professional Grade

1/4" & 1/2" DR. Flank Socket Wrench Set

1/4"
1/2"

ITEM NO.

6PT	Satin	GCAI106B

CONTENTS — 2 (SET)

- 13 BAEA0804~0814
  1/4" Dr. 6PT Flank Sockets
  4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm
- 3 BAEE0808~0812
  1/4" Dr. 6PT Flank Deep Sockets
  8, 10, 12 mm
- 12 BAEA1615~1632
  1/2" Dr. 6PT Flank Sockets
  15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 32 mm
- 3 BAEE1614~1619
  1/2" Dr. 6PT Flank Deep Sockets
  14, 17, 19 mm
- 1 CAAA0804
  1/4" Dr. Extension Bar - 4" (L)
- 2 CAAA1605 & 1610
  1/2" Dr. Extension Bar - 5" & 10" (L)
- 1 CTCK0811
  1/4" Dr. Sliding T-Handle
- 1 CTCK1625
  1/2" Dr. Sliding T-Handle - 10" (L)
- 2 CAHA0840 & 1678
  1/4" & 1/2" Dr. Universal Joint
- 2 BAAR1616 & 1621
  1/2" Dr. Spark Plug Sockets - 16 & 21 mm
- 2 CJBG0815 & 1627
  1/4" & 1/2" Dr. 36 Teeth Reversible Ratchet Handle with Quick Release
- 1 CAIA0815
  1/4" Dr. Spinner Handle
- 1 FTBA0824
  1/4" (H) Magnetic Bit Holder with Handle
- 2 FTAB0808 & 1610
  1/4" Dr. x 1/4" (H) & 1/2" Dr. x 5/16" (H) Quick Change Bit Holder
- 3 FSAA1008~1012
  ⬌ 5/16" Hex Shank Slotted Insert Bits
  8, 10, 12 mm
- 2 FSBA1003 & 1004
  ✚ 5/16" Hex Shank Phillips Insert Bits
  PH3 & PH4
- 2 FSCA1003 & 1004
  ✚ 5/16" Hex Shank Pozi Insert Bits
  PZ3 & PZ4
- 3 FSEA1045~1055
  ○ 5/16" Hex Shank Star Insert Bits
  T45, T50, T55
- 4 FSDA1008~1014
  ⬡ 5/16" Hex Shank Hexagon Insert Bits
  8, 10, 12, 14 mm
- 31 GAAW3101 - 31PCS Screwdriver Bit Set
  ✚ FSBA: PH0, PH1x2pcs, PH2x2pcs, PH3
  ✚ FSCA: PZ0, PZ1x2pcs, PZ2x2pcs, PZ3
  ⬌ FSAA: 4x0.5, 5.5x1, 6.5x1.2 mm
  ⬡ FSDA: 3, 4, 5, 6 mm
  ○ FSEA: T6,T7,T8,T9,T10,T15,T20,T25,T27,T30,T40
  ● 1/4" Dr. x ○ 1/4" (H) Magnetic Power Bit Holder
- 15 AAEW0606~2222
  Super-Torque Combination Wrench 15° Offset
  6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 22 mm

BLOW CASE: W483 x D346 x H91 (mm)

130PCS Professional Grade

1/4", 3/8" & 1/2" DR. Flank Socket Wrench Set (METRIC & SAE)

1/4"
3/8"
1/2"

ITEM NO.

6PT	Satin	GCAI130B

CONTENTS — 2 (SET)

- 6 BAED0804~0810
  1/4" Dr. Star Sockets
  E4, E5, E6, E7, E8, E10
- 4 BAEE0808~0812
  1/4" Dr. 6PT Flank Deep Sockets
  8, 9, 10, 12 mm
- 11 BAEA0804~0812
  1/4" Dr. 6PT Flank Sockets
  4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12 mm
- 7 BBEA0805~0811
  1/4" Dr. 6PT Flank Sockets
  5/32", 3/16", 7/32", 1/4", 9/32", 5/16", 11/32"
- 6 BAED1211~1220
  3/8" Dr. Star Sockets
  E11, E12, E14, E16, E18, E20
- 4 BAEE1213~1217
  3/8" Dr. 6PT Flank Deep Sockets
  13, 14, 15, 17 mm
- 7 BAEA1213~1219
  3/8" Dr. 6PT Flank Sockets
  13, 14, 15, 16, 17, 18, 19 mm
- 9 BBEA1212~1228
  3/8" Dr. 6PT Flank Sockets
  3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8"
- 7 BAEA1620~1632
  1/2" Dr. 6PT Flank Sockets
  20, 21, 22, 24, 27, 30, 32 mm
- 4 BBEA1630~1640
  1/2" Dr. 6PT Flank Sockets
  15/16", 1", 1-1/16", 1-1/4"
- 4 BCFA1645~1660
  ○ 1/2" Dr. Star Bit Sockets
  T45, T50, T55, T60
- 5 BCFA1220~1240
  ○ 3/8" Dr. Star Bit Sockets
  T20, T25, T27, T30, T40
- 2 BCDA1208 & 1210
  ⬡ 3/8" Dr. Hex Bit Sockets - 8 & 10 mm
- 3 BCCA125E~1208
  ⬌ 3/8" Dr. Slotted Bit Sockets
  5.5, 6.5, 8 mm
- 3 BCAA12P2~12P4
  ✚ 3/8" Dr. Phillips Bit Sockets - PH2, PH3, PH4
- 7 GAAV0703
  ⊙ 1/4" Hex Shank Star Tamperproof Insert Bits
  FSGA0810~0840 -T10,T15,T20,T25,T27,T30,T40
- 7 GAAV0702
  ○ 1/4" Hex Shank Star Insert Bits
  FSEA0810~0840 - T10,T15,T20,T25,T27,T30,T40
- 7 GAAV0701
  ⬡ 1/4" Hex Shank Hexagon Insert Bits
  FSDA0802~0808 - 2, 2.5, 3, 4, 5, 6, 8 mm
- 3 CAHA0840~1678
  1/4", 3/8" & 1/2" Dr. Universal Joint
- 3 CJBG0815~1627
  1/4", 3/8" & 1/2" Dr. 36 Teeth Reversible Ratchet Handle with Quick Release
- 1 FTAB0808
  1/4" Dr. x 1/4" (H) Quick Change Bit Holder
- 1 CAAA0802
  1/4" Dr. Extension Bar - 2" (L)
- 1 CAIP0816
  1/4" Dr. Spinner Handle
- 2 CAAA1203 & 1206
  3/8" Dr. Extension Bar - 3" & 6" (L)
- 2 BAAR1616 & 1621
  1/2" Dr. Spark Plug Sockets - 16 & 21 mm
- 2 CAAA1605 & 1610
  1/2" Dr. Extension Bar - 5" & 10" (L)
- 12 AAEW0808~2222
  Super-Torque Combination Wrench 15° Offset
  8, 9, 10, 11, 12, 13, 14, 17, 18, 19, 21, 22 mm

BLOW CASE: W483 x D346 x H91 (mm)

Hand Sockets, Bit Sockets & Accessories

21PCS Professional Grade
3/4" DR. Flank Socket Set

3/4"

ITEM NO.		
6PT	Satin	GCAI2104
12PT	Satin	GCAI2105

CONTENTS 2 (SET)

16 **BAEA2419~2450**
3/4" Dr. 6PT Flank Sockets
19, 21, 22, 23, 24, 26, 27, 29, 30, 32, 35, 36, 38, 41, 46, 50 mm

2 **CABA2408 & 2416**
3/4" Dr. Extension Bar With Quick Release
8" & 16" (L)

1 **CAHA24A0**
3/4" Dr. Universal Joint

1 **CHES2408**
3/4" Dr. 43 Teeth Reversible Ratchet with Adjustable Tube Handle (Quick-Release)
500~800mm

1 **CFDC2408**
3/4" Dr. Swivel Handle with Adjustable Tube Handle (Quick-Release)
500~800mm

BLOW CASE: W535 x D385 x H100 (mm)

21PCS Professional Grade
3/4" DR. Flank Socket Set

3/4"

ITEM NO.		
6PT	Satin	GCAI2102
12PT	Satin	GCAI2103

CONTENTS 2 (SET)

16 **BAEA2419~2450**
3/4" Dr. 6PT Flank Sockets
19, 21, 22, 23, 24, 26, 27, 29, 30, 32, 35, 36, 38, 41, 46, 50 mm

2 **CABA2408 & 2416**
3/4" Dr. Extension Bar With Quick Release
8" & 16" (L)

1 **CAHA24A0**
3/4" Dr. Universal Joint

1 **CFJB2419**
3/4" Dr. Swivel Handle - 21" (L)

1 **CHFS2451**
3/4" Dr. 43 Teeth Reversible Ratchet Handle with Quick Release

BLOW CASE: W535 x D385 x H100 (mm)

17PCS Professional Grade
3/4" DR. Flank Socket Set

3/4"

ITEM NO.		
6PT	Satin	GCAI1701
12PT	Satin	GCAI1702

CONTENTS 2 (SET)

13 **BAEA2419~2450**
3/4" Dr. 6PT Flank Sockets
19, 21, 22, 23, 24, 27, 30, 32, 36, 38, 41, 46, 50 mm

2 **CABA2404 & 2408**
3/4" Dr. Extension Bar With Quick Release
4" & 8" (L)

1 **CTCJ2418**
3/4" Dr. Sliding T- Handle with Quick Release - 18" (L)

1 **CHFS2451**
3/4" Dr. 43 Teeth Reversible Ratchet Handle with Quick Release

BLOW CASE: W602 x D205 x H102 (mm)

Impact Sockets, Bit Sockets, Accessories & Air Wrench Series
Specialized

Impact tools for auto maintenance and repairs. Available in 3/8", 1/2", 3/4", 1" & 1-1/2".

www.toptul.com

IMPACT SOCKETS, BIT SOCKETS, ACCESSORIES & AIR WRENCH SERIES

Impact Sockets, Bit Sockets, Accessories & Air Wrench

6PT Flank Impact Sockets

CR-MO DIN 3121

METRIC — Black Phosphate Finished

DRIVE	ITEM NO.	SIZE(mm)	L(mm)		
3/8" 9.5mm sq.	KABA1207	7	30	15	270
	KABA1208	8	30	15	270
	KABA1209	9	30	15	270
	KABA1210	10	30	15	270
	KABA1211	11	30	10	180
	KABA1212	12	30	10	180
	KABA1213	13	30	10	180
	KABA1214	14	30	10	160
	KABA1215	15	30	10	160
	KABA1216	16	30	10	160
	KABA1217	17	30	10	160
	KABA1218	18	30	10	160
	KABA1219	19	30	10	160
	KABA1220	20	30	10	160
	KABA1221	21	30	10	160
	KABA1222	22	30	10	160
1/2" 12.7mm sq.	KABA1608	8	38	25	150
	KABA1609	9	38	25	150
	KABA1610	10	38	25	150
	KABA1611	11	38	25	150
	KABA1612	12	38	25	150
	KABA1613	13	38	25	150
	KABA1614	14	38	25	150
	KABA1615	15	38	25	100
	KABA1616	16	38	20	80
	KABA1617	17	40	20	80
	KABA1618	18	40	15	60
	KABA1619	19	40	15	60
	KABA1620	20	40	15	60
	KABA1621	21	40	15	60
	KABA1622	22	40	15	60
	KABA1623	23	42	15	60
	KABA1624	24	42	10	60
	KABA1625	25	42	10	60
	KABA1626	26	42	10	60
	KABA1627	27	42	10	60
	KABA1628	28	45	10	60
	KABA1629	29	45	10	60
	KABA1630	30	46	10	80
	KABA1632	32	46	5	40
3/4" 19.0mm sq.	KABA2417	17	50	5	40
	KABA2419	19	50	5	40
	KABA2421	21	50	5	40
	KABA2422	22	50	5	40
	KABA2423	23	50	5	40
	KABA2424	24	50	5	40
	KABA2426	26	50	5	40
	KABA2427	27	50	5	40
	KABA2428	28	50	5	40
	KABA2429	29	53	5	40
	KABA2430	30	53	5	40
	KABA2432	32	53	5	40
	KABA2433	33	55	5	40
	KABA2434	34	55	5	40
	KABA2435	35	55	5	40
	KABA2436	36	55	5	40
	KABA2438	38	57	2	16
	KABA2441	41	57	2	16
	KABA2446	46	62	2	16
1" 25.4mm sq.	KABA3219	19	57	2	16
	KABA3221	21	57	2	16
	KABA3222	22	57	2	16
	KABA3223	23	57	2	16
	KABA3224	24	57	2	16
	KABA3225	25	57	2	16
	KABA3226	26	57	2	16
	KABA3227	27	57	2	16
	KABA3228	28	57	2	16
	KABA3229	29	57	2	16
	KABA3230	30	62	2	16
	KABA3232	32	62	2	16
	KABA3233	33	62	2	16
	KABA3234	34	62	2	16
	KABA3235	35	62	2	16
	KABA3236	36	62	2	16
	KABA3238	38	66	2	16
	KABA3241	41	66	2	16
	KABA3242	42	66	2	16
	KABA3246	46	70	2	16
	KABA3250	50	70	2	16
	KABA3252	52	75	2	8
	KABA3255	55	82	2	8
	KABA3258	58	82	2	8
	KABA3260	60	85	2	8
	KABA3263	63	85	2	8
	KABA3265	65	85	2	8
	KABA3270	70	90	2	8
	KABA3275	75	90	2	8
	KABA3280	80	90	1	4
	KABA3285	85	108	1	4
	KABA3290	90	108	1	4
	KABA3295	95	108	1	4

8PCS

3/8" DR. 6PT Impact Socket Rail Set

Black Phosphate Finished

ITEM NO.	CONTENTS	10 (SET)
GDAG0801	8 KABA1208~1219 8, 10, 11, 12, 13, 14, 17, 19 mm	

12PCS

3/8" DR. 6PT Impact Socket Rail Set

Black Phosphate Finished

ITEM NO.	CONTENTS	10 (SET)
GDAG1201	12 KABA1208~1219 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm	

6PT Flank Impact Sockets

CR-MO DIN 3121

SAE — Black Phosphate Finished

DRIVE	ITEM NO.	SIZE(inch)	L(mm)		
1/2" 12.7mm sq.	KBBA1610	5/16	38	25	250
	KBBA1612	3/8	38	25	250
	KBBA1614	7/16	38	25	250
	KBBA1616	1/2	38	25	250
	KBBA1618	9/16	38	25	250
	KBBA1620	5/8	38	20	160
	KBBA1622	11/16	38	20	160
	KBBA1624	3/4	38	15	120
	KBBA1626	13/16	38	15	120
	KBBA1628	7/8	38	15	120
	KBBA1630	15/16	38	10	100
	KBBA1632	1	38	10	100
	KBBA1634	1-1/16	40	10	100
	KBBA1636	1-1/8	40	10	100
	KBBA1638	1-3/16	40	10	80
	KBBA1640	1-1/4	40	5	40

6PT Flank Deep Impact Sockets

CR-MO DIN 3121

METRIC — Black Phosphate Finished

DRIVE	ITEM NO.	SIZE(mm)	L(mm)		
3/8" 9.5mm sq.	KABE1208	8	65	10	160
	KABE1209	9	65	10	160
	KABE1210	10	65	10	160
	KABE1211	11	65	10	160
	KABE1212	12	65	10	160
	KABE1213	13	65	10	160
	KABE1214	14	65	10	160
	KABE1215	15	65	10	100
	KABE1216	16	65	10	100
	KABE1217	17	65	10	100
	KABE1218	18	65	10	100
	KABE1219	19	65	10	100
	KABE1220	20	65	5	50
	KABE1221	21	65	5	50
	KABE1222	22	65	5	50
1/2" 12.7mm sq.	KABE1608	8	78	10	80
	KABE1609	9	78	10	80
	KABE1610	10	78	10	80
	KABE1611	11	78	10	80
	KABE1612	12	78	10	80
	KABE1613	13	78	10	80
	KABE1614	14	78	10	80
	KABE1615	15	78	10	80
	KABE1616	16	78	10	80
	KABE1617	17	78	10	40
	KABE1618	18	78	10	40
	KABE1619	19	78	10	40
	KABE1620	20	78	10	40
	KABE1621	21	78	10	40
	KABE1622	22	78	10	40
	KABE1623	23	78	10	40
	KABE1624	24	78	10	40
	KABE1625	25	78	10	40
	KABE1626	26	78	10	40
	KABE1627	27	78	8	32
	KABE1628	28	78	8	32
	KABE1629	29	78	8	32
	KABE1630	30	78	5	20
	KABE1632	32	78	5	20
3/4" 19.0mm sq.	KABE2419	19	90	5	30
	KABE2421	21	90	5	30
	KABE2422	22	90	5	30
	KABE2423	23	90	5	30
	KABE2424	24	90	5	30
	KABE2426	26	90	5	30
	KABE2427	27	90	5	30
	KABE2428	28	90	5	30
	KABE2429	29	90	2	16
	KABE2430	30	90	2	16
	KABE2432	32	90	2	16
	KABE2433	33	90	2	16
	KABE2434	34	90	2	16
	KABE2435	35	90	2	16
	KABE2436	36	90	2	16
	KABE2438	38	90	2	16
	KABE2441	41	90	2	16
	KABE2446	46	90	2	16
1" 25.4mm sq.	KABE3222	22	108	1	8
	KABE3224	24	108	1	8
	KABE3227	27	108	1	8
	KABE3229	29	108	1	8
	KABE3230	30	108	1	8
	KABE3232	32	108	1	8
	KABE3233	33	108	1	8
	KABE3234	34	108	1	8
	KABE3235	35	108	1	8
	KABE3236	36	108	1	8
	KABE3238	38	108	1	8
	KABE3241	41	108	1	8
	KABE3246	46	108	1	8
	KABE3250	50	108	1	8
	KABE3255	55	108	1	6
	KABE3260	60	108	1	6
	KABE3265	65	108	1	6
	KABE3270	70	108	1	6

Impact Sockets, Bit Sockets, Accessories & Air Wrench

6PT Flank Deep Impact Sockets

CR-MO DIN 3121

SAE

Black Phosphate Finished

DRIVE	ITEM NO.	SIZE(inch)	L(mm)		
1/2" 12.7mm sq.	KBBE1610	5/16	78	10	80
	KBBE1612	3/8	78	10	80
	KBBE1614	7/16	78	10	80
	KBBE1616	1/2	78	10	80
	KBBE1618	9/16	78	10	80
	KBBE1620	5/8	78	10	80
	KBBE1622	11/16	78	10	40
	KBBE1624	3/4	78	10	40
	KBBE1626	13/16	78	10	40
	KBBE1628	7/8	78	10	40
	KBBE1630	15/16	78	10	40
	KBBE1632	1	78	10	40
	KBBE1634	1-1/16	78	8	32
	KBBE1636	1-1/8	78	8	32
	KBBE1638	1-3/16	78	5	20
	KBBE1640	1-1/4	78	5	20

1/2" DR. Star Impact Sockets

CR-MO DIN 3121

Black Phosphate Finished

DRIVE	ITEM NO.	SIZE	L(mm)		
1/2" 12.7mm sq.	KABK1610	E10	38	25	150
	KABK1612	E12	38	25	150
	KABK1614	E14	38	25	150
	KABK1616	E16	38	25	150
	KABK1618	E18	38	25	150
	KABK1620	E20	38	20	120
	KABK1624	E24	40	15	120

7PCS

1/2" DR. Star Impact Socket Rail Set

Black Phosphate Finished

ITEM NO.	CONTENTS	10 (SET)
GDAG0701	KABK1610~1624 E10, E12, E14, E16, E18, E20, E24	

1" DR. Square Budd Wheel Impact Sockets (4PT)

CR-MO DIN 3121

METRIC

Black Phosphate Finished

DRIVE	ITEM NO.	SIZE(mm)	L(mm)		
1" 25.4mm sq.	KABM3217	17	57	2	16
	KABM3219	19	57	2	16
	KABM3221	21	57	2	16

Star Bit Impact Sockets

SNCM+V DIN 3121

Black Phosphate Finished

DRIVE	ITEM NO.	SIZE	L(mm)		
3/8" 9.5mm sq.	KADA1220	T20	52	25	200
	KADA1225	T25	52	25	200
	KADA1227	T27	52	25	200
	KADA1230	T30	52	25	200
	KADA1240	T40	52	25	200
	KADA1245	T45	52	25	200
	KADA1250	T50	52	25	200
1/2" 12.7mm sq.	KADA1625	T25	60	25	200
	KADA1627	T27	60	25	200
	KADA1630	T30	60	25	200
	KADA1640	T40	60	25	200
	KADA1645	T45	60	25	200
	KADA1650	T50	60	25	200
	KADA1655	T55	60	25	200
	KADA1660	T60	60	25	200
	KADA1670	T70	60	25	200

3/4" DR. Star Bit Impact Sockets

CR-MO DIN 3121

Black Phosphate Finished

DRIVE	ITEM NO.	SIZE	L(mm)		
3/4" 19.0mm sq.	KADA2470	T70	105	5	40
	KADA2480	T80	105	5	40
	KADA2490	T90	105	5	40
	KADA24A0	T100	105	5	40

7PCS

3/8" DR. Star Bit Impact Socket Rail Set

Black Phosphate Finished

ITEM NO.	CONTENTS	10 (SET)
GDAG0703	KADA1220~1250 T20, T25, T27, T30, T40, T45, T50	

Hex Bit Impact Sockets

SNCM+V DIN 3121

Black Phosphate Finished

DRIVE	ITEM NO.	SIZE(mm)	L(mm)		
3/8" 9.5mm sq.	KADH1203	3	52	25	200
	KADH1204	4	52	25	200
	KADH1205	5	52	25	200
	KADH1206	6	52	25	200
	KADH1207	7	52	25	200
	KADH1208	8	52	25	200
	KADH1210	10	52	25	200
	KADH1212	12	52	25	200
1/2" 12.7mm sq.	KADH1604	4	60	25	200
	KADH1605	5	60	25	200
	KADH1606	6	60	25	200
	KADH1607	7	60	25	200
	KADH1608	8	60	25	200
	KADH1609	9	60	25	100
	KADH1610	10	60	25	100
	KADH1612	12	60	25	100
	KADH1614	14	60	25	100
	KADH1617	17	60	25	100
	KADH1619	19	60	25	100

3/4" DR. Hex Bit Impact Sockets

CR-MO DIN 3121

Black Phosphate Finished

DRIVE	ITEM NO.	SIZE(mm)	L(mm)		
3/4" 19.0mm sq.	KADH2414	14	105	5	40
	KADH2417	17	105	5	40
	KADH2419	19	105	5	40
	KADH2422	22	105	2	16
	KADH2424	24	105	2	16
	KADH2427	27	105	2	16

7PCS

3/8" DR. Hex Bit Impact Socket Rail Set

Black Phosphate Finished

ITEM NO.	CONTENTS	10 (SET)
GDAG0702	KADH1204~1212 4, 5, 6, 7, 8, 10, 12 mm	

Impact Sockets, Bit Sockets, Accessories & Air Wrench

Impact Universal Sockets

CR-MO DIN 3121

Black Phosphate Finished

DRIVE	ITEM NO.	SIZE(mm)	L(mm)		
3/8" 9.5mm sq.	KABG1210	10	59	15	120
	KABG1211	11	59	15	120
	KABG1212	12	59	15	120
	KABG1213	13	59	15	120
	KABG1214	14	59	15	120
	KABG1215	15	59	15	120
	KABG1216	16	59	5	40
	KABG1217	17	59	5	40
	KABG1218	18	59	5	40
	KABG1219	19	59	5	40
	KABG1221	21	59	5	40
	KABG1222	22	59	5	40
1/2" 12.7mm sq.	KABG1610	10	67	5	40
	KABG1611	11	67	5	40
	KABG1612	12	67	5	40
	KABG1613	13	67	5	40
	KABG1614	14	67	5	40
	KABG1615	15	67	5	40
	KABG1616	16	67	5	40
	KABG1617	17	67	5	40
	KABG1618	18	67	5	40
	KABG1619	19	67	5	40
	KABG1621	21	67	5	40
	KABG1622	22	67	5	40

Impact Universal Joint

CR-MO DIN 3121

- *TOPTUL* new developed impact universal joint provides 360 degrees of rotation at up to a 30 degree angle from vertical.
  The swivel mechanism is designed with the locking pin inside the socket wall for high strength, durability and safety.

Black Phosphate Finished

DRIVE	ITEM NO.	L(mm)		
3/8" (9.5mm)	KACU12A5	48	15	240
1/2" (12.7mm)	KACU1606	62	15	120
3/4" (19.0mm)	KACU2410	95	4	40
1" (25.4mm)	KACU3212	114	1	8

10PCS
3/8" DR. Impact Universal Socket Rail Set

Black Phosphate Finished

ITEM NO.	CONTENTS	10 (SET)
GDAG1001	10 KABG1210~1219 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm	

10PCS
1/2" DR. Impact Universal Socket Rail Set

Black Phosphate Finished

ITEM NO.	CONTENTS	8 (SET)
GDAG1002	10 KABG1610~1619 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm	

Impact Adapter

CR-MO DIN 3121

Black Phosphate Finished

DRIVE	ITEM NO.	SIZE	L(mm)		
3/8" (9.5mm)	KACA1216	○ 3/8"(F) x ■ 1/2"(M)	33	10	180
1/2" (12.7mm)	KACA1624	○ 1/2"(F) x ■ 3/4"(M)	44	20	160
3/4" (19.0mm)	KACA2416	○ 3/4"(F) x ■ 1/2"(M)	58	5	50
	KACA2432	○ 3/4"(F) x ■ 1"(M)	58	5	50
1" (25.4mm)	KACA3224	○ 1"(F) x ■ 3/4"(M)	70	2	16
1-1/2" (38.1mm)	KACA4832	○ 1-1/2"(F) x ■ 1"(M)	100	2	8

Impact Extension Bar

CR-MO DIN 3121

Black Phosphate Finished

DRIVE	ITEM NO.	L(inch)		
3/8" (9.5mm)	KACE1203	3	25	200
	KACE1206	6	10	120
1/2" (12.7mm)	KACE1603	3	10	80
	KACE1605	5	10	80
	KACE1610	10	5	40
3/4" (19.0mm)	KACE2404	4	2	32
	KACE2407	7	2	20
	KACE2410	10	2	16
	KACE2413	13	2	16
1" (25.4mm)	KACE3207	7	2	16
	KACE3210	10	2	12
	KACE3213	13	2	12

1/2" DR. Torque Extension Bar ★

CR-MO DIN 3121

(LENGTH: 195mm)

ITEM NO.	CAPACITY	COLOR		
KACT166E	65 ft-lb / 90 Nm	Green	10	80
KACT167E	75 ft-lb / 100 Nm	Black	10	80
KACT1612	120 ft-lb / 160 Nm	Gray	10	80
KACT1613	130 ft-lb / 175 Nm	Brown	10	60
KACT1614	140 ft-lb / 190 Nm	White	10	60
KACT1615	150 ft-lb / 200 Nm	Aqua	10	60

O-Ring

DIN 3129



DRIVE	ITEM NO.	SIZE(mm)	d(mm)	t(mm)		
3/8" (9.5mm)	KALO1212	8~12	13	3.5	50	800
	KALO1222	13~22	16	3.5	50	800
1/2" (12.7mm)	KALO1614	8~14	19	4	50	400
	KALO1632	15~32	24	4	50	400
3/4" (19.0mm)	KALO2446	17~46	36	5	50	400
1" (25.4mm)	KALO3270	19~80	45	7	50	200
1" (25.4mm) 1-1/2" (38.1mm)	KALO4895	85~95 36~90	76	10	20	80

Impact Extension Bar with Quick Release

CR-MO DIN 3121

Black Phosphate Finished

DRIVE	ITEM NO.	L(inch)		
1/2" (12.7mm)	KACB1603	3	15	120
	KACB1605	5	10	80
	KACB1610	10	5	40
3/4" (19.0mm)	• KACB2404	4	3	24
	KACB2407	7	2	24
	KACB2413	13	2	12
1" (25.4mm)	KACB3207	7	2	8
	KACB3213	13	2	8

Mini Oiler

- For automatic oiling of compressed air tools
- Extends the service life of pneumatic tools
- Compact design and refillable
- Solid brass construction
- Air Inlet & Outlet Thread: 6.3mm (1/4")
- Filling Capacity: 5 c.c.

ITEM NO.	SIZE	L(mm)		
KALA0815	1/4" PT	54	20	80

Pin

DIN 3129

DRIVE	ITEM NO.	SIZE(mm)	L(mm)	D(mm)		
3/8" (9.5mm)	KALP1212	8~12	14	2.5	50	900
	KALP1222	13~22	16	2.5	50	900
1/2" (12.7mm)	KALP1614	8~14	20	3	50	900
	KALP1632	15~32	25	3	50	900
3/4" (19.0mm)	KALP2446	17~46	35	4	50	900
1" (25.4mm)	KALP3270	19~80	45	5	50	900
1" (25.4mm) 1-1/2" (38.1mm)	KALP4895	85~95 36~90	75	6	20	360

Impact Sockets, Bit Sockets, Accessories & Air Wrench

1/2" DR. 6PT Flank Thin Wall Deep Impact Sockets with Plastic Sleeves

CR-MO DIN 3121

DRIVE	ITEM NO.	SIZE(mm)	L(mm)	COLOR		
1/2" (12.7mm sq.)	KABD1617	17	86	Blue	20	80
	KABD1619	19	86	Yellow	20	80
	KABD1621	21	86	Red	20	80
	ITEM NO.	SIZE(inch)	L(mm)	COLOR		
	• KBBD1626	13/16	86	Purple	20	80

1/2" DR. 6PT Flank Thin Wall Deep Impact Sockets with Plastic Sleeves

CR-MO DIN 3121

Black Phosphate Finished

DRIVE	ITEM NO.	SIZE(mm)	L(mm)	COLOR		
1/2" (12.7mm sq.)	KABC1617	17	86	Blue	20	80
	KABC1619	19	86	Green	20	80
	KABC1621	21	86	Red	20	80
	KABC1622	22	86	Yellow	20	80
	ITEM NO.	SIZE(inch)	L(mm)	COLOR		
	KBBC1626	13/16	86	White	20	80

3PCS 1/2" DR. 6PT Flank Thin Wall Deep Impact Socket Set

CR-MO

1/2"

ITEM NO. GDAI0301

CONTENTS 20 (SET)

3 KABD1617~1621
1/2" Dr. 6PT Flank Thin Wall Deep Impact Sockets
17, 19, 21 mm

BLOW CASE: W150 x D130 x H50 (mm)

3PCS 1/2" DR. 6PT Flank Thin Wall Deep Impact Socket Set

CR-MO

1/2"

Black Phosphate Finished

ITEM NO. GDAI0302

CONTENTS 20 (SET)

3 KABC1617~1621
1/2" DR. 6PT Flank Thin Wall Deep Impact Sockets with Plastic Sleeves
17, 19, 21 mm

BLOW CASE: W150 x D130 x H50 (mm)

27PCS 1/2" DR. Flank Impact Socket Set

CR-MO

1/2"

Black Phosphate Finished

ITEM NO. GCAI2701

CONTENTS 4 (SET)

17 KABA1610~1632
1/2" Dr. 6PT Flank Impact Sockets
10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 23, 24, 27, 30, 32 mm

1 KACE1605
1/2" Dr. Impact Extension Bar - 5" (L)

1 KACU1606
1/2" Dr. Impact Universal Joint

2 KALP1614
Pin - Size (8~14 mm)

2 KALP1632
Pin - Size (15~32 mm)

2 KALO1614
O-Ring - Size (8~14 mm)

2 KALO1632
O-Ring - Size (15~32 mm)

BLOW CASE: W392 x D210 x H88 (mm)

TOPTUL
IMPACT SOCKET SET

7PCS 3/8" DR. Hex Bit Impact Socket Set

SNCM+V

3/8"

Black Phosphate Finished

ITEM NO. GDAI0704

CONTENTS 12 (SET)

7 KADH1204~1212
3/8" Dr. Hex Bit Impact Sockets
4, 5, 6, 7, 8, 10, 12 mm

BLOW CASE: W200 x D105 x H35 (mm)

7PCS 3/8" DR. Star Bit Impact Socket Set

SNCM+V

3/8"

Black Phosphate Finished

ITEM NO. GDAI0703

CONTENTS 12 (SET)

7 KADA1220~1250
3/8" Dr. Star Bit Impact Sockets
T20, T25, T27, T30, T40, T45, T50

BLOW CASE: W200 x D105 x H35 (mm)

7PCS 1/2" DR. Hex Bit Impact Socket Set

SNCM+V

1/2"

Black Phosphate Finished

ITEM NO. GDAI0702

CONTENTS 18 (SET)

7 KADH1604~1614
1/2" Dr. Hex Bit Impact Sockets
4, 5, 6, 8, 10, 12, 14 mm

BLOW CASE: W250 x D120 x H40 (mm)

7PCS 1/2" DR. Star Bit Impact Socket Set

SNCM+V

1/2"

Black Phosphate Finished

ITEM NO. GDAI0701

CONTENTS 18 (SET)

7 KADA1630~1670
1/2" Dr. Star Bit Impact Sockets
T30, T40, T45, T50, T55, T60, T70

BLOW CASE: W250 x D120 x H40 (mm)

8PCS 3/4" DR. 6PT Flank Impact Socket Set

CR-MO

3/4"

Black Phosphate Finished

ITEM NO. GDAI0802

CONTENTS 3 (SET)

8 KABA2422~2438
3/4" Dr. 6PT Flank Impact Sockets
22, 24, 27, 30, 32, 33, 36, 38 mm

BLOW CASE: W452 x D119 x H64 (mm)

8PCS 3/4" DR. 6PT Flank Deep Impact Socket Set

CR-MO

3/4"

Black Phosphate Finished

ITEM NO. GDAI0804

CONTENTS 3 (SET)

8 KABE2422~2438
3/4" Dr. 6PT Flank Deep Impact Sockets
22, 24, 27, 30, 32, 33, 36, 38 mm

BLOW CASE: W452 x D119 x H64 (mm)

Impact Sockets, Bit Sockets, Accessories & Air Wrench

8PCS
3/8" DR. 6PT Flank Deep Impact Socket Set (CR-MO)
3/8"

Black Phosphate Finished

ITEM NO.	GDAD0808
CONTENTS	10 (SET)

8 KABE1208~1219
3/8" Dr. 6PT Flank Deep Impact Sockets
8, 10, 11, 12, 13, 14, 17, 19 mm

METAL CASE: W197 x D103 x H33 (mm)

10PCS
1/2" DR. 6PT Flank Impact Socket Set (METRIC) (CR-MO)
1/2"

Black Phosphate Finished

ITEM NO.	GDAD1001
CONTENTS	16 (SET)

10 KABA1610~1624
1/2" Dr. 6PT Flank Impact Sockets
10, 11, 12, 13, 14, 17, 19, 21, 22, 24 mm

METAL CASE: W303 x D45 x H47 (mm)

10PCS
1/2" DR. 6PT Flank Impact Socket Set (SAE) (CR-MO)
1/2"

Black Phosphate Finished

ITEM NO.	GEAD1001
CONTENTS	16 (SET)

10 KBBA1614~1632
1/2" Dr. 6PT Flank Impact Sockets
7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1"

METAL CASE: W303 x D45 x H47 (mm)

12PCS
3/8" DR. 6PT Flank Deep Impact Socket Set (CR-MO)
3/8"

Black Phosphate Finished

ITEM NO.	GDAD1201
CONTENTS	8 (SET)

12 KABE1208~1219
3/8" Dr. 6PT Flank Deep Impact Sockets
8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm

METAL CASE: W313 x D111 x H38 (mm)

10PCS
1/2" DR. 6PT Flank Deep Impact Socket Set (METRIC) (CR-MO)
1/2"

Black Phosphate Finished

ITEM NO.	GDAD1002
CONTENTS	8 (SET)

10 KABE1610~1624
1/2" Dr. 6PT Flank Deep Impact Sockets
10, 11, 12, 13, 14, 17, 19, 21, 22, 24 mm

METAL CASE: W313 x D111 x H38 (mm)

10PCS
1/2" DR. 6PT Flank Deep Impact Socket Set (SAE) (CR-MO)
1/2"

Black Phosphate Finished

ITEM NO.	GEAD1002
CONTENTS	8 (SET)

10 KBBE1614~1632
1/2" Dr. 6PT Flank Deep Impact Sockets
7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1"

METAL CASE: W313 x D111 x H38 (mm)

18PCS
1/2" DR. Flank Impact Socket Set (CR-MO)
1/2"

Black Phosphate Finished

ITEM NO.	GBA1836
CONTENTS	4 (SET)

17 KABA1610~1632
1/2" Dr. 6PT Flank Impact Sockets
10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 23, 24, 27, 30, 32 mm
1 KACE1605
1/2" Dr. Impact Extension Bar - 5" (L)

METAL CASE: W361 x D137 x H53 (mm)

18PCS
1/2" DR. 6PT Flank Impact Socket Set (CR-MO)
1/2"

Black Phosphate Finished

ITEM NO.	GCAD1807
CONTENTS	6 (SET)

17 KABA1610~1632
1/2" Dr. 6PT Flank Impact Sockets
10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 23, 24, 27, 30, 32 mm
1 KACE1605
1/2" Dr. Impact Extension Bar - 5" (L)

METAL CASE: W370 x D154 x H50 (mm)

32PCS
1/2" DR. Flank Impact Socket Set (CR-MO)
1/2"

Black Phosphate Finished

ITEM NO.	GDAD3201
CONTENTS	3 (SET)

18 KABA1608~1632
1/2" Dr. 6PT Flank Impact Sockets
8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32 mm
12 KABE1612~1632
1/2" Dr. 6PT Flank Deep Impact Sockets
12, 13, 14, 16, 17, 19, 21, 22, 24, 27, 30, 32 mm
1 KACE1605
1/2" Dr. Impact Extension Bar - 5" (L)
1 KACU1606
1/2" Dr. Impact Universal Joint

METAL CASE: W445 x D188 x H50 (mm)

Impact Sockets, Bit Sockets, Accessories & Air Wrench

15PCS
1/2" DR. 6PT Flank Impact Socket Set (CR-MO)
1/2"

Black Phosphate Finished

ITEM NO.	GDAD1501
CONTENTS	6 (SET)

15 KABA1610~1624
1/2" Dr. 6PT Flank Impact Sockets
10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24 mm

METAL CASE: W240 x D110 x H50 (mm)

8PCS
1" DR. 6PT Flank Impact Socket Set (CR-MO)
1"

Black Phosphate Finished

ITEM NO.	GDAD0803
CONTENTS	3 (SET)

8 KABA3224~3241
1" Dr. 6PT Flank Impact Sockets
24, 27, 30, 32, 33, 36, 38, 41 mm

METAL CASE: W278 x D128 x H75 (mm)

14PCS
1/2" DR. 6PT Flank Impact Socket Set (CR-MO)
1/2"

Black Phosphate Finished

ITEM NO.	GEAD1401
CONTENTS	6 (SET)

14 KBBA1612~1640
1/2" Dr. 6PT Flank Impact Sockets
3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-1/4"

METAL CASE: W240 x D110 x H50 (mm)

9PCS
1" DR. Flank Impact Socket Set (CR-MO)
1"

Black Phosphate Finished

ITEM NO.	GDAD0901
CONTENTS	3 (SET)

6 KABA3224~3241
1" Dr. 6PT Flank Impact Sockets
24, 27, 32, 36, 38, 41 mm

3 KABM3217~3221
1" Dr. Square Budd Wheel Impact Sockets (4PT)
17, 19, 21 mm

METAL CASE: W278 x D128 x H75 (mm)

8PCS
3/4" DR. 6PT Flank Impact Socket Set (CR-MO)
3/4"

Black Phosphate Finished

ITEM NO.	GDAD0805
CONTENTS	4 (SET)

8 KABA2419~2436
3/4" Dr. 6PT Flank Impact Sockets
19, 22, 24, 27, 30, 32, 34, 36 mm

METAL CASE: W410 x D64 x H60 (mm)

8PCS
3/4" DR. 6PT Flank Deep Impact Socket Set (CR-MO)
3/4"

Black Phosphate Finished

ITEM NO.	GDAD0807
CONTENTS	2 (SET)

8 KABE2422~2438
3/4" Dr. 6PT Flank Deep Impact Sockets
22, 24, 27, 30, 32, 34, 36, 38 mm

METAL CASE: W430 x D103 x H70 (mm)

8PCS
3/4" DR. 6PT Flank Impact Socket Set (CR-MO)
3/4"

Black Phosphate Finished

ITEM NO.	GDAD0801
CONTENTS	4 (SET)

8 KABA2426~2438
3/4" Dr. 6PT Flank Impact Sockets
26, 27, 29, 30, 32, 35, 36, 38 mm

METAL CASE: W410 x D64 x H60 (mm)

8PCS
3/4" DR. 6PT Flank Deep Impact Socket Set (CR-MO)
3/4"

Black Phosphate Finished

ITEM NO.	GDAD0802
CONTENTS	2 (SET)

8 KABE2426~2438
3/4" Dr. 6PT Flank Deep Impact Sockets
26, 27, 29, 30, 32, 35, 36, 38 mm

METAL CASE: W430 x D103 x H70 (mm)

8PCS
3/4" DR. 6PT Flank Impact Socket Set (CR-MO)
3/4"

Black Phosphate Finished

ITEM NO.	GDAD0806
CONTENTS	4 (SET)

8 KABA2422~2441
3/4" Dr. 6PT Flank Impact Sockets
22, 24, 27, 30, 32, 36, 38, 41 mm

METAL CASE: W410 x D64 x H60 (mm)

8PCS
1" DR. 6PT Flank Deep Impact Socket Set (CR-MO)
1"

Black Phosphate Finished

ITEM NO.	GDAD0804
CONTENTS	2 (SET)

8 KABE3224~3241
1" Dr. 6PT Flank Deep Impact Sockets
24, 27, 30, 32, 33, 36, 38, 41 mm

METAL CASE: W460 x D128 x H80 (mm)

Impact Sockets, Bit Sockets, Accessories & Air Wrench

Super Duty Air Ratchet Wrench

3/8" DR.
Mini Super Duty Air Ratchet Wrench
- Rear Exhaust with Muffler

ITEM NO.	KAAE1202
SPECIFICATIONS	20
Max. Torque	30 ft-lb / 41 Nm
Free Speed	350 RPM
Air Pressure	90 PSI / 6.2 BAR
Air Consumption	2.24 CFM
Air Inlet	1/4" PT
Min. Air Hose	5/16" I.D.
Overall Length	5-13/32" / 128 mm
Net Weight	0.99 lbs / 0.45 kgs

3/8" DR.
Mini Super Duty Air Impact Wrench
- Handle Exhaust with Muffler

ITEM NO.	KAAG1206
SPECIFICATIONS	12
Max. Torque	60 ft-lb / 81 Nm
Free Speed	11000 RPM
Air Pressure	90 PSI / 6.2 BAR
Air Consumption	1.76 CFM
Air Inlet	1/4" PT
Min. Air Hose	3/8" I.D.
Overall Length	5-29/32" / 150 mm
Net Weight	1.56 lbs / 0.71 kgs

3/8" DR.
Super Duty Air Ratchet Wrench
- Rear Exhaust with Muffler

ITEM NO.	KAAF1205
SPECIFICATIONS	10
Max. Torque	75 ft-lb / 102 Nm
Free Speed	160 RPM
Air Pressure	90 PSI / 6.2 BAR
Air Consumption	3.92 CFM
Air Inlet	1/4" PT
Min. Air Hose	5/16" I.D.
Overall Length	10-1/2" / 266 mm
Net Weight	2.64 lbs / 1.2 kgs

3/8" DR.
Super Duty Air Ratchet Wrench
- Rear Exhaust with Muffler

ITEM NO.	KAAF1204
SPECIFICATIONS	30
Max. Torque	40 ft-lb / 54 Nm
Free Speed	270 RPM
Air Pressure	90 PSI / 6.2 BAR
Air Consumption	2.8 CFM
Air Inlet	1/4" PT
Min. Air Hose	3/8" I.D.
Overall Length	8-1/16" / 205 mm
Net Weight	1.45 lbs / 0.66 kgs

1/2" DR.
Super Duty Air Ratchet Wrench
- Rear Exhaust with Muffler

ITEM NO.	KAAF1605
SPECIFICATIONS	10
Max. Torque	75 ft-lb / 102 Nm
Free Speed	160 RPM
Air Pressure	90 PSI / 6.2 BAR
Air Consumption	3.92 CFM
Air Inlet	1/4" PT
Min. Air Hose	5/16" I.D.
Overall Length	10-1/2" / 266 mm
Net Weight	2.64 lbs / 1.2 kgs

3/8" DR.
Super Duty Air Ratchet Wrench
- Rotary Exhaust with Muffler

ITEM NO.	KAAF1210
SPECIFICATIONS	12
Max. Torque	100 ft-lb / 136 Nm
Free Speed	225 RPM
Air Pressure	90 PSI / 6.2 BAR
Air Consumption	4 CFM
Air Inlet	1/4" PT
Min. Air Hose	3/8" I.D.
Overall Length	12-13/32" / 315 mm
Net Weight	3.39 lbs / 1.54 kgs

TOPTUL®

Super Duty Air Ratchet Wrench

High-performance

- Rotary Exhaust with Muffler

KAAF1208

AIR RATCHET

3/8" DR.

ITEM NO.	KAAF1208
SPECIFICATIONS	12
Max. Torque	80 ft-lb / 108 Nm
Free Speed	280 RPM
Air Pressure	90 PSI / 6.2 BAR
Air Consumption	4 CFM
Air Inlet	1/4" PT
Min. Air Hose	3/8" I.D.
Overall Length	10-29/32" / 277 mm
Net Weight	2.7 lbs / 1.23 kgs

1/2" DR.
Super Duty Air Ratchet Wrench
- Rotary Exhaust with Muffler

ITEM NO.	KAAF1608
SPECIFICATIONS	12
Max. Torque	80 ft-lb / 108 Nm
Free Speed	280 RPM
Air Pressure	90 PSI / 6.2 BAR
Air Consumption	4 CFM
Air Inlet	1/4" PT
Min. Air Hose	3/8" I.D.
Overall Length	10-29/32" / 277 mm
Net Weight	2.7 lbs / 1.23 kgs

1/2" DR.
Super Duty Air Ratchet Wrench
- Rotary Exhaust with Muffler

ITEM NO.	KAAF1610
SPECIFICATIONS	12
Max. Torque	100 ft-lb / 136 Nm
Free Speed	225 RPM
Air Pressure	90 PSI / 6.2 BAR
Air Consumption	4 CFM
Air Inlet	1/4" PT
Min. Air Hose	3/8" I.D.
Overall Length	12-13/32" / 315 mm
Net Weight	3.39 lbs / 1.54 kgs

TOPTUL®

Mini Super Duty Air Impact Ratchet Wrench

High-performance

- Impact Mechanism : Unicorn Hammer
- Rear Exhaust With Muffler



Reversible Drive Mechanism
Drive in both forward and reverse directions.

Composite Grip Handle
Lightweight and ergonomic design for positive grip.

Dust-Free Compact Head Cap
Sealed ratchet head prevents dirt and dust from entering.

Rear Exhaust with Muffler
Designed for use optional air hose and discharge air away from working area.

Unicorn Hammer Impact Mechanism
New Impact-Type mechanism design provides high instant torque output.



Pressure High Speed

High Torque

High R.P.M. design enables ratchet to shorten 2 x operating time for reaching high instant torque.



When bolts are tightened, the ratchet remains in the same position, sway forward occurs.

Reactionless

Featured reaction less design, enables to prevent incidental slip / injure while conducting on-site tasks in limit space.

KAAP1205

50 FT-LBS

3/8" DR.

- Powerful & High R.P.M. - type - NEW

ITEM NO.	KAAP1205
SPECIFICATIONS	30
Max. Torque	50 ft-lb / 68 Nm
Free Speed	700 RPM
Air Pressure	90 PSI / 6.2 BAR
Air Consumption	3.1 CFM
Air Inlet	1/4" PT
Min. Air Hose	3/8" I.D.
Overall Length	6-1/2" / 164 mm
Net Weight	1.32 lbs / 0.6 kgs

TOPTUL®

Super Duty Air Impact Ratchet Wrench

High-performance

- Impact Mechanism : Unicorn Hammer
- Front Exhaust with Muffler



When bolts are tightened, the ratchet remains in the same position, sway forward occurs.

Reactionless

Featured reaction less design, enables to prevent incidental slip / injure while conducting on-site tasks in limit space.



Dust-Free Compact Head Cap
Sealed ratchet head prevents dirt and dust from entering.

Reversible Drive Mechanism
Drive in both forward and reverse directions.

Dual Pawl Ratchet Design
Stronger torque output and extends tool life.

Unicorn Hammer Impact Mechanism
New Impact-Type mechanism design provides high instant torque output.

Composite Grip Handle
Lightweight and ergonomic design for positive grip.

Unique Designed Air Inlet
360° adjustable air inlet prevents the air hose from damage.

High R.P.M. design enables ratchet to shorten 2 x operating time for reaching high instant torque.

KAAL1610

1/2" DR.

Pressure High Speed

High Torque

100 FT-LBS

- Powerful & High R.P.M. - type - NEW

ITEM NO.	KAAL1610
SPECIFICATIONS	12
Max. Torque	100 ft-lb / 136 Nm
Free Speed	600 RPM
Air Pressure	90 PSI / 6.2 BAR
Air Consumption	4 CFM
Air Inlet	1/4" PT
Min. Air Hose	3/8" I.D.
Overall Length	11-7/8" / 301 mm
Net Weight	3.97 lbs / 1.8 kgs

KAAL1612

1/2" DR.

Pressure High Speed

High Torque

120 FT-LBS

- Powerful & High R.P.M. - type - NEW

ITEM NO.	KAAL1612
SPECIFICATIONS	10
Max. Torque	120 ft-lb / 163 Nm
Free Speed	600 RPM
Air Pressure	90 PSI / 6.2 BAR
Air Consumption	4.2 CFM
Air Inlet	1/4" PT
Min. Air Hose	3/8" I.D.
Overall Length	13-3/4" / 350 mm
Net Weight	4.14 lbs / 1.88 kgs

Super Duty Air Impact Wrench

EXCLUSIVE & UNIQUE PRODUCT

Ideal for
Automotive & Industrial

TOPTUL®

- Impact Mechanism : Jumbo Hammer
- Handle Exhaust with Muffler

KAAX1235

350 FT-LBS

3/8" DR.

ITEM NO.	KAAX1235
SPECIFICATIONS	10
Max. Torque	350 ft-lb / 475 Nm
Free Speed	8000 RPM
Air Pressure	90 PSI / 6.2 BAR
Air Consumption	4.5 CFM
Air Inlet	1/4" PT
Min. Air Hose	3/8" I.D.
Overall Length	5-5/16" / 135 mm
Net Weight	3.96 lbs / 1.8 kgs

- Impact Mechanism : Twin Hammer
- Handle Exhaust with Muffler

KAAX1650

500 FT-LBS

1/2" DR.

ITEM NO.	KAAX1650
SPECIFICATIONS	10
Max. Torque	500 ft-lb / 678 Nm
Free Speed	10000 RPM
Air Pressure	90 PSI / 6.2 BAR
Air Consumption	5.6 CFM
Air Inlet	1/4" PT
Min. Air Hose	3/8" I.D.
Overall Length	5-45/64" / 145 mm
Net Weight	4.18 lbs / 1.9 kgs

- Impact Mechanism : Twin Hammer
- Handle Exhaust with Muffler

KAAX1660

600 FT-LBS

1/2" DR.

ITEM NO.	KAAX1660
SPECIFICATIONS	8
Max. Torque	600 ft-lb / 813 Nm
Free Speed	10000 RPM
Air Pressure	90 PSI / 6.2 BAR
Air Consumption	5.6 CFM
Air Inlet	1/4" PT
Min. Air Hose	3/8" I.D.
Overall Length	6-3/4" / 171 mm
Net Weight	4.23 lbs / 1.92 kgs

Super Duty Air Impact Wrench

TOPTUL®

Super Duty Air Impact Wrench

- Impact Mechanism : Jumbo Hammer
- Handle Exhaust with Muffler

High-performance



KAAQ1650

500 FT-LBS

1/2" DR.

- Powerful, Lightweight & Super Short Barrel Model - NEW

ITEM NO.	KAAQ1650
SPECIFICATIONS	12
Max. Torque	500 ft-lb / 678 Nm
Free Speed	9500 RPM
Air Pressure	90 PSI / 6.2 BAR
Air Consumption	4.7 CFM
Air Inlet	1/4" PT
Min. Air Hose	3/8" I.D.
Overall Length	3-13/16" / 97 mm
Net Weight	3.64 lbs / 1.65 kgs

Impact Sockets, Bit Sockets, Accessories & Air Wrench

3/8" DR.

Super Duty Air Impact Wrench
- Impact Mechanism : Jumbo Hammer
- Handle Exhaust with Muffler

ITEM NO.	KAAA1220
SPECIFICATIONS	10
Max. Torque	200 ft-lb / 271 Nm
Free Speed	10000 RPM
Air Pressure	90 PSI / 6.2 BAR
Air Consumption	2.5 CFM
Air Inlet	1/4" PT
Min. Air Hose	3/8" I.D.
Overall Length	5-1/2" / 139 mm
Net Weight	3.00 lbs / 1.36 kgs

1/2" DR.

Super Duty Air Impact Wrench
- Impact Mechanism : Jumbo Hammer
- Handle Exhaust with Muffler

ITEM NO.	KAAA1620
SPECIFICATIONS	10
Max. Torque	200 ft-lb / 271 Nm
Free Speed	10000 RPM
Air Pressure	90 PSI / 6.2 BAR
Air Consumption	2.5 CFM
Air Inlet	1/4" PT
Min. Air Hose	3/8" I.D.
Overall Length	5-1/2" / 139 mm
Net Weight	3.00 lbs / 1.36 kgs

1/2" DR.

Super Duty Air Impact Wrench
- Impact Mechanism : Jumbo Hammer
- Handle Exhaust with Muffler

500 FT-LBS

MINI DESIGN

LIGHT WEIGHT

- Powerful, Lightweight & Short Barrel Model

ITEM NO.	KAAA1650
SPECIFICATIONS	10
Max. Torque	500 ft-lb / 678 Nm
Free Speed	10000 RPM
Air Pressure	90 PSI / 6.2 BAR
Air Consumption	4.76 CFM
Air Inlet	1/4" PT
Min. Air Hose	3/8" I.D.
Overall Length	4-23/32" / 120 mm
Net Weight	3.42 lbs / 1.55 kgs

1/2" DR.

Super Duty Air Impact Wrench
- Impact Mechanism : Twin Hammer
- Front Exhaust

- 5-Position Forward & Reverse Power Setting

ITEM NO.	KAAA1650B
SPECIFICATIONS	8
Max. Torque	500 ft-lb / 678 Nm
Free Speed	8000 RPM
Air Pressure	90 PSI / 6.2 BAR
Air Consumption	4 CFM
Air Inlet	1/4" PT
Min. Air Hose	3/8" I.D.
Overall Length	7-5/64" / 180 mm
Net Weight	5.73 lbs / 2.60 kgs

1/2" DR.

Super Duty Air Impact Wrench
- Impact Mechanism : New Twin Hammer
- Handle Exhaust with Muffler

700 FT-LBS

ITEM NO.	KAAA1660
SPECIFICATIONS	8
Max. Torque	700 ft-lb / 949 Nm
Free Speed	6500 RPM
Air Pressure	90 PSI / 6.2 BAR
Air Consumption	4.4 CFM
Air Inlet	1/4" PT
Min. Air Hose	3/8" I.D.
Overall Length	7-1/2" / 191 mm
Net Weight	6.24 lbs / 2.83 kgs

TOPTUL®

Super Duty Air Impact Wrench

- Impact Mechanism : Twin Hammer
- Handle Exhaust with Muffler

High-performance

Durable Aluminum Housing
Super strong aluminum die-casting housing for maximum durablity and tool life.

Durable & Long Life Anvil
High quality material made durable anvil with special heat treatment.

Air Regulator
5 position power setting for both forward and reverse directions.

Twin Hammer Impact Mechanism
Well balanced designed impact mechanism. Powerful and high torque output.

Handle Exhaust with Muffler
Reduces noise level and discharge air away from working area.

KAAA1640

1/2" DR.

600 FT-LBS

ITEM NO.	KAAA1640
SPECIFICATIONS	8
Max. Torque	600 ft-lb / 813 Nm
Free Speed	8000 RPM
Air Pressure	90 PSI / 6.2 BAR
Air Consumption	4 CFM
Air Inlet	1/4" PT
Min. Air Hose	3/8" I.D.
Overall Length	7-1/2" / 191 mm
Net Weight	5.78 lbs / 2.62 kgs

AIR TOPTUL Impact Wrench

For Automotive Repairs & Maintenance



Manufacturer's Limited Warranty

All *AIR TOPTUL* Serial pneumatic tools are provided with complete service and product warranty to the product that manufactured by *TOPTUL* and sold by it's worldwide authorized dealers.

TOPTUL professional air tools, unless otherwise specified, are unconditionally guaranteed against defects in materials and workmanship for the life of the tool, excluding any other inappropriate operation, modification or repair.

1/2" DR.

Long Anvil Super Duty Air Impact Wrench
- Impact Mechanism : Twin Hammer
- Handle Exhaust with Muffler

ITEM NO.	KAAB1640
SPECIFICATIONS	8
Max. Torque	400 ft-lb / 542 Nm
Free Speed	8000 RPM
Air Pressure	90 PSI / 6.2 BAR
Air Consumption	4 CFM
Air Inlet	1/4" PT
Min. Air Hose	3/8" I.D.
Overall Length	9-17/32" / 242 mm
Net Weight	6.02 lbs / 2.73 kgs

1/2" DR.

Long Anvil Super Duty Air Impact Wrench
- Impact Mechanism : New Twin Hammer
- Handle Exhaust with Muffler

ITEM NO.	KAAB1660
SPECIFICATIONS	8
Max. Torque	600 ft-lb / 813 Nm
Free Speed	6500 RPM
Air Pressure	90 PSI / 6.2 BAR
Air Consumption	4.4 CFM
Air Inlet	1/4" PT
Min. Air Hose	3/8" I.D.
Overall Length	9-11/16" / 246 mm
Net Weight	6.50 lbs / 2.95 kgs

3/4" DR.

Super Duty Air Impact Wrench
- Impact Mechanism : New Twin Hammer
- Handle Exhaust with Muffler

ITEM NO.	KAAA2460
SPECIFICATIONS	8
Max. Torque	600 ft-lb / 813 Nm
Free Speed	6300 RPM
Air Pressure	90 PSI / 6.2 BAR
Air Consumption	4.4 CFM
Air Inlet	1/4" PT
Min. Air Hose	3/8" I.D.
Overall Length	8-5/32" / 207 mm
Net Weight	6.39 lbs / 2.90 kgs

3/4" DR.

Long Anvil Super Duty Air Impact Wrench
- Impact Mechanism : New Twin Hammer
- Handle Exhaust with Muffler

ITEM NO.	KAAB2460
SPECIFICATIONS	8
Max. Torque	600 ft-lb / 813 Nm
Free Speed	6300 RPM
Air Pressure	90 PSI / 6.2 BAR
Air Consumption	4.4 CFM
Air Inlet	1/4" PT
Min. Air Hose	3/8" I.D.
Overall Length	10-1/2" / 260 mm
Net Weight	6.81 lbs / 3.09 kgs

3/4" DR.

Super Duty Air Impact Wrench
- Impact Mechanism : New Twin Hammer
- Handle Exhaust with Muffler

ITEM NO.	KAAA2475
SPECIFICATIONS	4
Max. Torque	750 ft-lb / 1016 Nm
Free Speed	6500 RPM
Air Pressure	90 PSI / 6.2 BAR
Air Consumption	7 CFM
Air Inlet	1/4" PT
Min. Air Hose	3/8" I.D.
Overall Length	9-7/32" / 234 mm
Net Weight	9.83 lbs / 4.46 kgs

3/4" DR.

Long Anvil Super Duty Air Impact Wrench
- Impact Mechanism : New Twin Hammer
- Handle Exhaust with Muffler

ITEM NO.	KAAB2475
SPECIFICATIONS	4
Max. Torque	750 ft-lb / 1016 Nm
Free Speed	6500 RPM
Air Pressure	90 PSI / 6.2 BAR
Air Consumption	7 CFM
Air Inlet	1/4" PT
Min. Air Hose	3/8" I.D.
Overall Length	13-1/2" / 343 mm
Net Weight	10.81 lbs / 4.90 kgs

1" DR.

Super Duty Air Impact Wrench
- Impact Mechanism : New Twin Hammer
- Side Exhaust with Muffler
- Inside Trigger

ITEM NO.	KAAA321808
SPECIFICATIONS	1
Max. Torque	1800 ft-lb / 2440 Nm
Free Speed	4000 RPM
Air Pressure	90 PSI / 6.2 BAR
Air Consumption	9 CFM
Air Inlet	1/2" PT
Min. Air Hose	3/4" I.D.
Overall Length	14-15/16" / 380 mm
Net Weight	24.71 lbs / 11.21 kgs

1" DR.

Long Anvil Super Duty Air Impact Wrench
- Impact Mechanism : New Twin Hammer
- Side Exhaust with Muffler
- Inside Trigger

ITEM NO.	KAAB321808
SPECIFICATIONS	1
Max. Torque	1800 ft-lb / 2440 Nm
Free Speed	4000 RPM
Air Pressure	90 PSI / 6.2 BAR
Air Consumption	9 CFM
Air Inlet	1/2" PT
Min. Air Hose	3/4" I.D.
Overall Length	20-1/16" / 510 mm
Net Weight	27.18 lbs / 12.33 kgs

1" DR.

Super Duty Air Impact Wrench
- Impact Mechanism : New Twin Hammer
- Side Exhaust with Muffler
- Outside Trigger

ITEM NO.	KAAA321809
SPECIFICATIONS	1
Max. Torque	1800 ft-lb / 2440 Nm
Free Speed	4000 RPM
Air Pressure	90 PSI / 6.2 BAR
Air Consumption	9 CFM
Air Inlet	1/2" PT
Min. Air Hose	3/4" I.D.
Overall Length	15-11/32" / 390 mm
Net Weight	24.89 lbs / 11.29 kgs

1" DR.

Long Anvil Super Duty Air Impact Wrench
- Impact Mechanism : New Twin Hammer
- Side Exhaust with Muffler
- Outside Trigger

ITEM NO.	KAAB321809
SPECIFICATIONS	1
Max. Torque	1800 ft-lb / 2440 Nm
Free Speed	4000 RPM
Air Pressure	90 PSI / 6.2 BAR
Air Consumption	9 CFM
Air Inlet	1/2" PT
Min. Air Hose	3/4" I.D.
Overall Length	20-1/4" / 515 mm
Net Weight	27.27 lbs / 12.37 kgs

TOPTUL®

Long Anvil Super Duty Air Impact Wrench

- Impact Mechanism : New Twin Hammer
- Side Exhaust with Muffler
- Inside Trigger





High-performance

KAAB3225

1" DR.

ITEM NO.	KAAB3225
SPECIFICATIONS	1
Max. Torque	2500 ft-lb / 3390 Nm
Free Speed	3000 RPM
Air Pressure	90 PSI / 6.2 BAR
Air Consumption	14.5 CFM
Air Inlet	1/2" PT
Min. Air Hose	3/4" I.D.
Overall Length	25" / 634 mm
Net Weight	37.04 lbs / 16.8 kgs

TOPTUL®

Super Duty Air Angle Impact Wrench

- Impact Mechanism : Jumbo Hammer
- Rear Exhaust with Muffler

High-performance



KAAH1620

1/2" DR.

ITEM NO.	KAAH1620
SPECIFICATIONS	10
Max. Torque	180 ft-lb / 244 Nm
Free Speed	7000 RPM
Air Pressure	90 PSI / 6.2 BAR
Air Consumption	5.0 CFM
Air Inlet	1/4" PT
Min. Air Hose	3/8" I.D.
Overall Length	13-2/5" / 341 mm
Net Weight	3.97 lbs / 1.8 Kgs

Impact Sockets, Bit Sockets, Accessories & Air Wrench

20PCS

1/2" DR. Air Impact Wrench Set

- Heavy duty 1/2 S.Q. twin hammer mechanism air impact wrench, front exhaust (Adjustable power regulator, 5-position forward and reverse power setting)
- Include one mini oiler to keep impact wrench lubricated

1/2"

• Storage room for bolts, nuts and small spare parts

ITEM NO.	GDAI2001E
CONTENTS	3 (SET)
1 KAAA1650B 1/2" Dr. Standard Anvil Super Duty Impact Wrench (500 ft-lb / 678Nm)	
12 KABA1610~1627 1/2" Dr. 6PT Flank Impact Sockets 10, 11, 12, 13, 14, 16, 17, 19, 21, 22, 24, 27 mm	
3 KABE1617~1621 1/2" Dr. 6PT Flank Deep Impact Sockets 17, 19, 21 mm	
1 KACE1605 1/2" Dr. Impact Extension Bar - 5" (L)	
1 KALB1501 Oil Pot - 15 c.c	
1 KALA0815 1/4" Mini Oiler	
1 KALC081E (Item No. GDAI2001E) 1/4" Air Nipple (European Type) KALC082J (Item No. GDAI2001J) 1/4" Air Nipple (Japanese Type)	
BLOW CASE: W478 x D234 x H100 (mm)	

27PCS

1/2" DR. Air Impact Wrench Set
- Standard Anvil

1/2"

ITEM NO.	GDAI2701
CONTENTS	3 (SET)
1 KAAA1640 1/2" Dr. Standard Anvil Super Duty Impact Wrench (600ft-lb / 813Nm)	
12 KABA1610~1624 1/2" Dr. 6PT Flank Impact Sockets 10, 11, 12, 13, 14, 17, 18, 19, 20, 21, 22, 24 mm	
3 KABD1617~1621 1/2" Dr. 6PT Flank Thin Wall Deep Impact Sockets With Plastic Sleeves 17, 19, 21 mm	
1 KACE1605 1/2" Dr. Impact Extension Bar - 5" (L)	
1 KACU1606 1/2" Dr. Impact Universal Joint	
4 KALO1614~1632 O-Ring 8~14 mm x 2pcs, 15~32 mm x 2pcs	
4 KALP1614~1632 Pin 8~14 mm x 2pcs, 15~32 mm x 2pcs	
1 KALB1501 Oil Pot 15 c.c	
BLOW CASE: W478 x D234 x H100 (mm)	

27PCS

1/2" DR. Air Impact Wrench Set
- Standard Anvil

1/2"

ITEM NO.	GDAI2703
CONTENTS	3 (SET)
1 KAAA1660 1/2" Dr. Standard Anvil Super Duty Impact Wrench (700ft-lb / 949Nm)	
12 KABA1610~1624 1/2" Dr. 6PT Flank Impact Sockets 10, 11, 12, 13, 14, 17, 18, 19, 20, 21, 22, 24 mm	
3 KABD1617~1621 1/2" Dr. 6PT Flank Thin Wall Deep Impact Sockets With Plastic Sleeves 17, 19, 21 mm	
1 KACE1605 1/2" Dr. Impact Extension Bar - 5" (L)	
1 KACU1606 1/2" Dr. Impact Universal Joint	
4 KALO1614~1632 O-Ring 8~14 mm x 2pcs, 15~32 mm x 2pcs	
4 KALP1614~1632 Pin 8~14 mm x 2pcs, 15~32 mm x 2pcs	
1 KALB1501 Oil Pot 15 c.c	
BLOW CASE: W478 x D234 x H100 (mm)	

27PCS

1/2" DR. Air Impact Wrench Set
- Long Anvil

1/2"

ITEM NO.	GDAI2702
CONTENTS	3 (SET)
1 KAAB1640 1/2" Dr. Long Anvil Super Duty Impact Wrench (400ft-lb / 542Nm)	
12 KABA1610~1624 1/2" Dr. 6PT Flank Impact Sockets 10, 11, 12, 13, 14, 17, 18, 19, 20, 21, 22, 24 mm	
3 KABD1617~1621 1/2" Dr. 6PT Flank Thin Wall Deep Impact Sockets With Plastic Sleeves 17, 19, 21 mm	
1 KACE1605 1/2" Dr. Impact Extension Bar - 5" (L)	
1 KACU1606 1/2" Dr. Impact Universal Joint	
4 KALO1614~1632 O-Ring 8~14 mm x 2pcs, 15~32 mm x 2pcs	
4 KALP1614~1632 Pin 8~14 mm x 2pcs, 15~32 mm x 2pcs	
1 KALB1501 Oil Pot 15 c.c	
BLOW CASE: W478 x D234 x H100 (mm)	

27PCS

1/2" DR. Air Impact Wrench Set
- Long Anvil

1/2"

ITEM NO.	GDAI2704
CONTENTS	3 (SET)
1 KAAB1660 1/2" Dr. Long Anvil Super Duty Impact Wrench (600ft-lb / 813Nm)	
12 KABA1610~1624 1/2" Dr. 6PT Flank Impact Sockets 10, 11, 12, 13, 14, 17, 18, 19, 20, 21, 22, 24 mm	
3 KABD1617~1621 1/2" Dr. 6PT Flank Thin Wall Deep Impact Sockets With Plastic Sleeves 17, 19, 21 mm	
1 KACE1605 1/2" Dr. Impact Extension Bar - 5" (L)	
1 KACU1606 1/2" Dr. Impact Universal Joint	
4 KALO1614~1632 O-Ring 8~14 mm x 2pcs, 15~32 mm x 2pcs	
4 KALP1614~1632 Pin 8~14 mm x 2pcs, 15~32 mm x 2pcs	
1 KALB1501 Oil Pot 15 c.c	
BLOW CASE: W478 x D234 x H100 (mm)	

TOPTUL SUPER DUTY AIR IMPACT WRENCH SERIES (One-Hand Reversing Switch) HIGH-PERFORMANCE & LIGHTWEIGHT COMPOSITE HANDLE

TOPTUL
AIR IMPACT WRENCH SERIES

TOPTUL®

Super Duty Air Impact Wrench

High-performance

- Impact Mechanism : New Twin Hammer
- Handle Exhaust with Muffler
- One-Hand Reversing Switch

KAAJ1680

800 FT-LBS

1/2" DR.

- Powerful, Lightweight & Simple Operation

ITEM NO.	KAAJ1680
SPECIFICATIONS	8
Max. Torque	800 ft-lb / 1085 Nm
Free Speed	8000 RPM
Air Pressure	90 PSI / 6.2 BAR
Air Consumption	6.7 CFM
Air Inlet	1/4" PT
Min. Air Hose	3/8" I.D.
Overall Length	7-3/4" / 197 mm
Net Weight	5.07 lbs / 2.3 kgs

Impact Sockets, Bit Sockets, Accessories & Air Wrench

3/8" DR. - NEW

Super Duty Air Impact Wrench
- Impact Mechanism : Twin Hammer
- Handle Exhaust with Muffler
- One-Hand Reversing Switch

• Powerful, Lightweight & Simple Operation

ITEM NO.	KAAJ1240
SPECIFICATIONS	12
Max. Torque	400 ft-lb / 542 Nm
Free Speed	13500 RPM
Air Pressure	90 PSI / 6.2 BAR
Air Consumption	5.9 CFM
Air Inlet	1/4" PT
Min. Air Hose	3/8" I.D.
Overall Length	6" / 152 mm
Net Weight	2.69 lbs / 1.22 kgs

1/2" DR. - NEW

Super Duty Air Impact Wrench
- Impact Mechanism : Twin Hammer
- Handle Exhaust with Muffler
- One-Hand Reversing Switch

• Powerful, Lightweight & Simple Operation

ITEM NO.	KAAJ1643
SPECIFICATIONS	12
Max. Torque	430 ft-lb / 583 Nm
Free Speed	13500 RPM
Air Pressure	90 PSI / 6.2 BAR
Air Consumption	5.9 CFM
Air Inlet	1/4" PT
Min. Air Hose	3/8" I.D.
Overall Length	6" / 152 mm
Net Weight	2.73 lbs / 1.24 kgs

3/4" DR.

Super Duty Air Impact Wrench
- Impact Mechanism : New Twin Hammer
- Handle Exhaust with Muffler
- One-Hand Reversing Switch

• Powerful, Lightweight & Simple Operation

ITEM NO.	KAAJ2480
SPECIFICATIONS	8
Max. Torque	800 ft-lb / 1085 Nm
Free Speed	8000 RPM
Air Pressure	90 PSI / 6.2 BAR
Air Consumption	6.7 CFM
Air Inlet	1/4" PT
Min. Air Hose	3/8" I.D.
Overall Length	8-5/16" / 211 mm
Net Weight	5.20 lbs / 2.36 kgs

3/4" DR. - NEW

Super Duty Air Impact Wrench
- Impact Mechanism : New Twin Hammer
- Handle Exhaust with Muffler
- One-Hand Reversing Switch

• Powerful, Lightweight & Simple Operation

ITEM NO.	KAAJ2413
SPECIFICATIONS	4
Max. Torque	1300 ft-lb / 1763 Nm
Free Speed	6000 RPM
Air Pressure	90 PSI / 6.2 BAR
Air Consumption	7.3 CFM
Air Inlet	3/8" PT
Min. Air Hose	1/2" I.D.
Overall Length	8-23/32" / 222 mm
Net Weight	8.2 lbs / 3.72 kgs

1" DR. - NEW

Super Duty Air Impact Wrench
- Impact Mechanism : New Twin Hammer
- Handle Exhaust with Muffler
- One-Hand Reversing Switch

• Powerful, Lightweight & Simple Operation

ITEM NO.	KAAJ3214
SPECIFICATIONS	4
Max. Torque	1400 ft-lb / 1898 Nm
Free Speed	6000 RPM
Air Pressure	90 PSI / 6.2 BAR
Air Consumption	7.3 CFM
Air Inlet	3/8" PT
Min. Air Hose	1/2" I.D.
Overall Length	8-15/16" / 227 mm
Net Weight	8.42 lbs / 3.82 kgs

• Limit Forward Working Torque - NEW

ITEM NO.	KAAM1606
SPECIFICATIONS	8
Max. For. Torque	66 ft-lb / 90 Nm
Free For. Speed	2000 RPM
Max. Rev. Torque	600 ft-lb / 814 Nm
Free Rev. Speed	8000 RPM
Air Pressure	90 PSI / 6.2 BAR
Air Consumption	4.4 CFM
Air Inlet	1/4" PT
Min. Air Hose	3/8" I.D.
Overall Length	7-19/32" / 193 mm
Net Weight	4.73 lbs / 2.15 kgs

TOPTUL SUPER DUTY AIR IMPACT WRENCH SERIES

HIGH-PERFORMANCE & LIGHTWEIGHT COMPOSITE HANDLE

TOPTUL
AIR IMPACT WRENCH SERIES

TOPTUL®

Super Duty Air Impact Wrench

- Impact Mechanism : Jumbo Hammer
- Handle Exhaust with Muffler

High-performance

Short Barrel Model
Easier to operate in confined spaces.

Jumbo Hammer Impact Mechanism
Super duty designed impact mechanism extends and ensures maximum tool life.

Air Regulator
4 position power setting.
Forward: 3 speed
Reverse: 1 speed

Composite Grip Handle
Lightweight & Ergonomic designed.

Handle Exhaust with Muffler
Reduces noise level and discharge air away from working area.

KAAC1645

450 FT-LBS

1/2" DR.

- Powerful, Lightweight & Short Barrel Model

ITEM NO.	KAAC1645
SPECIFICATIONS	12
Max. Torque	450 ft-lb / 610 Nm
Free Speed	9600 RPM
Air Pressure	90 PSI / 6.2 BAR
Air Consumption	4.9 CFM
Air Inlet	1/4" PT
Min. Air Hose	3/8" I.D.
Overall Length	5-45/64" / 145 mm
Net Weight	3.48 lbs / 1.58 kgs

Impact Sockets, Bit Sockets, Accessories & Air Wrench

3/8" DR.

Super Duty Air Impact Wrench
- Impact Mechanism : Twin Hammer
- Handle Exhaust with Muffler

ITEM NO.	KAAC1228
SPECIFICATIONS	12
Max. Torque	280 ft-lb / 379 Nm
Free Speed	10000 RPM
Air Pressure	90 PSI / 6.2 BAR
Air Consumption	4 CFM
Air Inlet	1/4" PT
Min. Air Hose	3/8" I.D.
Overall Length	5-63/64" / 152 mm
Net Weight	2.87 lbs / 1.30 kgs

1/2" DR.

Super Duty Air Impact Wrench
- Impact Mechanism : Twin Hammer
- Handle Exhaust with Muffler

ITEM NO.	KAAC1628
SPECIFICATIONS	12
Max. Torque	280 ft-lb / 379 Nm
Free Speed	10000 RPM
Air Pressure	90 PSI / 6.2 BAR
Air Consumption	4 CFM
Air Inlet	1/4" PT
Min. Air Hose	3/8" I.D.
Overall Length	5-63/64" / 152 mm
Net Weight	2.89 lbs / 1.31 kgs

1/2" DR.

Super Duty Air Impact Wrench
- Impact Mechanism : Twin Hammer
- Handle Exhaust with Muffler

ITEM NO.	KAAC1660
SPECIFICATIONS	8
Max. Torque	600 ft-lb / 813 Nm
Free Speed	8000 RPM
Air Pressure	90 PSI / 6.2 BAR
Air Consumption	4.4 CFM
Air Inlet	1/4" PT
Min. Air Hose	3/8" I.D.
Overall Length	7-5/8" / 193 mm
Net Weight	4.69 lbs / 2.13 kgs

1" DR.

Super Duty Air Impact Wrench
- Impact Mechanism : New Twin Hammer
- Handle Exhaust with Muffler

ITEM NO.	KAAC3214
SPECIFICATIONS	4
Max. Torque	1400 ft-lb / 1898 Nm
Free Speed	6500 RPM
Air Pressure	90 PSI / 6.2 BAR
Air Consumption	6.7 CFM
Air Inlet	3/8" PT
Min. Air Hose	1/2" I.D.
Overall Length	9-3/64" / 230 mm
Net Weight	8.94 lbs / 4.06 kgs

TOPTUL®

Super Duty Air Impact Wrench

- Impact Mechanism : New Twin Hammer
- Handle Exhaust with Muffler

High-performance



New Twin Hammer Impact Mechanism
High performance and powerful designed impact mechanism extends and ensures maximum tool life.

Innovative Three-Way Air Inlet Function
Specially designed air circulation system increases the efficience and power delivery of tools by over 10%.



Air Regulator
4 position power setting.
Forward: 3 speed
Reverse: 1 speed

Durable & Long Life Anvil
High quality material made durable anvil with special heat treatment.

Improved Throttle Valve Seat
Easier maintenance design with less wear and prolong the life of the tool.

End Cap Slider Guide Trigger
Easy operation design.

Composite Grip Handle
Lightweight & Ergonomic designed steel / composite handle.

Improved Air Inlet
Effectively reduces the damage of thread.

KAAC2412

3/4" DR.

ITEM NO.	KAAC2412
SPECIFICATIONS	4
Max. Torque	1200 ft-lb / 1626 Nm
Free Speed	6500 RPM
Air Pressure	90 PSI / 6.2 BAR
Air Consumption	6.7 CFM
Air Inlet	3/8" PT
Min. Air Hose	1/2" I.D.
Overall Length	8-55/64" / 225 mm
Net Weight	8.59 lbs / 3.90 kgs

Impact Sockets, Bit Sockets, Accessories & Air Wrench

3/4" DR.

Super Duty Air Impact Wrench

- Impact Mechanism : Twin Hammer
- Side Exhaust with Muffler
- Inside Trigger

Features an adjustable 3-position forward and reverse power setting. Auxiliary side handle for ease of control. Rubber comfort grips on side & back handle.

• Powerful & Lightweight Model

ITEM NO.	KAAC2416
SPECIFICATIONS	2
Max. Torque	1600 ft-lb / 2170 Nm
Free Speed	5500 RPM
Air Pressure	90 PSI / 6.2 BAR
Air Consumption	8.5 CFM
Air Inlet	1/2" PT
Min. Air Hose	3/4" I.D.
Overall Length	12-19/32" / 320 mm
Net Weight	12.54 lbs / 5.69 kgs

1" DR.

Super Duty Air Impact Wrench

- Impact Mechanism : Twin Hammer
- Handle Exhaust with Muffler

Features an adjustable 3-position forward and one full power reverse setting. Auxiliary rubber comfort grip side handle for ease of control.

ITEM NO.	KAAC3218
SPECIFICATIONS	2
Max. Torque	1800 ft-lb / 2441 Nm
Free Speed	5000 RPM
Air Pressure	90 PSI / 6.2 BAR
Air Consumption	9.0 CFM
Air Inlet	1/2" PT
Min. Air Hose	3/4" I.D.
Overall Length	10-13/16" / 275 mm
Net Weight	15.92 lbs / 7.22 kgs

1" DR.

Long Anvil Super Duty Air Impact Wrench

- Impact Mechanism : Twin Hammer
- Side Exhaust with Muffler
- Inside Trigger

Features an adjustable 3-position forward and reverse power setting. Auxiliary side handle for ease of control. Rubber comfort grips on side & back handle.

• Powerful & Lightweight Model

ITEM NO.	KAAD3216
SPECIFICATIONS	2
Max. Torque	1600 ft-lb / 2170 Nm
Free Speed	5500 RPM
Air Pressure	90 PSI / 6.2 BAR
Air Consumption	8.5 CFM
Air Inlet	1/2" PT
Min. Air Hose	3/4" I.D.
Overall Length	17-17/32" / 445 mm
Net Weight	14.59 lbs / 6.62 kgs

1" DR.

Long Anvil Super Duty Air Impact Wrench

- Impact Mechanism : Twin Hammer
- Side Exhaust with Muffler
- Inside Trigger

One of the lightest, most powerful super duty 1" square drive extended anvil impact wrenches. Ultimate torque of 2,000 ft. lbs. at 90 psi. Weighs only 18.34 lbs. Designed for extended use in heavy duty truck tire service works. Twin hammer mechanism promotes an even maximum force on lug nut or bolt. Features an adjustable 3-position forward and reverse power setting. Auxiliary side handle for ease of control. Rubber comfort grips on side & back handle.

• Powerful & Lightweight Model

ITEM NO.	KAAD3220
SPECIFICATIONS	2
Max. Torque	2000 ft-lb / 2712 Nm
Free Speed	5000 RPM
Air Pressure	90 PSI / 6.2 BAR
Air Consumption	9 CFM
Air Inlet	1/2" PT
Min. Air Hose	3/4" I.D.
Overall Length	19-31/64" / 495 mm
Net Weight	18.34 lbs / 8.32 kgs

Air Straight Die Grinder

Professional Grade Air Tools

- Powerful 0.6 HP straight-line die grinder for heavy duty applications
- Includes two collet chucks: 6mm (Insert) & 1/4"
- Adjustable power regulator for precise control
- Safety lock lever to prevent accidental start-up
- Rear exhaust with muffler directs air away from the workpiece
- Suited for grinding, polishing, burnishing and deburring applications

ITEM NO.	KAKA0822
SPECIFICATIONS	25
Collet Chuck	6mm / 1/4"
Power	0.6 HP / 0.45 KW
Free Speed	22000 RPM
Air Pressure	90 PSI / 6.2 BAR
Air Consumption	6 CFM
Air inlet	1/4" PT
Air Hose	3/8" I.D.
Overall length	6-9/16" / 167 mm
weight	1.3 lbs / 0.6 kgs

TOPTUL
YOUR BEST WORKING PARTNERS

Impact Sockets, Bit Sockets, Accessories & Air Wrench

Heavy Duty Air Impact Hammer

Heavy Duty Air Impact Hammer

- Pressure die cast aluminum alloy body with hardened tool steel impact mechanism
- Close tolerance of internal parts provides high torque performance and low air consumption
- Medium-barrel hammer design with pistol grip handle
- Front exhaust

ITEM NO.	KAHA3217
SPECIFICATIONS	10
Blow Per Minute	3200 BPM
Piston Stroke	67mm (2-5/8")
Chisel Shank Opening (Hex)	10 mm
Overall Length	171 mm (6-3/4")
Net Weight	1.6 kg (3.5 lbs)
Air Inlet	1/4" PT
Air Hose	3/8" ID
Air Pressure	90 PSI / 6.2 BAR
Average Air Consumption	10 CFM (283 l/min)
Sound Pressure Level	99.8 DBA
Sound Power Level	110.6 DBA
Vibration Level	5.1 M/Sec²

Flat Chisel

CR-MO

ITEM NO.	Hex(mm)	L(mm)		
KAJA18A1	10	178	10	120

Sheet Metal Trimmer

CR-MO

ITEM NO.	Hex(mm)	L(mm)		
KAJA18B1	10	178	10	120

Spot Weld Breaker

CR-MO

ITEM NO.	Hex(mm)	L(mm)		
KAJA18C1	10	178	10	120

Panel Cutter

CR-MO

ITEM NO.	Hex(mm)	L(mm)		
KAJA18D1	10	178	10	120

Taper Punch

CR-MO

ITEM NO.	Hex(mm)	L(mm)		
KAJA18E1	10	178	10	120

Hexagon & Star Keys Series
Practical

allen and star key wrenches for screw fastening and unfastening works.

www.toptul.com

HEXAGON & STAR KEYS SERIES

Hexagon & Star Keys

Hex Key Wrench

AGAE - Extra Long Type

SNCM+V Steel | DIN ISO 2936

ITEM NO.	SIZE(mm)	L1(mm)	L2(mm)		
AGAE1E09	1.5	15.5	91.5	50	900
AGAE0210	2	18	102	50	400
AGAE2E11	2.5	20.5	114.5	50	400
AGAE0313	3	23	129	50	400
AGAE0414	4	29	144	50	400
AGAE0517	5	33	165	30	360
AGAE0619	6	38	186	20	240
AGAE0720	7	41	197	20	160
AGAE0821	8	44	208	10	80
AGAE1023	10	50	234	10	80
AGAE1226	12	57	262	5	30
AGAE1429	14	70	294	5	30
AGAE1734	17	80	337	5	20
AGAE1938	19	89	379	5	10

AGAL - Long Type

ITEM NO.	SIZE(mm)	L1(mm)	L2(mm)		
AGAL1E08	1.5	15.5	63.5	30	540
AGAL0208	2	18	77	30	540
AGAL2E09	2.5	20.5	87.5	30	540
AGAL0310	3	23	93	30	540
AGAL0411	4	29	104	30	480
AGAL0512	5	33	120	30	240
AGAL0614	6	38	141	30	240
AGAL0715	7	41	147	30	240
AGAL0816	8	44	158	20	240
AGAL0917	9	47	166	15	180
AGAL1018	10	50	180	10	120
AGAL1222	12	57	199	10	60
AGAL1424	14	70	244	5	30
AGAL1727	17	80	267	5	30
AGAL1930	19	89	299	5	30

AGAS - Short Type

ITEM NO.	SIZE(mm)	L1(mm)	L2(mm)		
AGAS1C04	1.27	15.2	45.2	50	600
AGAS1E05	1.5	15.5	46.5	30	540
AGAS0205	2	18	52	30	540
AGAS2E06	2.5	20.5	58.5	30	540
AGAS0307	3	23	66	30	540
AGAS3E07	3.5	25.5	68.5	30	540
AGAS0407	4	29	74	30	240
AGAS4E08	4.5	30.5	79.5	30	240
AGAS0509	5	33	85	30	240
AGAS0610	6	38	96	30	240
AGAS0710	7	41	102	30	240
AGAS0811	8	44	108	25	200
AGAS0912	9	47	116	25	200
AGAS1012	10	50	122	25	200
AGAS1214	12	57	137	15	120
AGAS1415	14	70	154	5	60
AGAS1718	17	80	177	5	30
AGAS1920	19	89	199	5	30

Star Key Wrench

AIAE - Extra Long Type

SNCM+V Steel

ITEM NO.	SIZE	L1(mm)	L2(mm)		
AIAE1010	T10	19	91	100	800
AIAE1510	T15	19.5	103.5	70	560
AIAE2011	T20	22	114	60	480
AIAE2513	T25	24.5	129.5	50	400
AIAE2715	T27	29	145	50	400
AIAE3017	T30	34	166	30	360
AIAE4018	T40	39	182	20	240
AIAE4520	T45	44	202	15	120
AIAE5023	T50	49	226	10	80

AIAL - Long Type

ITEM NO.	SIZE	L1(mm)	L2(mm)		
AIAL0807	T8	19	69	30	540
AIAL1007	T10	19	72	30	540
AIAL1508	T15	19.5	83.5	30	540
AIAL2009	T20	23	91	30	540
AIAL2510	T25	24.5	102.5	30	540
AIAL2711	T27	29	113	30	240
AIAL3013	T30	35	126	25	200
AIAL4014	T40	42	142	20	160
AIAL4516	T45	47	161	20	200
AIAL5018	T50	50	177	15	180
AIAL5520	T55	56.5	198.5	10	60
AIAL6022	T60	60.5	223.5	10	60

AIAS - Short Type

ITEM NO.	SIZE	L1(mm)	L2(mm)		
AIAS0850	T8	19	47	30	540
AIAS1050	T10	19	49	30	540
AIAS1506	T15	19.5	56.5	30	540
AIAS2006	T20	23	62	30	540
AIAS2507	T25	24.5	69.5	30	540
AIAS2708	T27	29	77	30	240
AIAS3009	T30	35	86	30	240
AIAS4010	T40	42	97	30	240
AIAS4511	T45	47	110	25	200
AIAS5012	T50	50	124	25	200
AIAS5514	T55	56.5	136.5	15	120
AIAS6015	T60	60.5	153.5	10	100

Ball Point Hex Key Wrench

AGBE - Extra Long Type

DIN ISO 2936 | SNCM+V Steel

ITEM NO.	SIZE(mm)	L1(mm)	L2(mm)		
AGBE1E09	1.5	15.5	91.5	50	900
AGBE0210	2	18	102	50	900
AGBE2E11	2.5	20.5	114.5	50	900
AGBE0313	3	23	129	50	400
AGBE0414	4	29	144	50	400
AGBE0517	5	33	165	30	360
AGBE0619	6	38	186	20	240
AGBE0720	7	41	197	20	160
AGBE0821	8	44	208	15	120
AGBE1023	10	50	234	10	80
AGBE1226	12	57	262	10	60

AGBL - Long Type

ITEM NO.	SIZE(mm)	L1(mm)	L2(mm)		
AGBL1E08	1.5	15.5	63.5	50	900
AGBL0208	2	18	77	50	900
AGBL2E09	2.5	20.5	87.5	50	900
AGBL0310	3	23	93	30	540
AGBL0411	4	28	104	30	480
AGBL0512	5	30	120	30	240
AGBL0614	6	38	141	30	240
AGBL0715	7	41	147	30	240
AGBL0816	8	44	158	20	240
AGBL1018	10	50	180	10	120
AGBL1220	12	57	199	10	80

Ball Point Hex Key Wrench

AHBL - Long Type

DIN ISO 2936 | SNCM+V Steel

ITEM NO.	SIZE(inch)	L1(mm)	L2(mm)		
AHBL0208	1/16	18	80	30	540
AHBL2E08	5/64	19	85	30	540
AHBL0309	3/32	21	90	30	540
AHBL0410	1/8	24	100	30	540
AHBL0511	5/32	27	111	30	240
AHBL0612	3/16	31	121	30	240
AHBL0814	1/4	36	141	30	240
AHBL1016	5/16	42	162	20	240
AHBL1217	3/8	46.5	182.5	10	120

Extra Long Type Star Tamperproof Key Wrench

AIBE - Extra Long Type

SNCM+V Steel

ITEM NO.	SIZE	L1(mm)	L2(mm)		
AIBE1009	T10	19	91	100	800
AIBE1510	T15	19.5	103.5	70	560
AIBE2011	T20	22	114	60	480
AIBE2513	T25	24.5	129.5	50	400
AIBE2715	T27	29	145	50	400
AIBE3017	T30	34	166	30	360
AIBE4018	T40	39	182	20	240
AIBE4520	T45	44	202	15	120
AIBE5023	T50	49	226	10	80

Spline Key Wrench

AGGS - Short Type

CR-V Steel

ITEM NO.	SIZE	L1(mm)	L2(mm)		
AGGS0508	M5	29	83	30	240
AGGS0608	M6	33	90	30	240
AGGS0809	M8	39	98	25	200
AGGS1010	M10	44	111	25	200
AGGS1211	M12	52.5	125.5	15	120
AGGS1414	M14	69.5	155.5	10	80

14PCS

Short Type Hex Key Wrench Set

SNCM+V Steel

ITEM NO.	CONTENTS	10 (SET)
GPAQ1401	14 2, 2.5, 3, 4, 5, 6, 7, 8, 9, 10, 12, 14, 17, 19 mm	

Hex Key Wrench Set

TOPTUL hex key wrench is made of high grade nickel chrome molybdenum alloy steel (SNCM+V tool steel). Premium quality steel is well tempered and hardened for maximum hardness and strength. Precision machined hex tip enables for full tool engagement in the screw. Fine and smooth surface of special satin chrome plating allows the tools to operate with less friction and ensures maximum wear resistance, durability and corrosion resistance.

Hexagon & Star Keys

9PCS
Short Type Hex Key Wrench Set

SNCM+V Steel

ITEM NO.	CONTENTS	8 (SET)
GAAL0910	1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm	

9PCS
Short Type Star Key Wrench Set

SNCM+V Steel

ITEM NO.	CONTENTS	8 (SET)
GAAL0913	T10, T15, T20, T25, T27, T30, T40, T45, T50	

9PCS
Long Type Hex Key Wrench Set

SNCM+V Steel

ITEM NO.	CONTENTS	10 (SET)
GAAL0911	1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm	

9PCS
Long Type Star Key Wrench Set

SNCM+V Steel

ITEM NO.	CONTENTS	10 (SET)
GAAL0914	T10, T15, T20, T25, T27, T30, T40, T45, T50	

9PCS
Extra Long Type Hex Key Wrench Set



SNCM+V Steel

ITEM NO.	CONTENTS	8 (SET)
GAAL0912	1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm	

9PCS
Extra Long Type Star Key Wrench Set



SNCM+V Steel

ITEM NO.	CONTENTS	8 (SET)
GAAL0924	T10, T15, T20, T25, T27, T30, T40, T45, T50	

9PCS
Extra Long Type Ball Point Hex Key Wrench Set
(Short-Arm Hex Key End Type)



SNCM+V Steel

ITEM NO.	CONTENTS	8 (SET)
GAAL0922	1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm	

9PCS
Extra Long Type Star Key Wrench Set
(Short-Arm Star Key End Type)



SNCM+V Steel

ITEM NO.	CONTENTS	8 (SET)
GAAL0923	T10, T15, T20, T25, T27, T30, T40, T45, T50	

Hexagon & Star Keys

9PCS
Long Type Ball Point Hex Key Wrench Set

SNCM+V Steel

ITEM NO.	CONTENTS	10 (SET)
GAAL0916	1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm	

9PCS
Long Type Ball End Star & Tamperproof Key Wrench Set
- Made of S2 Alloy Steel Material
- Ball End allows key to be used up to 20° angle from screwhead

S2 Steel

ITEM NO.	CONTENTS	10 (SET)
GAAL0925	T10, T15, T20, T25, T27, T30, T40, T45, T50	

9PCS
Long Type Ball Point Hex Key Wrench Set



SNCM+V Steel

ITEM NO.	CONTENTS	10 (SET)
GBAL0901	1/16", 5/64", 3/32", 1/8", 5/32", 3/16", 1/4", 5/16", 3/8"	

9PCS
Long Type Star Tamperproof Key Wrench Set

SNCM+V Steel

ITEM NO.	CONTENTS	10 (SET)
GAAL0919	T10, T15, T20, T25, T27, T30, T40, T45, T50	

9PCS
Extra Long Type Ball Point Hex Key Wrench Set

SNCM+V Steel

ITEM NO.	CONTENTS	8 (SET)
GAAL0917	1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm	

9PCS
Extra Long Type Star Tamperproof Key Wrench Set



SNCM+V Steel

ITEM NO.	CONTENTS	8 (SET)
GAAL0915	T10, T15, T20, T25, T27, T30, T40, T45, T50	

7PCS
Short Type Star Key Wrench Set

SNCM+V Steel

ITEM NO.	CONTENTS	30 (SET)
GAAL0705	T10, T15, T20, T25, T27, T30, T40	

7PCS
Short Type Hex Key Wrench Set

SNCM+V Steel

ITEM NO.	CONTENTS	22 (SET)
GAAL0701	2.5, 3, 4, 5, 6, 8, 10 mm	

7PCS
Long Type Ball Point Hex Key Wrench Set

SNCM+V Steel

ITEM NO.	CONTENTS	22 (SET)
GAAL0704	2.5, 3, 4, 5, 6, 8, 10 mm	

9PCS
Color-Ring Extra Long Type Ball Point Hex Key Wrench Set

SNCM+V Steel

ITEM NO.	CONTENTS	8 (SET)
GAAL0918	1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm	

7-in-1
Folding Hex Key Set
- Ultra light weight & high strength compact anodized aluminum alloy handle
- Hex key is made of heat-treated chrome vanadium steel for maximum strength and durability
- Precision machined hex tips for exact fit
- Chrome-plated finish provides excellent corrosion resistance

ITEM NO.	CONTENTS	12
AGFH0701	2.5, 3, 4, 5, 6, 8, 10 mm	

8-in-1
Folding Star Key Set
- Ultra light weight & high strength compact anodized aluminum alloy handle
- Star key is made of heat-treated chrome vanadium steel for maximum strength and durability
- Precision machined star tips for exact fit
- Chrome-plated finish provides excellent corrosion resistance

ITEM NO.	CONTENTS	12
AIFH0801	T9, T10, T15, T20, T25, T27, T30, T40	

Hexagon & Star Keys

7-in-1 Foldable Hex Key Wrench Set

ITEM NO.	CONTENTS	16
AGFB0703	2.5, 3, 4, 5, 6, 8, 10 mm	

7-in-1 Foldable Hex Key Wrench Set

ITEM NO.	CONTENTS	16
AGFB0701	2, 2.5, 3, 4, 5, 6, 8 mm	

8-in-1 Foldable Star Key Wrench Set

ITEM NO.	CONTENTS	16
AIFB0801	T9, T10, T15, T20, T25, T27, T30, T40	

8-in-1 Foldable Star Key Wrench Set

ITEM NO.	CONTENTS	16
AIFB0802	T6, T7, T8, T9, T10, T15, T20, T25	

T-Type Hex Key Wrench

CR-V Steel

ITEM NO.	SIZE(mm)	L1(mm)	L2(mm)		
AGDA0213	2	65	125	20	100
AGDAE213	2.5	65	125	20	100
AGDA0313	3	65	125	20	100
AGDAE313	3.5	65	125	20	100
AGDA0418	4	90	180	20	100
AGDAE418	4.5	90	180	20	100
AGDA0518	5	90	180	20	100
AGDA0621	6	105	210	20	100
AGDA0721	7	105	210	20	100
AGDA0825	8	125	250	20	60
AGDA1030	10	145	300	10	40
AGDA1232	12	165	320	10	30
AGDA1434	14	170	340	10	20

5PCS Spline Key Wrench Set

CR-V Steel

ITEM NO.	CONTENTS	40 (SET)
GAAD0501	• M5, M6, M8, M10, M12	

METAL CASE: W152 x D89 x H17 (mm)

9PCS Extra Long Type Hex Key Wrench Set

SNCM+V Steel

ITEM NO.	CONTENTS	10 (SET)
GAAD1509	• 3, 4, 5, 6, 8, 10, 12, 14 mm Knife Type 1.5~6 mm	

METAL CASE: W313 x D103 x H32 (mm)

NEW INNOVATION MODEL
TOPTUL L-Handle Key Wrench Series

Features:

- Expert quality, hardened and tampered SNCM+V alloy steel.
- Ergonomic designed L-Handle allows comfortable and effective use of either end of key.
- Professional Satin-Chrome plating with black hardened tip.
- Anti-slip bi-component PP+TPR material soft grip handle.
- Available in two ways of Spherical & Hexagon, Hexagon & Hexagon and Star & Tamperproof key wrenches.

L-Type Two Way Hex Key Wrench

SNCM+V Steel DIN ISO 2936

ITEM NO.	SIZE(mm)	L1(mm)	L2(mm)		
AGHD0214	2	77	140	5	80
AGHD2E14	2.5	77	140	5	80
AGHD0314	3	77	140	5	80
AGHD0414	4	77	140	5	80
AGHD0520	5	97	203	5	40
AGHD0620	6	97	203	5	40
AGHD0720	7	97	203	5	40
AGHD0827	8	116	265	5	30
AGHD1027	10	116	265	5	30
• AGHD1227	12	116	265	5	30

9PCS L-Type Two Way Hex Key Wrench Set

SNCM+V Steel

ITEM NO.	GZC0906
CONTENTS	5 (SET)
• AGHD0214~AGHD1027 L-Type Two Way Hex Key Wrenches 2x140, 2.5x140, 3x140, 4x140, 5x203, 6x203, 7x203, 8x265, 10x265 mm	

PLASTIC BOX: W373 x D289 x H56 (mm)

Hexagon & Star Keys

Features:

- Expert quality, hardened and tampered SNCM+V alloy steel.
- Ergonomic designed L-Handle allows comfortable and effective use of either end of key.
- Professional Satin-Chrome plating with black hardened tip.
- Anti-slip bi-component PP+TPR material soft grip handle.
- Available in two ways of Spherical & Hexagon, Hexagon & Hexagon and Star & Tamperproof key wrenches.

L-Type Two Way Ball Point & Hex Key Wrench

SNCM+V Steel | DIN ISO 2936

ITEM NO.	SIZE(mm)	L1(mm)	L2(mm)		
AGCD0214	2	77	140	5	80
AGCD2E14	2.5	77	140	5	80
AGCD0314	3	77	140	5	80
AGCD0414	4	77	140	5	80
AGCD0520	5	97	203	5	40
AGCD0620	6	97	203	5	40
AGCD0720	7	97	203	5	40
AGCD0827	8	116	265	5	30
AGCD1027	10	116	265	5	30
• AGCD1227	12	116	265	5	30

L-Type Two Way Star & Tamperproof Key Wrench

SNCM+V Steel

ITEM NO.	SIZE	L1(mm)	L2(mm)		
AIED1014	T10	77	140	5	80
AIED1514	T15	77	140	5	80
AIED2014	T20	77	140	5	80
AIED2514	T25	77	140	5	80
AIED2720	T27	97	203	5	30
AIED3020	T30	97	203	5	30
AIED4020	T40	97	203	5	30
AIED4527	T45	116	265	5	30
AIED5027	T50	116	265	5	30

9PCS
L-Type Two Way Ball Point & Hex Key Wrench Set

SNCM+V Steel

ITEM NO.	GZC0903
CONTENTS	5 (SET)

- AGCD0214~AGCD1027
  L-Type Two Way Ball Point & Hex Key Wrenches
  2x140, 2.5x140, 3x140, 4x140, 5x203, 6x203, 7x203, 8x265, 10x265 mm

PLASTIC BOX: W373 x D289 x H56 (mm)

9PCS
L-Type Two Way Star & Tamperproof Key Wrench Set

SNCM+V Steel

ITEM NO.	GZC0904
CONTENTS	5 (SET)

- AIED1014~AIED5027
  L-Type Two Way Star & Tamperproof Key Wrenches
  T10x140, T15x140, T20x140, T25x140, T27x203, T30x203, T40x203, T45x265, T50x265

PLASTIC BOX: W373 x D289 x H56 (mm)

8PCS
L-Type Two Way Hex Key Wrench Set

SNCM+V Steel

ITEM NO.	CONTENTS	9 (SET)
GAAX0802	2, 2.5, 3, 4, 5, 6, 8, 10 mm	

L-Type Two Way Magnetic Bit Holder Handle

- Made of Chrome Vanadium Alloy Steel
- 1/4" (H) Magnetic Stainless Steel Bit Holder



ITEM NO.	Hex(inch)	L1(mm)	L2(mm)		
FTFC0820	1/4	118	203	5	30

8PCS
L-Type Two Way Ball Point & Hex Key Wrench Set

SNCM+V Steel

ITEM NO.	CONTENTS	9 (SET)
GAAX0801	2, 2.5, 3, 4, 5, 6, 8, 10 mm	

9PCS
L-Type Two Way Star & Tamperproof Key Wrench Set

SNCM+V Steel

ITEM NO.	CONTENTS	9 (SET)
GAAX0901	T10, T15, T20, T25, T27, T30, T40, T45, T50	

Hexagon & Star Keys

L-Type Two Way Ball Point & Hex Key Wrench

SNCM+V Steel

ITEM NO.	SIZE(mm)	L1(mm)	L2(mm)		
AGCA0215	2	74	147	5	80
AGCA2E15	2.5	74	147	5	80
AGCA0315	3	74	147	5	80
AGCA0415	4	74	147	5	80
AGCA0521	5	94	212	5	40
AGCA0621	6	94	212	5	40
AGCA0828	8	115	281	5	30
AGCA1028	10	115	281	5	30

6PCS

Two Way Ball Point & Hex Key Wrench Set

SNCM+V Steel

ITEM NO.	CONTENTS	
		10 (SET)
GAAS0601	2, 2.5, 3, 4, 5, 6 mm	

L-Type Two Way Star & Tamperproof Key Wrench

SNCM+V Steel

ITEM NO.	SIZE	L1(mm)	L2(mm)		
AIEA1015	T10	74	147	5	60
AIEA1515	T15	74	147	5	60
AIEA2015	T20	74	147	5	60
AIEA2515	T25	74	147	5	60
AIEA2721	T27	94	212	5	40
AIEA3021	T30	94	212	5	40
AIEA4021	T40	94	212	5	40
AIEA4528	T45	115	281	5	30
AIEA5028	T50	115	281	5	30

6PCS

Two Way Star & Tamperproof Key Wrench Set

SNCM+V Steel

ITEM NO.	CONTENTS	
		10 (SET)
GAAS0602	T10, T15, T20, T25, T30, T40	

T-Type Hex Key Wrench



SNCM+V Steel

ITEM NO.	SIZE(mm)	L1(mm)	L(mm)		
AGAI0219	2	150	186	10	60
AGAI2E19	2.5	150	186	10	60
AGAI0319	3	150	186	10	60
AGAI0419	4	150	186	10	60
AGAI0519	5	150	188	8	48
AGAI0619	6	150	188	8	48
AGAI0819	8	150	190	8	48
AGAI1019	10	150	190	8	48

ITEM NO.	SIZE(inch)	L1(mm)	L(mm)		
AHAI0419	1/8	150	186	10	60
AHAI0519	5/32	150	186	10	60
AHAI0619	3/16	150	188	8	48
AHAI0819	1/4	150	188	8	48
AHAI1019	5/16	150	190	8	48
AHAI1219	3/8	150	190	8	48

Screwdrivers, Bits & Power Bits Series

The conventional equipment contains Phillips, Slotted, Pozidriv & Star Tamperproof types.

www.toptul.com

SCREWDRIVERS, BITS & POWER BITS SERIES



PROFESSIONAL HAND TOOLS

Screwdrivers, Bits & Power Bits

Pro-Series Anti-Slip Screwdrivers

Ergonomic soft handle design, comfort and practicality are the notable features of this super-grip handle. The special, new developed anti-slip soft plastic material on the handle is delicately formed to fit users' palm shapes, so the comfort is doubtless.



Pro-Series Slotted Anti-Slip Screwdrivers

- Expert quality, specially hardened and tempered SNCM+V Steel round blade
- High performance black hardened, magnetic tip
- Ergonomic designed handle provides optimum comfort and slip resistance grip
- Improved PP+special soft plastic material for better anti-alkali, acid and corrosion effect

TYPE	ITEM NO.	SIZE(mm)	L1(mm)	L(mm)		
−	FAAD0410	0.8x4	100	215	5	40
	FAAD5E10	1.0x5.5	100	215	5	40
	FAAD5E15	1.0x5.5	150	265	5	40
	FAAD6E10	1.2x6.5	100	215	5	40
	FAAD6E15	1.2x6.5	150	265	5	40

Pro-Series Phillips Anti-Slip Screwdrivers

- Expert quality, specially hardened and tempered SNCM+V Steel round blade
- High performance black hardened, magnetic tip
- Ergonomic designed handle provides optimum comfort and slip resistance grip
- Improved PP+special soft plastic material for better anti-alkali, acid and corrosion effect

TYPE	ITEM NO.	SIZE	L1(mm)	L(mm)		
+	FBAD0110	PH1	100	215	5	40
	FBAD0210	PH2	100	215	5	40
	FBAD0215	PH2	150	265	5	40

5PCS

Slotted & Phillips Super-Grip Screwdriver Set

ITEM NO.	CONTENTS	20 (SET)
GAAE0507	3 FAAD0410~6E15 Slotted Anti-Slip Screwdrivers 4x100, 5.5x100, 6.5x150 3 FBAD0110 & 0210 Phillips Anti-Slip Screwdrivers PH1x100 & PH2x100	

Stubby Slotted Anti-Slip Screwdrivers

- Expert quality, specially hardened and tempered SNCM+V Steel round blade
- High performance black hardened, magnetic tip
- PP+TPR material non-slippery grip handle

TYPE	ITEM NO.	SIZE(mm)	L1(mm)	L(mm)		
−	FABB0403	0.8x4	25	85	5	80
	FABB5E03	1.0x5.5	25	85	5	80
	FABB6E03	1.2x6.5	25	85	5	80

Stubby Phillips Anti-Slip Screwdrivers

- Expert quality, specially hardened and tempered SNCM+V Steel round blade
- High performance black hardened, magnetic tip
- PP+TPR material non-slippery grip handle

TYPE	ITEM NO.	SIZE	L1(mm)	L(mm)		
+	FBBB0103	PH1	25	85	5	80
	FBBB0203	PH2	25	85	5	80

Stubby Pozidriv Anti-Slip Screwdrivers

- Professional S2 Alloy Steel round blade
- High performance black hardened, magnetic tip
- PP+TPR material non-slippery grip handle

TYPE	ITEM NO.	SIZE	L1(mm)	L(mm)		
+	FCBB0103	PZ1	25	85	5	80
	FCBB0203	PZ2	25	85	5	80

Slotted Anti-Slip Screwdrivers

- Expert quality, specially hardened and tempered SNCM+V steel round blade
- High performance black hardened, magnetic tip
- Precision-machined parallel faces enables flush contact with the sides of the slot in the screw head
- PP+TPR material non-slippery grip handle

TYPE	ITEM NO.	SIZE(mm)	L1(mm)	L(mm)		
−	FNAB2E08	0.4x2.5	75	162	5	40
	FNAB0308	0.5x3	75	162	5	40
	FNAB3E10	0.6x3.5	100	187	5	40
	FNAB3E15	0.6x3.5	150	237	5	40
	FNAB0415	0.8x4	150	255	5	40

Slotted Anti-Slip Screwdrivers

- Expert quality, specially hardened and tempered SNCM+V Steel round blade
- High performance black hardened, magnetic tip
- PP+TPR material non-slippery grip handle

TYPE	ITEM NO.	SIZE(mm)	L1(mm)	L(mm)		
−	FAAB0308	0.5x3	75	162	5	40
	FAAB3E10	0.6x3.5	100	187	5	40
	FAAB0410	0.8x4	100	205	5	40
	FAAB0510	0.8x5	100	205	5	40
	FAAB5E10	1.0x5.5	100	215	5	40
	FAAB5E15	1.0x5.5	150	265	5	40
	FAAB6E10	1.2x6.5	100	215	5	40
	FAAB6E15	1.2x6.5	150	265	5	40
	FAAB6E20	1.2x6.5	200	315	5	30
	FAAB0818	1.2x8	175	300	5	40
	FAAB1020	1.6x10	200	325	5	30

Phillips Anti-Slip Screwdrivers

- Expert quality, specially hardened and tempered SNCM+V Steel round blade
- High performance black hardened, magnetic tip
- PP+TPR material non-slippery grip handle

TYPE	ITEM NO.	SIZE	L1(mm)	L(mm)		
+	FBAB0006	PH0	60	147	5	40
	FBAB0108	PH1	80	185	5	40
	FBAB0110	PH1	100	205	5	40
	FBAB0210	PH2	100	215	5	40
	FBAB0215	PH2	150	265	5	40
	FBAB0220	PH2	200	315	5	30
	FBAB0315	PH3	150	275	5	40

Pozidriv Anti-Slip Screwdrivers

- Professional S2 Alloy Steel round blade
- High performance black hardened, magnetic tip
- PP+TPR material non-slippery grip handle

TYPE	ITEM NO.	SIZE	L1(mm)	L(mm)		
+	FCAB0006	PZ0	60	147	5	40
	FCAB0108	PZ1	80	185	5	40
	FCAB0210	PZ2	100	215	5	40
	FCAB0315	PZ3	150	275	5	40

Square Anti-Slip Screwdrivers

- Expert quality, specially hardened and tempered SNCM+V Steel round blade
- High performance black hardened, magnetic tip
- PP+TPR material non-slippery grip handle

TYPE	ITEM NO.	SIZE	L1(mm)	L(mm)		
▢	FJAB0110	SQ1	100	215	5	40
	FJAB0213	SQ2	125	240	5	40
	FJAB0315	SQ3	150	265	5	40

Screwdrivers, Bits & Power Bits



Star Tamperproof Anti-Slip Screwdrivers

- Professional S2 Alloy Steel round blade
- High performance black hardened, magnetic tip
- PP+TPR material non-slippery grip handle

TYPE	ITEM NO.	SIZE	L1(mm)	L(mm)		
	FEAB0808	T8	75	162	5	40
	FEAB0908	T9	75	162	5	40
	FEAB1008	T10	75	162	5	40
	FEAB1508	T15	75	180	5	40
	FEAB2010	T20	100	205	5	40
	FEAB2510	T25	100	215	5	40
	FEAB2710	T27	100	215	5	40
	FEAB3013	T30	125	240	5	40
	FEAB4015	T40	150	275	5	40

Star Anti-Slip Screwdrivers

- Professional S2 Alloy Steel round blade
- High performance black hardened, magnetic tip
- PP+TPR material non-slippery grip handle

TYPE	ITEM NO.	SIZE	L1(mm)	L(mm)		
	FFAB0608	T6	75	162	5	40
	FFAB0708	T7	75	162	5	40
	FFAB0808	T8	75	162	5	40
	FFAB0908	T9	75	162	5	40
	FFAB1008	T10	75	162	5	40
	FFAB1508	T15	75	180	5	40
	FFAB2010	T20	100	205	5	40
	FFAB2510	T25	100	215	5	40
	FFAB2710	T27	100	215	5	40
	FFAB3013	T30	125	240	5	40
	FFAB4015	T40	150	275	5	40

Extra Long Slotted Anti-Slip Screwdrivers

- Expert quality, specially hardened and tempered SNCM+V Steel round blade
- High performance black hardened, magnetic tip
- PP+TPR material non-slippery grip handle

TYPE	ITEM NO.	SIZE(mm)	L1(mm)	L(mm)		
	FACB0440	0.8x4	400	505	5	10
	FACB5E40	1.0x5.5	400	515	5	10
	FACB6E25	1.2x6.5	250	365	5	30
	FACB6E30	1.2x6.5	300	415	5	10
	FACB6E40	1.2x6.5	400	515	5	10

Extra Long Phillips Anti-Slip Screwdrivers

- Expert quality, specially hardened and tempered SNCM+V Steel round blade
- High performance black hardened, magnetic tip
- PP+TPR material non-slippery grip handle

TYPE	ITEM NO.	SIZE	L1(mm)	L(mm)		
	FBCB0125	PH1	250	355	5	30
	FBCB0140	PH1	400	505	5	10
	FBCB0225	PH2	250	365	5	30
	FBCB0230	PH2	300	415	5	10
	FBCB0240	PH2	400	515	5	10

3PCS

Extra Long Slotted & Phillips Super-Grip Screwdriver Set

ITEM NO.	CONTENTS	8 (SET)
GAAE0305	1 FACB5E40 Extra Long Slotted Anti-Slip Screwdriver 5.5x400 2 FBCB0125 & 0225 Extra Long Phillips Anti-Slip Screwdrivers PH1x250 & PH2x250	

3PCS

Extra Long Slotted & Phillips Super-Grip Screwdriver Set

ITEM NO.	CONTENTS	8 (SET)
GAAE0306	2 FACB5E40 & 6E40 Extra Long Slotted Anti-Slip Screwdrivers 5.5x400 & 6.5x400 1 FBCB0240 Extra Long Phillips Anti-Slip Screwdriver PH2x400	

Slotted Anti-Slip Screwdrivers

(Hexagon Steel & Hexagon Driver)

- Expert quality, specially hardened and tempered SNCM+V Steel hexagonal blade
- Strong grip on blade with hex shoulder to use on a wrench for extra leverage
- High performance black hardened, magnetic tip
- PP+TPR material non-slippery grip handle

TYPE	ITEM NO.	SIZE(mm)	L1(mm)	L(mm)		
	FAHB5E10	1.0x5.5	100	205	5	40
	FAHB6E15	1.2x6.5	150	265	5	40
	FAHB0818	1.2x8	175	300	5	40
	FAHB1020	1.6x10	200	325	5	30

Phillips Anti-Slip Screwdrivers

(Hexagon Steel & Hexagon Driver)

- Expert quality, specially hardened and tempered SNCM+V Steel hexagonal blade
- Strong grip on blade with hex shoulder to use on a wrench for extra leverage
- High performance black hardened, magnetic tip
- PP+TPR material non-slippery grip handle

TYPE	ITEM NO.	SIZE	L1(mm)	L(mm)		
	FBHB0108	PH1	75	180	5	40
	FBHB0210	PH2	100	215	5	40
	FBHB0315	PH3	150	275	5	40

Go-Thru Slotted Screwdrivers

(Hexagon Steel & Hexagon Driver)

- Expert quality, specially hardened and tempered SNCM+V Steel hexagonal blade
- Strong grip on blade with hex shoulder to use on a wrench for extra leverage
- High performance black hardened, magnetic tip
- PP+TPR material non-slippery grip handle

TYPE	ITEM NO.	SIZE(mm)	L1(mm)	L(mm)		
	FAGB5E10	1.0x5.5	100	215	5	40
	FAGB6E15	1.2x6.5	150	265	5	40
	FAGB0818	1.2x8	175	300	5	40
	FAGB1020	1.6x10	200	325	5	30

Go-Thru Phillips Screwdrivers

(Hexagon Steel & Hexagon Driver)

- Expert quality, specially hardened and tempered SNCM+V Steel hexagonal blade
- Strong grip on blade with hex shoulder to use on a wrench for extra leverage
- High performance black hardened, magnetic tip
- PP+TPR material non-slippery grip handle

TYPE	ITEM NO.	SIZE	L1(mm)	L(mm)		
	FBGB0108	PH1	75	190	5	40
	FBGB0210	PH2	100	215	5	40
	FBGB0215	PH2	150	265	5	40
	FBGB0315	PH3	150	275	5	40

Nutspinner

- Chrome Vanadium Steel
- Extra harden and high durability
- Anti-slip ergonomic designed handle

ITEM NO.	SIZE(mm)	L1(mm)	L(mm)		
FGAB0413	4	125	230	10	40
FGAB0513	5	125	230	10	40
FGAB0613	6	125	230	10	40
FGAB0713	7	125	230	10	40
FGAB0813	8	125	240	10	40
FGAB0913	9	125	240	10	40
FGAB1013	10	125	240	10	40
FGAB1113	11	125	250	10	40
FGAB1213	12	125	250	10	40
FGAB1313	13	125	250	10	40

Flexible Spinner Handle

- Chrome Vanadium Steel
- Extra harden and high durability
- Anti-slip ergonomic designed handle

ITEM NO.	DRIVE(inch)	L1(mm)	L(mm)		
CASP0829	1/4	175	290	10	40

Flexible Bit Holder with Handle

- Chrome Vanadium Steel
- Extra harden and high durability
- Anti-slip ergonomic designed handle

ITEM NO.	HEX(inch)	L1(mm)	L(mm)		
FTCA0829	1/4	175	290	10	40

Magnetic Bit Holder with Handle

- Chrome Vanadium Steel
- Extra hardened and high durability
- Anti-slip ergonomic designed handle

ITEM NO.	HEX(inch)	L1(mm)	L(mm)		
FTBA0824	1/4	125	240	10	40

Quick-Release Magnetic Bit Holder with Handle ★

- Chrome Vanadium Steel
- Extra hardened and high durability
- Anti-slip ergonomic designed handle

ITEM NO.	HEX(inch)	L1(mm)	L(mm)		
FTBB0824	1/4	125	240	10	40

Screwdrivers, Bits & Power Bits

4PCS
Phillips Super-Grip Screwdriver Set

ITEM NO.	CONTENTS	20 (SET)
GAAE0401	4 FBAB0006~0315 Phillips Anti-Slip Screwdrivers PH0x60, PH1x80, PH2x100, PH3x150	

5PCS
Slotted Super-Grip Screwdriver Set

ITEM NO.	CONTENTS	20 (SET)
GAAE0503	5 FAAB0308~6E15 Slotted Anti-Slip Screwdrivers 3x75, 3.5x100, 4x100, 5.5x100, 6.5x150	

5PCS
Slotted & Phillips Super-Grip Screwdriver Set

ITEM NO.	CONTENTS	20 (SET)
GAAE0504	3 FAAB5E10~0818 Slotted Anti-Slip Screwdrivers 5.5x100, 6.5x150, 8x175 2 FBAB0108 & 0210 Phillips Anti-Slip Screwdrivers PH1x80 & PH2x100	

6PCS
Slotted & Phillips Super-Grip Screwdriver Set

ITEM NO.	CONTENTS	20 (SET)
GAAE0611	3 FAAB0410~1020 Slotted Anti-Slip Screwdrivers 4x100, 6.5x150, 10x200 3 FBAB0108~0315 Phillips Anti-Slip Screwdrivers PH1x80, PH2x100, PH3x150	

6PCS
Go-Thru Slotted & Phillips Screwdriver Set
(Hexagon Steel & Driver)

ITEM NO.	CONTENTS	20 (SET)
GAAE0605	4 FAGB5E10~1020 Go-Thru Slotted Screwdrivers (Hexagon Steel & Hexagon Driver) 5.5x100, 6.5x150, 8x175, 10x200 2 FBGB0108 & 0210 Go-Thru Phillips Screwdrivers (Hexagon Steel & Hexagon Driver) PH1x75 & PH2x100	

6PCS
Go-Thru Slotted & Phillips Screwdriver Set
(Hexagon Steel & Driver)

ITEM NO.	CONTENTS	20 (SET)
GAAE0613	3 FAGB5E10~0818 Go-Thru Slotted Screwdrivers (Hexagon Steel & Hexagon Driver) 5.5x100, 6.5x150, 8x175 3 FBGB0108~0315 Go-Thru Phillips Screwdrivers (Hexagon Steel & Hexagon Driver) PH1x75, PH2x100, PH3x150	

6PCS
Super-Grip Star Tamperproof Screwdriver Set

ITEM NO.	CONTENTS	20 (SET)
GAAE0610	6 FEAB1008~4015 Star Tamperproof Anti-Slip Screwdrivers T10x75, T15x75, T20x100, T25x100, T30x125, T40x150	

8PCS
Slotted & Phillips Super-Grip Screwdriver Set

ITEM NO.	CONTENTS	20 (SET)
GAAE0807	5 FAAB3E10~0818 Slotted Anti-Slip Screwdrivers 3.5x100, 4x100, 5.5x100, 6.5x150, 8x175 3 FBAB0006~0210 Phillips Anti-Slip Screwdrivers PH0x60, PH1x80, PH2x100	

6PCS
Slotted & Pozidriv Super-Grip Screwdriver Set

ITEM NO.	CONTENTS	20 (SET)
GAAE0604	4 FAAB0308~6E15 Slotted Anti-Slip Screwdrivers 3x75, 4x100, 5.5x100, 6.5x150 2 FCAB0108 & 0210 Pozidriv Anti-Slip Screwdrivers PZ1x80 & PZ2x100	

8PCS
Super-Grip Screwdriver Set

ITEM NO.	CONTENTS	20 (SET)
GAAE0821	5 FAAB3E10~0818 Slotted Anti-Slip Screwdrivers 3.5x100, 4x100, 5.5x100, 6.5x150, 8x175 1 FBAB0210 Phillips Anti-Slip Screwdriver PH2x100 1 FCAB0210 Pozidriv Anti-Slip Screwdriver PZ2x100 1 FJAB0213 Square Anti-Slip Screwdriver SQ2x125	

6PCS
Slotted & Phillips Super-Grip Screwdriver Set
(Hexagon Steel & Driver)

ITEM NO.	CONTENTS	20 (SET)
GAAE0608	4 FAHB5E10~1020 Slotted Anti-Slip Screwdrivers (Hexagon Steel & Hexagon Driver) 5.5x100, 6.5x150, 8x175, 10x200 2 FBHB0108 & 0210 Phillips Anti-Slip Screwdrivers (Hexagon Steel & Hexagon Driver) PH1x75 & PH2x100	

11PCS
Slotted & Phillips Super-Grip Screwdriver Set

ITEM NO.	CONTENTS	10 (SET)
GAAE1101	7 FAAB0308~1020 Slotted Anti-Slip Screwdrivers 3x75, 3.5x100, 4x100, 5.5x100, 6.5x150, 8x175, 10x200 4 FBAB0006~0315 Phillips Anti-Slip Screwdrivers PH0x60, PH1x80, PH2x100, PH3x150	

Screwdrivers, Bits & Power Bits

58PCS Professional Grade
Screwdriver & Bit Set

ITEM NO.	GAAI5801
CONTENTS	3 (SET)

3 FAIB0205~0305
Precision Slotted Screwdrivers
2, 2.5, 3 mm

2 FBIB1005 & 2005
Precision Phillips Screwdrivers
PH0 & PH00

3 FFIB1005~2005
Precision Star Screwdrivers
T10, T15, T20

2 FABB5E03 & 6E03
Stubby Slotted Anti-Slip Screwdrivers
5.5 & 6.5 mm

2 FBBB0103 & 0203
Stubby Phillips Anti-Slip Screwdrivers
PH1 & PH2

4 FBAB0006~0315
Phillips Anti-Slip Screwdrivers
PH0, PH1, PH2, PH3

4 FAAB0410~0818
Slotted Anti-Slip Screwdrivers
4, 5.5, 6.5, 8 mm

5 FSAA0803~0808
1/4" Hex Shank Slotted Insert Bits
3, 4, 5.5, 6.5, 8 mm

4 FSBA0800~0803
1/4" Hex Shank Phillips Insert Bits
PH0, PH1, PH2, PH3

4 FSCA0800~0803
1/4" Hex Shank Pozi Insert Bits
PZ0, PZ1, PZ2, PZ3

7 FSDA0802~0808
1/4" Hex Shank Hexagon Insert Bits
2, 2.5, 3, 4, 5, 6, 8 mm

7 FSEA0810~0840
1/4" Hex Shank Star Insert Bits
T10, T15, T20, T25, T27, T30, T40

7 FSGA0810~0840
1/4" Hex Shank Star Tamperproof Insert Bits
T10, T15, T20, T25, T27, T30, T40

1 FTCA0829
1/4" (H) Flexible Bit Holder with Handle

1 FTBA0824
1/4" (H) Magnetic Bit Holder with Handle

1 FAJA0315
Voltage Tester, GS/CE Approval - 140mm (L)

1 FTDC0808
1/4" (H) Magnetic Power Bit Holder

BLOW CASE: W478 x D234 x H100 (mm)

20PCS
Professional Screwdriver & Bit Set

ITEM NO.	GZC2005
CONTENTS	5 (SET)

4 FAAB0308~6E15
Slotted Anti-Slip Screwdrivers
3x75, 3.5x100, 4.0x100, 6.5x150

1 FABB5E03
Stubby Slotted Anti-Slip Screwdriver
5.5x25

1 FAGB0818
Go-Thru Slotted Screwdriver
(Hexagon Steel & Hexagon Driver) - 8x175

3 FBAB0006~0210
Phillips Anti-Slip Screwdrivers
PH0x60, PH1x80, PH2x100

1 FBBB0203
Stubby Phillips Anti-Slip Screwdriver
PH2x25

1 FCAB0210
Pozidriv Anti-Slip Screwdriver
PZ2x100

1 FJAB0213
Square Anti-Slip Screwdriver
SQ2x125

1 FTEA0806
1/4" (Hex) Reversible Ratchet Screwdriver

7 GAAV0701
1/4" Hex Screwdriver Bit Set
2, 2.5, 3, 4, 5, 6, 8 mm

PLASTIC BOX: W373 x D289 x H56 (mm)

14PCS
Slotted & Phillips Screwdriver Set

ITEM NO.	GZC1401
CONTENTS	5 (SET)

4 FAAB0308~5E15
Slotted Anti-Slip Screwdrivers
3x75, 3.5x100, 4x100, 5.5x150

2 FAHB6E15 & 0818
Slotted Anti-Slip Screwdrivers (Hexagon Steel & Hexagon Driver)
6.5x150 & 8x175

2 FABB5E03 & 6E03
Stubby Slotted Anti-Slip Screwdrivers
5.5x25 & 6.5x25

2 FBAB0006 & 0108
Phillips Anti-Slip Screwdrivers
PH0x60 & PH1x80

2 FBHB0210 & 0315
Phillips Anti-Slip Screwdrivers (Hexagon Steel & Hexagon Driver)
PH2x100 & PH3x150

2 FBBB0103 & 0203
Stubby Phillips Anti-Slip Screwdrivers
PH1x25 & PH2x25

PLASTIC BOX: W373 x D289 x H56 (mm)

Precision Slotted Screwdrivers

TYPE	ITEM NO.	SIZE(mm)	L1(mm)	L(mm)		
	FAIB1B05	0.25x1.2	50	140	10	80
	FAIB1E05	0.25x1.5	50	140	10	80
	FAIB0205	0.4x2	50	140	10	80
	FAIB2E05	0.4x2.5	50	140	10	80
	FAIB0305	0.5x3	50	140	10	80

Precision Phillips Screwdrivers

TYPE	ITEM NO.	SIZE	L1(mm)	L(mm)		
	FBIB1005	PH0	50	140	10	80
	FBIB2005	PH00	50	140	10	80
	FBIB3005	PH000	50	140	10	80

Precision Star Screwdrivers

TYPE	ITEM NO.	SIZE	L1(mm)	L(mm)		
	FFIB0505	T5	50	140	10	80
	FFIB0605	T6	50	140	10	80
	FFIB0705	T7	50	140	10	80
	FFIB0805	T8	50	140	10	80
	FFIB0905	T9	50	140	10	80
	FFIB1005	T10	50	140	10	80
	FFIB1505	T15	50	140	10	80
	FFIB2005	T20	50	140	10	80

8PCS
14-In-1 Precision Screwdriver Set

ITEM NO.	CONTENTS	40 (SET)
GAAW0804	4 T6xT10, T7xT15, T8xT20, T9xT25 3 #00x2, #0x3, #1x4 1 Screwdriver handle	

8PCS
Precision Screwdriver Set
(Star Type)

ITEM NO.	CONTENTS	40 (SET)
GAAW0801	8 FFIB0505~2005 Precision Star Screwdrivers T5x50, T6x50, T7x50, T8x50, T9x50, T10x50, T15x50, T20x50	

8PCS
Precision Screwdriver Set
(Slotted & Phillips Type)

ITEM NO.	CONTENTS	40 (SET)
GAAW0802	5 FAIB1B05~0305 Precision Slotted Screwdrivers 1.2x50, 1.5x50, 2x50, 2.5x50, 3x50 3 FBIB1005~3005 Precision Phillips Screwdrivers PH0x50, PH00x50, PH000x50	

8PCS
Precision Screwdriver Set
(Slotted, Phillips & Star Type)

ITEM NO.	CONTENTS	40 (SET)
GAAW0803	3 FAIB1E05~0305 Precision Slotted Screwdrivers 1.5x50, 2x50, 3x50 3 FBIB1005~3005 Precision Phillips Screwdrivers PH0x50, PH00x50, PH000x50 2 FFIB1505 & 2005 Precision Star Screwdrivers T15x50 & T20x50	

Screwdrivers, Bits & Power Bits

NEW DEVELOPED SUPER GRIP TOPTUL PLASTIC HANDLE SCREWDRIVERS SERIES



Go-Thru Slotted Screwdrivers

- Made of expert quality, specially hardened and tempered Chrome Vanadium Alloy Steel
- Through-blade with stand moderate impact on end to free seized fasteners
- Precision machined, magnetic tip ensures a secure fit
- Optimum resilience and performance hexagonal blade with plastic handle
- Ergonomically designed handle provides a slip resistance grip

TYPE	ITEM NO.	SIZE(mm)	L1(mm)	L(mm)		
−	FAGE0510	0.8x5	100	210	5	40
	FAGE5E13	1.0x5.5	125	235	5	40
	FAGE6E10	1.2x6.5	100	210	5	40
	FAGE6E15	1.2x6.5	150	260	5	40

Go-Thru Phillips Screwdrivers

- Made of expert quality, specially hardened and tempered Chrome Vanadium Alloy Steel
- Through-blade with stand moderate impact on end to free seized fasteners
- Precision machined, magnetic tip ensures a secure fit
- Optimum resilience and performance hexagonal blade with plastic handle
- Ergonomically designed handle provides a slip resistance grip

TYPE	ITEM NO.	SIZE	L1(mm)	L(mm)		
+	FBGE0110	PH1	100	210	5	40
	FBGE0210	PH2	100	210	5	40
	FBGE0213	PH2	125	235	5	40

4PCS
Go-Thru Slotted & Phillips Screwdriver Set

ITEM NO.	CONTENTS	20 (SET)
GAAE0405	2 FAGE0510 & 6E15 − Go-Thru Slotted Screwdrivers 5x100 & 6.5x150 2 FBGE0110 & 0213 + Go-Thru Phillips Screwdrivers PH1x100 & PH2x125	

5PCS
Go-Thru Slotted & Phillips Screwdriver Set

ITEM NO.	CONTENTS	20 (SET)
GAAE0509	3 FAGE0510~6E15 − Go-Thru Slotted Screwdrivers 5x100, 5.5x125, 6.5x150 2 FBGE0110 & 0213 + Go-Thru Phillips Screwdrivers PH1x100 & PH2x125	

Slotted Screwdrivers

- Made of expert quality, specially hardened and tempered Chrome Vanadium Alloy Steel
- Precision machined, magnetic tip ensures a secure fit
- Ergonomically designed handle provides a slip resistance grip

TYPE	ITEM NO.	SIZE(mm)	L1(mm)	L(mm)		
−	FAAE0510	0.8x5	100	210	5	40
	FAAE5E13	1.0x5.5	125	235	5	40
	FAAE6E10	1.2x6.5	100	210	5	40
	FAAE6E15	1.2x6.5	150	260	5	40

Phillips Screwdrivers

- Made of expert quality, specially hardened and tempered Chrome Vanadium Alloy Steel
- Precision machined, magnetic tip ensures a secure fit
- Ergonomically designed handle provides a slip resistance grip

TYPE	ITEM NO.	SIZE	L1(mm)	L(mm)		
+	FBAE0110	PH1	100	210	5	40
	FBAE0210	PH2	100	210	5	40
	FBAE0213	PH2	125	235	5	40

4PCS
Slotted & Phillips Screwdriver Set

ITEM NO.	CONTENTS	20 (SET)
GAAE0404	2 FAAE0510 & 6E15 − Slotted Screwdrivers 5x100 & 6.5x150 2 FBAE0110 & 0213 + Phillips Screwdrivers PH1x100 & PH2x125	

5PCS
Slotted & Phillips Screwdriver Set

ITEM NO.	CONTENTS	20 (SET)
GAAE0508	3 FAAE0510~6E15 − Slotted Screwdrivers 5x100, 5.5x125, 6.5x150 2 FBAE0110 & 0213 + Phillips Screwdrivers PH1x100 & PH2x125	

VDE Insulated

1000V IEC 60900

DIN ANSI

1. Black Hardened Magnetic Tip extends product service life and facilitates picking up fasteners.
2. Expert quality, SNCM+V Alloy Steel enables "High Strength" blade performance.
3. Shank locked into the handle molding maximizes the turning power and secures the safety of use.
4. Blade insulation meets VDE and international standard DIN EN/IEC 60900
5. Ergonomic Designed Handle provides optimum comfort in use especially for high torque tightening and loosening works.

- Expert quality, specially hardened and tempered SNCM+V Steel round blade
- Blade insulation meets VDE and international standard DIN EN/IEC 60900
- High performance black hardened, magnetic tip
- PP+TPR material non-slippery grip handle

VDE Insulated Slotted Screwdrivers

TYPE	ITEM NO.	SIZE(mm)	L1(mm)	L(mm)		
	FAEB0308	0.5x3	75	162	5	40
	FAEB0410	0.8x4	100	205	5	40
	FAEB5E13	1.0x5.5	125	240	5	40
	FAEB6E15	1.2x6.5	150	265	5	40
	FAEB0818	1.2x8	175	300	5	40

VDE Insulated Phillips Screwdrivers

TYPE	ITEM NO.	SIZE	L1(mm)	L(mm)		
	FBEB0008	PH0	75	162	5	40
	FBEB0110	PH1	100	205	5	40
	FBEB0210	PH2	100	215	5	40
	FBEB0315	PH3	150	275	5	40

VDE Insulated Pozidriv Screwdrivers

TYPE	ITEM NO.	SIZE	L1(mm)	L(mm)		
	FCEB0008	PZ0	75	162	5	40
	FCEB0110	PZ1	100	205	5	40
	FCEB0210	PZ2	100	215	5	40
	FCEB0315	PZ3	150	275	5	40

7PCS VDE Insulated Screwdriver Set

ITEM NO.	CONTENTS (8 (SET))
GAAE0704	3 FAEB0410~6E15 VDE Insulated Slotted Screwdrivers 4x100, 5.5x125, 6.5x150 3 FBEB0110~0315 VDE Insulated Phillips Screwdrivers PH1x100, PH2x100, PH3x150 1 FAJA0315 - Voltage Tester, GS/CE Approval - 140mm (L) (Voltage Range 110-250V/AC)

6PCS VDE Insulated Screwdriver Set

ITEM NO.	CONTENTS (8 (SET))
GAAE0612	3 FAEB0308~5E13 VDE Insulated Slotted Screwdrivers 3x75, 4x100, 5.5x125 2 FBEB0110 & 0210 VDE Insulated Phillips Screwdrivers PH1x100 & PH2x100 1 FAJA0315 - Voltage Tester, GS/CE Approval - 140mm (L) (Voltage Range 110-250V/AC)

TOPTUL High-Torque Ratchet Screwdriver Series

9-In-1 High-Torque Stubby Ratchet Screwdriver Set

- Quick change 1/4" hex shank bit holder
- 3 position, 36 tooth ratcheting action: Forward / Lock / Reverse
- High torque performance over 350 kgf-cm
- Rigid one piece all stainless steel construction, strong magnetic extension bit holder ensures both bits and screws firmly attached to the driver
- Textured non-slip, bi-component PP+TPR plastic handle

ITEM NO.	GAAR1101
CONTENTS	6 (SET)
1 FTED0817 1/4" (H) High-Torque Stubby Ratchet Screwdriver Handle with Storage (85mmL)	
1 FTDB0810 1/4" Hex Shank Extension Magnetic Bit Holder (95mmL)	
3 FSAA0804~086E 1/4" Hex Shank Slotted Insert Bits 4, 5.5, 6.5 (25mmL)	
2 FSBA0801 & 0802 1/4" Hex Shank Phillips Insert Bits PH1 & PH2 (25mmL)	
3 FSEA0815~0825 1/4" Hex Shank Star Insert Bits T15, T20, T25 (25mmL)	
1 FSKA0808 1/4" Hex Shank Socket Adapter ■1/4" x ●1/4" (25mmL)	

8-In-1 High-Torque Pistol Grip Ratchet Screwdriver Set

- Magnetic 1/4" hex shank bit holder
- 3 position, 20 tooth ratcheting action: Forward / Lock / Reverse
- High torque performance over 400 kgf-cm
- Adjustable handle (Pistol grip & Straight handle)
- Durable & comfortable bi-component plastic handle
- Includes 7 pieces S2 steel insert bits and one socket adapter. Internal bit storage (end cap carries 7 bits)

ITEM NO.	GAAR0901
CONTENTS	10 (SET)
1 FTEG0820 1/4" (H) High-Torque Pistol Grip Ratchet Screwdriver Handle with Storage (200mmL)	
4 FSAA0804~0808 1/4" Hex Shank Slotted Insert Bits 4, 5.5, 6.5, 8 mm (25mmL)	
3 FSBA0801~0803 1/4" Hex Shank Phillips Insert Bits PH1, PH2, PH3 (25mmL)	
1 FPKA0808 1/4" (H) x 1/4" Dr. Socket Adaptor (50mmL)	

• Forward / Lock / Reverse Ratchet Mechanism

54PCS High-Torque Pistol Grip Ratchet Screwdriver, Bit & Socket Set

- Magnetic 1/4" hex shank bit holder
- 3 position, 20 tooth ratcheting action: Forward / Lock / Reverse
- High torque performance over 400 kgf-cm
- Adjustable handle (Pistol grip & Straight handle)
- Durable & comfortable bi-component plastic handle
- Set includes 38 pieces tempered & hardened S2 steel insert bits, 13 pieces CR-V steel sockets, 1 piece stainless steel magnetic bit holder, 1 piece socket adapter and 1 piece high-torque pistol grip ratchet screwdriver handle

■ End Cap Storage

■ Ergonomic Pistol Grip Handle

ITEM NO.	GAAI5401
CONTENTS	12 (SET)
13 BAEA0804~0814 1/4" Dr. 6PT Flank Sockets 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm (25mmL)	
5 FSBA0800~0803 1/4" Hex Shank Phillips Insert Bits PH0, PH1, PH2x2, PH3 (25mmL)	
4 FSCA0800~0803 1/4" Hex Shank Pozi Insert Bits PZ0, PZ1, PZ2, PZ3 (25mmL)	
6 FSAA0803~0808 1/4" Hex Shank Slotted Insert Bits 3, 4, 4.5, 5.5, 6.5, 8mm (25mmL)	
7 FSDA0802~0808 1/4" Hex Shank Hexagon Insert Bits 2, 2.5, 3, 4, 5, 6, 8mm (25mmL)	
7 FSEA0810~0840 1/4" Hex Shank Star Insert Bits T10, T15, T20, T25, T27, T30, T40 (25mmL)	
7 FSGA0810~0840 1/4" Hex Shank Star Tamperproof Insert Bits T10, T15, T20, T25, T27, T30, T40 (25mmL)	
2 FSHA0801 & 0802 1/4" Hex Shank Square Insert Bits SQ1 & SQ2 (25mmL)	
1 FSKA0808 ■1/4" X ●1/4" Socket Adapter (25mmL)	
1 FTDC0808 ●1/4" X ○1/4" Magnetic Power Bit Holder (60mmL)	
1 FTEG0820 1/4" (H) High-Torque Pistol Grip Ratchet Screwdriver Handle with Storage (200mmL)	

Screwdrivers, Bits & Power Bits

Reversible Ratchet Screwdriver

Reversible Ratchet Screwdriver

- High performance magnetic 1/4"(H) Bit Driver
- PP+TPR material non-slippery grip handle

ITEM NO.	HEX(inch)	L1(mm)	L(mm)		
FTEA0806	1/4	55	185	10	60

High-Torque Ratchet Screwdriver Handle with Storage



High-Torque Ratchet Screwdriver Handle with Storage

- High torque performance over 350 kgf-cm
- 25 gears, reversible 3-way ratchet mechanism: Forward / Lock / Reverse
- Strong corrosion resistant steel drive shaft
- Capable of storing up to 6 pieces double end screwdriver bits in hollow handle
- Comfortable, anti-slip PP+TPV plastic material heavy stress handle

ITEM NO.	HEX(inch)	L1(mm)	L(mm)		
FTED1421	1/4, 5/16, 7/16	50	207	5	40

19-In-1 High Torque Ratchet Screwdriver Set

ITEM NO.	GAAR1002
CONTENTS	10 (SET)

1 **FTED1421**
7/16" (Hex) High-Torque Ratchet Screwdriver Handle with Storage

1 **FTDA0810**
1/4" x 5/16" (Hex) Drive Shaft - 115 mm (L)

2 **FKAA0105 & 0206**
1/4" Hex Shank Phillips & Slotted Screwdriver Bits
PH1x5mm & PH2x6mm - 75mm (L)

1 **FKAB0308**
5/16" Hex Shank Phillips & Slotted Screwdriver Bits
PH3x8mm - 75mm (L)

1 **FKBA0102**
1/4" Hex Shank Double End Pozi Screwdriver Bits
PZ1xPZ2 - 75mm (L)

2 **FKCA1520 & 2530**
1/4" Hex Shank Double End Star Screwdriver Bits
T15xT20 & T25xT30 - 75mm (L)

2 **FKDA2E03 & 0405**
1/4" Hex Shank Double End Hexagon Screwdriver Bits
2.5mmx3mm & 4mmx5mm - 75mm (L)



High-Torque Ratchet Screwdriver Handle

- High torque performance over 350 kgf-cm
- 25 gears, reversible 3-way ratchet mechanism: Forward / Lock / Reverse
- Strong corrosion resistant steel drive shaft
- Comfortable, anti-slip PP+TPR plastic material heavy stress handle

ITEM NO.	HEX(inch)	L1(mm)	L(mm)		
FTEC1421	1/4, 5/16, 7/16	50	208	5	40

1/4" Hex Shank Phillips & Slotted Screwdriver Bits

S2

TYPE	ITEM NO.	SIZE	L(mm)		
	FKAA0105	PH1x5mm	75	25	450
	FKAA0206	PH2x6mm	75	25	450

1/4" Hex Shank Double End Pozi Screwdriver Bits

S2

TYPE	ITEM NO.	SIZE	L(mm)		
	FKBA0102	PZ1xPZ2	75	25	450

7-In-1 High Torque Ratchet Screwdriver Set

ITEM NO.	GAAR0402
CONTENTS	10 (SET)

1 **FTEC1421**
7/16" (Hex) High-Torque Ratchet Screwdriver Handle

1 **FTDA0810**
1/4" x 5/16" (Hex) Drive Shaft - 115 mm (L)

1 **FKAA0105**
1/4" Hex Shank Phillips & Slotted Screwdriver Bits
PH1x5mm - 75mm (L)

1 **FKAB0206**
5/16" Hex Shank Phillips & Slotted Screwdriver Bits
PH2x6mm - 75mm (L)

1/4" Hex Shank Double End Star Screwdriver Bits

S2

TYPE	ITEM NO.	SIZE	L(mm)		
	FKCA1520	T15xT20	75	25	450
	FKCA2530	T25xT30	75	25	450

1/4" Hex Shank Double End Hexagon Screwdriver Bits

S2

TYPE	ITEM NO.	SIZE	L(mm)		
	FKDA2E03	2.5mmx3mm	75	25	450
	FKDA0405	4mmx5mm	75	25	450

5/16" Hex Shank Phillips & Slotted Screwdriver Bits

S2

TYPE	ITEM NO.	SIZE	L(mm)		
	FKAB0206	PH2x6mm	75	25	450
	FKAB0308	PH3x8mm	75	25	450

11 Pieces 20-in-1 Interchangeable Screwdriver Set

Ergonomically designed handle provides optimum comfort in use especially for high torque tightening and loosening works.

Special blade retainer with quick-release function locks the blade firmly in the place and provides an instant change between different sizes.

Features:

- Professional SNCM+V Alloy Steel Blade
- Precision Machined Magnetic Tip
- Double-Ended Reversible Blades
- Quick-Release Blade Retainer
- Anti-Slip Featured Grip

1/4" Hex Shank Double End Phillips Screwdriver Bits

SNCM+V

TYPE	ITEM NO.	SIZE	L(mm)		
✚	FMAA0102	PH1xPH2	175	30	240

1/4" Hex Shank Double End Pozi Screwdriver Bits

SNCM+V

TYPE	ITEM NO.	SIZE	L(mm)		
✚	FMBA0102	PZ1xPZ2	175	30	240

1/4" Hex Shank Double End Slotted Screwdriver Bits

SNCM+V

TYPE	ITEM NO.	SIZE	L(mm)		
⊖	FMCA0406	4x6mm	175	30	240
	FMCA0507	5x7mm	175	30	240

1/4" Hex Shank Hex & Ball Point Screwdriver Bits

SNCM+V

TYPE	ITEM NO.	SIZE	L(mm)		
○ ⊛	FMEA0404	4x4mm	175	30	240
	FMEA0505	5x5mm	175	30	240
	FMEA0606	6x6mm	175	30	240

1/4" Hex Shank Double End Star Screwdriver Bits

SNCM+V

TYPE	ITEM NO.	SIZE	L(mm)		
✪	FMDA1015	T10xT15	175	30	240
	FMDA2025	T20xT25	175	30	240
	FMDA3040	T30xT40	175	30	240

1/4" Hex Shank Screwdriver Handle

ITEM NO.	HEX(inch)	L(mm)		
COAJ0814	1/4	136	5	40

11PCS

20-in-1 Interchangeable Screwdriver Set

- Professional SNCM+V Alloy Steel Blade
- Precision Machined Magnetic Tip
- Double-Ended Reversible Blades
- Quick-Release Blade Retainer
- Anti-Slip Featured Grip

ITEM NO.	Satin	GAAI2101

CONTENTS — 20 (SET)

1 FMAA0102
✚ 1/4" Hex Shank Double End Phillips Screwdriver Bits
PH1xPH2 - 175mm (L)

1 FMBA0102
✚ 1/4" Hex Shank Double End Pozi Screwdriver Bits
PZ1xPZ2 - 175mm (L)

2 FMCA0406 & 0507
⊖ 1/4" Hex Shank Double End Slotted Screwdriver Bits
4x6, 5x7mm - 175mm (L)

3 FMEA0404~0606
○ ⊛ 1/4" Hex Shank Hex & Ball Point Screwdriver Bits
4x4, 5x5, 6x6mm - 175mm (L)

3 FMDA1015~3040
✪ 1/4" Hex Shank Double End Star Screwdriver Bits
T10xT15, T20xT25, T30xT40 - 175mm (L)

1 COAJ0814
1/4" Hex Shank Screwdriver Handle
1/4" x 136mm (L)

BLOW CASE: W240 x D170 x H50 (mm)

1/4" HEX

■ Color Box

1/4" Hex Shank Slotted Insert Bits

TYPE	ITEM NO.	SIZE(mm)	L(mm)		
⊖	FSAA0803	0.5x3	25	30	360
	FSAA0804	0.5x4	25	30	360
	FSAA084E	0.6x4.5	25	30	360
	FSAA085E	1.0x5.5	25	30	360
	FSAA086E	1.2x6.5	25	30	360
	FSAA0808	1.2x8	25	30	360

1/4" Hex Shank Phillips Insert Bits

TYPE	ITEM NO.	SIZE	L(mm)		
✚	FSBA0800	PH0	25	30	360
	FSBA0801	PH1	25	30	360
	FSBA0802	PH2	25	30	360
	FSBA0803	PH3	25	30	360

1/4" Hex Shank Pozi Insert Bits

TYPE	ITEM NO.	SIZE	L(mm)		
✚	FSCA0800	PZ0	25	30	360
	FSCA0801	PZ1	25	30	360
	FSCA0802	PZ2	25	30	360
	FSCA0803	PZ3	25	30	360

1/4" Hex Shank Hexagon Insert Bits

TYPE	ITEM NO.	SIZE(mm)	L(mm)		
○	FSDA0802	2	25	30	360
	FSDA082E	2.5	25	30	360
	FSDA0803	3	25	30	360
	FSDA0804	4	25	30	360
	FSDA0805	5	25	30	360
	FSDA0806	6	25	30	360
	FSDA0807	7	25	30	360
	FSDA0808	8	25	20	240
	FSDA0810	10	25	20	240
	FSDA0812	12	25	20	240

1/4" Hex Shank Square Insert Bits

TYPE	ITEM NO.	SIZE	L(mm)		
▢	FSHA0801	SQ1	25	30	360
	FSHA0802	SQ2	25	30	360

1/4" Hex Shank Star Insert Bits

TYPE	ITEM NO.	SIZE	L(mm)		
✪	FSEA0806	T6	25	30	360
	FSEA0807	T7	25	30	360
	FSEA0808	T8	25	30	360
	FSEA0809	T9	25	30	360
	FSEA0810	T10	25	30	360
	FSEA0815	T15	25	30	360
	FSEA0820	T20	25	30	360
	FSEA0825	T25	25	30	360
	FSEA0827	T27	25	30	360
	FSEA0830	T30	25	30	360
	FSEA0840	T40	25	30	360
	FSEA0845	T45	25	30	360
	FSEA0850	T50	25	30	360

1/4" Hex Shank Star Tamperproof Insert Bits

TYPE	ITEM NO.	SIZE	L(mm)		
✪	FSGA0810	T10	25	30	360
	FSGA0815	T15	25	30	360
	FSGA0820	T20	25	30	360
	FSGA0825	T25	25	30	360
	FSGA0827	T27	25	30	360
	FSGA0830	T30	25	30	360
	FSGA0840	T40	25	30	360

Screwdrivers, Bits & Power Bits

■ Color Box

5/16" HEX

5/16" Hex Shank Slotted Insert Bits

TYPE	ITEM NO.	SIZE(mm)	L(mm)		
	FSAA105E	0.8x5.5	30	20	240
	FSAA1006	1.2x6	30	20	240
	FSAA106E	1.2x6.5	30	20	240
	FSAA1008	1.2x8	30	20	240
	FSAA1010	1.6x10	30	20	240
	FSAA1012	1.8x12	30	20	240

5/16" Hex Shank Phillips Insert Bits

TYPE	ITEM NO.	SIZE	L(mm)		
	FSBA1001	PH1	30	30	360
	FSBA1002	PH2	30	30	360
	FSBA1003	PH3	30	30	360
	FSBA1004	PH4	30	30	360

5/16" Hex Shank Pozi Insert Bits

TYPE	ITEM NO.	SIZE	L(mm)		
	FSCA1001	PZ1	30	30	360
	FSCA1002	PZ2	30	30	360
	FSCA1003	PZ3	30	30	360
	FSCA1004	PZ4	30	30	360

5/16" Hex Shank Hexagon Insert Bits

TYPE	ITEM NO.	SIZE(mm)	L(mm)		
	FSDA1003	3	30	30	360
	FSDA1004	4	30	30	360
	FSDA1005	5	30	30	360
	FSDA105E	5.5	30	30	360
	FSDA1006	6	30	30	360
	FSDA106E	6.5	30	30	360
	FSDA1007	7	30	30	360
	FSDA1008	8	30	30	360
	FSDA1010	10	30	20	240
	FSDA1012	12	30	20	240
	FSDA1014	14	30	20	240

5/16" Hex Shank Spline Insert Bits

TYPE	ITEM NO.	SIZE	L(mm)		
	FSFA1005	M5	30	30	360
	FSFA1006	M6	30	30	360
	FSFA1008	M8	30	30	360
	FSFA1010	M10	30	30	360

5/16" Hex Shank Star Insert Bits

TYPE	ITEM NO.	SIZE	L(mm)		
	FSEA1010	T10	30	30	360
	FSEA1015	T15	30	30	360
	FSEA1020	T20	30	30	360
	FSEA1025	T25	30	30	360
	FSEA1027	T27	30	30	360
	FSEA1030	T30	30	30	360
	FSEA1035	T35	30	30	360
	FSEA1040	T40	30	30	360
	FSEA1045	T45	30	30	360
	FSEA1050	T50	30	30	360
	FSEA1055	T55	30	20	240
	FSEA1060	T60	30	20	240
	FSEA1070	T70	30	20	240

5/16" Hex Shank Star Tamperproof Insert Bits

TYPE	ITEM NO.	SIZE	L(mm)		
	FSGA1027	T27	30	30	360
	FSGA1030	T30	30	30	360
	FSGA1035	T35	30	30	360
	FSGA1040	T40	30	30	360
	FSGA1045	T45	30	30	360
	FSGA1050	T50	30	30	360
	FSGA1055	T55	30	20	240
	FSGA1060	T60	30	20	240
	FSGA1070	T70	30	20	240

5/16" Hex Shank Phillips Insert Bits

TYPE	ITEM NO.	SIZE	L(mm)		
	FSBF1002	PH2	90	15	270
	FSBF1003	PH3	90	15	270

10mm HEX

■ Color Box

10mm Hex Shank Hexagon Insert Bits

TYPE	ITEM NO.	SIZE(mm)	L(mm)		
	FSDA1204	4	30	30	360
	FSDA1205	5	30	30	360
	FSDA1206	6	30	30	360
	FSDA1207	7	30	30	360
	FSDA1208	8	30	30	360
	FSDA1210	10	30	20	240
	FSDA1212	12	30	20	240

10mm Hex Shank Long Hexagon Insert Bits

TYPE	ITEM NO.	SIZE(mm)	L(mm)		
	FSDB1204	4	75	15	270
	FSDB1205	5	75	15	270
	FSDB1206	6	75	15	270
	FSDB1207	7	75	15	270
	FSDB1208	8	75	15	270
	FSDB1210	10	75	15	270
	FSDB1212	12	75	15	270

10mm Hex Shank Star Insert Bits

TYPE	ITEM NO.	SIZE	L(mm)		
	FSEA1220	T20	30	30	360
	FSEA1225	T25	30	30	360
	FSEA1227	T27	30	30	360
	FSEA1230	T30	30	30	360
	FSEA1240	T40	30	30	360
	FSEA1245	T45	30	30	360
	FSEA1247	T47	30	30	360
	FSEA1250	T50	30	30	360
	FSEA1255	T55	30	20	240
	FSEA1260	T60	30	20	240

10mm Hex Shank Long Star Insert Bits

TYPE	ITEM NO.	SIZE	L(mm)		
	FSEB1220	T20	75	15	270
	FSEB1225	T25	75	15	270
	FSEB1227	T27	75	15	270
	FSEB1230	T30	75	15	270
	FSEB1240	T40	75	15	270
	FSEB1245	T45	75	15	270
	FSEB1250	T50	75	15	270
	FSEB1255	T55	75	15	270

10mm Hex Shank Spline Insert Bits

TYPE	ITEM NO.	SIZE	L(mm)		
	FSFA1205	M5	30	30	360
	FSFA1206	M6	30	30	360
	FSFA1208	M8	30	30	360
	FSFA1210	M10	30	20	240
	FSFA1212	M12	30	20	240

10mm Hex Shank Long Spline Insert Bits

TYPE	ITEM NO.	SIZE	L(mm)		
	FSFB1205	M5	75	15	270
	FSFB1206	M6	75	15	270
	FSFB1208	M8	75	15	270
	FSFB129E	M9.5	75	15	270
	FSFB1210	M10	75	15	270
	FSFB1212	M12	75	10	180

Screwdrivers, Bits & Power Bits

■ Blister (10PCS)

1/4" HEX

1/4" Hex Shank Slotted Insert Bits

TYPE	ITEM NO.	SIZE(mm)	L(mm)		
	FSAA0803G	0.5x3	25	15	90
	FSAA0804G	0.5x4	25	15	90
	FSAA084EG	0.6x4.5	25	15	90
	FSAA085EG	1.0x5.5	25	15	90
	FSAA086EG	1.2x6.5	25	15	90

1/4" Hex Shank Phillips Insert Bits

TYPE	ITEM NO.	SIZE	L(mm)		
	FSBA0800G	PH0	25	15	90
	FSBA0801G	PH1	25	15	90
	FSBA0802G	PH2	25	15	90
	FSBA0803G	PH3	25	15	90

1/4" Hex Shank Pozi Insert Bits

TYPE	ITEM NO.	SIZE	L(mm)		
	FSCA0800G	PZ0	25	15	90
	FSCA0801G	PZ1	25	15	90
	FSCA0802G	PZ2	25	15	90
	FSCA0803G	PZ3	25	15	90

1/4" Hex Shank Hexagon Insert Bits

TYPE	ITEM NO.	SIZE(mm)	L(mm)		
	FSDA0802G	2	25	15	90
	FSDA082EG	2.5	25	15	90
	FSDA0803G	3	25	15	90
	FSDA0804G	4	25	15	90
	FSDA0805G	5	25	15	90
	FSDA0806G	6	25	15	90
	FSDA0808G	8	25	12	72

1/4" Hex Shank Star Insert Bits

TYPE	ITEM NO.	SIZE	L(mm)		
	FSEA0806G	T6	25	15	90
	FSEA0807G	T7	25	15	90
	FSEA0808G	T8	25	15	90
	FSEA0809G	T9	25	15	90
	FSEA0810G	T10	25	15	90
	FSEA0815G	T15	25	15	90
	FSEA0820G	T20	25	15	90
	FSEA0825G	T25	25	15	90
	FSEA0827G	T27	25	15	90
	FSEA0830G	T30	25	15	90
	FSEA0840G	T40	25	15	90

1/4" Hex Shank Star Tamperproof Insert Bits

TYPE	ITEM NO.	SIZE	L(mm)		
	FSGA0810G	T10	25	15	90
	FSGA0815G	T15	25	15	90
	FSGA0820G	T20	25	15	90
	FSGA0825G	T25	25	15	90
	FSGA0827G	T27	25	15	90
	FSGA0830G	T30	25	15	90
	FSGA0840G	T40	25	15	90

5/16" HEX

■ Blister (10PCS)

5/16" Hex Shank Slotted Insert Bits

TYPE	ITEM NO.	SIZE(mm)	L(mm)		
	FSAA105EG	0.8x5.5	30	12	72
	FSAA106EG	1.2x6.5	30	12	72
	FSAA1008G	1.2x8	30	12	72

5/16" Hex Shank Phillips Insert Bits

TYPE	ITEM NO.	SIZE	L(mm)		
	FSBA1001G	PH1	30	12	72
	FSBA1002G	PH2	30	12	72
	FSBA1003G	PH3	30	12	72
	FSBA1004G	PH4	30	12	72

5/16" Hex Shank Star Insert Bits

• FSEA1070G, Blister (9PCS/SET)

TYPE	ITEM NO.	SIZE	L(mm)		
	FSEA1010G	T10	30	12	72
	FSEA1015G	T15	30	12	72
	FSEA1020G	T20	30	12	72
	FSEA1025G	T25	30	12	72
	FSEA1027G	T27	30	12	72
	FSEA1030G	T30	30	12	72
	FSEA1040G	T40	30	12	72
	FSEA1045G	T45	30	12	72
	FSEA1050G	T50	30	12	72
	FSEA1055G	T55	30	12	72
	FSEA1060G	T60	30	10	60
	FSEA1070G	T70	30	10	60

※NOTE: FSEA1070G, Blister (9PCS/SET)

5/16" Hex Shank Pozi Insert Bits

TYPE	ITEM NO.	SIZE	L(mm)		
	FSCA1001G	PZ1	30	12	72
	FSCA1002G	PZ2	30	12	72
	FSCA1003G	PZ3	30	12	72
	FSCA1004G	PZ4	30	12	72

5/16" Hex Shank Hexagon Insert Bits

TYPE	ITEM NO.	SIZE(mm)	L(mm)		
	FSDA1003G	3	30	12	72
	FSDA1004G	4	30	12	72
	FSDA1005G	5	30	12	72
	FSDA1006G	6	30	12	72
	FSDA1007G	7	30	12	72
	FSDA1008G	8	30	12	72
	FSDA1010G	10	30	12	72
	FSDA1012G	12	30	10	60

5/16" Hex Shank Star Tamperproof Insert Bits

• FSGA1070G, Blister (9PCS/SET)

TYPE	ITEM NO.	SIZE	L(mm)		
	FSGA1040G	T40	30	12	72
	FSGA1045G	T45	30	12	72
	FSGA1050G	T50	30	12	72
	FSGA1055G	T55	30	12	72
	FSGA1060G	T60	30	10	60
	FSGA1070G	T70	30	10	60

※NOTE: FSGA1070G, Blister (9PCS/SET)

Screwdrivers, Bits & Power Bits

■ Blister (10PCS)

10mm HEX

10mm Hex Shank Hexagon Insert Bits

TYPE	ITEM NO.	SIZE(mm)	L(mm)		
○	FSDA1204G	4	30	12	72
	FSDA1205G	5	30	12	72
	FSDA1206G	6	30	12	72
	FSDA1207G	7	30	12	72
	FSDA1208G	8	30	12	72
	FSDA1210G	10	30	12	72
	FSDA1212G	12	30	10	60

10mm Hex Shank Long Hexagon Insert Bits

TYPE	ITEM NO.	SIZE(mm)	L(mm)		
○	FSDB1204G	4	75	10	40
	FSDB1205G	5	75	10	40
	FSDB1206G	6	75	10	40
	FSDB1207G	7	75	10	40
	FSDB1208G	8	75	10	40
	FSDB1210G	10	75	10	40
	FSDB1212G	12	75	10	40

10mm Hex Shank Star Insert Bits

TYPE	ITEM NO.	SIZE	L(mm)		
✪	FSEA1220G	T20	30	12	72
	FSEA1225G	T25	30	12	72
	FSEA1227G	T27	30	12	72
	FSEA1230G	T30	30	12	72
	FSEA1240G	T40	30	12	72
	FSEA1245G	T45	30	12	72
	FSEA1247G	T47	30	12	72
	FSEA1250G	T50	30	12	72
	FSEA1255G	T55	30	12	72
	FSEA1260G	T60	30	10	60

10mm Hex Shank Long Star Insert Bits

TYPE	ITEM NO.	SIZE	L(mm)		
✪	FSEB1220G	T20	75	10	40
	FSEB1225G	T25	75	10	40
	FSEB1227G	T27	75	10	40
	FSEB1230G	T30	75	10	40
	FSEB1240G	T40	75	10	40
	FSEB1245G	T45	75	10	40
	FSEB1250G	T50	75	10	40
	FSEB1255G	T55	75	10	40

10mm Hex Shank Spline Insert Bits

TYPE	ITEM NO.	SIZE	L(mm)		
○	FSFA1205G	M5	30	12	72
	FSFA1206G	M6	30	12	72
	FSFA1208G	M8	30	12	72
	FSFA1210G	M10	30	12	72
	FSFA1212G	M12	30	10	60

10mm Hex Shank Long Spline Insert Bits

TYPE	ITEM NO.	SIZE	L(mm)		
○	FSFB1205G	M5	75	10	40
	FSFB1206G	M6	75	10	40
	FSFB1208G	M8	75	10	40
	FSFB1210G	M10	75	10	40
	FSFB1212G	M12	75	10	40

Quick Change Bit Holders ★

Mirror Polished

ITEM NO.	DRIVE(inch)	Hex Shank	L(mm)		
FTAB121012	3/8	5/16"	29	10	120
FTAB121212	3/8	10mm	29	10	120
FTAB161012	1/2	5/16"	38	10	120

Quick Change Bit Holders

Satin Chrome Finished

ITEM NO.	DRIVE(inch)	Hex Shank	L(mm)		
FTAB080852	1/4	1/4"	25	30	360
FTAB120852	3/8	1/4"	29	10	120
FTAB121052	3/8	5/16"	29	10	120
FTAB121252	3/8	10mm	29	10	120
FTAB161052	1/2	5/16"	38	10	120
FTAB161252	1/2	10mm	38	10	120

7PCS
Screwdriver Bit Set
1/2"

Satin Chrome Finished

ITEM NO.	CONTENTS (50 (SET))
GAAT0709	3 FSBA1001~1003 ○5/16" x ✚ PH1, PH2, PH3 3 FSAA105E~1008 ○5/16" x ▬ 0.8x5.5, 1.2x6.5, 1.2x8 mm 1 FTAB161052 ○1/2" x ○ 5/16" Bits Holder

7PCS
Screwdriver Bit Set
1/2"

Satin Chrome Finished

ITEM NO.	CONTENTS (50 (SET))
GAAT0707	6 FSDA1204~1212 ○10mm x ○ 4, 5, 6, 8, 10, 12 mm 1 FTAB161252 ○ 1/2" x ○ 10 mm Bits Holder

7PCS
Screwdriver Bit Set
1/2"

Satin Chrome Finished

ITEM NO.	CONTENTS (50 (SET))
GAAT0705	6 FSEA1225~1255 ○10 mm x ✪ T25, T30, T40, T45, T50, T55 1 FTAB161252 ○ 1/2" x ○ 10 mm Bits Holder

Screwdrivers, Bits & Power Bits

7PCS
1/4" (H) Hex Screwdriver Bit Set

ITEM NO.	CONTENTS	30 (SET)
GAAV0701	7 FSDA0802~0808 2, 2.5, 3, 4, 5, 6, 8 mm	

7PCS
1/4" (H) Star Screwdriver Bit Set

ITEM NO.	CONTENTS	30 (SET)
GAAV0702	7 FSEA0810~0840 T10, T15, T20, T25, T27, T30, T40	

7PCS
1/4" (H) Star Tamperproof Screwdriver Bit Set

ITEM NO.	CONTENTS	30 (SET)
GAAV0703	7 FSGA0810~0840 T10, T15, T20, T25, T27, T30, T40	

7PCS
1/4" (H) Screwdriver Bit Set

ITEM NO.	CONTENTS	30 (SET)
GAAV0704	3 FSAA0804~086E 0.5x4, 1.0x5.5, 1.2x6.5 mm 2 FSBA0801 & 0802 PH1 & PH2 2 FSCA0801 & 0802 PZ1 & PZ2	

10PCS
1/4" (H) Screwdriver Bit Set

ITEM NO.	CONTENTS	36 (SET)
GAAV1001	3 FSAA084E~086E 0.6x4.5, 1.0x5.5, 1.2x6.5 mm 2 FSHA0801 & 0802 SQ1 & SQ2 3 FSEA0815~0825 T15, T20, T25 2 FSBA0801 & 0802 PH1 & PH2	

11PCS
1/4" (H) Screwdriver Bit Set

ITEM NO.	CONTENTS	30 (SET)
GAAV1102	3 FSAA0804~086E 0.5x4, 1.0x5.5, 1.2x6.5 mm 2 FSBA0801 & 0802 PH1 & PH2 2 FSCA0801 & 0802 PZ1 & PZ2 4 FSDA0803~0806 3, 4, 5, 6 mm	

11PCS
1/4" (H) Screwdriver Bit Set

ITEM NO.	CONTENTS	30 (SET)
GAAV1101	10 FSGA0808~0840 T8, T10x2pcs, T15x2pcs, T20x2pcs, T25x2pcs, T40 1 FSHA0801 SQ1	

11PCS
1/4" (H) Screwdriver Bit Set

ITEM NO.	CONTENTS	30 (SET)
GAAV1103	3 FSXA0806~0810 6, 8, 10 mm 3 FSYA0801~0803 1, 2, 3 mm 5 FSEA0808~0825 T8, T10, T15, T20, T25	

11PCS
1/4" (H) Screwdriver Bit Set

ITEM NO.	CONTENTS	30 (SET)
GAAV1104	3 FSPA0804~0808 4, 6, 8 mm 4 FSNA0803~0806 3, 4, 5, 6 mm 3 FSFA0805~0808 M5, M6, M8 1 FSHA0802 SQ2	

12PCS
1/4" (H) Mini Reversible Bit Ratchet & Bit Set



ITEM NO.	GAAR1201	
CONTENTS		10 (SET)
1 CHDV0809 1/4" (H) Mini Reversible Bit Ratchet Handle (90mml) 3 FSAA084E~086E 1/4" Hex Shank Slotted Insert Bits 4.5 , 5.5 , 6.5 (25mml) 3 FSBA0801~0802 1/4" Hex Shank Phillips Insert Bits PH1, PH2x2 (25mml) 3 FSEA0815~0825 1/4" Hex Shank Star Insert Bits T15, T20, T25 (25mml) 2 FSHA0801 & 0802 1/4" Hex Shank Square Insert Bits SQ1 & SQ2 (25mml)		

Screwdrivers, Bits & Power Bits

8PCS
1/4" Hex Drive Bit Set

1/4"

• 30mml bits

ITEM NO.	CONTENTS (10 (SET))
GAAL0802	3 PH1, PH2, PH3 3 0.5x4, 1.2x7 mm 3 PZ1, PZ2 1 1/4" Hex Drive Offset Bit Holder Wrench

8PCS
1/4" Hex Drive Star Tamperproof Bit Set

1/4"

• 30mml bits

ITEM NO.	CONTENTS (10 (SET))
GAAL0801	7 T10, T15, T20, T25, T27, T30, T40 1 1/4" Hex Drive Offset Bit Holder Wrench

8PCS
1/4" Hex Drive Hexagon Bit Set

1/4"



• 30mml bits

ITEM NO.	CONTENTS (10 (SET))
GAAL0803	7 2, 3, 4, 5, 6, 7, 8 mm 1 1/4" Hex Drive Offset Bit Holder Wrench

31PCS
Screwdriver Bit Set

ITEM NO.	CONTENTS (10 (SET))
GAAW3101	6 PH0, PH1x2pcs, PH2x2pcs, PH3 6 PZ0, PZ1x2pcs, PZ2x2pcs, PZ3 3 0.5x4, 1.0x5.5, 1.2x6.5 mm 4 3, 4, 5, 6 mm 11 T6, T7, T8, T9, T10, T15, T20, T25, T27, T30, T40 1 1/4" x 1/4" Magnetic Power Bit Holder

PLASTIC BOX: W105 x D64 x H43 (mm)

11PCS
1/2" DR. Hex Shank Spline Insert Bit Set

1/2"

ITEM NO.	CONTENTS (10 (SET))
GAAD1102	5 FSFA1205~1212 10mm Hex Shank Spline Insert Bits M5, M6, M8, M10, M12 5 FSFB1205~1212 10mm Long Hex Shank Spline Insert Bits M5, M6, M8, M10, M12 1 FTAB1612 1/2" Dr.x10mm(H) Quick Change Bit Holder

METAL CASE: W197 x D103 x H33 (mm)

15PCS
1/2" DR. Hex Shank Hexagon Insert Bit Set

1/2"

ITEM NO.	CONTENTS (10 (SET))
• GAAD1507 (Mirror) GAAD1508 (Satin)	7 FSDA1204~1212 10mm Hex Shank Hexagon Insert Bits 4, 5, 6, 7, 8, 10, 12 mm 7 FSDB1204~1212 10mm Long Hex Shank Hexagon Insert Bits 4, 5, 6, 7, 8, 10, 12 mm 1 FTAB1612 1/2" Dr.x10mm(H) Quick Change Bit Holder

METAL CASE: W197 x D103 x H33 (mm)

15PCS
1/2" DR. Hex Shank Star Insert Bit Set

1/2"

ITEM NO.	CONTENTS (10 (SET))
GAAD1506	7 FSEA1220~1255 10mm Hex Shank Star Insert Bits T20, T25, T30, T40, T45, T50, T55 7 FSEB1220~1255 10mm Long Hex Shank Star Insert Bits T20, T25, T30, T40, T45, T50, T55 1 FTAB1612 1/2" Dr.x10mm(H) Quick Change Bit Holder

METAL CASE: W197 x D103 x H33 (mm)

40PCS
3/8" & 1/2" DR. Bit Set

3/8"

1/2"

ITEM NO.	CONTENTS (6 (SET))
GAAD4002	5 FSFA1205~1212 10mm Hex Shank Spline Insert Bits M5, M6, M8, M10, M12 5 FSFB1205~1212 10mm Long Hex Shank Spline Insert Bits M5, M6, M8, M10, M12 7 FSDA1204~1212 10mm Hex Shank Hexagon Insert Bits 4, 5, 6, 7, 8, 10, 12 mm 7 FSDB1204~1212 10mm Long Hex Shank Hexagon Insert Bits 4, 5, 6, 7, 8, 10, 12 mm 7 FSEA1220~1255 10mm Hex Shank Star Insert Bits T20, T25, T30, T40, T45, T50, T55 7 FSEB1220~1255 10mm Long Hex Shank Star Insert Bits T20, T25, T30, T40, T45, T50, T55 1 FTAB1212 3/8" Dr.x10mm(H) Quick Change Bit Holder 1 FTAB1612 1/2" Dr.x10mm(H) Quick Change Bit Holder

METAL CASE: W370 x D154 x H50 (mm)

Screwdrivers, Bits & Power Bits

90° Angled Driver Drill Tool

- 90° angled driver allows access to tight corners
- 360° rotating position handle for optimum control
- Die cast zinc alloy head with ball bearing guides for stability
- Heat treated steel precision gears for maximum torque
- Quick change chuck to ensure tool is held securely
- Use with bit holders, screwdriver bits, hex drills and drill/countersinks

This 90° Angled screwdriver head converts any power drill into an offset, quick-change screwdriver. Allows a power drill in places that would be impossible to reach with a straight driver. Can also be used with TOPTUL Item No. FTGA0808 (Universal Swivel Magnetic Quick Release Bit Holder) to increase the working angle.

ITEM NO.	SIZE	L1(mm)	L(mm)		
FTGC0808	● 1/4" x ○ 1/4"	47	83	10	50

Extended Flexible Extension with Magnetic Quick Release Bit Holder

- Made of Aluminum Alloy Steel
- Locking, magnetic, quick release bit holder
- Super strong magnet than standard bit holder
- Compress silver ring to quickly insert and remove bit

• Magnetic

- Locking Mechanism
- Strong Magnet
- Flexible Extension
- Quick Release Bit Holder

Strong magnetic color collar for positive screw retention and positioning

▪ Blister

ITEM NO.	SIZE	L(mm)		
FTDE0833	● 1/4" x ○ 1/4"	320	6	36

Quick Change Magnetic Bit Holder

- Quick change function and locking mechanism
- Retract collar to install or remove bits
- Anodized aluminum color sleeve

• Magnetic



ITEM NO.	SIZE	L(mm)		
FTGB0807	● 1/4" x ○ 1/4"	70	10	100

1/4" Hex Shank Universal Swivel Magnetic Power Nut Setter

- Strong magnetic 6-point socket
- Knurled finger grip on sleeve for increased control and comfort
- Swivel ball end shaft enables to use in restricted spaces
- 1/4" hex fitting for power tools or hand drivers
- Black phosphate finished
- Material: Shaft Body & Socket (Chrome Vanadium Alloy Steel)
  Anodized Color Sleeve (Free Cutting Steel)



• Magnetic

TYPE	ITEM NO.	SIZE(mm)	L(mm)		
○	BEBA0806	6	87	25	100
	BEBA0808	8	87	25	100
	BEBA0810	10	87	25	100
	BEBA0812	12	87	25	100

Universal Swivel Magnetic Quick Release Bit Holder

- Locking, magnetic, quick release bit holder
- Retract collar to quickly install and remove bits

• Magnetic

ITEM NO.	SIZE	L(mm)		
FTGA0808	● 1/4" x ○ 1/4"	78	10	100

Screwdrivers, Bits & Power Bits

1/4" Hex Shank 2-In-1 Countersink Power Bits

- High Strength S2 Steel Bits
- Tempered and hardened
- Quickly use one bit to countersink and screw
- 1/4" hex shank with power groove

■ 2PCS Blister Card Package

■ Simple, quick and easy to use one bit to countersink and screw

TYPE	ITEM NO.	SIZE	L(mm)		
⊕	FWAA0802G	PH2	50	20	240

Magnetic Power Bit Holder

- Magnetic 1/4" (H) stainless steel bit driver holder

ITEM NO.	SIZE	L(mm)		
FTDC0808	● 1/4" x ○ 1/4"	60	15	270

1/4" Hex Shank Phillips Quick Change Magnetic Power Bits

- High Strength S2 Steel Bits
- Tempered and hardened
- External strong magnetic color collar for static screw retention and positioning
- 1/4" hex shank with power groove



■ Blister Card Package

Strong magnetic silver color ring inside the anodized color collar for positive screw retention and positioning

TYPE	ITEM NO.	SIZE	L(mm)		
⊕	FQBB0802	PH2	50	15	180

1/4" Hex Shank Socket Adapter

- Made of Chrome Vanadium Alloy Steel
- 1/4" square drive with ball retainer

ITEM NO.	SIZE	L(mm)		
FSKA0808	■ 1/4" x ● 1/4"	25	30	360

1/4" Hex Shank Square Quick Change Magnetic Power Bits

- High Strength S2 Steel Bits
- Tempered and hardened
- External strong magnetic color collar for static screw retention and positioning
- 1/4" hex shank with power groove

■ Blister Card Package

Strong magnetic silver color ring inside the anodized color collar for positive screw retention and positioning

TYPE	ITEM NO.	SIZE	L(mm)		
○	FQHB0802	SQ2	50	15	180

1/4" Hex Shank Socket Adapter

- Made of Chrome Vanadium Alloy Steel
- 1/4" square drive with ball retainer
- 1/4" hex fitting for power tools or hand drivers

ITEM NO.	SIZE	L(mm)		
FPKA0808	■ 1/4" x ● 1/4"	50	20	240



31PCS

1/4" Hex Drive Mini Ratchet Bit Set

ITEM NO.	GABW3103
CONTENTS	30 (SET)

3 FSAA0804~086E
⊖ 1/4" Hex Shank Slotted Insert Bits
4, 5.5, 6.5 mm
3 FSBA0801~0803
⊕ 1/4" Hex Shank Phillips Insert Bits
PH1, PH2, PH3
3 FSCA0801~0803
⊕ 1/4" Hex Shank Pozi Insert Bits
PZ1, PZ2, PZ3
4 FSDA0803~0806
○ 1/4" Hex Shank Hexagon Insert Bits
3, 4, 5, 6 mm
7 FSEA0810~0840
○ 1/4" Hex Shank Star Insert Bits
T10, T15, T20, T25, T27, T30, T40
7 FSGA0810~0840
⊙ 1/4" Hex Shank Star Tamperproof Insert Bits
T10, T15, T20, T25, T27, T30, T40
2 FSHA0801 & 0802
○ 1/4" Hex Shank Square Insert Bits
SQ1 & SQ2
1 FSKA0808
1/4" (H) x 1/4" Dr. Socket Adaptor
1 CHDV0809
1/4" (H) 60 Teeth Mini Reversible Bit Ratchet Handle

PLASTIC BOX: W115 x D85 x H37 (mm)

31PCS

Screwdriver Bit Set

ITEM NO.	GABW3102
CONTENTS	30 (SET)

3 FSAA0804~086E
⊖ 1/4" Hex Shank Slotted Insert Bits
4, 5.5, 6.5 mm
4 FSBA0801~0803
⊕ 1/4" Hex Shank Phillips Insert Bits
PH1, PH2, PH2, PH3
3 FSCA0801~0803
⊕ 1/4" Hex Shank Pozi Insert Bits
PZ1, PZ2, PZ3
4 FSDA0803~0806
○ 1/4" Hex Shank Hexagon Insert Bits
3, 4, 5, 6 mm
7 FSEA0810~0840
○ 1/4" Hex Shank Star Insert Bits
T10, T15, T20, T25, T27, T30, T40
7 FSGA0810~0840
⊙ 1/4" Hex Shank Star Tamperproof Insert Bits
T10, T15, T20, T25, T27, T30, T40
2 FSHA0801 & 0802
○ 1/4" Hex Shank Square Insert Bits
SQ1 & SQ2
1 FTGB0807
● 1/4" x ○ 1/4" Quick Change Magnetic Bit Holder

PLASTIC BOX: W115 x D85 x H37 (mm)

31PCS

Screwdriver Bit Set

ITEM NO.	GABW3101
CONTENTS	30 (SET)

3 FSAA0804~086E
⊖ 1/4" Hex Shank Slotted Insert Bits
4, 5.5, 6.5 mm
4 FSBA0801~0803
⊕ 1/4" Hex Shank Phillips Insert Bits
PH1, PH2, PH2, PH3
3 FSCA0801~0803
⊕ 1/4" Hex Shank Pozi Insert Bits
PZ1, PZ2, PZ3
4 FSDA0803~0806
○ 1/4" Hex Shank Hexagon Insert Bits
3, 4, 5, 6 mm
7 FSEA0810~0840
○ 1/4" Hex Shank Star Insert Bits
T10, T15, T20, T25, T27, T30, T40
7 FSGA0810~0840
⊙ 1/4" Hex Shank Star Tamperproof Insert Bits
T10, T15, T20, T25, T27, T30, T40
2 FSHA0801 & 0802
○ 1/4" Hex Shank Square Insert Bits
SQ1 & SQ2
1 FTGA0808
● 1/4" x ○ 1/4" Universal Swivel Magnetic Quick Release Bit Holder

PLASTIC BOX: W115 x D85 x H37 (mm)

8 SETS
1/4" Hex Drive Screwdriver Bit Set W/Display Box

ITEM NO.	GACW3501S
CONTENTS	4 (SET)

GACW3501
35PCS 1/4" Hex Drive Screwdriver Bit Set
Per Set Contents:
FTGA0808
● 1/4" x ○ 1/4" Universal Swivel Magnetic Quick Release Bit Holder
FSBA0801~0803
✪ 1/4" Hex Shank Phillips Insert Bits
PH1x2pcs, PH2x3pcs, PH3
FSCA0801~0803
✪ 1/4" Hex Shank Pozi Insert Bits
PZ1x2pcs, PZ2x3pcs, PZ3
FSAA0803~086E
⬌ 1/4" Hex Shank Slotted Insert Bits
3, 4.5, 5.5, 6.5 mm
FSDA0803~0806
○ 1/4" Hex Shank Hexagon Insert Bits
3, 4, 5, 6 mm
FSEA0810~0840
✪ 1/4" Hex Shank Star Insert Bits
T10, T15x2pcs, T20x2pcs, T25x2pcs, T27, T30x2pcs, T40x2pcs
FSGA0820 & 0830
⊙ 1/4" Hex Shank Star Tamperproof Insert Bits
T20 & T30

PLASTIC BOX: W115 x D77 x H43 (mm)

8 SETS
1/4" Hex Drive Screwdriver Bit Set W/Display Box

ITEM NO.	GACW3502S
CONTENTS	4 (SET)

GACW3502
35PCS 1/4" Hex Drive Screwdriver Bit Set
Per Set Contents:
FTGB0807
● 1/4" x ○ 1/4" Quick Change Magnetic Bit Holder
FSBA0801~0803
✪ 1/4" Hex Shank Phillips Insert Bits
PH1x2pcs, PH2x3pcs, PH3
FSCA0801~0803
✪ 1/4" Hex Shank Pozi Insert Bits
PZ1x2pcs, PZ2x3pcs, PZ3
FSAA0803~086E
⬌ 1/4" Hex Shank Slotted Insert Bits
3, 4.5, 5.5, 6.5 mm
FSDA0803~0806
○ 1/4" Hex Shank Hexagon Insert Bits
3, 4, 5, 6 mm
FSEA0810~0840
✪ 1/4" Hex Shank Star Insert Bits
T10, T15x2pcs, T20x2pcs, T25x2pcs, T27, T30x2pcs, T40x2pcs
FSGA0820 & 0830
⊙ 1/4" Hex Shank Star Tamperproof Insert Bits
T20 & T30

PLASTIC BOX: W115 x D77 x H43 (mm)

8 SETS
1/4" Hex Drive Mini Ratchet Bit Set W/Display Box

ITEM NO.	GACW3503S
CONTENTS	4 (SET)

GACW3503
35PCS 1/4" Hex Drive Mini Ratchet Bit Set
Per Set Contents:
CHDV0809
1/4" (H) 60 Teeth Mini Reversible Bit Ratchet Handle
FSBA0800~0803
✪ 1/4" Hex Shank Phillips Insert Bits
PH0, PH1, PH2, PH3
FSCA0800~0803
✪ 1/4" Hex Shank Pozi Insert Bits
PZ0, PZ1, PZ2, PZ3
FSHA0801 & 0802
○ 1/4" Hex Shank Square Insert Bits
SQ1 & SQ2
FSAA0803~086E
⬌ 1/4" Hex Shank Slotted Insert Bits
3, 4, 5.5, 6.5 mm
FSDA0802~0806
○ 1/4" Hex Shank Hexagon Insert Bits
2, 2.5, 3, 4, 5, 6 mm
FSEA0810~0840
✪ 1/4" Hex Shank Star Insert Bits
T10, T15, T20, T25, T27, T30, T40
FSGA0810~0840
⊙ 1/4" Hex Shank Star Tamperproof Insert Bits
T10, T15, T20, T25, T27, T30, T40

PLASTIC BOX: W115 x D77 x H43 (mm)

8 SETS
1/4" Hex Drive Mini Ratchet Bit Set W/Display Box

ITEM NO.	GACW3504S
CONTENTS	4 (SET)

GACW3504
35PCS 1/4" Hex Drive Mini Ratchet Bit Set
Per Set Contents:
CHDV0809
1/4" (H) 60 Teeth Mini Reversible Bit Ratchet Handle
FSKA0808
1/4" (H) x 1/4" Dr. Socket Adaptor
FSBA0800~0803
✪ 1/4" Hex Shank Phillips Insert Bits
PH0, PH1, PH2x2pcs, PH3
FSCA0800~0803
✪ 1/4" Hex Shank Pozi Insert Bits
PZ0, PZ1, PZ2x2pcs, PZ3
FSAA0803~0808
⬌ 1/4" Hex Shank Slotted Insert Bits
3, 4, 5.5, 6.5, 8 mm
FSDA0802~0808
○ 1/4" Hex Shank Hexagon Insert Bits
2, 2.5, 3, 4, 5, 6, 8 mm
FSEA0806~0809
✪ 1/4" Hex Shank Star Insert Bits
T6, T7, T8, T9
FSGA0810~0840
⊙ 1/4" Hex Shank Star Tamperproof Insert Bits
T10, T15, T20, T25, T27, T30, T40

PLASTIC BOX: W115 x D77 x H43 (mm)

Blister

10PCS
Power Screwdriver Bit Set (S2)

Black Phosphate Finished

ITEM NO.	CONTENTS	20 (SET)
GAAW1002	10 Double End Phillips #1 Insert Bit PH1 x 65mm(L)	
GAAW1001	10 Double End Phillips #2 Insert Bit PH2 x 65mm(L)	
GAAW1003	10 Double End Phillips #3 Insert Bit PH3 x 65mm(L)	

1/4" Hex Shank Magnetic Power Nut Setter
- Made of Chrome Vanadium Steel
- Precision machined tip for proper fit
- Magnetic shaft holds fastener securely
- Rugged single-piece construction provides long service life under constant use
- Ideal for quick and easy driving of nuts, bolts and hex head screws

■ Blister

TYPE	ITEM NO.	SIZE(mm)	L(mm)		
○	BEAA0806G	6	65	12	120
	BEAA0807G	7	65	12	120
	BEAA0808G	8	65	12	120
	BEAA0810G	10	65	12	120
	BEAA0813G	13	65	12	120

TYPE	ITEM NO.	SIZE(inch)	L(mm)		
○	BFAA0808G	1/4	65	12	120
	BFAA0812G	3/8	65	12	120

TYPE	ITEM NO.	SIZE(mm)	L(mm)		
○	BEAB0808G	8	100	12	120

1/4" Hex Shank Magnetic Power Nut Setter
- Made of S2 Alloy Steel
- Precision machined tip for proper fit
- Magnetic shaft holds fastener securely
- Rugged single-piece construction provides long service life under constant use
- Ideal for quick and easy driving of nuts, bolts and hex head screws

■ Blister



TYPE	ITEM NO.	SIZE(mm)	L(mm)		
○	BEAD0808G	8	200	12	72

Blister

1/4" Hex Shank Phillips Magnetic Power Screwdriver Bits
- Made of S2 Alloy Steel Material
- Precision machined and magnetic tip
- Fully hardened & tempered

■ Blister (10PCS)



TYPE	ITEM NO.	Ømm	SIZE	L(mm)		
✚	FSLA0802G	4.5	PH2	50	15	60

1/4" Hex Shank Phillips Magnetic Power Screwdriver Bits
- Made of S2 Alloy Steel Material
- Precision machined and magnetic tip
- Fully hardened & tempered

■ Blister (4PCS)

TYPE	ITEM NO.	Ømm	SIZE	L(mm)		
✚	FSLB0802G	4.5	PH2	100	15	90

TYPE	ITEM NO.	Ømm	SIZE	L(mm)		
✚	FSLC0802G	4.5	PH2	150	12	48

1/4" Hex Shank Anti-Slip Phillips Magnetic Power Screwdriver Bits
- Made of S2 Alloy Steel Material
- Precision machined and magnetic tip
- Fully hardened & tempered
- New designed & improved anti-slip Phillips tip

New Designed Anti-Slip Phillips Tips

THESE RIBS HELP REDUCE CAMOUT OR SLIPPAGE OF THE DRIVER BITS DURING OPERATION

This advanced Phillips tip ensures the driver is securely fitted to the screw. It can effectively eliminate the possible damages to the screw heads.
The ribbed and precision machined tip (driver) also provides consistent engagement to the screw. It is perfect to use and drive the screw in the hard to reach areas.

■ Blister (10PCS)

TYPE	ITEM NO.	Ømm	SIZE	L(mm)		
✚	FSMA0802G	4.8	PH2	50	15	60

1/4" Hex Shank Anti-Slip Phillips Magnetic Power Screwdriver Bits
- Made of S2 Alloy Steel Material
- Precision machined and magnetic tip
- Fully hardened & tempered
- New designed & improved anti-slip Phillips tip

■ Blister (4PCS)

TYPE	ITEM NO.	Ømm	SIZE	L(mm)		
✚	FSMB0802G	4.8	PH2	100	15	90

TYPE	ITEM NO.	Ømm	SIZE	L(mm)		
✚	FSMC0802G	4.8	PH2	150	12	48

1/4" Hex Shank Phillips Power Screwdriver Bits
- Made of S2 Alloy Steel Material
- Precision machined tip
- Fully hardened & tempered

■ Blister (10PCS)

TYPE	ITEM NO.	Ømm	SIZE	L(mm)		
✚	FSIA0801G	5	PH1	50	15	60
	FSIA0802G	6	PH2	50	15	60
	FSIA0803G	6	PH3	50	15	60

1/4" Hex Shank Phillips Power Screwdriver Bits
- Made of S2 Alloy Steel Material
- Precision machined tip
- Fully hardened & tempered

■ Blister (4PCS)

TYPE	ITEM NO.	Ømm	SIZE	L(mm)		
✚	FSIB0801G	5	PH1	100	15	90
	FSIB0802G	6	PH2	100	15	90
	FSIB0803G	6	PH3	100	15	90

TYPE	ITEM NO.	Ømm	SIZE	L(mm)		
✚	FSIC0802G	6	PH2	150	12	48

Screwdrivers, Bits & Power Bits

Color Box

1/4" Hex Shank Magnetic Power Nut Setter

- Made of Chrome Vanadium Steel
- Precision machined tip for proper fit
- Magnetic shaft holds fastener securely
- Rugged single-piece construction provides long service life under constant use
- Ideal for quick and easy driving of nuts, bolts and hex head screws



TYPE	ITEM NO.	SIZE(mm)	L(mm)		
○	BEAA0806	6	65	50	400
	BEAA0807	7	65	50	400
	BEAA0808	8	65	50	400
	BEAA0810	10	65	50	400
	BEAA0813	13	65	50	400

TYPE	ITEM NO.	SIZE(inch)	L(mm)		
○	BFAA0808	1/4	65	50	400
	BFAA0812	3/8	65	50	400

TYPE	ITEM NO.	SIZE(mm)	L(mm)		
○	BEAB0808	8	100	50	400

1/4" Hex Shank Magnetic Power Nut Setter

- Made of S2 Alloy Steel
- Precision machined tip for proper fit
- Magnetic shaft holds fastener securely
- Rugged single-piece construction provides long service life under constant use
- Ideal for quick and easy driving of nuts, bolts and hex head screws

TYPE	ITEM NO.	SIZE(mm)	L(mm)		
○	BEAD0808	8	200	10	120

1/4" Hex Shank Phillips Magnetic Power Screwdriver Bits

- Made of S2 Alloy Steel Material
- Precision machined and magnetic tip
- Fully hardened & tempered

TYPE	ITEM NO.	Ømm	SIZE	L(mm)		
⊕	FSLA0802	4.5	PH2	50	100	1600

TYPE	ITEM NO.	Ømm	SIZE	L(mm)		
⊕	FSLB0802	4.5	PH2	100	50	800

TYPE	ITEM NO.	Ømm	SIZE	L(mm)		
⊕	FSLC0802	4.5	PH2	150	50	800

1/4" Hex Shank Phillips Power Screwdriver Bits

- Made of S2 Alloy Steel Material
- Precision machined tip
- Fully hardened & tempered

TYPE	ITEM NO.	Ømm	SIZE	L(mm)		
⊕	FSIA0801	5	PH1	50	100	1600
	FSIA0802	6	PH2	50	100	1600
	FSIA0803	6	PH3	50	100	1600

TYPE	ITEM NO.	Ømm	SIZE	L(mm)		
⊕	FSIB0801	5	PH1	100	50	800
	FSIB0802	6	PH2	100	50	800
	FSIB0803	6	PH3	100	50	800

TYPE	ITEM NO.	Ømm	SIZE	L(mm)		
⊕	FSIC0802	6	PH2	150	50	800

1/4" Hex Shank Anti-Slip Phillips Magnetic Power Screwdriver Bits

- Made of S2 Alloy Steel Material
- Precision machined and magnetic tip
- Fully hardened & tempered
- New designed & improved anti-slip Phillips tip

New Designed Anti-Slip Phillips Tips

THESE RIBS HELP REDUCE CAMOUT OR SLIPPAGE OF THE DRIVER BITS DURING OPERATION

This advanced Phillips tip ensures the driver is securely fitted to the screw. It can effectively eliminate the possible damages to the screw heads.
The ribbed and precision machined tip (driver) also provides consistent engagement to the screw. It is perfect to use and drive the screw in the hard to reach areas.

TYPE	ITEM NO.	Ømm	SIZE	L(mm)		
⊕	FSMA0802	4.8	PH2	50	100	1600

TYPE	ITEM NO.	Ømm	SIZE	L(mm)		
⊕	FSMB0802	4.8	PH2	100	50	800

TYPE	ITEM NO.	Ømm	SIZE	L(mm)		
⊕	FSMC0802	4.8	PH2	150	50	800

Pliers Series
Exceptional

multi-purposes cutting and gripping tools with various capacity to use.

PLIERS SERIES

Combination Pliers NEW MODEL

- Chrome Vanadium Steel Material
- High-frequency hardened cutting edges for optimum power and durability
- Precision machined jaws, ideal for gripping, twisting and cutting
- Comfort double dipped, non-slip grip handle
- Manufacturing according to DIN ISO 5746

ITEM NO.	SIZE(inch)		
DBAB2206B	6	10	40
DBAB2207B	7	10	40
DBAB2208B	8	10	40

Professional Cutting & Gripping Pliers

- Quality Tool Steel
- Precision Machined
- Duly Tempered and Hardened

NEW MODEL

Heavy Duty Diagonal Cutting Pliers NEW MODEL

- Chrome Vanadium Steel Material
- High-leverage design, rivet is closer to the beveled cutting edge for optimum cutting power
- Individually high frequency induction hardened cutting edges for long service life
- Comfort double dipped, non-slip grip handle
- Manufacturing according to DIN ISO 5749

ITEM NO.	SIZE(inch)		
DEAC2207B	7	10	40
DEAC2208B	8	10	40

Long Nose Pliers NEW MODEL

- Chrome Vanadium Steel Material
- Serrated and rigid jaws, ideal for forming, bending, gripping and cutting works
- Individually high frequency induction hardened cutting edges for long service life
- Comfort double dipped, non-slip grip handle
- Manufacturing according to DIN ISO 5745

ITEM NO.	SIZE(inch)		
DFAB2206B	6	10	40
DFAB2208B	8	10	40

Long Round Nose Pliers NEW MODEL

- Chrome Vanadium Steel Material
- Precision ground, long round jaws with smooth tips
- Ideal for bending wire loops and hoops
- Comfort non-slip grip handle

ITEM NO.	SIZE(inch)		
DFAL2206B	6	10	40

Slant Edge Cutting Pliers with Wire Stripper NEW MODEL

- Drop Forged S50C Carbon Steel Material
- Hot-riveted joints ensures smooth cutting action and no handle wobble
- Suitable for cutting filament and copper wire of all electrical works and etc
- Comfort non-slip grip plastic handle

ITEM NO.	SIZE(inch)		
DEAA1206B	6	10	40

HIGH CUTTING CAPACITY PLIERS SERIES

Combination Pliers

- Chrome Vanadium Steel Material
- Precision-hardened plier head for on-the-job toughness
- High-frequency hardened cutting edges for optimum power and durability
- Comfort non-slip grip handle

ITEM NO.	SIZE(inch)		
DBAB2208	8	10	40

Diagonal Cutting Pliers

- Chrome Vanadium Steel Material
- Short jaws and beveled cutting edges permit close cutting of wire
- Hot-riveted joints ensures smooth action and no handle wobble
- Comfort non-slip grip handle

ITEM NO.	SIZE(inch)		
DEAB2206	6	10	40

High-Leverage Combination Pliers

- Made of drop forged & heat treated chrome molybdenum alloy steel
- Improved lever action for greater cutting power with less effort
- Precision machined serrated jaws with induction hardened cutting edge
- Includes both flat and conduit gripping jaws for versatile use
- General purpose pliers for cutting Ø3.5mm soft wires, Ø2.0mm hard wires, Ø2.5mm cable wires & Ø3.0mm stainless steel wire

ITEM NO.	SIZE(inch)		
DBAC1209	9	6	72

40° Diagonal Cutting Pliers NEW

- Chrome Vanadium Steel Material
- High-frequency hardened cutting edges for optimum power and durability
- 40° cutting edge design for easy pulling nail from tire
- Comfortable double plastic-coated grip handle





ITEM NO.	SIZE(inch)		
DEAD2206	6	10	40

TOPTUL

Professional Cutting & Gripping Pliers

NEW MODEL

Pliers

End Cutting Nippers

- Chrome Vanadium Steel Material
- Induction heat-treated cutting edges nip wire and protruding nails
- Sturdy head designed for maximum strength and leverage
- Comfort non-slip grip handle

ITEM NO.	SIZE(inch)		
DJAA1208	8	10	40

Slip Joint Pliers

- Chrome Vanadium Steel Material
- High precision milling smooth jaws for extra grip and ease of handling
- Serrated and accurately machined jaws provide a firm grip on the objects
- Comfort non-slip grip handle

ITEM NO.	SIZE(inch)		
DHAA1208	8	10	40

Carpenter's Pincers

- Chrome Vanadium Steel Material
- Induction hardened cutting edges
- Sturdy head design for maximum strength and leverage
- Suitable to grip and extract nails/tacks without cutting
- Comfortable non-slip grip handle

ITEM NO.	SIZE(inch)		
DOAA1208	8	10	50

Tower Pincers

- Chrome Molybdenum Steel Material
- Induction heat-treated cutting edges nip wire and protruding nails
- Sturdy head designed for maximum strength and leverage
- Comfort non-slip grip handle

ITEM NO.	SIZE(inch)		
DJAA1209	9	10	40
DJAA1210	10	10	40

Tower Pincers

- Chrome Molybdenum Steel Material
- Induction hardened cutting edges nip wire and protruding nails easily
- Sturdy head design for maximum strength and leverage
- To twist and cut wire in one operation
- Maximum cutting capacity: Ø1.6mm (medium hard wires and nails)

ITEM NO.	SIZE(inch)		
DJAA0110	10	10	40

Cable Cutter

- Chrome Vanadium Steel Material
- Professional heat treated & machined cutting edge
- Shear action for a clean, precise cut
- Comfortable double plastic-coated grip handle
- Cut copper and aluminum cable
- Notched end for stripping wires

ITEM NO.	MAX. CUTTING CAPACITY (mm²)	L (inch)		
DNAA1206	22	6	6	120

Cable Cutter

- Chrome Vanadium Steel Material
- Induction hardened cutting edge
- Shear action for a clean, precise cut
- Comfortable double plastic-coated grip handle
- Cut copper and aluminum cable
- Notched end for stripping wires

ITEM NO.	MAX. CUTTING CAPACITY (mm²)	L (inch)		
DNAA1208	38	8	6	72

Cable Cutter

- Chrome Vanadium Steel Material
- Induction hardened cutting edge
- Shear action for a clean, precise cut
- Comfortable double plastic-coated grip handle

ITEM NO.	MAX. CUTTING CAPACITY (mm²)	L (inch)		
DNAA1210	60	10	6	48

Heavy Duty Wire Cutter

- Chrome Vanadium Steel Material
- Induction hardened cutting edge
- Steel opening spring for long service life
- Comfortable double plastic-coated grip handle
- High cutting capacity up to 4.0mm soft/medium wire, 3.0mm hard wire and 2.0mm steel wire

ITEM NO.	LENGTH(mm)		
SBAF0804	200 (8")	6	72

Long Reach Nose Pliers

CR-MO

ITEM NO.	BENDING(Degree)	SIZE(inch)		
DFAI1211	90°	11	10	40
DFAH1211	45°	11	10	40
DFAG1211	0°	11	10	40

Long Hose Gripper Pliers

CR-MO

ITEM NO.	HEAD(inch)	SIZE(inch)		
DFAD1211	5/16	11	10	40
DFAE1211	1/2	11	10	40
DFAF1211	3/4	11	10	40

Groove-Joint Water Pump Pliers

- Chrome Vanadium Steel Material
- 7-position groove joint adjustable head
- Strong self-gripping teeth for joints, fasteners and pipes
- Comfort non-slip grip handle

ITEM NO.	SIZE(inch)		
DDAA1210	10	10	40

Professional Series

Box-Joint Water Pump Pliers with Quick-Adjust Button

- High grade special tool steel material
- Optimum lever action with 19-position adjustment
- Push-lock design allows quick and easy adjustment.
- Accurately machined jaws provides a firm grip on cylindrical or hexagonal objects
- Gripping capacity: up to Ø50mm
- Non-slip, comfort plastic coating handles
- Compliance with DIN ISO 8976 specification

Induction hardened & precision machined jaw provides optimum gripping power and durability

Push-button for quick and easy adjustment

19-Positions rack

Comfort non-slip grip handle

Professional Series

Box-Joint Water Pump Pliers with Quick-Adjust Button

NEW

ITEM NO.	SIZE (inch)		
DDAG1310	10	10	40

Retaining Ring Pliers

90° Retaining Ring Pliers
(External Ring)

- Heavy duty model for continuous and intensive operation
- Rigid and precision machined ball-bearing steel tips
- Drop forged, hardened and tempered tool steel body
- Slim pliers head for easy access to workpieces
- Large, easy fitting contact tips prevent circlips from deformation
- Internal invisible spring assisted opening
- Non-slip, comfort plastic coating handles
- Manufacturing according to DIN 5254 Form B

For external ring, 10 to 100 mm diameter | Internal invisible spring-assisted opening mechanism | Sturdy, inserted ball bearing steel tips

ITEM NO.	SIZE(inch)	CAPACITY(Ø)		
DCBA1305	5	10~25mm	10	40
DCBA1307	7	19~60mm	10	40
DCBA1309	9	40~100mm	10	40

Straight Retaining Ring Pliers
(External Ring)

- Heavy duty model for continuous and intensive operation
- Rigid and precision machined ball-bearing steel tips
- Drop forged, hardened and tempered tool steel body
- Slim pliers head for easy access to workpieces
- Large, easy fitting contact tips prevent circlips from deformation
- Internal invisible spring assisted opening
- Non-slip, comfort plastic coating handles
- Manufacturing according to DIN 5254 Form A

For external ring, 10 to 100 mm diameter | Internal invisible spring-assisted opening mechanism | Sturdy, inserted ball bearing steel tips

ITEM NO.	SIZE(inch)	CAPACITY(Ø)		
DCBB1305	5	10~25mm	10	40
DCBB1307	7	19~60mm	10	40
DCBB1309	9	40~100mm	10	40

90° Retaining Ring Pliers
(Internal Ring)

- Heavy duty model for continuous and intensive operation
- Rigid and precision machined ball-bearing steel tips
- Drop forged, hardened and tempered tool steel body
- Slim pliers head for easy access to workpieces
- Large, easy fitting contact tips prevent circlips from deformation
- Internal invisible spring assisted opening
- Non-slip, comfort plastic coating handles
- Manufacturing according to DIN 5256 Form D

For internal ring, 12 to 100 mm diameter | Internal invisible spring-assisted opening mechanism | Sturdy, inserted ball bearing steel tips

ITEM NO.	SIZE(inch)	CAPACITY(Ø)		
DCBC1305	5	12~25mm	10	40
DCBC1307	7	19~60mm	10	40
DCBC1309	9	40~100mm	10	40

Straight Retaining Ring Pliers
(Internal Ring)

- Heavy duty model for continuous and intensive operation
- Rigid and precision machined ball-bearing steel tips
- Drop forged, hardened and tempered tool steel body
- Slim pliers head for easy access to workpieces
- Large, easy fitting contact tips prevent circlips from deformation
- Internal invisible spring assisted opening
- Non-slip, comfort plastic coating handles
- Manufacturing according to DIN 5256 Form C

For internal ring, 12 to 100 mm diameter | Internal invisible spring-assisted opening mechanism | Sturdy, inserted ball bearing steel tips

ITEM NO.	SIZE(inch)	CAPACITY(Ø)		
DCBD1305	5	12~25mm	10	40
DCBD1307	7	19~60mm	10	40
DCBD1309	9	40~100mm	10	40

Retaining Ring Pliers

90° Retaining Ring Pliers
(External Ring)
- Chrome Vanadium Steel Material
- Spring-assisted opening for outside circlip
- Anti-slip, turned tips
- Comfort non-slip grip handle

ITEM NO.	SIZE(inch)	CAPACITY(Ø)		
DCAA1205	5	10~25mm	10	40
DCAA1207	7	19~60mm	10	40
DCAA1209	9	40~100mm	10	40
DCAA1212	12	85~140mm	4	24

Straight Retaining Ring Pliers
(External Ring)
- Chrome Vanadium Steel Material
- Spring-assisted opening for outside circlip
- Anti-slip, turned tips
- Comfort non-slip grip handle

ITEM NO.	SIZE(inch)	CAPACITY(Ø)		
DCAB1205	5	10~25mm	10	40
DCAB1207	7	19~60mm	10	40
DCAB1209	9	40~100mm	10	40
DCAB1212	12	85~140mm	6	36

90° Retaining Ring Pliers
(Internal Ring)
- Chrome Vanadium Steel Material
- Spring-assisted opening for inside circlip
- Anti-slip, turned precision tips
- Comfort non-slip grip handle

ITEM NO.	SIZE(inch)	CAPACITY(Ø)		
DCAC1205	5	12~25mm	10	40
DCAC1207	7	19~60mm	10	40
DCAC1209	9	40~100mm	10	40

Straight Retaining Ring Pliers
(Internal Ring)
- Chrome Vanadium Steel Material
- Spring-assisted opening for inside circlip
- Anti-slip, turned precision tips
- Comfort non-slip grip handle

ITEM NO.	SIZE(inch)	CAPACITY(Ø)		
DCAD1205	5	12~25mm	10	40
DCAD1207	7	19~60mm	10	40
DCAD1209	9	40~100mm	10	40

90° Retaining Ring Pliers
(Internal Ring)
- Chrome Vanadium Steel Material
- For inside circlips
- Anti-slip, turned tips
- Comfort non-slip grip handle

ITEM NO.	SIZE(inch)	CAPACITY(Ø)		
DCAC1212	12	85~140mm	4	24

Straight Retaining Ring Pliers
(Internal Ring)
- Chrome Vanadium Steel Material
- For inside circlips
- Anti-slip, turned tips
- Comfort non-slip grip handle

ITEM NO.	SIZE(inch)	CAPACITY(Ø)		
DCAD1212	12	85~140mm	6	36

Retaining Ring Pliers Set

4PCS
Retaining Ring Pliers Set

ITEM NO.	CONTENTS	20 (SET)
GPAQ0401	1 DCAB1207 Straight Retaining Ring Pliers (External Ring) - 7"	
	1 DCAD1207 Straight Retaining Ring Pliers (Internal Ring) - 7"	
	1 DCAA1207 90° Retaining Ring Pliers (External Ring) - 7"	
	1 DCAC1207 90° Retaining Ring Pliers (Internal Ring) - 7"	

4PCS
Retaining Ring Pliers Set

ITEM NO.	CONTENTS	20 (SET)
GPAQ0402	1 DCBB1307 Straight Retaining Ring Pliers (External Ring) - 7"	
	1 DCBD1307 Straight Retaining Ring Pliers (Internal Ring) - 7"	
	1 DCBA1307 90° Retaining Ring Pliers (External Ring) - 7"	
	1 DCBC1307 90° Retaining Ring Pliers (Internal Ring) - 7"	

4PCS
Mini Retaining Ring Pliers Set
- Chrome Molybdenum Steel Material
- Mini-size design for easy access into tight spaces
- Spring-assisted opening for internal / external circlip
- Tip size: 0.038" (1mm) diameter
- Circlip size: 10 - 22mm in diameter
- Comfort non-slip grip handle

■ Blister

ITEM NO.	CONTENTS	12 (SET)
GAAR0403	1 Mini 45° Retaining Ring Plier (External Ring) - 3"	
	1 Mini Straight Retaining Ring Plier (External Ring) - 3"	
	1 Mini 45° Retaining Ring Plier (Internal Ring) - 3"	
	1 Mini Straight Retaining Ring Plier (Internal Ring) - 3"	

Professional Series

Wire Rope Cutter

- Chrome Molybdenum Alloy Steel
- Induction heat treated cutting edges for cutting solid materials and multi-strand cables
- Shear-cut and angled blade for clean and sharp cut
- Invisible spring loaded cutting action for easy one handed operation
- Comfortable, anti-slip TPR material plastic soft grip handle
- Max. Cutting Capacity (Diam.): 4mm wire rope & 1.5mm spring wire



Professional Series
Wire Rope Cutter

ITEM NO.	MAX. CUTTING CAPACITY (DIAM.)	SIZE (inch)		
DNCA227E	4	7-1/2	10	40

Pro-Series
Double Hi-Leverage Combination Pliers

- Premium tool steel pliers head for superior strength and durability
- Induction hardened & precision machined cutting edges
- Heat treated robust CR-MO joint rivet for smooth and consistent operation
- Double high-leverage design increases cutting power by 60%
- Spring-loaded return for quick repetitive opening
- 1/3 lighter than standard pliers reduces hand fatigue
- Safety lock keeps pliers securely closed when not in use
- Ergonomically designed TPE+TPR plastic grip handle for much improved comfort and added control

ITEM NO.	SIZE(inch)		
DBBE2208	8	10	40

Pro-Series
Double Hi-Leverage Diagonal Cutting Pliers

- Premium tool steel pliers head for superior strength and durability
- Induction hardened & precision machined cutting edges
- Heat treated robust CR-MO joint rivet for smooth and consistent operation
- Double high-leverage design increases cutting power by 60%
- Spring-loaded return for quick repetitive opening
- 1/3 lighter than standard pliers reduces hand fatigue
- Safety lock keeps pliers securely closed when not in use
- Ergonomically designed TPE+TPR plastic grip handle for much improved comfort and added control

ITEM NO.	SIZE(inch)		
DEBF2207	7	10	40

Pro-Series
Double Hi-Leverage Long Nose Pliers

- Premium tool steel pliers head for superior strength and durability
- Induction hardened & precision machined cutting edges
- Serrated and rigid jaws, ideal for forming, bending works
- Heat treated robust CR-MO joint rivet for smooth and consistent operation
- Double high-leverage design increases cutting power by 60%
- Spring-loaded return for quick repetitive opening
- 1/3 lighter than standard pliers reduces hand fatigue
- Safety lock keeps pliers securely closed when not in use
- Ergonomically designed TPE+TPR plastic grip handle for much improved comfort and added control

ITEM NO.	SIZE(inch)		
DFBE228E	8-1/2	10	40

Combination Pliers

- Chrome Molybdenum Steel Material
- Precision-hardened pliers head for on-the-job toughness
- High-frequency hardened cutting edges for optimum power and durability
- Ergonomic comfort-grip handle

ITEM NO.	SIZE(inch)		
DBBB2206	6	10	40
DBBB2207	7	10	40
DBBB2208	8	10	40

Long Nose Pliers

- Chrome Molybdenum Steel Material
- High-frequency hardened cutting edges for optimum power and durability
- Serrated and rigid jaws, ideal for forming, bending and precision assembly works
- Ergonomic comfort-grip handle

ITEM NO.	SIZE(inch)		
DFBB2206	6	10	40
DFBB2208	8	10	40

Flat Nose Pliers

- Chrome Molybdenum Steel Material
- High precision milling smooth jaws for extra grip and ease of handling
- Serrated and accurately machined flat jaws provide a firm grip on the objects
- Ergonomic comfort-grip handle

ITEM NO.	SIZE(inch)		
DFBC2206	6	10	40

Pliers

Heavy Duty Diagonal Cutting Pliers

- Chrome Molybdenum Steel Material
- High-leverage design, rivet is closer to the cutting edge for optimum cutting and gripping power
- Induction hardened cutting knives for long service life
- Ergonomic comfort-grip handle

ITEM NO.	SIZE(inch)		
DEBC2207	7	10	40
DEBC2208	8	10	40

Bent Nose Pliers

- Chrome Molybdenum Steel Material
- Bent nose with 45° slant for easy operation in complicated working space
- Serrated and rigid jaws, ideal for forming, bending and precision assembly works
- Ergonomic comfort-grip handle

ITEM NO.	SIZE(inch)		
DFBA2206	6	10	40
DFBA2208	8	10	40

Diagonal Cutting Pliers

- Chrome Molybdenum Steel Material
- Short jaws and beveled cutting edges permit close cutting of wire
- Hot-riveted joints ensures smooth action and no handle wobble
- Ergonomic comfort-grip handle

ITEM NO.	SIZE(inch)		
DEBB2206	6	10	40

Combination Slip-Joint Pliers (with wire cutter)

- Made of robust Chrome Molybdenum Alloy Steel
- Slim head design for easy access
- Diamond serrated jaws for more gripping power
- High-Frequency hardened cutting edge for long working life
- Precision machined jaws for maximum gripping and turning
- Cutting Capacity: Up to Ø1.6mm medium hard wire
- Ergonomic designed, non-slip TPE+TPR plastic grip handles

• DHBB2208

• DHBB2210

Heavy Duty End Cutting Nippers

- Chrome Molybdenum Steel Material
- High-leverage design provides exceptional cutting of hard and soft wire, bolts, nails, rivets and pins
- Induction hardened precision cutting edges ensures for long service life
- Ergonomic comfort-grip handle

ITEM NO.	SIZE(inch)		
DJBA2206	6	10	40
DJBA2208	8	10	40

ITEM NO.	SIZE(inch)		
DHBB2208	8	10	40
DHBB2210	10	10	40



Box-Joint Water Pump Pliers

- Chrome Molybdenum Steel Material
- Optimum lever action with 7-position adjustment
- Heavy duty box-joint design, self-gripping teeth for joints, nuts and pipes
- Ergonomic comfort-grip handle

ITEM NO.	SIZE(inch)		
DDBA2210	10	10	40

Pliers Set

3PCS
Pliers Set

ITEM NO.	CONTENTS	8 (SET)
GAAE0304	1 DBBB2207 Combination Pliers - 7" 1 DEBC2207 Heavy Duty Diagonal Cutting Pliers - 7" 1 DFBB2208 Long Nose Pliers - 8"	

3PCS
Pliers Set

ITEM NO.	CONTENTS	8 (SET)
GAAE0302	1 DEBB2206 Diagonal Cutting Pliers - 6" 1 DBBB2207 Combination Pliers - 7" 1 DFBB2208 Long Nose Pliers - 8"	

3PCS
Pliers Set

ITEM NO.	CONTENTS	8 (SET)
GAAE0307	1 DBBB2208 Combination Pliers - 8" 1 DEBC2208 Heavy Duty Diagonal Cutting Pliers - 8" 1 DFBB2208 Long Nose Pliers - 8"	

3PCS
Pliers Set

ITEM NO.	CONTENTS	8 (SET)
GAAE0303	1 DBBB2207 Combination Pliers - 7" 1 DFBB2208 Long Nose Pliers - 8" 1 DDBA2210 Box-Joint Water Pump Pliers - 10"	

4PCS
Pliers Set

ITEM NO.	CONTENTS	8 (SET)
GAAE0402	1 DBBB2207 Combination Pliers - 7" 1 DEBC2207 Heavy Duty Diagonal Cutting Pliers - 7" 1 DFBB2208 Long Nose Pliers - 8" 1 DDBA2210 Box-Joint Water Pump Pliers - 10"	

NEW MODEL

Combination Pliers
NEW MODEL

- Made of drop forged Chrome Molybdenum Alloy Steel
- Precision hardened pliers head for on-the-job toughness
- High-frequency hardened cutting edges for optimum power and durability
- Bi-component ergonomic comfort-grip handle

ITEM NO.	SIZE(inch)		
DBBB2207B	7	10	40

Diagonal Cutting Pliers
NEW MODEL

- Made of drop forged Chrome Molybdenum Alloy Steel
- Short jaws and beveled cutting edges permit close cutting of wire
- Hot-rivet joint ensures smooth action and no handle wobble
- Induction-hardened cutting edges for optimum power and durability
- Bi-component ergonomic comfort-grip handle

ITEM NO.	SIZE(inch)		
DEBB2206B	6	10	40

Heavy Duty Diagonal Cutting Pliers
NEW MODEL

- Made of drop forged Chrome Molybdenum Alloy Steel
- High-leverage design, rivet is closer to the cutting edge for optimum cutting power
- Induction-hardened cutting edges for optimum power and durability
- Bi-component ergonomic comfort-grip handle

ITEM NO.	SIZE(inch)		
DEBC2207B	7	10	40



Electronics Pliers

Electronics Combination Pliers

- High precision-machined jaws
- Spring-assisted opening design
- Ergonomic comfort-grip handle

ITEM NO.	SIZE(inch)		
DBBC2205	5	10	40

Electronics End Cutter Pliers

- High precision-machined jaws
- Spring-assisted opening design
- Ergonomic comfort-grip handle

ITEM NO.	SIZE(inch)		
DJBB2204	4	10	40

Electronics Long Nose Pliers

- High precision-machined jaws
- Spring-assisted opening design
- Ergonomic comfort-grip handle

ITEM NO.	SIZE(inch)		
DFBJ2205	5	10	40

Electronics Bent Nose Pliers

- High precision-machined jaws
- Spring-assisted opening design
- Ergonomic comfort-grip handle

ITEM NO.	SIZE(inch)		
DFBK2205	5	10	40

Electronics Diagonal Cutting Pliers

- High precision-machined jaws
- Spring-assisted opening design
- Ergonomic comfort-grip handle

ITEM NO.	SIZE(inch)		
DEBD2204	4	10	40

Mini Side Cutter Pliers

- Made of heat treated, hardened 3mm thick Stainless Steel
- Precision machined jaws for maximum cutting power
- Superior access in tight-fit applications
- Smooth spring return action jaws for quick cut and reduce the operational fatigue
- Environmentally friendly, non-slip PVC comfort grip handles

ITEM NO.	SIZE(inch)		
DEBE204E	4.5	6	120

Pliers

Pro-Series Electronics Pliers

Pro-Series
Electronics Long Nose Pliers

- Chrome Molybdenum Steel Material
- Induction hardened & precision machined cutting edges
- Spring-loaded return for quick repetitive opening
- Serrated and rigid jaw, ideal for forming, bending and precision assembly work
- Max. Cutting Capacity (Diam.): Ø1.6mm copper or similar soft wire
- Ergonomically designed TPE+TPR plastic grip handle for much improved comfort and added control

ITEM NO.	SIZE(inch)		
DFCJ2206	6	14	56

Pro-Series
Electronics End Cutter Pliers

- Chrome Molybdenum Steel Material
- Induction hardened & precision machined cutting edges
- Spring-loaded return for quick repetitive opening
- Sturdy cutting head design for maximum strength and suits for virtually flush cutting work
- Max. Cutting Capacity (Diam.): Ø1.6mm copper or similar soft wire
- Ergonomically designed TPE+TPR plastic grip handle for much improved comfort and added control

ITEM NO.	SIZE(inch)		
DJCB2205	5	10	40

Pro-Series
Electronics Diagonal Cutting Pliers

- Chrome Molybdenum Steel Material
- Induction hardened & precision machined cutting edges
- Spring-loaded return for quick repetitive opening
- Short Jaws and beveled cutting edges permit close cutting of wire
- Max. Cutting Capacity (Diam.): Ø1.6mm copper or similar soft wire
- Ergonomically designed TPE+TPR plastic grip handle for much improved comfort and added control

ITEM NO.	SIZE(inch)		
DECD2205	5	10	40

Pro-Series
Electronics Combination Pliers

- Chrome Molybdenum Steel Material
- Induction hardened & precision machined cutting edges
- Spring-loaded return for quick repetitive opening
- Serrated and machined flat jaw provide a firm grip on the most objects
- Max. Cutting Capacity (Diam.): Ø1.6mm copper or similar soft wire
- Ergonomically designed TPE+TPR plastic grip handle for much improved comfort and added control

ITEM NO.	SIZE(inch)		
DBCC2205	5	10	40

Pro-Series
Electronics Bent Nose Pliers

- High grade special tool steel material
- Precision-hardened pliers head for on-the-job toughness
- Non-Teeth design to prevent surface damage on the object
- Spring-loaded return for quick repetitive opening
- Ergonomically designed TPE+TPR plastic grip handle for much improved comfort and added control



ITEM NO.	SIZE(inch)		
DFCK2206	6	14	56

Pro-Series
Electronics Flat Nose Pliers

- High grade special tool steel material
- Precision-hardened pliers head for on-the-job toughness
- Non-Teeth design to prevent surface damage on the object
- Spring-loaded return for quick repetitive opening
- Ergonomically designed TPE+TPR plastic grip handle for much improved comfort and added control

ITEM NO.	SIZE(inch)		
DFCC2206	6	14	56

Pro-Series
Electronics Needle Nose Pliers

- High grade special tool steel material
- Precision-hardened pliers head for on-the-job toughness
- Non-Teeth design to prevent surface damage on the object
- Spring-loaded return for quick repetitive opening
- Ergonomically designed TPE+TPR plastic grip handle for much improved comfort and added control

ITEM NO.	SIZE(inch)		
DFCN2206	6	14	56

Pro-Series
Electronics Round Nose Pliers

- High grade special tool steel material
- Professional heat treated and machined nose
- Ideal for precision gripping and bending work in the electronic and mechanical sector
- Spring-loaded return for quick repetitive opening
- Ergonomically designed TPE+TPR plastic grip handle for much improved comfort and added control

* Suitable for forming and bending wire

ITEM NO.	SIZE(inch)		
DFCL2205	5	10	40

VDE Insulated
Long Nose Pliers
- Chrome Molybdenum Steel Material
- Handles insulation meets VDE and international standard DIN EN/IEC 60900
- High-frequency hardened cutting edges for optimum power and durability
- Serrated and rigid jaws, ideal for forming, bending and precision assembly works
- Ergonomic comfort-grip handle

ITEM NO.	SIZE(inch)		
DGBB2106	6	10	40
DGBB2108	8	10	40

VDE Insulated
Combination Pliers
- Chrome Molybdenum Steel Material
- Handles insulation meets VDE and international standard DIN EN/IEC 60900
- Precision-hardened pliers head for on-the-job toughness
- High-frequency hardened cutting edges for optimum power and durability
- Ergonomic comfort-grip handle

ITEM NO.	SIZE(inch)		
DGBA2106	6	10	40
DGBA2107	7	10	40
DGBA2108	8	10	40

VDE Insulated
Diagonal Cutting Pliers
- Chrome Molybdenum Steel Material
- Handles insulation meets VDE and international standard DIN EN/IEC 60900
- Short jaws and beveled cutting edges permit close cutting of wire
- Hot-riveted joints ensures smooth action and no handle wobble
- Ergonomic comfort-grip handle

ITEM NO.	SIZE(inch)		
DGBC2106	6	10	40

VDE Insulated
Box-Joint Water Pump Pliers
- Chrome Molybdenum Steel Material
- Handles insulation meets VDE and international standard DIN EN/IEC 60900
- Optimum lever action with 7-position adjustment
- Heavy duty box-joint design, self-gripping teeth for joints, nuts and pipes
- Ergonomic comfort-grip handle

ITEM NO.	SIZE(inch)		
DGBE2110	10	10	40

VDE Insulated
Wire Stripping Pliers
- Chrome Molybdenum Steel Material
- Handles insulation meets VDE and international standard DIN EN/IEC 60900
- Induction hardened long life stripping edges
- Easy lockable adjusting screw for setting the desired diameter up to Ø4.5mm
- Ergonomic comfort-grip handle

ITEM NO.	SIZE(inch)		
DGBD2106	6	10	40

3PCS
VDE Insulated Pliers Set

ITEM NO.	CONTENTS	8 (SET)
GAAE0301	DGBA2107 VDE Insulated Combination Pliers - 7" DGBB2108 VDE Insulated Long Nose Pliers - 8" DGBC2106 VDE Insulated Diagonal Cutting Pliers - 6"	

4PCS
VDE Insulated Pliers Set

ITEM NO.	CONTENTS	8 (SET)
GAAE0406	DGBA2107 VDE Insulated Combination Pliers - 7" DGBB2108 VDE Insulated Long Nose Pliers - 8" DGBC2106 VDE Insulated Diagonal Cutting Pliers - 6" DGBD2106 VDE Insulated Wire Stripping Pliers - 6"	

Automatic Wire Stripper
- Sliding cross-block design for easy set-up the desired length from 5-12mm
- Ideal for stripping wires diameter from 0.2- 6.0mm² (24-10AWG)
- Hardened steel blades provide extra strength and longer life
- Trigger-actuated design provides fast & easy stripping wires
- Lightweight, ergonomic design is constructed from reinforced fiberglass & Nylon

ITEM NO.	CAPACITY (mm²)	L (mm)		
DICA1306	0.2 - 6.0 (AWG 24~10)	190	10	60

Wire Stripping Pliers
- Chrome Molybdenum Steel Material
- Induction hardened long life stripping edges
- Easy lockable adjusting screw for setting the desired diameter up to Ø4.5mm
- Ergonomic comfort-grip handle

ITEM NO.	SIZE(inch)		
DIBA2206	6	10	40

Multi-Purpose Crimping Pliers

ITEM NO.	CAPACITY	10
DIBB2009	Insulated terminals 1.5, 2.5, 4, 6 mm² Bolt cutter M2.6, M3, M3.5, M4, M5 Open barrel terminals 1.5, 2.5, 4-6 mm² Wire stripper 0.75, 1.0, 1.5, 2.5, 4.0, 6.0 mm² (with integral wire-cutter)	

Multi-Purpose Crimping Pliers

ITEM NO.	CAPACITY	10
DIBB1009	Insulated terminals 1.5, 2.5, 4, 6 mm² Bolt cutter M2.6, M3, M3.5, M4, M5 Non-insulated terminals 1.5, 2.5, 4-6 mm² Wire stripper 0.75, 1.0, 1.5, 2.5, 4.0, 6.0 mm² (with integral wire-cutter)	

Ratchet Crimping Tool for Non-Insulated Terminal



- Expert quality, chrome molybdenum steel with hardened and tempered jaws
- Continuous crimping at preset tension ensures accurate and effective crimp
- Ratchet action ensures consistent crimp tension
- Comfortable and soft plastic anti-slip grip handle
- Suitable for most non-insulated terminals

ITEM NO.	CAPACITY (mm²)	L (mm)		
DKBB2307	1.25 - 2 - 3.5 (AWG 22~12)	170	6	72

Ratchet Crimping Tool for Non-Insulated Terminal



- Expert quality, chrome molybdenum steel with hardened and tempered jaws
- Continuous crimping at preset tension ensures accurate and effective crimp
- Ratchet action ensures consistent crimp tension
- Comfortable and soft plastic anti-slip grip handle
- Suitable for most non-insulated terminals

ITEM NO.	CAPACITY (mm²)	L (mm)		
DKBB2315	5.5 - 8 - 14 - 22 - 38 (AWG 12~2)	380	1	12

Crimping Pliers Series

2-IN-1 Quick Interchangeable Ratchet Crimping Pliers (for Insulated and non-insulated terminals) NEW

- Ratchet mechanism crimper stands for superior labor saving
- Unique exchangeable crimping jaws design for quick installing revisable insulated / non-insulated terminals
- Quick insertion changing of jaw without any tool
- Professional AISI 4140 Alloy Steel Crimping Jaws
- Ergonomic comfort-grip handle

• Adjustable • Quick Release

A SIDE



B SIDE

ITEM NO.	CAPACITY	L (mm)		
DKCA2222	**Insulated Terminal** · AWG 22-18/16-14/12-10 · DIN 0.5-1.0/1.5-2.5/4-6 mm² **Non-Insulated Terminal** · AWG 20-18/16-14/12-10/8 · DIN 1.5/2.5/6/10 mm² · JIS 1.25/2/5.5/8 mm²	220	12	36

7PCS

Quick Interchangeable Ratchet Crimping Tool Kit

- Unique integrated lock with releasing mechanism design provides complete crimp
- Ratchet mechanism crimper stands for superior labor saving
- Quick insertion changing of jaw without any tool
- Professional AISI 4140 Alloy Steel Crimping Jaws
- Ergonomic comfort-grip handle
- Expert quality crimp tool set, suitable for electricians on a variety of applications

ITEM NO.	CONTENTS	10 (SET)
GAAI0704	1 DKBA2426 Quick Interchangeable Ratchet Crimper 1 DLAA0601 Insulated Terminal DIN 0.5-1/1.5-2.5/4-6 mm² 1 DLAA1001 Non-Insulated Terminal DIN 1.5/2.5/6/10 mm² 1 DLAA0602 Open-Barrel Terminal DIN 0.5-1/1.5-2.5/4-6 mm² 1 DLAA0101 Open-Barrel Terminal DIN 0.1-0.25/0.25-0.5/0.5-1 mm² 1 DLAA1002 Open-Barrel Terminal & D-Sub, V3.5 DIN 2.5/0.5/8-10 mm² 1 DLAA0102 Spark Plug Connector DIN 1 mm²	

BLOW CASE: W295 x D235 x H53 (mm)

Jaw for insulated terminal



Jaw for non-insulated terminal

Jaw for open-barrel terminal

Jaw for open-barrel terminal

Jaw for open-barrel terminal & D-Sub, V3.5

Jaw for spark plug connector



- Crimping tool set with ratcheting function and adjustable jaws
- Includes 5 exchangeable crimping jaws
- Insulated terminal ends DIN 0.5-6mm²
- Non-insulated terminal ends DIN 1.5-10mm²
- Open-barrel terminal ends DIN 0.5-6mm²
- Insulated cord-End Terminals ends DIN 0.5-4mm² (for small size)
- Insulated cord-End Terminals ends DIN 6-16mm² (for large size)

6PCS

Quick Interchangeable Ratchet Crimping Tool Kit

- Ratchet mechanism crimper stands for superior labor saving
- Quick insertion changing of jaw without any tool
- Professional AISI 4140 Alloy Steel Crimping Jaws
- Ergonomic comfort-grip handle

ITEM NO.	CONTENTS	10 (SET)
GAAI0605	1 DKBA2222 Quick Interchangeable Ratchet Crimper 1 DLAA0601 Insulated Terminal DIN 0.5-1.0/1.5-2.5/4-6 mm² 1 DLAA1001 Non-Insulated Terminal DIN 1.5/2.5/6/10 mm² 1 DLAA0602 Open-Barrel Terminal DIN 0.5-1.0/1.5-2.5/4-6 mm² 1 DLAA0401 Insulated Cord-End Terminal (for small size) DIN 0.5/0.75/1.0/1.5/2.5/4.0 mm² 1 DLAA1601 Insulated Cord-End Terminal (for large size) DIN 6/10/16 mm²	

BLOW CASE: W280 x D195 x H50 (mm)

A Jaw for insulated terminal

Surface treatment
- Procedure: Precision and Wax-lost Casting
- Treatment: Finished with heat treatment (HRC 38 - 45)
- Zinc Phosphate Surface Treatment

Material
- Material: AISI 4140

Suitable for
- AWG 22-18/16-14/12-10
- DIN 0.5-1.0/1.5-2.5/4-6mm²

B Jaw for non-insulated terminal

Surface treatment
- Procedure: Precision and Wax-lost Casting
- Treatment: Finished with heat treatment (HRC 38 - 45)
- Zinc Phosphate Surface Treatment

Material
- Material: AISI 4140

Suitable for
- AWG 20-18/16-14/12-10/8
- DIN 1.5/2.5/6/10mm²
- JIS 1.25/2/5.5/8mm²

C Jaw for open-barrel terminal

Surface treatment
- Procedure: Precision and Wax-lost Casting
- Treatment: Finished with heat treatment (HRC 38 - 45)
- Zinc Phosphate Surface Treatment

Material
- Material: AISI 4140

Suitable for
- AWG 20-18/16-14/12-10
- DIN 0.5-1.0/1.5-2.5/4-6mm²

D Jaw for cord-end insulated terminal (For small size)

Surface treatment
- Procedure: Precision and Wax-lost Casting
- Treatment: Finished with heat treatment (HRC 38 - 45)
- Zinc Phosphate Surface Treatment

Material
- Material: AISI 4140

Suitable for
- AWG 22/20/18/16/14/12
- DIN 0.5/0.75/1.0/1.5/2.5/4.0mm²

F Jaw for cord-end insulated terminal (For large size)

Surface treatment
- Procedure: Precision and Wax-lost Casting
- Treatment: Finished with heat treatment (HRC 38 - 45)
- Zinc Phosphate Surface Treatment

Material
- Material: AISI 4140

Suitable for
- AWG 10/8/6
- DIN 6/10/16 mm²

Pliers

Locking Chain Clamp

- Robust Chrome Molybdenum Alloy Steel handle
- Professional heat treated and machined
- Adjustable locking pliers design chain clamp
- Nickel plated finish

ITEM NO.	CHAIN LENGTH (inch)	HANDLE (inch)		
DMAB1A18	18	9	6	24

Claw-Grip Locking Pliers

- High quality Chrome Molybdenum Alloy Steel
- Professional heat treated and machined
- Powerful non-slip grip for all kinds of clamping jobs
- Ideal for hard to reach areas
- Nickel plated finish

ITEM NO.	SIZE(inch)		
DMAE1A06	6	10	60

Parrot Nose Locking Pliers with Sawteeth

- High quality Chrome Molybdenum Alloy Steel
- Professional heat treated and machined
- Strong sawteeth designed jaw to clamp the screws especially on round ones
- Ideal for clamping plumbing and round-off screws removal
- Nickel plated finish

ITEM NO.	SIZE(inch)		
DMAD1A09	9	10	50

Deep Throat Claw-Grip Locking Pliers

- High quality Chrome Molybdenum Alloy Steel
- Professional heat treated and machined
- Powerful non-slip grip for all kinds of clamping jobs
- Ideal for hard to reach areas
- Nickel plated finish

ITEM NO.	SIZE(inch)		
DMAF1A06	6	10	60

C-Clamp Locking Pliers with Swivel Pads

- High quality, mighty CR-MO jaw
- Robust Chrome Molybdenum Alloy Steel handle
- Professional heat treated and machined
- Wide jaws provide access to hard to reach areas
- Ideal for clamping angle iron and awkward pieces
- Also useful in metalworking and auto body repair
- Nickel plated finish

ITEM NO.	SIZE(inch)		
DMAA1A06	6	12	72





C-Clamp Locking Pliers with Swivel Pads

- High quality, mighty CR-V jaw
- Robust Chrome Molybdenum Alloy Steel handle
- Professional heat treated and machined
- Ideal for clamping angle iron and awkward pieces
- Nickel plated finish

ITEM NO.	SIZE(inch)		
DMAA1A11	11	6	24
DMAA1A18	18	5	20

C-Clamp Locking Pliers with Standard Tip

- High quality, mighty CR-V jaw
- Robust Chrome Molybdenum Alloy Steel handle
- Professional heat treated and machined
- Ideal for clamping angle iron and awkward pieces
- Nickel plated finish

ITEM NO.	SIZE(inch)		
DAAU1A11	11	5	20

Long Nose Locking Pliers with Wire Cutters

- Mighty CR-V jaw with cutter in design
- Robust Chrome Molybdenum Alloy Steel handle
- Professional heat treated and machined
- Nickel plated finish

ITEM NO.	SIZE(inch)		
DAAS1A06	6	10	80
DAAS1A09	9	10	40

Sheet Metal Locking Pliers

- High quality Chrome Molybdenum Alloy Steel
- Professional heat treated and machined
- Suitable for all kinds of bending and crimp edges
- Nickel plated finish

ITEM NO.	SIZE(inch)		
DAAV1A08	8	1	30

Welding Clamps

- High quality Chrome Molybdenum Alloy Steel
- Professional heat treated and machined
- Nickel plated finish

ITEM NO.	SIZE(inch)		
DAAT1A09	9	1	24

Pliers

Curved Jaw Locking Pliers (X-Jaw Type)

- Mighty CR-V jaw
- Robust Chrome Molybdenum Steel handle
- Special X-Jaw design and mechanism grips tighter as more torque is applied to the pliers
- Self-engaging lower jaws provides much more gripping power than traditional locking pliers
- Provided maximum torque without requiring heavy input pressure
- Professional heat treated and machined
- With adjusting screw and quick release lever
- Nickel plated finish

- Combination jaw design for gripping flat, round, square and shaped objects

- New X-Jaw, diamond shaped large jaws with cross angled teeth provides much more gripping power with no slipping or stripping

ITEM NO.	SIZE(inch)		
DAAY1A10	10	6	36

Curved Jaw Locking Pliers with Wire Cutters

- Mighty CR-MO jaw with cutter in design
- Robust Chrome Molybdenum Alloy Steel handle
- Professional heat treated and machined
- Nickel plated finish

ITEM NO.	SIZE(inch)		
DAAQ1A10	10	10	40

Curved Jaw Locking Pliers with Wire Cutters

- Mighty CR-V jaw with cutter in design
- Robust Chrome Molybdenum Alloy Steel handle
- Professional heat treated and machined
- Nickel plated finish

ITEM NO.	SIZE(inch)		
DAAQ1A05	5	10	80
DAAQ1A07	7	10	40

Straight Jaw Locking Pliers

- High quality Chrome Molybdenum Alloy Steel
- Professional heat treated and machined
- With adjusting screw and quick release lever
- Nickel plated finish

ITEM NO.	SIZE(inch)		
DAAR1A10	10	10	40

Straight Jaw Locking Pliers

- High quality, mighty CR-V jaw
- Robust Chrome Molybdenum Alloy Steel handle
- Professional heat treated and machined
- With adjusting screw and quick release lever
- Nickel plated finish

ITEM NO.	SIZE(inch)		
DAAR1A07	7	10	40

Curved Jaw Locking Pliers with Wire Cutter

- Mighty CR-V jaw with cutter in design
- Robust Chrome Molybdenum Alloy Steel handle
- Professional heat treated and machined
- With adjusting screw and quick release lever
- Nickel plated finish



ITEM NO.	SIZE(inch)		
DAAQ2B07	7	10	40
DAAQ2B10	10	10	40

Straight Jaw Locking Pliers

- High quality, mighty CR-V jaw
- Robust Chrome Molybdenum Alloy Steel handle
- Professional heat treated and machined
- With adjusting screw and quick release lever
- Nickel plated finish

ITEM NO.	SIZE(inch)		
DAAR2B07	7	10	40
DAAR2B10	10	10	40

Hammers & Striking Tools Series

Different

types of hammers, chisels and punches for various workshop applications.

www.toptul.com

HAMMERS & STRIKING TOOLS SERIES

PROFESSIONAL HAND TOOLS

Hammers & Striking Tools

Fiberglass Engineers Hammer

- Head Material: High grade medium carbon steel
- Head Finish:Black baked paint finish, striking face polished
- Fiberglass core provides strength and durability in the handle
- Anti-slip bi-component PP+TPR material soft grip handle

ITEM NO.	HEAD WGT (g)	HEAD Ø(mm)	L (mm)		
HABA0532	500	27	320	6	36

Engineers Hammer

ITEM NO.	HEAD WGT (g)	HEAD Ø(mm)	L (mm)		
HAAA0330	300	23	300	6	48
HAAA0532	500	27	320	6	36
HAAA0835	800	33	350	6	24
HAAA1036	1000	36	360	4	16
HAAA1538	1500	42	380	4	12
HAAA2040	2000	47	400	4	12

Soft Face Hammer

- Comes with two interchangeable and replaceable soft faces hammer heads, PU (yellow) and Nylon (white) durable plastic material
- Genuine hickory wooden handle

PU/ Nylon Material

ITEM NO.	HEAD Ø(mm)	L(mm)		
HAAF3530	35	303	6	48

Spare Plastic Tip for Mallets

ITEM NO.	SIZE	MATERIAL		
HLAA3501	Ø35mm	PU	40	240
HLAA3502	Ø35mm	Nylon	40	240

Professional Grade

One Piece Solid Forged Steel Claw Hammer

- Heavy duty, hardened and tempered solid forged one piece quality steel construction
- Anti-shock, shock absorbing grip to reduce vibrations when striking
- Nail pulling claw

ITEM NO.	HEAD WGT (oz)	HEAD Ø(mm)	L (mm)		
HABD2034	20	30	335	4	24

Claw Hammer

ITEM NO.	HEAD WGT (oz)	HEAD Ø(mm)	L (mm)		
HAAD1633	16	28	330	6	36

Ball Peen Hammer

- Drop forged, heat treat steel head
- Highly useful in metal fabrication and metal working

ITEM NO.	HEAD WGT (oz)	HEAD Ø(mm)	L (mm)		
HAAC0830	8	23.5	300	12	48
HAAC1635	16	30.5	350	6	36
HAAC2440	24	35.5	396	4	24
HAAC3240	32	38.5	400	4	24

Club Hammer

- Fully hardened tempered steel head for long life
- Genuine hickory wooden handled club hammers with polished surfaces

ITEM NO.	HEAD WGT (lb)	HEAD Ø(mm)	L (mm)		
HAAE2527	2.5	37	270	6	18

Tubular Steel Bricklayer's Hammer

- Head Material: High grade medium carbon steel
- Head Finish: Black baked paint finish, striking face polished
- Handle: Chrome-plated hardened tubular steel handle with comfortable shock absorbing plastic soft grip

ITEM NO.	HEAD WGT (oz)	HEAD Ø(mm)	L (mm)		
HAAG2028	20	26.5	282	6	24

Dead Blow Hammer

- Steel-ball dead blow design
- Dead blow eliminates rebound, delivers more power
- Suitable for careful driving of bearings, cases, sleeves, sealing rings and etc

ITEM NO.	HEAD WGT (lb/oz)	HEAD Ø(mm)	L (mm)		
HAAB1038	1 (16)	38	290	5	30
HAAB1546	1.5 (24)	46	310	6	24
HAAB2050	2 (32)	50	340	6	24

Rubber Mallet

- Solid rubber head
- Round striking surfaces
- Genuine hickory wooden handle
- General purpose non-marring mallets for sheet metal fabrication, automotive repair and maintenance, construction applications and etc.

ITEM NO.	HEAD WGT (oz)	HEAD Ø(mm)	L (mm)		
HABF1232	12	59	315	6	60
HABF1633	16	62	327	6	36
HABF2439	24	70	390	6	24
HABF3239	32	80	390	6	24

5PCS

Chisel Punch Set



ITEM NO.	CONTENTS	10 (SET)
GAAV0501	5 Pin Punch : 4x10x150 mm Cape Chisel : 5x10x130 mm Cold Chisel : 12x10x130 mm Taper Punch : 3x10x120 mm Center Punch : #2x10x120 mm	

6PCS

Pin Punch Set

- Chrome Molybdenum Steel Material
- Professional heat treatment for optimum toughness and durability
- Roll pin tips are ideal tools for removing hollow, split roll pins
- Chrome plated finish for maximum corrosion protection

ITEM NO.	CONTENTS	10 (SET)
GAAV0601	6 Pin Punch : 2x8x115, 3x8x125, 4x10x150, 5x10x165, 6x12x180, 8x12x180 mm	

Hammers & Striking Tools

Auto Center Punch

- Made of abrasion-resistant S2 steel
- Strength of punching adjustable by turning handle to suit various metal application
- Quick marking by one hand without using assist tools

ITEM NO.	L (mm)		
HBAF0130	130	20	200

10PCS
Punch Set

ITEM NO.	CONTENTS	20 (SET)
GPAQ1001	4 HBAA0313~0618 Pin Punch 3x130, 4x150, 5x160, 6x180 mm 2 HBAB0312~0616 Taper Punch 3x120, 6x160 mm 4 HBAC0310~0614 Center Punch 3x100, 4x120, 5x130, 6x140 mm	

5PCS
Flat Chisel Set

ITEM NO.	CONTENTS	20 (SET)
GPAQ0505	5 HCAB1014~2220 Flat Chisel 10x140, 12x150, 15x160, 19x180, 22x200 mm	

Pin Punch

SNCM+V

ITEM NO.	SIZE(mm)	L(mm)	OCTAGONAL SHANK(mm)		
HBAA0212	2	120	8	15	240
HBAA0313	3	130	8	15	240
HBAA0415	4	150	9.5	15	240
HBAA0516	5	160	9.5	10	120
HBAA0618	6	180	12.5	10	120
HBAA0820	8	200	12.5	10	120

Taper Punch

SNCM+V

ITEM NO.	SIZE(mm)	L(mm)	OCTAGONAL SHANK(mm)		
HBAB0211	2	110	9.5	20	320
HBAB0312	3	120	9.5	20	320
HBAB0414	4	140	9.5	15	240
HBAB0515	5	150	9.5	15	360
HBAB0616	6	160	9.5	15	360

Center Punch

SNCM+V

ITEM NO.	SIZE(mm)	L(mm)	OCTAGONAL SHANK(mm)		
HBAC0310	3	100	8	15	240
HBAC0412	4	120	9.5	15	240
HBAC0513	5	130	9.5	15	240
HBAC0614	6	140	12.5	10	120
HBAC0816	8	160	16	10	120

Flat Chisel

SNCM+V

ITEM NO.	SIZE(mm)	L(mm)	OCTAGONAL SHANK(mm)		
HCAB1014	10	140	8	10	160
HCAB1215	12	150	9.5	10	160
HCAB1516	15	160	12.5	5	60
HCAB1918	19	180	16	5	60
HCAB2220	22	200	16	5	40
HCAB2522	25	220	19	5	40

Soft Grip Pin Punch

CR-MO

ITEM NO.	SIZE(mm)	L(mm)	OCTAGONAL SHANK(mm)		
HBBA0214	2	140	8	5	80
HBBA0315	3	150	8	5	80
HBBA0418	4	180	10	5	80
HBBA0520	5	200	10	5	40
HBBA0621	6	210	12	5	40
HBBA0822	8	220	12	5	40

Soft Grip Taper Punch

CR-MO

ITEM NO.	SIZE(mm)	L(mm)	OCTAGONAL SHANK(mm)		
HBBB0219	2	185	10	5	80
HBBB0319	3	185	10	5	80
HBBB0419	4	185	10	5	80
HBBB0519	5	185	10	5	80
HBBB0619	6	185	10	5	80
HBBB0819	8	185	12	5	80

Soft Grip Cape Chisel

CR-MO

ITEM NO.	SIZE(mm)	L(mm)	OCTAGONAL SHANK(mm)		
HCBC0517	5	170	10	5	80
HCBC0718	7	180	12	5	40

Soft Grip Flat Chisel

CR-MO

ITEM NO.	SIZE(mm)	L(mm)	OCTAGONAL SHANK(mm)		
HCBB1015	10	150	8	5	80
HCBB1518	15	180	10	5	80
HCBB1920	19	200	12	5	40
HCBB2522	25	220	15.8	3	24

NEW STRIKING TOOLS
WITH COMFORTABLE
ANTI-ROLL SHEATH

Soft Grip Center Punch

CR-MO

ITEM NO.	SIZE(mm)	L(mm)	OCTAGONAL SHANK(mm)		
HBBC0419	4	185	10	5	80
HBBC0619	6	185	10	5	80

Soft Grip Taper Punch ★

CR-MO

ITEM NO.	SIZE(mm)	L(mm)	OCTAGONAL SHANK(mm)		
HBAB0219	2	185	10	5	80
HBAB0319	3	185	10	5	80
HBAB0819	8	185	12	5	80

Hammers & Striking Tools

2PCS
Ribbed Flat Chisels & Handle Set

ITEM NO.	CONTENTS	10 (SET)
GAAE0201	1 HCAA2925 Ribbed Flat Chisels - 29x250 mm 1 COAK1612 Ribbed Flat Chisels Handle - 78x118x16 mm	

2PCS
Ribbed Flat Chisels & Handle Set

ITEM NO.	CONTENTS	10 (SET)
GAAE0202	1 HCAA3430 Ribbed Flat Chisels - 34x300 mm 1 COAK1812 Ribbed Flat Chisels Handle - 78x118x17.5 mm	

Ribbed Flat Chisels

CR-MO

* Chrome Molybdenum Steel Material

ITEM NO.	SIZE (W)x(L)mm		
HCAA1813	18 x 125	15	240
HCAA2115	21 x 150	10	120
HCAA2620	26 x 200	10	60
HCAA2925	29 x 250	5	40
HCAA3430	34 x 300	5	30

Ribbed Flat Chisels Handle

ITEM NO.	SIZE (W)x(L)mm		
COAK1612	78 x 118 (For HCAA2925 - 250 L)	5	80
COAK1812	78 x 118 (For HCAA3430 - 300 L)	5	80

5PCS
Ribbed Flat Chisel Set

ITEM NO.	CONTENTS	10 (SET)
GPAQ0504	5 HCAA1813~3430 Ribbed Flat Chisels 18x125, 21x150, 26x200, 29x250, 34x300 mm	

Tool Storage & Display Series
Choices
of tool storage system build up individual favorite working stations.

www.toptul.com

TOOL STORAGE & DISPLAY SERIES

7 Drawer

NEW MODEL

Mobile Tool Trolley

PRO-PLUS SERIES GRAY

ITEM NO.	SIZE(W)x(D)x(H)mm
TCAG0703	Overall: 746x462x805 Overall w/caster: 746x462x978 5 Drawer: 578x378x75 2 Drawer: 578x378x155

PRO-PLUS SERIES GREEN

Trolley Part No. TCAG0702

PRO-PLUS SERIES RED

Trolley Part No. TCAG0701

PRO-PLUS SERIES BLUE

Trolley Part No. TCAG0704

7 DRAWER TOOL TROLLEY

PRO-PLUS SERIES

PRO-PLUS SERIES TOOL TROLLEY

- 5 Medium & 2 Large Drawers with Side Locking System
- Smooth Ball Bearing Slide Drawers with Auto-Return Function
- 100% Fully Opening and Retractable Drawers
- Safety Internal Drawer Locking System (Prevent Drawers from Opening When in Motion)
- Loading Capacity Per Drawer 45 kg
- Static Load Capacity 680 kg
- Rounded Edge & Recessed-Frame Sidewall Body Construction
- New Style Composite Drawer Handle
- Large Arc-Shaped Side Handle
- Smart Foldable Key
- 10mm EVA Material Top Mat
- Heavy Duty 5"x2" Anti-Slip & Shockproof TPR Casters with Lock (2 Fixed Casters and 2 Swivel Casters with Lock)
- Electro-Power Coating to Resist Scratches and Solvent Markings
- Supplied with Drawer Liners and One Spray Can Holder

680 kg

Professional

Sturdy Back Wall Design W/Original Manufacturer Logo Engraving Marking

Rounded Edge & Recessed-Frame Sidewall Body Construction

Smooth Ball Bearing Slides W/Safety Internal Drawer Locking System

Side Locking System W/Smart Foldable Key

Heavy Duty 5"×2" Anti-Slip & Shockproof TPR Casters with Lock

Compatible with All TOPTUL Drawer Insert Tool Sets

Large Arc-Shaped Side Handle

PRO-PLUS SERIES

8-Drawer Mobile Tool Trolley

PRO-PLUS SERIES GRAY

- 7 Medium & 1 Large Drawers with Side Locking System
- Smooth Ball Bearing Slide Drawers with Auto-Return Function
- 100% Fully Opening and Retractable Drawers
- Safety Internal Drawer Locking System (Prevent Drawers from Opening When in Motion)
- Loading Capacity Per Drawer 45 kg
- Static Load Capacity 680 kg
- Rounded Edge & Recessed-Frame Sidewall Body Construction
- New Style Composite Drawer Handle
- Large Arc-Shaped Side Handle
- Smart Foldable Key
- 10mm EVA Material Top Mat
- Heavy Duty 5"x2" Anti-Slip & Shockproof TPR Casters with Lock (2 Fixed Casters and 2 Swivel Casters with Lock)
- Electro-Power Coating to Resist Scratches and Solvent Markings
- Supplied with Drawer Liners and One Spray Can Holder

ITEM NO.	SIZE(W)x(D)x(H)mm
TCBG0803	Overall: 746x462x805 Overall w/caster: 746x462x978 7 Drawer: 578x378x75 1 Drawer: 578x378x155

- Shelf is hinged to bracket to become Work-Table

- T-Handle Wrench Holder Design fits the Hole System, directly hanging on the sidewall of trolley without screws

- Install a Paper Roll Holder, easy to unroll the papers between pulls

- Bottle Holder Design also fits the Hole System, directly hanging on the sidewall of trolley without screws. For storing, cleaning products, sprays and etc.

4-Drawer Tool Chest

PRO-PLUS SERIES GRAY

- 4 Medium Drawers with Side Locking System
- Smooth Ball Bearing Slide Drawers with Auto-Return Function
- 100% Fully Opening and Retractable Drawers
- Safety Internal Drawer Locking System (Prevent Drawers from Opening When in Motion)
- Loading Capacity Per Drawer 45 kg
- Static Load Capacity 680 kg
- Rounded Edge & Recessed-Frame Sidewall Body Construction
- New Style Composite Drawer Handle
- Smart Foldable Key
- 10mm EVA Material Top Mat
- Electro-Power Coating to Resist Scratches and Solvent Markings
- Supplied with Drawer Liners

ITEM NO.	SIZE(W)x(D)x(H)mm
TBAJ0403	Overall: 746x462x425 4 Drawer: 578x378x75

- Rounded Edge & Recessed-Frame Sidewall Body Construction

- Smooth Ball Bearing Slides W/Safety Internal Drawer Locking System

- Side Locking System W/Smart Foldable Key

- Compatible with All TOPTUL Drawer Insert Tool Sets

FOR PRO-PLUS SERIES & NEW PRO-LINE SERIES ONLY

Folding Shelf

ITEM NO.	SIZE(W)x(D)x(H)mm
TAAE4034	400x340x174

Paper Roll Holder

ITEM NO.	SIZE(W)x(D)x(H)mm
TEAL3701	374x238x100

Can Holder

ITEM NO.	SIZE(W)x(D)x(H)mm
TEAI3401	340x90x90

T-Handle Wrench Holder

(2 In One Set)

ITEM NO.	SIZE(W)x(D)x(H)mm
TEAM0701	70x100x60

Mobile Workbench

PRO-PLUS SERIES GRAY

- 5 Medium & 2 Large Drawers with Side Locking System
- Smooth Ball Bearing Slide Drawers with Auto-Return Function
- 100% Fully Opening and Retractable Drawers
- Safety Lock Allows Only One Drawer is Opened At A Time (Preventing The Cabinet to Tip Over)
- Loading Capacity Per Drawer 45 kg
- Static Load Capacity 680 kg
- Rounded Edge & Recessed-Frame Sidewall Body Construction
- Open Compartment for Storing Bulky Items and Large Trays
- New Style Composite Drawer Handle
- Smart Foldable Key
- 12mm Heavy Duty Rigid Working Table
- Heavy Duty 5"x2" Anti-Slip & Shockproof TPR Casters with Lock (2 Fixed Casters and 2 Swivel Casters with Lock)
- Electro-Power Coating to Resist Scratches and Solvent Markings
- Supplied with Drawer Liners

ITEM NO.	SIZE(W)x(D)x(H)mm
TCBH0703	Overall: 1122x462x805 Overall w/caster: 1122x462x978 5 Drawer: 578x378x75 2 Drawer: 578x378x155

NEW PRO-LINE SERIES

NEW PRO-LINE SERIES TOOL TROLLEY
- 5 Medium & 2 Large Drawers with Central Locking System
- Smooth Ball Bearing Slide Drawers with Auto-Return Function (fully 100% retractable drawers)
- Safety Lock Allows Only One Drawer is Opened At A Time (Preventing The Cabinet to Tip Over)
- Loading Capacity Per Drawer 45 kg
- Static Load Capacity 680 kg
- Rounded Edge & Recessed-Frame Sidewall Body Construction
- Strong Side Handle
- New Style Composite Drawer Handle
- Smart Foldable Key
- 12mm PVC Material Top Mat
- Electro-Power Coating to Resist Scratches & Solvent Markings
- Heavy Duty 5"x2" Anti-Slip & Shockproof TPR Casters with Lock (2 Fixed Casters & 2 Swivel Casters with Lock)
- Supplied with Drawer Liners and One Spray Can Holder

- Smart Foldable Key

- 12mm PVC Material Top Mat

- Bottle Holder Design also fits the Hole System, directly hanging on the sidewall of trolley without screws. For storing, cleaning products, sprays and etc.

- Rounded Edge & Recessed-Frame Sidewall Body Construction

- Heavy Duty 5"x2" Anti-Slip & Shockproof TPR Casters with Lock

7-Drawer Mobile Tool Trolley (Jumbo Model) - NEW

NEW PRO-LINE SERIES GRAY

ITEM NO.	SIZE(W)x(D)x(H)mm
TCBK0703	Overall: 930x459x831 Overall w/caster: 930x459x1004 5 Drawer: 773x377x75 2 Drawer: 773x377x154

NEW PRO-LINE SERIES

NEW PRO-LINE SERIES TOOL TROLLEY
- 5 Medium & 2 Large Drawers with Central Locking System
- High Performance ABS Material Top Work Table
- Smooth Ball Bearing Slide Drawers with Auto-Return Function (full 100% retractable drawers)
- Solid Body & Rounded Edge Trolley Construction
- Sturdy Recessed-Frame Sidewall Construction (stronger than the standard flat sidewall construction)
- Only One Drawer is Opened At a Time
- Loading Capacity Per Drawer 45 kg
- Static Load Capacity 680 kg
- Strong Side Handle
- Smart Foldable Key
- New Style Plastic Drawer Handle
- Electro-Power Coating to Resist Scratches & Solvent Markings
- Heavy Duty 5"x2" Anti-Slip & Shockproof TPR Casters With Look (2 Fixed Casters & 2 Swivel Casters with Lock)

3-Drawer Middle Tool Chest ★

NEW PRO-LINE SERIES RED

ITEM NO.	SIZE(W)x(D)x(H)mm
TBAF0302	Overall: 733x459x385 3 Drawer: 578x378x75

7-Drawer Mobile Tool Trolley ★

NEW PRO-LINE SERIES RED

ITEM NO.	SIZE(W)x(D)x(H)mm
TCAE0702	Overall: 733x459x836 Overall w/caster: 733x459x1010 5 Drawer: 578x378x75 2 Drawer: 578x378x155

PRO-LINE SERIES

7-DRAWER
PRO-LINE SERIES TOOL TROLLEY
- 5 Medium & 2 Large Drawers
- High-Performance ABS Material Top Work Table
- Smooth Ball Bearing Slide Drawers with Auto-Return Function (full 100% retractable drawers)
- Only one drawer is opened at a time
- Loading Capacity Per Drawer 45 kg
- Static Load Capacity 680 kg
- Smart Foldable Key
- New-Style Plastic Drawer Handle
- Electro-Power Coating to Resist Scratches & Solvent Markings
- Heavy Duty 5"x2" Anti-Slip & Shockproof TPR Casters With Lock (2 Fixed Casters & 2 Swivel Casters with Lock)

- Smart Foldable Key

- New-Style Plastic Drawer Handle

- Heavy Duty 5"x2" Anti-Slip & Shockproof TPR Casters with Lock

3-Drawer Middle Tool Chest

PRO-LINE SERIES GREEN

ITEM NO.	SIZE(W)x(D)x(H)mm
TBAD0301	Overall: 687x459x360 3 Drawer: 578x378x75

3-Drawer Middle Tool Chest

PRO-LINE SERIES RED

ITEM NO.	SIZE(W)x(D)x(H)mm
TBAD0302	Overall: 687x459x360 3 Drawer: 578x378x75

7-Drawer Mobile Tool Trolley

PRO-LINE SERIES GREEN

ITEM NO.	SIZE(W)x(D)x(H)mm
TCAC0701	Overall: 687x459x857 Overall w/caster: 687x459x1015 5 Drawer: 578x378x75 2 Drawer: 578x378x155

7-Drawer Mobile Tool Trolley

PRO-LINE SERIES RED

ITEM NO.	SIZE(W)x(D)x(H)mm
TCAC0702	Overall: 687x459x857 Overall w/caster: 687x459x1015 5 Drawer: 578x378x75 2 Drawer: 578x378x155

Tool Storage & Display

GENERAL SERIES

GENERAL SERIES TOOL TROLLEY

- 5 Medium & 2 Large Drawers
- Smooth Ball Bearing Slide Drawers with Auto-Return Function (full 100% retractable drawers)
- Loading Capacity Per Drawer 45 kg
- Static Load Capacity 480 kg
- Supplied with Drawer Liners and One Spray Can Holder
- 10mm EVA Material Top Mat
- Electro-Power Coating to Resist Scratches & Solvent Markings
- Standard 5"x2" PP Casters With Lock (2 Fixed Casters & 2 Swivel Casters with Lock)

3-Drawer Middle Tool Chest

GENERAL SERIES GREEN

ITEM NO.	SIZE(W)x(D)x(H)mm
TBAA0304	Overall: 687x459x360 3 Drawer: 578x378x75

7-Drawer Mobile Tool Trolley

GENERAL SERIES GREEN

ITEM NO.	SIZE(W)x(D)x(H)mm
TCAA0701	Overall: 687x459x857 Overall w/caster: 687x459x1015 5 Drawer: 578x378x75 2 Drawer: 578x378x155

3-Drawer Middle Tool Chest

GENERAL SERIES RED

ITEM NO.	SIZE(W)x(D)x(H)mm
TBAA0305	Overall: 687x459x360 3 Drawer: 578x378x75

7-Drawer Mobile Tool Trolley

GENERAL SERIES RED

ITEM NO.	SIZE(W)x(D)x(H)mm
TCAA0702	Overall: 687x459x857 Overall w/caster: 687x459x1015 5 Drawer: 578x378x75 2 Drawer: 578x378x155

ECONOMIC SERIES

ECONOMIC SERIES TOOL TROLLEY

- 5 Medium & 2 Large Drawers
- Smooth Ball Bearing Slide Drawers
- 100% Fully Opening and Retractable Drawers
- Loading Capacity Per Drawer 30 kg
- Static Load Capacity 200 kg
- 9mm EVA Material Top Mat
- Electro-Power Coating to Resist Scratches & Solvent Markings
- Standard 5"x1-1/4" PP Casters with Lock (2 Fixed Casters & 2 Swivel Casters with Lock)
- Supplied with Drawer Liners

7-Drawer
Mobile Tool Trolley

7-Drawer Mobile Tool Trolley

ECONOMIC SERIES ORANGE

ITEM NO.	SIZE(W)x(D)x(H)mm
TCAJ0705	Overall: 681x459x823 Overall w/caster: 681x459x963 5 Drawer: 580x377x75 2 Drawer: 580x377x154

BACK PANEL SERIES

FOR PRO-LINE & GENERAL TROLLEY SERIES ONLY

Back Panel - GREEN

- Per back panel includes 10 pcs single hook - 2"(L)

ITEM NO.	SIZE(W)x(H)mm
TEAS6501	645x500

Back Panel - RED



- Per back panel includes 10 pcs single hook - 2"(L)

ITEM NO.	SIZE(W)x(H)mm
TEAS6502	645x500

Back Panel

- Adjustable Back Panel
- To install the back panel on the top of trolley for hanging the tools
- Per back panel includes 10 pcs single hook - 2"(L)

Single Hook (For Wall Cabinet & Panel)

ITEM NO.	SIZE(inch)	
TEAA0202	2	20
TEAA0303	3	20
TEAA0404	4	20

Double Hook (For Wall Cabinet & Panel)

ITEM NO.	SIZE(inch)	
TEAB0202	2	20
TEAB0303	3	20
TEAB0404	4	20

U-Hook (For Wall Cabinet & Panel)

ITEM NO.	SIZE(inch)	
TEAC0103	3	20

Magnetic Nameplate

- Attach the magnetic nameplate onto the cabinets or trolleys. The nameplate can be used to indicate the contents of tools inside each drawer or the owner of the equipment.

ITEM NO.	SIZE(W)x(H)mm	
TEAT0805	80x50	30

Tool Storage & Display

SIDE CABINET SERIES

FOR PRO-LINE & GENERAL 7-DRAWER TROLLEY SERIES ONLY

TOPTUL Side Cabinet Series

- 10mm Top Mat
- Easy to attach to mobile tool trolley
- Electro-Power coating to resist scratches & solvent markings

7-Drawer Side Cabinet

7-Drawer Side Cabinet - GREEN

- Per cabinet includes 3 component trays

ITEM NO.	SIZE(W)x(D)x(H)mm
TBAI0701	Overall: 395x460x860 5 Drawer: 290x400x75 2 Drawer: 290x400x155

7-Drawer Side Cabinet - RED

- Per cabinet includes 3 component trays

ITEM NO.	SIZE(W)x(D)x(H)mm
TBAI0702	Overall: 395x460x860 5 Drawer: 290x400x75 2 Drawer: 290x400x155

Component Tray

ITEM NO.	SIZE(W)x(D)x(H)mm
PAF063926	263x392x40

- Component tray for storing screws, bolts, nuts and various kinds of small parts (Per cabinet includes 3 component trays)

Side Cabinet - GREEN

- 2 layer adjustable cabinet for large tool storage room

ITEM NO.	SIZE(W)x(D)x(H)mm
TBAG0101	390x460x860

Side Cabinet - RED

ITEM NO.	SIZE(W)x(D)x(H)mm
TBAG0102	390x460x860

Side Cabinet - GREEN

- Per cabinet includes 30 pcs of hooks (5 pcs for each type of hook)

ITEM NO.	SIZE(W)x(D)x(H)mm
TBAH0101	325x460x860

- Side Cabinet

- Hanging Panel

- Can Holder

Side Cabinet - RED

- Per cabinet includes 30 pcs of hooks (5 pcs for each type of hook)

ITEM NO.	SIZE(W)x(D)x(H)mm
TBAH0102	325x460x860

- Hooks for hanging various tools such as screwdrivers, spanners, pliers, ratchet handles and etc.

- Includes six types of hooks

Tool Storage & Display

ACCESSARIES

FOR PRO-LINE & GENERAL TROLLEY SERIES ONLY

TOPTUL tool trolley system offers an assortment of accessories. Easy to install the various drawer divider, holders or shelves in the tool chests or trollys in order to satisfy different user's needs.

Magnetic Tool Rack

- Made of durable SPCC steel plate
- 4 powerful magnets, lifting capacity up to 5 kg
- Special design to hold air impact wrench, wheel nut socket, torque wrench and ratchet handle
- Keep the rack with tools attached to tool chest, trolley and etc.
- Ideal for use in mechanic workshops

ITEM NO.	SIZE(W)x(D)x(H)mm
TEAY1201	115x100x392

Magnetic Foldable T-Handle Wrench Holder ★

- Strong magnet T-Handle holder for attaching to tool trolley or can be mounted on wall
- Flat fold design for easy storage

ITEM NO.	SIZE(W)x(D)x(H)mm
TEAM1304	125x130x125

Steel Drawer Divider For Tool Chest / Trolley



- Applicable to Drawer Size (W)578x(D)378x(H)75 mm

ITEM NO.	SIZE(W)x(H)mm
TEAG0901	2 TEAF5762 Divider Size: 578x50 4 TEAF3758 Divider Size: 370x50 3 TEAF1950 Divider Size: 193x50

Paper Roll Holder



ITEM NO.	SIZE(W)x(D)x(H)mm
TEAL3703 (Green) TEAL3704 (Red)	375x220x100

Can Holder

ITEM NO.	SIZE(W)x(D)x(H)mm
TEAI430103 (Green) TEAI430101 (Red)	430x100x90

Folding Shelf

ITEM NO.	SIZE(W)x(D)x(H)mm
TAAE444501 (Green) TAAE444502 (Red)	440x445x175

T-Handle Wrench Holder

ITEM NO.	SIZE(W)x(D)x(H)mm
TEAM3302 (Green) TEAM3303 (Red)	330x100x60

Screwdrivers Holder



ITEM NO.	SIZE(W)x(D)x(H)mm
TEAR3301 (Green) TEAR3302 (Red)	330x40x70

GENERAL SERIES

5-Drawer Mobile Tool Trolley
GENERAL SERIES GREEN

- Loading Capacity Per Drawer 45 kg
- Static Load Capacity 480 kg

ITEM NO.	SIZE(W)x(D)x(H)mm
TCAA0501	Overall: 687x459x722 Overall w/caster: 687x459x840 3 Drawer: 578x378x75 2 Drawer: 578x378x155

5-Drawer Mobile Tool Trolley
GENERAL SERIES RED

- Loading Capacity Per Drawer 45 kg
- Static Load Capacity 480 kg

ITEM NO.	SIZE(W)x(D)x(H)mm
TCAA0502	Overall: 687x459x722 Overall w/caster: 687x459x840 3 Drawer: 578x378x75 2 Drawer: 578x378x155

5-Drawer Mobile Tool Trolley

- Loading Capacity Per Drawer 45 kg
- Static Load Capacity 480 kg

- Panel Area

- 4 Medium, 1 Large Drawers & 1 Panel Area

ITEM NO.	SIZE(W)x(D)x(H)mm
TCAF0501	Overall: 687x459x857 Overall w/caster: 687x459x995 4 Drawer: 578x378x75 1 Drawer: 578x378x155 Panel Area: 609x417x240

TOOL CHEST & TROLLEY

1-Drawer Service Cart

- Loading Capacity Per Drawer 35 kg
- Static Load Capacity 160 kg

ITEM NO.	SIZE(W)x(D)x(H)mm
TCAD0101	Overall: 690x470x815 1 Drawer: 578x378x75

GENERAL SERIES

8-Drawer Heavy Duty Tool Chest

- Loading Capacity Per Drawer 45 kg
- Static Load Capacity 800 kg

8-Drawer Heavy Duty Tool Chest
- Double Wall Construction
- Full Extension Drawer Load
- Heavy Duty Ball Bearing Slides
- Gas Struts Assisted Opening Lid

ITEM NO.	SIZE(W)x(D)x(H)mm
TBAA0801	Overall: 1052x471x523 4 Drawer: 569x398x75 4 Drawer: 308x398x75

13-Drawer Heavy Duty Mobile Work Station

- Loading Capacity Per Drawer 45 kg
- Static Load Capacity 800 kg

ITEM NO.	SIZE(W)x(D)x(H)mm
TCBA1301	Overall: 1067x480x852 Overall w/caster: 1067x480x1011 1 Drawer: 935x398x120 5 Drawer: 569x398x75 1 Drawer: 569x398x155 5 Drawer: 308x398x75 1 Drawer: 308x398x155

Small 5-Drawer Mobile Tool Trolley

- Loading Capacity Per Drawer 30 kg
- Static Load Capacity 180 kg

ITEM NO.	SIZE(W)x(D)x(H)mm
TCAB0501	Overall: 569x340x661 Overall w/caster: 569x340x769 3 Drawer: 479x294x75 2 Drawer: 479x294x155

8-Drawer Jumbo Roller Cabinet

- Loading Capacity Per Drawer 45 kg
- Static Load Capacity 680 kg

JUMBO 50% MORE SPACE

ITEM NO.	SIZE(W)x(D)x(H)mm
TCBA0801	Overall: 862x498x857 Overall w/caster: 862x498x995 7 Drawer: 751x438x75 1 Drawer: 751x438x155

Tool Storage & Display

TOOL CHEST

6-Drawer Mobile Tool Chest

- 3 small, 2 medium & 1 large drawers suitable for a variety of storage requirements

ITEM NO.	SIZE(W)x(D)x(H)mm
TBAA0601	Overall: 660x307x378 3 Drawer: 169x272x50 2 Drawer: 569x272x50 1 Drawer: 569x272x75

9-Drawer Mobile Tool Chest

- 6 small, 2 medium & 1 large drawers, suitable for a variety of storage requirements
- Smooth ball bearing slide drawers with auto-return function
- Include one portable tool tray & drawer liners

ITEM NO.	SIZE(W)x(D)x(H)mm
TBAA0901	Overall: 660x307x434 6 Drawer: 169x272x50 2 Drawer: 569x272x50 1 Drawer: 569x272x75

3-Drawer Tool Chest

ITEM NO.	SIZE(W)x(D)x(H)mm
TBAA0303	508x232x302

3-Sections Portable Tool Chest

ITEM NO.	SIZE(W)x(D)x(H)mm
TBAC0502	470x220x350

3-Sections Portable Tool Chest

ITEM NO.	SIZE(W)x(D)x(H)mm
TBAC0501	470x220x350

Chisel & Punch Shelf



ITEM NO.	SIZE(W)x(D)x(H)mm
TDAK6006	600x240x60

Chisel & Punch Shelf

ITEM NO.	SIZE(W)x(D)x(H)mm
TDAK2619	260x185x50

Socket Storage

ITEM NO.	SIZE(W)x(D)x(H)mm
TBAB0800	585x110x430

Socket Shelf

- Ideal for organizing 1/2" DR. Socket from 8 - 32mm
- Include 22 pcs steel dividers

ITEM NO.	SIZE(W)x(D)x(H)mm
TBAB0304	420x335x320

Screwdriver Shelf

ITEM NO.	SIZE(W)x(D)x(H)mm
TDAI6021	602x240x210

Socket Shelf ★

ITEM NO.	SIZE(W)x(D)x(H)mm
TBAB0300	425x290x360

Tool Storage & Display

PROFESSIONAL TOOL BOX SERIES

Tool Box (SMALL) ★

ITEM NO.	SIZE(W)x(D)x(H)mm
TBAE0201	380x178x143

Tool Box (LARGE)

- Multi-function tool box
- Large capacity tool box with removable tote tray
- Various compartments accommodate a wide variety of tools and small parts
- Suitable for the storage of large tools and accessories
- Ideal for organizing small parts
- Light weight & durable design

ITEM NO.	SIZE(W)x(D)x(H)mm
TBAE0401	556x278x270

Tool Box (MEDIUM)

ITEM NO.	SIZE(W)x(D)x(H)mm
TBAE0301	445x240x202

TOPTUL Tool Bag W / Steel Tube Handle

- Rigid, Waterproof Tool Compartment
- Elastic Tool Retaining Strap
- Large Number of Side Pockets
- Removable Padded Shoulder Strap
- Material: Fabric Polyester
- Loading Capacity: Max. 30 kg
- Net Weight: 2.7 kg

ITEM NO.	SIZE(L)x(W)x(H)mm
PBW-041A	410x280x300

Tool Storage & Display

- TOPTUL Display Tags are available for Wrenches, Sockets, Bit Sockets, Accessories, Ratchet Handles & Screwdrivers

TOPTUL Heavy Duty Display Stand

- Brand-New Developed TOPTUL Display Stand
- TOPTUL Display Tags are available for Wrenches, Sockets & Ratchet Handles

- Per display standard includes 20 pcs single hook - 4" (L) & 20 pcs single hook - 6" (L)

ITEM NO.	DESCRIPTION
TDAD2490	Panels - (W)900x(D)450x(H)2400 mm
TDAE2400	Pillars - (H)2400 mm
TDAJ9250	Cabinet - (W)920x(D)450x(H)500 mm
TDBG2592	Signboard (Acrylic fabric Material) (W) 920 mm (includes 2 fixing hooks)

TOPTUL Heavy Duty Display Stand

- Per display standard includes 20 pcs single hook - 4" (L) & 20 pcs single hook - 6" (L)

ITEM NO.	DESCRIPTION
TDAD2490	Panels - (W)900x(D)450x(H)2400 mm
TDAE2400	Pillars - (H)2400 mm
TDAJ9250	Cabinet - (W)920x(D)450x(H)500 mm
TDAF9225	Lamp Signboard - (W)920 mm Power: 110-230V

Heavy Duty Wall Cabinet

- Hooks for hanging various tools such as screwdrivers, spanners, pliers, ratchet handles and etc.

- Per cabinet includes 2 pcs wall hanging holder and 2 pcs floor stand holder

ITEM NO.	SIZE(W)x(D)x(H)mm
TABF6113	605x125x775

TOPTUL Display Stand

A. TDAF2592

B. TDAG2592

- Per display standard includes 20 pcs single hook - 4" (L) & 20 pcs single hook - 6" (L)

ITEM NO.	DESCRIPTION
TDAD2192	Panels - (W)920x(D)450x(H)2100 mm
TDAE2100	Pillars - (H)2100 mm
A. TDAF2592	Lamp Signboard - (W)900 mm Power: 110-230V - **Optional**
B. TDAG2592	Signboard (W)900 mm - **Optional**

Wall Mount Cabinet



- Per cabinet includes 20 pcs single hook - 2" (L)

ITEM NO.	SIZE(W)x(D)x(H)mm
TAAF6118	611x180x981

TOPTUL Merchandise Display Board

ITEM NO.	SIZE(W)x(H)mm
TDAH7010	700x1000 mm
TEAA0105	50 pcs Display Stand Single Hook - 2" (L)

Tool Storage & Display

HEAVY DUTY WORKBENCH

for most workshop applications

• Per wall cabinet includes 20 pcs single hook - 2"(L)

Mechanical Tool

	ITEM NO.	DESCRIPTION
1-	TAAA1607	Heavy Duty Workbench - (W)1560x(D)710x(H)827 mm
2-	TAAD1602	Heavy Duty Wall Cabinet - (W)1560x(D)200x(H)603 mm (Per cabinet includes 20 pcs single hook - 2")
4-	TBAA0304	3-Drawer Mobile Tool Chest - (W)687x(D)459x(H)360 mm
5-	TCAB0501	Small 5-Drawer Tool Trolley - (W)569x(D)340x(H)769 mm

Heavy Duty Workbench & Wall Cabinet Series

- Sturdy Construction for Heavy Duty Applications
- 12mm Heavy Duty Rigid Working Table
- Cabinet Wall Panel Uses a Hole System for use with Hanging Hooks
- Electro-Powder Coating to Resist Scratches & Solvent Markings

• Per wall cabinet includes 20 pcs single hook - 2"(L)

Mechanical Tool

	ITEM NO.	DESCRIPTION
1-	TAAA1607	Heavy Duty Workbench - (W)1560x(D)710x(H)827 mm
3-	TAAH1606	Heavy Duty Wall Panel - (W)1560x(H)600 mm (Per panel includes 20 pcs single hook - 2")
4-	TBAA0304	3-Drawer Mobile Tool Chest - (W)687x(D)459x(H)360 mm
5-	TCAB0501	Small 5-Drawer Tool Trolley - (W)569x(D)340x(H)769 mm

Auto Tools Series

Undercar / Engine / Body / General Tools

Automotive

specialty tools for auto mechanical repairs & maintenance.

www.toptul.com

AUTO TOOLS SERIES

Auto Tools - Undercar Series

Strut Nut Socket

CR-MO



- Suitable for the removal and installation of top shock retaining nut
- Location pegs fit into slots cut in the retaining ring and allow hex key access through the center for release/adjustment of the shock
- Use with 22mm (7/8") spanner
- Material: Heat treated and tempered Chrome Molybdenum Steel (CR-MO)
- Application: Suitable for most VW, AUDI vehicles

ITEM NO.	L (mm)		
JEAJ0122	44 (1-3/4")	6	144

Multi-Purpose Inner Tie Rod Tool

CR-MO

- The master tie rod tools are specially designed to easily replace inner tie rod ends without disassembling the rack and pinion
- Operated with 1/2 inch square drive hand tools

ITEM NO.	CAPACITY (mm)		
JEAH0142	33 - 42	10	40

Disc Brake Piston Spreader





- Chemically blacken steel spreader plates
- Fits in brake caliper to push back pistons for new brake pads installation
- For installing pads on most domestic and import cars and light trucks
- Maximum pusher width: 70mm (2-3/4")

ITEM NO.	CAPACITY (mm)		
JEAF0107	0 - 70 (0 - 2-3/4")	1	18

Brake Spring Pliers

Satin Chrome Finished



FEATURE



- Use to remove and install shoe return springs on most drum brakes
- Special socket end design removes spring from anchor stud, notched end installs spring on anchor

ITEM NO.	LENGTH (mm)		
JDAL0133	325 (12-3/4")	6	48

Wheel Balancing Weight Pliers With Invisible Spring

CR-V

- Special tool for balancing automotive tires and wheels; installs, removes, trims, levers, hammers and tightens all type of click-on wheel weights

ITEM NO.	LENGTH (mm)		
JEAA1010	250 (10")	10	40

Tire Lever

CR-V

- For tire mounting and removing

ITEM NO.	LENGTH (mm)		
JCAB2821D	530 (21")	10	20

C.V. Joint Banding Tool (with cutter)



- Use to install and tighten the band-it and strap style clamp on CV joint boots, power steering rack and pinion steering gear boots
- Bands are installed into the tool and tightened by turning the tool handle
- Use a 1/2" socket/wrench or by hand to wind the band until sufficient tension is applied
- When boot clamp has been tightened to specs, the built in cutter cuts the band by flipping tool lever (at the front of the tool) forward
- Tool is easily removed by sliding sideways after the band is tightened

ITEM NO.	LENGTH (mm)		
JEAE0423	230 (9")	20	60

CV Boot Clamp Pliers - Ear Type

- Designed to crimp the ear-type CV boot clamps used on front-wheel drive vehicles
- Pliers serve as a hose clamp installer for easy installation of Perma-Quick type hose clamps on fuel filters, water pumps, other cooling system hoses and CV joint boot clamps
- Comfort grip handle

ITEM NO.	LENGTH (mm)		
JEAE0310	265 (10-1/2")	12	48

CV Boot Clamp Pliers - Earless Type



- Designed to install & remove earless type clamps
- Quickly remove CV joint boot clamps
- Grips clamp in various position to tighten clamp around
- Works on earless-type clamps including GM inboard CV joints

ITEM NO.	LENGTH (mm)		
JEAE0209	240 (9-1/2")	12	72

Front Wheel Drive Axle Puller (Steel Cable Type)

ITEM NO.	JEAG0198

- Feature: Use the extendable and adjustable steel cable to clip the axle/drive shaft tightly. Pull out the axle/drive shaft with slide hammer easily
- Material: Body (Iron), Slide Hammer (Cast Iron), Cable (Steel)
- Maximum Steel Cable Diameter: 100mm I.D.
- Overall Length: 980mm

CV Boot Clamp Pliers - Ear Type (Extension)

- Designed to crimp the ear-type CV boot clamps
- 1/2" 4 point recess in the handle for additional use with 1/2" drive ratchet, torque wrench and etc.
- Comfort grip handle

ITEM NO.	LENGTH (mm)		
JEAE0509	240 (9-1/2")	12	36

Clic-R Collar Pliers

CR-MO



- For releasing and refitting the new style Clic and Clic-R reusable hose clamp clips
- Spring actuated joint, soft grip handles

ITEM NO.	LENGTH (mm)		
JEAE0107	180 (7")	12	72

Auto Tools - Undercar Series

Ball Joint Separator

CR-MO

- Drop forged steel body and bolt for long and rough usage
- Suitable for most small cars and light vans

ITEM NO.	JAW SIZE (mm)	MAX. JAW OPENING (mm)	L (mm)		
JEAB0116	19	50	160	1	20

Universal Ball Joint Separator

CR-MO

- Drop forged steel body and bolt for long and rough usage
- Special design two stage operation provides 30mm & 55mm maximum opening
- Suitable for most small cars and light trucks ball joints in steering and suspension

ITEM NO.	JAW SIZE (mm)	MAX. JAW OPENING (mm)	L (mm)		
JEAB0216	22	55	160	1	20

Fork Type Ball Joint Separator

CR-MO

- Tempered drop forged steel with one piece construction for long and rough usage
- Robust fork with long length stem replaces worn out ball joints easily with a hammer striking

ITEM NO.	FORK OPENING (mm)	L(mm)		
JEAB0330	24	300	10	20
JEAB0440	18	400	10	20

Universal Ball Joint Separator

CR-V

- For splitting track-rod ends, anti-roll bar mountings, ball joints and etc.

ITEM NO.	JAW SIZE (mm)	MAX. JAW OPENING (mm)	L (mm)		
JEAB0505	22	50	100	1	30

Ball Joint Separator

- Drop forged steel body and bolt for long and rough usage
- Suitable for splitting track rod ends, anti-roll bar mountings, steering ball joints and etc.

ITEM NO.	Jaw Size A (mm)	B (mm)	C (mm)	(mm)	● (mm)	Applicable		
JEAB0723	23	25	55	M16 x 1.5 x 50	17	Audi, BMW, Citroen, Ford, Mercedes, Opel, Peugeot, Renault, Rover, Saab, Volvo, VW etc.	1	24
JEAB0728	28	25	55	M16 x 1.5 x 50	17	Audi A4-A6-A8, VW, Passat ab '97 etc.	1	24

Ball Joint Separator

CR-MO

- Drop forged steel body and bolt for long and rough usage
- Suitable for splitting track rod ends, anti-roll bar mountings, steering ball joints and etc.





ITEM NO.	Jaw Size A (mm)	B (mm)	C (mm)	(mm)	● (mm)		
JEAB0618	18	36	38	M14 x 1.5 x 50	17	1	48
JEAB0623	23	45	47	M16 x 1.5 x 70	17	1	12
JEAB0629	29	62	65	M18 x 1.5 x 90	19	1	12
JEAB0640	40	63	76	7/8"-14 UNF x 135	24	1	12
JEAB0646	46	76	100	7/8"-14 UNF x 135	24	1	12

Pitman Arm Puller

- Drop forged steel body and bolt for long and rough usage
- Design to remove tie rod ends and pitman arm assemblies from most car and light trucks



ITEM NO.	Jaw Size A (mm)	B (mm)	(mm)	● (mm)		
JEAB0833	33	64	5/8"-18 UNF x 86	19	6	24

Hub Slide Hammer Puller



ITEM NO.	JEAI0167

- Features: Pulls and removes flange-type rear axles on most late model passenger cars and light trucks.
  Designed to work on axles with bolts and studs up to 9/16" diameter. Fits 4 & 5-bolt pattern hub, stud circle diameter range from 4" - 6". Heavy duty slide hammer action with 10 lbs (4.5kgs) hammer for tough pulling jobs

Slide Hammer Puller Set

ITEM NO. JGAI1303 — 2 (SET)

- **Features:** Most commonly used tool set to pulls and removes flange-type real axles, oil seals, bearings and press-fits parts. Designed to work on multi-purpose works and 8 functional assembly; external 3-jaw puller, internal 3-jaw puller, external 2-jaw puller, internal 2-jaw puller, grip wrench adapter, puller hook, rear axle puller, dent puller to suits different pulling & removing jobs.

BLOW CASE: W600 x D210 x H100 (mm)

KIT CONTENT



NO.	Description	Q'ty
1	T Bar	1
2	Hammer	1
3	Axle Puller	1
4	Deep Axle Puller	1
5	Cone	1
6	2 Jaw Head	1
7	3 Jaw Head	1
8	Nut & Bolt	3
9	Jaw	3
10	Attachment	1
11	Screw	1
12	Hook	1
13	Centre Screw	1
14	Grip Wrench Adapter	1

Internal 2-Jaw Puller



External 2-Jaw Puller

Internal 3-Jaw Puller

External 3-Jaw Puller



Grip Wrench Adapter

Dent Puller

Puller Hook



Rear Axle Puller

36PCS Self-Adjusting Clutch Alignment Tool Kit

NEW

ITEM NO. JGAI3601 — 2 (SET)

- Suitable for most self adjusting clutches SAC (3 and 4 points) equipped on vehicles of VW, Audi, BMW, Fiat Group, Mercedes, Opel, Renault, Volvo etc.
- Tool kits allow operations on clutch with this device can prevent any damage to system and to keep adapter ring in right position
- Necessary tools for easy pre-tensioning self adjusting clutches before removal or installation
- Prevents clutch plate distortion and avoid unexpected of clutch from disengaging or dragging
- Equipped a refitting tool, can allow the clutch adjuster to be wound back, and ten alignment adapters. Alignment of clutch disk to drive bearing & disk pushing plate
- Kit includes a clamping tool for SAC clutches with 3(4) hole pitch, a compression strut, 2 handle for clamping tool, a face spanner, a clutch resetting tool, 10 alignment adapter, 4 threaded bolts - M6、M7 and M8, 4 knurled nuts, 4 screw - M8

BLOW CASE: W435 x D400 x H82 (mm)

Clamping Tool

Pretension clutch

Ten Alignment Adapter

Resetting Tool



Face spanner (Audi, Seat, Skoda and VW)

Auto Tools - Undercar Series

3PCS
1/2" DR. Hub Nut Deep Impact Socket Set (CR-MO)

- Heavy duty, professional quality 12-point deep impact sockets manufactured from hardened and tempered Chrome Molybdenum Steel
- Suitable for hub nut applications where high torque is required
- Set contains three sockets for a sure grip on the most common sized hub nuts
- Black phosphate finish for added corrosion resistance
- Applications: Audi, VW, Alfa, BMW, Citroen, Fiat, Ford, Mercedes, Opel, Peugeot, Renault and etc.

ITEM NO.	CONTENTS	10 (SET)
GDAI0303	3 KABJ1630~1636 1/2" Dr. 12PT Flank Deep Impact Sockets (78mmL) 30, 32, 36 mm	
	BLOW CASE: W170 x D105 x H70 (mm)	

3/4" DR. Spline Bit Impact Socket
Black Phosphate Finished (CR-MO)

- Made of impact quality Chrome Molybdenum Alloy Steel
- This tool is designed to loosen and tighten wheel bearing / hub unit retaining bolts at the rear axle
- Applicable: AUDI A3, VW Golf、Golf Plus、Jetta、Touran、Eos、Passat, SEAT Altea、Leon、Toledo and etc.

DRIVE	ITEM NO.	SIZE	L(mm)		
3/4" (19.0mm sq.)	KADB2418	M18	105	1	18

AUTO TOOLS - UNDERCAR SERIES

1/2" DR. Spline Bit Impact Sockets
Black Phosphate Finished (SNCM+V)

DRIVE	ITEM NO.	SIZE	L(mm)		
1/2" (12.7mm sq.)	KADB1614S	M14	44	25	250
	KADB1616S	M16	44	25	250
	KADB1618S	M18	44	25	250
	KADB1614L	M14	77	15	120
	KADB1616L	M16	77	15	120
	KADB1618L	M18	77	15	120

6PCS
1/2" DR. Spline Impact Socket Bit Set



- Expert quality, tempered and hardened Nickel Chrome Molybdenum Steel (SNCM+V) socket bits
- Spline bit M14/M16/M18, each size in two lengths 44 & 77 mmL
- Suitable for removal and adjustment of hubs, steering and suspension on VAG vehicles and etc.
- Use with 1/2" square drive impact tools
- Black phosphate finish for extended corrosion resistance

ITEM NO.	CONTENTS	20 (SET)
GDAI0601	3 KADB1614S~KADB1618S 1/2" Dr. Spline Bit Impact Sockets (44mmL) M14, M16, M18	
	3 KADB1614L~KADB1618L 1/2" Dr. Spline Bit Impact Sockets (77mmL) M14, M16, M18	
	BLOW CASE: W130 x D107 x H53 (mm)	

8PCS
Lug Nut Remover / Wheel Lock Removal Tool Kit (CR-MO)

- Deep reverse-tapered internal threads inside the socket wall to grip the locking wheel nut or stripped lock

- Made of Chrome Molybdenum Steel
- Standard 1/2" square drive socket
- Impact-grade hardened and tempered socket
- 8-piece set fits small, medium, large lug nuts and locks
- Deep reverse-tapered internal threads to grip the locking wheel nut or stripped lock on most vehicles
- Removes factory and most aftermarket wheel lug nut lock without factory original key
- Thin wall design socket fit wheel lock diameter to prevent scratching wheels
- Suitable for use with 1/2" drive impact tools
- Black phosphate finish for extra corrosion resistance

ITEM NO.	CONTENTS	12 (SET)
JGAI0802	8 JEAK1617~1628 1/2" Dr. Locking Wheel Nut Removal Sockets 17, 18.5, 20, 21.5, 23, 24.5, 26, 27.5 mm	
	BLOW CASE: W250 x D155 x H55 (mm)	

12PCS
Universal Caliper Disc Brake Wind Back Tool Kit

- Magnetic socket adapter
- Including 10 adapters for brake assemblage
- For rotating pistons back into caliper to provide clearance for new pads
- Prevents damage to the piston and boot
- Suitable for V.W, Audi, Ford, Nissan, Alfa Romeo, Rover, Saab, Subaru, Toyota, Jaguar and most of the general motors

ITEM NO.	CONTENTS	10 (SET)
JGAI1201	1 Right hand threaded rewind tool 1 Reaction plate 10 Brake piston adapters	
	BLOW CASE: W325 x D255 x H50 (mm)	

18PCS
Universal Caliper Disc Brake Wind Back Tool Kit

- This tool is designed to wind back brake caliper pistons when servicing brake calipers or replacing brake pads
- Expert Quality, left hand and right hand threaded rewind tools allow the easy return of the brake piston into the caliper to provide clearance for new brake pads
- Application for most cars, such as Audi, Ford, Nissan, Alfa Romeo, Saab, Subaru, BMW, Toyota, Jaguar, VW, GM and etc.

ITEM NO.	CONTENTS	8 (SET)
JGAI1801	2 Left and right hand threaded rewind tools 1 Reaction plate 15 Brake piston adapters	
	BLOW CASE: W325 x D255 x H50 (mm)	

Auto Tools - Undercar Series

MacPherson Spring Dumper Extractor (Replaceable)



No impact / power drive.

ITEM NO.	JGAI0801	1 (SET)

- Spring compressors are multi-application tools specifically, developed for MacPherson suspensions, using a range of 3 sets of interchangeable mono block forks / jaws
- The assembly / disassembly of the springs at all types of MacPherson strut
- For MacPherson shock absorber springs and equivalent shock absorber
- Application: BMW, Toyota, Ford, Mitsubishi, VW, Audi, Saab, Nissan, Honda, Accord, Subaru, Volvo, Opel and Porsche
- Material: Chrome Molybdenum Steel
- Spring Specification / Use Range:
  A: Ø 80 - Ø 115 mm
  B: Ø 110 - Ø 150 mm
  C: Ø 140 - Ø 195 mm
- Max. Load: 3,500 kgf
- Hand-operated tools

BLOW CASE: W530 x D460 x H110 (mm)

2PCS
Coil Spring Compressor Set (CR-MO)

- Drop forged chrome molybdenum steel jaws and lead screws (270mm)
- For use with 21mm wrench or 1/2" square drive tools
- Jaw design is suitable for use in confined areas under wheel arch
- The tool is designed to wrap coil claws for safety

ITEM NO.	MAX. JAW OPENING		
JEAC0127	270 mm	1	6

2PCS
Coil Spring Compressor Set (CR-MO)

- Drop forged chrome molybdenum steel jaws and lead screws (370mm)
- For use with 21mm wrench or 1/2" square drive tools
- Jaw design is suitable for use in confined areas under wheel arch
- The tool is designed to wrap coil claws for safety

ITEM NO.	MAX. JAW OPENING		
JEAC0137	370 mm	1	6

8PCS
Pressure Screw Bearing Separator Puller Set

- Pull out the bearing with the H-type beam and bolts

ITEM NO.	CONTENTS	2 (SET)
JGAD0801	1 Bearing Separator Set (Capacity 75 - 105mm)	
	2 Main Rod	
	2 Extension Rod	
	1 Beam	
	1 Central Bolt	
	1 Central Nut	

METAL CASE: W447 x D188 x H53 (mm)

12PCS
Bearing Separator Kit

- Pull out the bearing with the H-type beam and bolts

ITEM NO.	CONTENTS	3 (SET)
JGAD1201	1 Bearing Separator Set (Capacity 30 - 50mm)	
	1 Bearing Separator Set (Capacity 50 - 75mm)	
	4 Main Rod	
	4 Extension Rod	
	1 Beam	
	1 Central Bolt	

METAL CASE: W447 x D188 x H53 (mm)

Bearing Separator Set
(CR-MO)

ITEM NO.	SIZE(mm)	EXTENSION ROD		
JEAD0305	30 - 50	3/8" - 16T	1	20
JEAD0508	50 - 75	3/8" - 16T	1	12
JEAD0811	75 - 105	M12 x 1.75P	1	10
JEAD1115	105 - 150	5/8" - 11T	1	5

24PCS
FWD Front Wheel Bearing Removal & Installation Tool Kit

ITEM NO.	JGAI2401	2 (SET)

- Comprehensive kit for the removal and installation of front hub bearings
- Remove and replace front hub bearings without the need to dismantle the steering knuckle and strut assembly
- Works on both domestic and imported FWD cars and light trucks
- Black phosphate finish for corrosion resistance
- 14 sizes bearing cap diameter: 50, 55, 59, 63.3, 66.5, 70.3, 71.5, 73.1, 73.4, 74.8, 77.5, 81.5, 83.4, 88.4 mm
- 4 sizes barrel diameter: 76, 86, 91, 102 mm
- 2 sizes barrel cap diameter: 86, 102 mm
- Use with 27mm or 32mm wrench or socket

BLOW CASE: W430 x D390 x H105 (mm)

3-Functiom Tire Pressure Gauge

Variable Trigger & Control Position
Simple & Easy Operation Model
Ideal for Automotive & Truck Tires

PROFESSIONAL TIRE INFLATOR WITH GAUGE

SPECIFICATIONS

Pressure Display Range

- 0 - 160 psi
- 0 - 11 bar

Variable Trigger & Control Position

Gauge Pressure / Measuring (Release)
Release Air / Deflation (Press Halfway Down)
Fill Air / Inflation (Press Down)

3-Functiom Tire Pressure Gauge

- Multi-Function Tire Pressure Gauge:
  1. Check Pressure
  2. Inflate
  3. Deflate
- Pressure Range: 0 - 160 psi, 0 - 11 bar
- Flexible 20" high pressure rubber hose with clip-on air tire chuck
- Variable trigger, two control position inflate/deflate level
- Simple and easy operation model
- Ideal for automotive tires
- Air Inlet: 1/4" PT

ITEM NO.	JEAL160A	12 (SET)

3-Function Tire Pressure Gauge

- Convenient Clip-On Tire Chuck

ITEM NO.	JEAL220A	12 (SET)

- Multi-Function Tire Pressure Gauge:
  1. Check Pressure 2. Inflate 3. Deflate
- Large and easy-reading 3-1/2" diameter gauge with protective rubber sleeve
- Pressure Range: 0 - 15 kg/cm², 0 - 220 psi, 0 - 15 bar, 0 - 1500 kpa
- Aluminum die-casting body with H-D brass valves
- Flexible 20" high pressure rubber hose
- Clip-on air tire chuck design enables hands-free chuck use
- Variable trigger, two control position inflate/deflate level
- Simple and easy operation model
- Ideal for automotive tires especially truck tires
- Built in hang-up hook allows for easy storage
- Air Inlet: 1/4" PT

3-Function Tire Pressure Gauge W/ Dual Tire Chuck

- 10" Chrome Plated Steel Dual Chuck (Offset Dual Head Air Tire Chuck)

ITEM NO.	JEAL220B	12 (SET)

- Multi-Function Tire Pressure Gauge:
  1. Check Pressure 2. Inflate 3. Deflate
- Large and easy-reading 3-1/2" diameter gauge with protective rubber sleeve
- Pressure Range: 0 - 15 kg/cm², 0 - 220 psi, 0 - 15 bar, 0 - 1500 kpa
- Aluminum die-casting body with H-D brass valves
- Flexible 40" high pressure rubber hose with 10" chrome plated steel dual chuck
- Offset dual head air tire chuck allows easy access to all valves
- Variable trigger, two control position inflate/deflate level
- Simple and easy operation model
- Ideal for automotive tires especially truck tires
- Built in hang-up hook allows for easy storage
- Air Inlet: 1/4" PT

Dual Tire Chuck

- Chrome-plated steel dual air tire chuck
- Offset dual head chuck allows easy access to all tire valve stems
- Ideal for automobile tires especially truck tires
- Comfort, Anti-slip plastic grip handle
- Air inlet: 1/4" PT
- Head I.D.: 8mm

- JEAM0821

- JEAM1437

ITEM NO.	LENGTH (mm)		
JEAM0821	205 (8")	5	100
JEAM1437	370 (14")	5	100

Brake Fluid Tester

NEW

- Designed for checking quality of brake fluid (DOT 4)
- Five LED to indicate the percentage of water in the brake fluid
- Quick & simple tool for testing brake fluid in most type of vehicles, trucks, motorcycles

CE RoHS



LED indication

- Green: Battery OK, no water contained in the brake fluid
- Green/Yellow: Less than 1% of water content in brake fluid
- Green/Yellow/Yellow: Approx. 2% of water content in brake fluid
- Green/Yellow/Yellow/Red: Approx. 3% of water content in brake fluid The brake fluid should be changed
- Green/Yellow/Yellow/Red/Red: At least 4% of water content in brake fluid The brake fluid must be changed urgently

ITEM NO.	LENGTH (mm)		
JJDB0101	150	10	100

Auto Tools - Engine Series

Unique Compression Tester Kit (Petrol Engine)

ITEM NO. JGAI0402 — 6 (SET)

- Use to check cylinder compression to assist in the diagnosis of faulty valves, piston rings, cylinder heads, gaskets and etc.
- Large, shock protected, easy-reading 2-1/2" diameter gauge with dual calibration 0 - 300 psi, 0 - 21 kg/cm²
- Gauge head with pressure release valve for repeated test of cylinder without removing gauge
- 13" durable rubber extension hose with built in M14 adapter and one separate M18 adapter
- 8" heavy-duty aluminum extension tube with universal rubber cone adapter fits all plug holes

BLOW CASE: W270 x D145 x H60 (mm)

Compression Tester Set (Diesel Engine)

ITEM NO. JGAI1302 — 6 (SET)

- Comprehensive test kit for checking compression on both direct and indirect injection diesel engine vehicles
- Large, shock protected, easy-reading 2-1/2" diameter gauge with dual calibration 0 - 1000 psi, 0 - 70 bar
- Gauge head with built-in pressure release valve for repeated test of cylinder without removing gauge
- 15" flexible hose allows easy access to restricted plug and injector ports
- Quick-connect coupler for easy and secure connection
- Includes replacement seal & washer set
- Applications: BMW, VW, Volvo, Renault, Mercedes-Benz, Fiat, Citroen, Opel, Peugeot, Toyota, Nissan, Isuzu, Mazda, Mitsubishi, Ford and etc.

BLOW CASE: W378 x D310 x H48 (mm)

Multi-Port Fuel Injection Pressure Tester Kit

The uniquely designed pressure relief valve

The quick coupling system

ITEM NO. JGAI0703 — 6 (SET)

- Excellent fuel injection pressure test kit assists in identifying and diagnosing low fuel pressure, a faulty fuel pressure regulator, leaking injectors, fuel leaks and clogged fuel filters
- Large, shock protected, easy-reading 3-1/2" diameter fuel pressure gauge with dual scale reading of 0 - 150 psi and 0 - 1000 kPa
- All adapters, gauge and hose assemblies feature a quick coupling system for speedy and efficient testing connection
- For Multi-Port Fuel Injection (MFI) system
- Applications: American vehicles Ford, Chrysler, GM and etc.

BLOW CASE: W592 x D261 x H62 (mm)

Gasoline Engine Fuel Injection Pressure Tester Kit

Hook Up The Gauge Easily

Attach The Gauge To The Hood Easily

The Unique Designed Relief Value

The Quick Coupling System

ITEM NO. JGAI8101 — 2 (SET)

- Excellent fuel injection pressure test kit assists in identifying and diagnosing low fuel pressure, a faulty fuel pressure regulator, leaking injectors, fuel leaks and clogged fuel filters
- Large, shock protected, easy-reading 3-1/2" diameter fuel pressure gauge with dual scale reading of 0 - 120 psi and 0 - 8 bar
- Comprehensive kit of adapters and fittings for most fuel injection systems of American, Japanese, European vehicles including Multi-Port Fuel Injection (MFI) system, GM TBI system and Bosch CIS system
- Kit contains gauge, hose, adapters, tubing, manifolds, plugs plus repair kits of spare washers, seals, o-rings, clamps, fuel hose, bushes and other accessories.
- Applications: BMW, VW, Audi, Volvo, Saab, Ford, Chrysler, Fiat, Honda, Hyundai, Isuzu, Mazda, Porsche, GM, Mercedes-Benz, Peugeot, Suzuki, Toyota, Mitsubishi, Jeep and etc.

BLOW CASE: W380 x D430 x H160 (mm)

Cooling System Vacuum Purge & Refill Kit

NEW

ITEM NO. JGAI0302 — 5 (SET)

- Check the leakage of original radiator cap and cooling system
- Easy reading 2" diameter pressure gauge with dual scale reading of -76 - 0 cmHg and -1 - 0 bar
- Vacuum leakage test for easy identification and prevent coolant spillage and wastage
- Eliminates the introduction of bubbles and airlock into cooling system and deduct the time for refilling coolant
- Kit includes a pressure gauge, connector, universal rubber cone-shape adapter, cooling hose and air bleeding hose
- Applications: almost all type of vehicles

BLOW CASE: W390 x D330 x H100 (mm)

Auto Tools - Engine Series

18PCS
Universal Radiator Pressure Tester Kit



ITEM NO. JGAI1802 — 4 (SET)

- Check the leakage of original radiator cap and cooling system
- Hand pressure pump and leakage testing adapters made of hard and durable Nylon 66 material (PA66)
- Easy reading 2-1/2" diameter pressure gauge with protective rubber sleeve
- Pressure Range: 0 - 35 psi, 0 - 2.5 bar with pressure release valve and quick coupler
- Color coded radiator leakage testing adapters for easy identification
- Kit includes a pressure testing pump with gauge, a thermometer needle, 13 radiator kits, 2 connectors and an adapter handle
- Applications: VW, Audi, Volvo, Saab, Mercedes-Benz, BMW, Renault, Porsche, Jaguar, Mitsubishi, Mazda, Toyota, Honda, Suzuki, Isuzu, Ford, GM, Chrysler, Fiat, Alfa Romeo, Lexus, Opel, Peugeot, Jeep, Land Rover, Citron and etc.

BLOW CASE: W470 x D405 x H110 (mm)

28PCS - NEW
Universal Radiator Pressure Tester & Vacuum Type Cooling System Kit

ITEM NO. JGAI2801 — 2 (SET)

- Check the leakage of original radiator cap and cool system
- Hand pressure pump and leakage testing adapters made of hard and durable Nylon 66 material (PA66)
- Easy reading 2-1/2" pressure gauge and 2" vacuum pressure gauge
- Pressure range: 0 - 35 psi / 0 - 2.5 bar
- Vacuum pressure range: -76 - 0 cmHg / -1 - 0 bar
- Specially included vacuum purge & refill kit for easy identification and prevent coolant spillage and wastage
- Color coded radiator leakage testing adapters for easy identification
- Kit includes a pressure testing pump with gauge, vacuum pump, a thermometer needle, 20 radiator kits, 2 connectors, adapter handle, universal cone-shape adapter, coolant hose and exhaust hose
- Applications: VW, Audi, Volvo, Saab, Mercedes-Benz, BMW, Renault, Porsche, Jaguar, Mitsubishi, Mazda, Toyota, Honda, Suzuki, Isuzu, Ford, GM, Chrysler, Fiat, Alfa Romeo, Suzuki, Lexus, Opel, Peugeot, Jeep, Land Rover, Citron and etc.

BLOW CASE: W600 x D510 x H110 (mm)

Curved Hose Clamp Pliers



- Finger tip "position lock" design for easy replacement of lower radiator hose
- 45°bending design to fit clamps in deep position

ITEM NO.	LENGTH (mm)		
JDAM039C	235 (9-1/4")	6	48

Hose Clamp Pliers

- Finger tip "position lock" design for easy replacement of lower radiator hose

ITEM NO.	LENGTH (mm)		
JDAM028E	215 (8-1/2")	6	60

Straight Tip Lock Ring Pliers

- Used to spread snap rings found on brakes, pedal shaft, transmissions, clutch shafts, machine tools, and some piston rings
- Jaws are scored on outside for secure gripping
- Drop forged alloy steel, spring loaded joint, comfort grip handle

ITEM NO.	LENGTH (mm)	SPREAD (mm)		
JDAP0109	215 (8-1/2")	25 (1")	6	72

Angle Tip Lock Ring Pliers

ITEM NO.	LENGTH (mm)	SPREAD (mm)		
JDAP0209	215 (8-1/2")	25 (1")	6	72

Flexible Hose Clamp Pliers



- For replacement of fuel, oil and water hose
- Hose clamp with flexible 630mm wire
- Suitable to work in hidden areas and long distance

ITEM NO.	L1 (mm)	L2 (mm)	Max. Ø (mm)		
JDAM0163	630	225	53	12	36

3PCS
Flexible Line Clamp Set

ITEM NO.	CONTENTS	
JGAR0301	1 JDAY0119 Small Line Clamp - Ø6 - 19mm (1/4" - 3/4")	10 (SET)
	1 JDAY0132 Medium Line Clamp - Ø13 - 32mm (1/2" - 1-1/4")	
	1 JDAY0157 Large Line Clamp - Ø19 - 57mm (3/4" - 2-1/4")	

Auto Tools - Engine Series

Valve Spring Compressor Kit (One Man Operation Type)



ITEM NO. JDAN0222 — 5 (SET)

- Easy for single use, operated by a thread bar to fix on right place
- Recessed pocket on valve pusher allows replacement retrieval of valve collets
- Complete service tool kit for installation and removal of the valve spring without removing the cylinder head from the engine
- Valve pusher size: Ø 22mm
- Application: 12V, 16V, 20V, 24V engine

BLOW CASE: W570 x D240 x H60 (mm)

Valve Spring Compressor

- Reversible jaw adapter for multi-valve engines
- Dual size in adapter 25mm & 30mm adapter

ITEM NO.	CAPACITY (mm)		
JDAN0143	35 - 200	3	6

7PCS
Valve Spring Compressor Kit

- 5 INTERCHANGEABLE DRIVING ADAPTERS



- This tool kit is designed to compress and release valve spring after removing the collets
- Arched-type steel tube lever ensures a consistent coaxial contact with the valve
- Includes 5 interchangeable driving adapters to fit valve springs: 16mm, 19mm, 23mm, 25mm, 30mm
- Driving adapters are made of heat treated Chrome Molybdenum Steel
- 2 Length pressure screws: 50mm & 90mm
- Ideal to use on cars, motorcycles and small bore engines applications
- Hand-operated tool kit

ITEM NO.	CAPACITY (mm)	THROAT DEPTH (mm)	
JGAI0702	30 - 130	100	12

BLOW CASE: W340 x D195 x H50 (mm)

Valve Stem Seal Pliers

- High quality metal Seal Removal Tool removes valve stem seals from overhead camshaft engines
- Valve pliers reach down around the valve stem into the confined area of the seal for easy removal
- Gripping serration in the pliers tip easily grabs both original equipment and aftermarket seals regardless of their configuration
- Jaws are serrated for a secure grip on the seal



ITEM NO.	LENGTH (mm)		
JDAT0109	245 (9-1/2")	6	48

Angular Torque Gauge

- Full circle 360° angle scale. Clearly marked in 2 degree increments & in intervals of 10 & 30 degrees
- Adjustable arm keeps angle gauge scale stationary, wedge it against object while turning drive tool
- Accommodates 1/2" male and female square drive



ITEM NO.	DRIVE (inch)	Ø(mm)		
JDAW1602	○1/2" (F) x ■1/2" (M)	68	12	48

3-Leg Engine Cylinder Hone (Range 2" - 7")

- Suitable to use with standard 1/4" or any electric drill. Use appropriate fluid for cutting lubricant. Interchangeable honing
- Supplied complete with 4" (100mm) long 180 grit stones
- Capacity: 2" to 7" (51 - 177mm) in diameter
- Overall Length: 12" (300mm)
- Application: Automotive brake and clutch cylinders, engine cylinders of motorcycles, lawn mowers, outboard motors, hydraulic cylinders, machine and industrial engines and etc.

ITEM NO.	CAPACITY	L(mm)		
JDBE0718	Ø 2" - Ø 7"	300	10	40

3PCS
Engine Cylinder Hone Replacement Stone Set

- For general purpose honing and glaze breaking
- Silicon carbide grinding stones bonded to aluminum alloy steel holders
- #180 medium grit stones
- Stone Dimension: 4" (L) x 13/32" (W)
- Set includes 3pcs stones and cotter pins

ITEM NO. JLAF1804 — 25 (SET)

Angular Torque Gauge

Loosening & tightening the screw to zero the gauge

- Full circle 360° angle scale. Clearly marked in 2 degree increments & in intervals of 10 & 20 degrees
- With magnetic holder on the flexible reaction arm for the fixing point. Easier to anchor to the engine and keeps angle scale stationary
- Accommodates 1/2" male and female square drive



ITEM NO.	DRIVE	Ø(mm)	L (mm)		
JDAW1601	○1/2"(F) x ■1/2"(M)	63	480	15	30

2PCS
Valve Grinder Set
- For hand grinding flat head, unslotted valves
- Synthetic rubber vacuum cups are resistant to oil, grease and gasoline
- 2 pieces in blister card packing



Place grinding compund on valve face and put in seat. Put suction cup on valve head and turn handle between hands to grind.

ITEM NO.	CONTENTS		
JGAR0201	1 JDBQ2026 Valve Grinder Tool Cup diameters: 5/8", 13/16" (for smaller valves) 1 JDBQ3644 Valve Grinder Tool Cup diameters: 1-1/8", 1-3/8" (for larger valves)	12	108

7PCS
Diesel Injector Seat Cutter Set
- Specially designed for cleaning and re-cutting injector seats for all common rail diesel engines
- To avoid "blow-by" occurring cause of possible build-up of carbon deposits and corrosion
- Application for all modern common rail diesel engines



ITEM NO.	CONTENTS	10 (SET)
JGAI0704	1 T-Handle Socket Wrench 19 mm 1 Pilot Post 3 Flat Reamer 15 x 19, 17 x 17, 17 x 19 mm 1 Angled Reamer 17 x 21 mm 1 Hex Key Wrench 2.5 mm	
	BLOW CASE: W217x D165 x H50 (mm)	

Heavy Duty Seal Puller



- Removes Oil & Grease Seals
- Two Tips Fit Most Application

ITEM NO.	LENGTH (mm)		
JDAK0132	318 (12-1/2")	12	48

Oil Service Wrench
CR-V

- Chrome Vanadium Steel Material
- Bent, size 8mm and 10mm outside male square
- Suitable for the removal of oil drain and filler plug on gearbox, sump and differential
- Applications: Citroen, Peugeot, Renault and etc.

ITEM NO.	■SIZE(mm)	L(mm)		
JEL-0810	8 x 10	230	10	40

14PCS
3/8" DR. Master Oil Drain Plug Key Set
CR-V

- Popular keys for draining differentials, sumps, axles and gearboxes on most modern vehicles
- Drain plug keys made of hardened and tempered chrome vanadium steel
- Suitable for use with 3/8" square drive tools
- Applications: BMW, Citroen, Fiat, Ford, Honda, Lancia, Mazda, Mercedes, Nissan, Peugeot, Renault, Toyota, Volvo, Volkswagen and etc.

ITEM NO.	CONTENTS	25 (SET)
JGAI1402	6 JDBF1208~1217 ● 3/8" Dr. Oil Drain Plug Hexagon Key 8, 9, 10, 12, 14, 17 mm 4 JDBH1207~JDBH1213 ■ 3/8" Dr. Oil Drain Plug Square Key 7, 8, 11, 13 mm 2 JDBJ1210 & 1212 ■ 3/8" Dr. Oil Drain Plug Square Key 5/16" & 3/8" 1 JDBK1210 ○ 3/8" Dr. Oil Drain Plug Female Square Key 10 mm 1 JDBL1210 ▲ 3/8" Dr. Oil Drain Plug Triangle Key 10 mm	
	BLOW CASE: W220 x D90 x H47 (mm)	

14PCS
Master Oil Drain Plug Key Set
CR-V

- Popular keys for draining differentials, sumps, axles, gearboxes on most modern vehicles
- Drain plug keys made of hardened and tempered chrome vanadium steel
- Suitable for use with 17mm wrenches or sockets
- Black phosphate finished
- Applications: BMW, Citroen, Fiat, Ford, Honda, Lancia, Mazda, Mercedes, Nissan, Peugeot, Renault, Volvo, Volkswagen and etc.

ITEM NO.	CONTENTS	15 (SET)
JGAI1403	6 JDCF1708~1717 ● Oil Drain Plug Hexagon Key 8, 9, 10, 12, 14, 17 mm 1 JDCG1712 ● Oil Drain Plug Hexagon Key 3/8" 6 JDCH1708~1713 ■ Oil Drain Plug Square Key 8, 9, 10, 11, 12, 13 mm 1 JDCM1716 ○ Oil Drain Plug Triple Square Tamperproof Key M16H	
	BLOW CASE: W252x D120 x H40 (mm)	

Oil Screw Socket (M16H)
CR-V

- Made of Chrome Vanadium Alloy Steel
- For removing and installing of the gearbox drain plug
- Operated by 17mm wrench or socket
- Applicable: AUDI, VW oil screws and etc.

ITEM NO.	●(mm)	SIZE	L(mm)		
JDBB1617	17	M16H	38	10	180

AUTO TOOLS - Engine Series

1/2" DR. Oil Drain Plug Socket
Black Phosphate Finished SNCM+V

- Made of expert quality, hardened and tempered Chrome Molybdenum Steel Material
- A special 12 point (triple square) tamperproof socket used to remove the transmission drain plug
- Tamperproof design for removing and installing the oil release bolts/screws on the transmission and gearbox
- Application: Audi A4-A6, VW Passat, Porsche Boxster and etc.

ITEM NO.	DRIVE	SIZE	L(mm)		
JDBC1616	1/2"	M16H	60	10	60

Auto Tools - Engine Series

Oil Filter Master Plier

- High quality Chrome Vanadium Alloy Steel (CR-V)
- Professional heat treated and machined
- Adjustable locking pliers design filter wrench
- Nickel plated finish
- Jaws Opening Range: 2-1/8" to 4-5/8" (53mm - 118mm)

ITEM NO.	SIZE(inch)		
DMAC1A10	10	12	48



Multi-Purpose Plier
Suitable for installing, removing and tightening objects of any shape.

This plier can be adjusted and fastened for applications at any angle.

Oil Filter Pliers

- Drop forged pliers body for strength
- 3 position slip-joint design
- Serrated jaws and long handles for extra grip

ITEM NO.	SIZE(inch)	CAPACITY Ø (mm)		
JDAA1010	10	60 - 90 (2-3/8" - 3-1/2")	10	40
JDAA1212	12	57 - 110 (2-1/4" - 4-5/16")	10	40

Professional Swivel Handle Oil Filter Wrench

- Heavy duty oil filter wrench
- Swivel handle allows user to reach filters in hard to reach places
- Wide band securely grips filters without crushing
- Easy grip comfortable handle



ITEM NO.	CAPACITY Ø (mm)		
JDAU6073	60 - 73 (2-3/8" - 2-7/8")	6	36
JDAU7385	73 - 85 (2-7/8" - 3-3/8")	6	36
JDAU8595	85 - 95 (3-3/8" - 3-3/4")	6	36
JDAU95B0	95 - 110 (3-3/4" - 4-3/8")	6	36

Nylon Strap Oil Filter Wrench

- Removes any oil filters up to 12" (300mm) diameter
- Strong, non-slip nylon webbing strap
- Use with 3/8" or 1/2" square drive tools

ITEM NO.	MAX. CAPACITY Ø (mm)		
JDAV1630	300 (12")	10	40

Nylon Strap Oil Filter Wrench

- Removes any oil filters up to 6" (152mm) diameter
- Strong, non-slip nylon webbing strap
- Use with 1/2" square drive tools

ITEM NO.	MAX. CAPACITY Ø (mm)		
JDAV1615	152 (6")	12	48

Heavy Duty Chain Wrench

- Heavy duty heat treated chain
- Chrome molybdenum steel handle
- Serrated jaws allows sure ratcheting action in either direction
- Long steel handle for added leverage
- Cushioned soft grip allows a better grip and less hand fatigue
- Ideal for filter removal, turning larger pipes and holding pulleys

• JJAH1203

• JJAH2003

ITEM NO.	GRIPPING CAPACITY Ø (mm)	CHAIN LENGTH (inch)	HANDLE LENGTH (inch)	
JJAH1203	13 - 152 (1/2" - 6")	20	12	20
JJAH2003	76 - 172 (3" - 6-3/4")	24-1/2	20	10

Strap Wrench

ITEM NO.	CAPACITY Ø (mm)	L(inch)		
JJAH0902	30 - 160	9	10	60

Chain Wrench

ITEM NO.	CAPACITY Ø (mm)	L(inch)		
JJAH0901	30 - 160	9	25	50

Chain Wrench

- Tempered and hardened high-grade tool steel chain and body
- Double-hinge construction for high clamping power
- Ratchet-style action design works in both directions
- Flexible handle enables to work in narrow spaces
- Ideal for automotive oil filter replacement
- Chain length: 350mm (14")

ITEM NO.	CAPACITY Ø (mm)	L(mm)		
JDBA60A5	60 - 105	225	5	20

Metal Strap Oil Filter Wrench

- Band type filter wrench, adjustable by turning knob
- Steel strap with light, heavy duty aluminum alloy body and die-cast control knob
- Removes filters with minimal risk of damage
- Ideal for automotive oil filter replacement
- Suitable for one-hand operation in areas of restricted access

ITEM NO.	CAPACITY Ø (mm)	MAX. LENGTH(mm)		
JDAZ65B0	65 - 110	290	10	50

Auto Tools - Engine Series

3-Legged Oil Filter Wrench

- Filter Capacity: 65 - 120mm (2-1/2" to 4-3/4")
- Removers all sizes of oil filters from 65 to 120mm in diameter
- Use with 1/2" or 3/8" square drive tool or 21mm wrench/socket
- Suitable for most cars and light trucks

ITEM NO.	CAPACITY Ø (mm)		
JDAI65A2	65 - 120 (2-1/2" - 4-3/4")	12	48

Two Way Oil Filter Wrench

CR-MO

- Remove oil filters from 66 - 94 mm diameter
- Use with 3/8" square drive tool or 17 mm wrench

ITEM NO.	CAPACITY Ø (mm)		
JDAA0808	66 - 94	6	36

Cup Type Oil Filter Wrench

- JDAHA815

A

- JDAHA818

B

- JDAH7615

C

- 3/8" SQ. Drive

TYPE	ITEM NO.	SIZE (mm)	FLUTES		
A	JDAH6414	64 (2-1/2")	14	12	72
	JDAH6514	65 (2-9/16")	14	12	72
	JDAH6814	68 (2-11/16")	14	12	72
	JDAH7314	73 (2-7/8")	14	12	72
	JDAH7415	74 (2-29/32")	15	12	72
	JDAH7608	76 (3")	8	12	72
	JDAH7614	76 (3")	14	12	72
	JDAH8015	80 (3-9/64")	15	12	72
	JDAH8616	86 (3-3/8")	16	12	72
	JDAH9015	90 (3-17/32")	15	12	72
	JDAH9210	92 (3-40/64")	10	12	72
	JDAH9315	93 (3-21/32")	15	12	72
	JDAHA015	100 (4")	15	12	72
	JDAHA615	106 (4-11/64")	15	12	72
	JDAHA815	108 (4-8/32")	15	12	72
B	JDAH6606	66 (2-19/32")	6	12	72
	JDAH7612	76 (3")	12	12	72
	JDAH7630	76 (3")	30	12	72
	JDAH8618	86 (3-3/8")	18	12	72
	JDAH9336	93 (3-21/32")	36	12	72
	JDAH9345	93 (3-21/32")	45	12	72
	JDAH9618	96 (3-3/4")	18	12	72
	JDAHA818	108 (4-8/32")	18	12	72
C	JDAH7615	74 - 76 (2-29/32" - 3")	15	12	72
	JDAH7715	75 - 77 (2-15/16 - 3-1/32")	15	12	72

Two Way Oil Filter Wrench

NEW

CR-MO

- Special serrated design for easy to grip filter without slipping
- Installed springs, ideal for assisting user to hold filter quickly
- Use with 1/2" square drive tool

ITEM NO.	CAPACITY Ø (mm)	(mm)		
JDCA0108	60 - 80	21	6	36
JDCA0112	80 - 115	22	1	8
JDCA0114	115 - 140	24	1	4

16PCS

Automotive Cup Type Oil Filter Wrench Set

- Suitable for European Vehicles

ITEM NO.	CONTENTS	5 (SET)
JGAI1601	66mm (2-19/32") - 6 Flutes-1 Step	
	74 - 76mm (2-29/32" - 3") - 15 Flutes-1 Step	
	76mm (3") - 8 Flutes-1 Step	
	76mm (3") - 12 Flutes-1 Step	
	76mm (3") - 14 Flutes-1 Step	
	86mm (3-3/8") - 16 Flutes-1 Step	
	86mm (3-3/8") - 18 Flutes-1 Step	
	92mm (3-40/64") - 10 Flutes-1 Step	
	93mm (3-21/32") - 15 Flutes-1 Step	
	93mm (3-21/32") - 45 Flutes-1 Step	
	96mm (3-3/4") - 18 Flutes-1 Step	
	106mm (4-11/64") - 15 Flutes-1 Step	
	108mm (4-8/32") - 15 Flutes-1 Step	
	108mm (4-8/32") - 18 Flutes-1 Step	
	3 Legged Oil Filter Tool 65 - 120mm (2-1/2" - 4-3/4")	
	Adapter - 1/2"(F) x 3/8"(M) Drive	

BLOW CASE: W440 x D320 x H90 (mm)

14PCS

Automotive Cup Type Oil Filter Wrench Set

- TOPTUL cup-type oil filter wrenches are made of gauge construction and are able to withstand up to 85 ft-lbs of torque applied. The cup-design grip functions as a socket minimizing the possibility of crushing filters and fits both 3/8" and 1/2" (adapter) square drive tool. The cups are coated with electro-black oxide finish for long life protection against rust
- Suitable for Japanese Vehicles

ITEM NO.	CONTENTS	6 (SET)
JGAI1401	64mm (2-1/2") - 14 Flutes-1 Step	
	65mm (2-9/16") - 14 Flutes-1 Step	
	68mm (2-11/16") - 14 Flutes-1 Step	
	73mm (2-7/8") - 14 Flutes-1 Step	
	74mm (2-29/32") - 15 Flutes-1 Step	
	74 - 76mm (2-29/32 - 3") - 15 Flutes-2 Step	
	76mm (3") - 30 Flutes-1 Step	
	75 - 77mm (2-15/16 - 3-1/32") - 15 Flutes-2 Step	
	80mm (3-9/64") - 15 Flutes-1 Step	
	90mm (3-17/32") - 15 Flutes-1 Step	
	93mm (3-21/32") - 15 Flutes-1 Step	
	93mm (3-21/32") - 36 Flutes-1 Step	
	100mm (4") - 15 Flutes-1 Step	
	Adapter - 1/2"(F) x 3/8"(M) Drive	

BLOW CASE: W415x D264 x H81 (mm)

Auto Tools - Engine Series

8PCS BMW Engine Timing Tool Set

NEW



ITEM NO. JGAI0803 — 10 (SET)

- A specific tool set for adjustment and arresting of twin camshaft on petrol engine
- Suitable for checking and adjustment of camshaft timing
- Removal, installation and alignment of VANOUS unit
- Application:
  BMW 118i E81/82/87/88 (04-12) / 120i E81/82/87/88 (04-12) / 316ti Compact E46 (01-07) / 318i E90/91/92/32 (05-12) / 318ti Compact E46 (01-07) / 320i E90/91/92/93 (05-12) / 520i E60/61 (07-10) / X1 sDrive 18i E84 (10-12) / X1 xDrive 18i E84 (10-12) / X3 2.0 E83 (05-10) Z4 2.0 E85/86 (04-09)
- Engine Code:
  N42/N46/N46T-B18, B18A, B20, B20A, B20B, B20BD, B20BZ,B2O2

BLOW CASE: W330 x D235 x H50 (mm)

NO.	Description	Q'ty
A	Vanos Alignment Plate	1
B	Camshaft Setting Plate Securing Screw	1
C	Camshaft Setting Plate (Inlet)	1
D	Camshaft Setting Plate (Exhaust)	1
E	Timing Chain Tensioner Pre-Load Tool	1
F	Camshaft Turning Tool	1
G	Flywheel TDC Locking Pin	1
H	Crankshaft Alignment Pin	1

NEW

18PCS BMW Engine Timing Tool Set

ITEM NO. JGAI1803 — 5 (SET)

- A specific tool set for adjustment and arresting of twin camshaft on petrol engine
- Suitable for installing and removal of inlet camshaft and carrier assembly
- Removal, installation and replacement of VANOS units
- Use with TOPTUL JGAI0803 (8pcs BMW Engine Timing Tool set)
- Application:
  BMW 118i E81/82/87/88 (04-12) / 120i E81/82/87/88 (04-12) / 316ti Compact E46 (01-07) / 318i E90/91/92/32 (05-12) / 318ti Compact E46 (01-07) / 320i E90/91/92/93 (05-12) / 520i E60/61 (07-10) / X1 sDrive 18i E84 (10-12) / X1 xDrive 18i E84 (10-12) / X3 2.0 E83 (05-10) Z4 2.0 E85/86 (04-09)
- Engine Code:
  N42/N46/N46T-B18, B18A, B20, B20A, B20B, B20BD, B20BZ, B2O2

BLOW CASE: W450 x D320 x H55 (mm)

NO.	Description	Q'ty
A	Camshaft / Carrier Bracket Mounting Fixture	1
B	Torsion Spring Remover / Installer	1
C	Inlet Camshaft Securing Tool (Rear)	1
D	Mounting Fixture Support - Long	3
E	Mounting Fixture Support - Short	1
F	Intermediate Lever Clamp Set	8
G	Inlet Camshaft Securing Tool (Front)	1
H	Inlet Camshaft Securing Tool (Front) Lock	1
I	Bolt and Nut	1

Deep Star Sockets (Cylinder Head Bolt Tool)

CR-V

- Chrome Vanadium Steel Material
- Specially designed for removing and installing the cylinder head bolts
- Spring-ball locking design can hold the bolt tightly during operation
- Applications: BMW, Mercedes, Opel, Vauxhall and etc.

· BAEJ1612

· BAEJ1614

Dual Finished

DRIVE	ITEM NO. Dual	SIZE	L(mm)		
1/2" 12.7mm sq.	BAEJ1612	E12	140	8	80
	BAEJ1614	E14	140	8	80

Ribe Bit Sockets (Cylinder Head Bolt Tool)

CR-V+S2

- Chrome Vanadium Steel socket, S2 steel Bit
- Specially designed for use on V.W. and AUDI cylinder head bolts

· BCYA1610S

· BCYA1610

Satin Chrome Finished

DRIVE	ITEM NO. Satin	SIZE	L(mm)		
1/2" 12.7mm sq.	BCYA1610S	M10S	100	10	160
	BCYA1610	M10S	140	10	100

- TOPTUL product item no. BCRA1610 can not replace the use of this particular product.

Crankshaft Locking Tool

- Special design to lock the crankshafts on VW, AUDI, SEAT, SKODA, 2.0 TDI engine and etc.

· Marking on the right of the locking screw

ITEM NO.	LENGTH(mm)		
JDBR2065	65	50	100

3PCS
Crankshaft Timing Belt Pulley Locking Tool Set





ITEM NO. JGAR0302 — 5 (SET)

- A specific engine timing tool set for Audi, Volkswagen, Seat and Skoda TDI PD and V6 engines
- Contents: Injection Pump Locking Pin, Tensioner Locking Tool, Crankshaft Locking Tool

Auto Tools - Engine Series

Pulley Removing Wrench

- To lock the pulley during removing or assembling any type of pulley retaining bolt
- High flexibility outperforms the traditional standard strap or chain wrench, and will not damage components
- Ideal for water pump, alternator pulleys and various electric motor pulleys of compressors, washing machines, tool machines and etc.
- Also suitable to rotate the cam shaft when timing the engine and to remove oil and gasoline filters

· JDAF1437: V-Belt Pulleys

· JDAG1437: Poly-V Belt Pulleys



JDAF1437
V-Belt Pulleys

1. Cord Tension
   Low elongation stiff cord is highly resistant to tension and resulting in better power transmission.
2. Rib Rubber
   Fiber-contained rubber is greatly resistant to abrasion and breakage.



JDAG1437
Poly-V Belt Pulleys

1. Cover Fabric
   Flexible fabric material is resistant to breakage and high temperature and oil-based substances.
2. Cord Tension
   Low elongation stiff cord is highly resistant to tension and resulting in better power transmission.
3. Rib Rubber
   Fiber-contained rubber is greatly resistant to abrasion and breakage.

ITEM NO.	CAPACITY Ø (mm)	LENGTH(mm)		
JDAF1437	40 - 140	365 (14 - 3/8")	12	36
JDAG1437	40 - 140	365 (14 - 3/8")	12	36

Timing Belt Tensioner Adjustment Tool

- Steel construction
- 2-pin timing belt tensioner tool
- Pin Diameter: 3mm
- Offset design
- Useful for camshaft spur belt tension adjustment
- Application: VW, AUDI and etc.



ITEM NO.	LENGTH(mm)	PIN DIAMETER(mm)		
JDBP1703	172	3	20	80

Injection Pump Wrench

- Chrome Vanadium Steel Material
- 90° angle for leverage
- Professional quality for maximum durability and corrosion resistance
- Single Box-End Wrench for repair toothed belt or adjust the injection starts, injection pump removal and locking screws
- Applications: 1.6L 4-cyl. Diesel engine AUDI 80, VW Golf, Jetta, Caddy, Passat, Santana, CITROEN

ITEM NO.	SIZE (mm)	L (mm)		
JDBW1316	13	160	10	160

AUTO TOOLS - ENGINE SERIES

Spline Alternator Combination Bit Socket (M10)

- The two-part alternator socket allows easy removal and replacement of the free-wheel drive pulley at the alternator
- This tool allows the alternator to be locked by the M10 spline bit socket insert and enables the central locking bolt of the pulley to be loosened or tightened by the serrated reaction nut
- Use with 17mm wrench
- 33 teeth hexagonal reaction nut, O.D. 19.5mm
- Applications: BMW, VW, Audi, Ford, Skoda, Mercedes, Porsche, Renault and etc.

ITEM NO.	DRIVE	SIZE	Teeth	● (mm)	L(mm)		
JDCD3310	1/2"	M10	33	17	110	10	80

Star Alternator Combination Bit Socket (T50)

- The two-part alternator socket allows easy removal and replacement of the free-wheel drive pulley at the alternator
- This tool allows the alternator to be locked by the T50 star bit socket insert and enables the central locking bolt of the pulley to be loosened or tightened by the serrated reaction nut
- Use with 17mm wrench
- 33 teeth hexagonal reaction nut, O.D. 19.5mm
- Applications: Mercedes, Renault and etc.

ITEM NO.	DRIVE	SIZE	Teeth	● (mm)	L(mm)		
JDCD3350	1/2"	T50	33	17	110	10	80

V-Belt Pulley Remover

CR-V

- Made of Chrome Vanadium Alloy Steel
- Special design to stop the pulley and remove the centre bolts for removing and installing the V-belt pulley at the generator
- Use with 17mm wrench and spline bit socket (M10) to remove and install the socket
- Applicable: VW Golf 3, Vento, Passat, AUDI A3, VOLVO and etc.

ITEM NO.	Teeth	● (mm)	O.D. Ø (mm)	I.D. Ø (mm)	L (mm)		
JDBD3317	33	17	19.5	11.8	30	10	180

13PCS

Alternator Pulley Remover Kit

- Designed for the easy removal of alternator free-wheel drive pulleys either on or off the vehicle
- Locks the alternator, allowing the central locking bolt of the pulley to be released
- Applications: BMW, VW, Audi, Mercedes, Renault, Ford, Porsche, Fiat and etc.

ITEM NO.	CONTENTS	12 (SET)
JGAI1301	1 Spline Alternator Combination Bit Socket (W/33 Teeth Hex Reaction Nut) 1/2" Dr. x M10, L=110mm, Hex: 17mm 1 Star Alternator Combination Bit Socket (W/33 Teeth Hex Reaction Nut) 1/2" Dr. x T50, L=110mm, Hex: 17mm 2 10mm Hex Shank Hexagon Bits 8mm & 10mm (L=75mm) 2 10mm Hex Shank Star Bits T40 & T50 (L=75mm) 2 10mm Hex Shank Spline Bits M8 & M10 (L=75mm) 1 Quick Change Bit Holder 1/2" Dr. x 10mm (Hex) 1 33 Teeth Hex Reaction Nut Hex: 17mm, O.D. 19.5mm, I.D. 11.8mm L=30mm 1 33 Teeth Hex Reaction Nut Hex: 22mm, O.D. 19.5mm, I.D. 11.8mm L=30mm 1 Hexagon Reaction Nut Hex: 22mm, I.D. 11.8mm L=32mm 1 4 Pin Round Reaction Nut with Hex Tip Hex: 17mm , O.D. 35mm, I.D. 11.8mm L=37mm	

BLOW CASE: W245 x D145 x H45 (mm)

TOPTUL Alternator Pulley Remover Kit allows the alternator to be locked by the Spine (M8, M10), Star (T40, T50) or Hex (8, 10mm) bits insert and enables the central locking bolt of the pulley to be loosened or tightened by the reaction nut



13PCS ALTERNATOR PULLEY REMOVER KIT

Mechanic's Stethoscope

A mechanic's stethoscope is a sensitive instrument. It can be fitted with a variety of ends, including needle probes and rubber trumpets, specially designed for automotive use. This specially designed tool provides an effective and precise way to locate unusual noises in engines, bearings or other moving parts and to track down leaks or suspicious vibrations in valves, gaskets, piston rings and etc. Incorporate with rubber trumpets, it is also a handy tool for checking vacuum and pressure flow or for synchronizing multi carburetors.

Mechanic's Stethoscope



ITEM NO.	JDAX0102	12

- Effectively locating trouble spots within the engine block
- Listen for trouble by tracing sound of flowing water, oil, gas or steam
- Use to quickly identify piston slap, worn gears, faulty valves, water pump failure, damaged gaskets and defective bearings
- Ideal for pinpointing the source of noises in engines, transmissions, differentials and bearings as well as the unusual vibrations or suspected leaks
- Aluminum alloy probe extends to 275mm (10-13/16") allows safe access to hard to reach spots
- Supplied with Rubber trumpet for user quick checking vacuum and pressure flow
- Flexible tubing and shockproof PP material plastic sound conduction

Mechanic's Stethoscope

ITEM NO.	JDAX0101	20

- Effectively locating trouble spots within the engine block
- Listen for trouble by tracing sound of flowing water, oil, gas or steam
- Use to quickly identify piston slap, worn gears, faulty valves, water pump failure, damaged gaskets and defective bearings
- Ideal for pinpointing the source of noises in engines, transmissions, differentials and bearings as well as the unusual vibrations or suspected leaks
- 2 pieces metal probe extends to 300mm (11-3/4") allows safe access to hard to reach spots
- Flexible tubing and shockproof PS material plastic handle

Piston Ring Pliers

- Made of high grade special tool steel
- For installing and removing piston rings
- Bright nickel-plated

ITEM NO.	CAPACITY Ø (mm)	L(mm)		
JABA0510	50 - 100	215	12	48
JABA0812	80 - 120	225	12	48
JABA1116	110 - 160	255	12	48

Piston Ring Compressor

SUS

ITEM NO.	HEIGHT (inch)	CAPACITY (mm)		
JAAA1303	3	53 - 125	30	60
JAAA1804	4	90 - 175	30	60
JAAA1806	6	90 - 175	20	40

Auto Tools - Engine Series

56PCS

Professional Threaded Coil-Insert Repair Kit (For Spark Plug Thread)

- Ideal for repairing and restoring damaged spark plug thread
- Completed set for easy and quick repairs of spark plug, thread insert size - M10, M12, M14
- Each size includes stainless steel screw coils, thread tap & Coil Shielding Collar, Coil Installation Shank and Hex Key Wrench

1. Tap re-drilled hole using tap

4. Screw coil into thread slowly

2. Set-up locking block to adjust coil insert depth

5. Using Pliers, take off pin on insert

3. Load coiled insert into Coil Shielding Collar

6. Thread is repaired and ready to use

ITEM NO.	CONTENTS	10 (SET)
JGAI5601	45 Stainless Steel Screw Coil Inserts 15PCS - M10 x 1.0mm x 3/8" (L=9.5mm) 15PCS - M12 x 1.25mm x 3/4" (L=19mm) 15PCS - M14 x 1.25mm x 7/16" (L=11mm) 1 Install Main Tool (P-type) 3 Thread Taps M10 x 1.0mm, M12 x 1.25mm, M14 x 1.25mm 3 Coil Shielding Collar M10, M12, M14 3 Coil Installation Shank M10, M12, M14 1 Hex Key Wrench	
	BLOW CASE: W298x D298 x H62 (mm)	

3/8" DR. Deep Spark Plug Socket

CR-V

- Professional quality, 12-point deep sockets manufactured from hardened and tempered Chrome Vanadium Steel
- Designed for easy installation or removal of the deep-seated (deeply recessed) spark plugs
- Fitted with a rubber insert for plug protection and retention
- Knurled finger grips for hand starting
- Polished chrome plated

- Rubber insert for positive plug protection and retention

Mirror Finished

DRIVE	ITEM NO. Mirror	SIZE(mm)	L(mm)	D(mm)		
3/8"	BSBA1214S	14	90	20	10	160
	BSBA1214L	14	250	19	5	40

10PCS

Professional Threaded Coil-Insert Repair Kit (For Spark Plug Thread)

- Ideal for repairing and restoring damaged spark plug thread
- For most commonly used metric bolt size M14, suitable for machine construction, engine repair and other automotive applications

1. Tap re-drilled hole using tap

4. Screw coil into thread slowly

2. Set-up locking block to adjust coil insert depth

5. Using Pliers, take off pin on insert

3. Load coiled insert into Coil Shielding Collar

6. Thread is repaired and ready to use

ITEM NO.	CONTENTS	30 (SET)
JGAI1003	1 Install Main Tool (P-type) 1 2 mm Hex Key Wrench 1 HSS Thread Tap M14 x 1.25mm 1 Coil Shielding Collar M14 1 Coil Installation Shank M14 1 Stainless Steel Screw Coil Inserts M14 x 1.25mm x 7/16" (L=11mm)	
	BLOW CASE: W250 x D128 x H41 (mm)	

Spark Plug Gap Gauge (Coin Type)

- Coin-type ramp gauge design to measure all type spark plug gaps easily
- Flanged hole design to adjust side wire without damaging center electrode
- Dual marked for both Imperial and Metric

ITEM NO.	Measuring range		
JDBU0210	0.020" - 0.100" (0.6 - 2.4mm)	24	288

Battery Pole and Terminal Cleaner

- Wire brushes remove corrosion build-up on battery pole and terminals for improved electrical contact
- The external brush cleans cable clamps, and the internal brush battery poles
- Metal case battery brush

ITEM NO.	LENGTH(mm)		
JDBV3984	84	12	72

Auto Tools - Engine Series

3/8" DR. Oxygen Sensor Socket (Low Profile Offset)

CR-MO

- Made of Chrome Molybdenum Steel, Heat Treated, Black Oxide Finish
- Remove & install sensors on computerized engine control vehicles
- 3/8" Dr. 7/8" (22mm) 6PT socket with cutaway length 30mm Portion for wire clearance
- Offset design for confined areas

ITEM NO.	SIZE(mm)	L(mm)		
JDAR1222	22	30	25	100

1/2" DR. Oxygen Sensor Socket

CR-V

- Made of Chrome Vanadium Steel, Heat Treated, Black Oxide Finish
- Remove & install sensors on computerized engine control vehicles
- 1/2" Dr. 1-1/16" (27mm) 12PT socket with cutaway portion for wire clearance

ITEM NO.	SIZE (mm)	L (mm)		
JDAQ1627	27	78	10	100

1/2" DR. Heated Oxygen Sensor Socket

CR-MO

- Made of heat treated, durable Chrome Molybdenum Alloy Steel
- Remove & install sensors on computerized engine control vehicles
- 7/8" (22mm) Hex, 1/2" Square Drive (double square for easy access)
- Socket with cutaway portion for wire clearance
- Offset design for confined areas
- Material: CR-MO
- Finish: Black Oxide

ITEM NO.	SIZE(inch)	L (mm)		
JDAR0122	7/8	50	10	100

3/8" DR. Oxygen Sensor Vacuum Switch Socket

CR-V

- Made of heat treated Chrome Vanadium Steel
- Install and removes oxygen sensors and vacuum switches on computerized engine control vehicles
- 22mm (7/8") 6-point socket with cutaway slot provides extra clearance for sensor wires
- Use with 3/8" square drive tools or 1" end wrench on the external hex
- Black phosphate finish for added corrosion resistance

ITEM NO.	SIZE (mm)	L (mm)		
JDAQ0122	22	90	12	72

1/2" DR. Oxygen Sensor Socket

CR-MO

ITEM NO.	SIZE(mm)	L(mm)		
JDAQ1622	22	85	20	80

7PCS

Sensor & Sending Unit Socket Set



- Set contains 7 assorted sockets for removal and installation of Oxygen Sensor, Oil Pressure Sending Units and Vacuum Switches
- Specially designed tools to use and work on a variety of vehicles
- Sockets are made of heat treated, durable chrome vanadium alloy steel (A-E) and chrome molybdenum alloy steel (F&G)

ITEM NO.	CONTENTS	DRIVE	SIZE (inch)	L (mm)	10 (SET)
JGAI0701	1 JDAS0129 Ⓐ Oil Pressure Sending Unit Socket	1/2"	1-3/16 (29mm)	90	
	1 JDAQ0122 Ⓑ Universal Vacuum PVS, TVS Valve and Oxygen Sensor Socket	3/8"	7/8	90	
	1 JDAQ1627 Ⓒ GM Thermal Sensor Switch Socket	1/2"	1-1/16 (27mm)	78	
	1 JDAQ0222 Ⓓ Oxygen Sensor Socket	3/8"	7/8	80	
	1 JDAS0227 Ⓔ Oil Pressure Sending Unit Socket	3/8"	1 & 1-1/16	74	
	1 JDAR0122 Ⓕ Heated Oxygen Sensor Socket	1/2"	7/8	50	
	1 JDAR0222 Ⓖ Low Profile Offset Oxygen Sensor Socket	3/8"	7/8	30	

BLOW CASE: W232 x D203 x H54 (mm)

3PCS

3/8" DR. Glow Plug Socket Set

CR-V

- 6-point socket made of hardened and tempered chrome vanadium steel
- Internal rubber retaining ring for positive retention of plug in socket
- 180° universal joint design allows easy access in confined engine bays
- Suitable for the removal and replacement of glow plugs in most popular diesel engines
- Matt chrome plated finish
- Application: Mercedes, Audi, VW, Opel, Fiat and etc.

○ 8 / 10 / 12MM



ITEM NO.	CONTENTS	15 (SET)
JGAI0301	3 JDBM1208~JDBM1212 3/8" Dr. Glow Plug Sockets (75mmL) 8, 10, 12 mm	

BLOW CASE: W120 x D81 x H36 (mm)

Auto Tools - Body Series

Cotter Pin Puller

CR-V

ITEM NO.	L1(mm)	L(mm)		
JJAK0101	125	235	5	40

Radiator Hose Remover

CR-V

ITEM NO.	L1(mm)	L(mm)		
JJAK0201	80	190	5	40

Scraper

CR-V

ITEM NO.	L1(mm)	L(mm)		
JJAJ0813	125	245	5	40

4PCS
Miniature Hook & Picks Set

SUS

ITEM NO.	CONTENTS	10 (SET)
GAAR0401	JJAK0301 Mini - Awl	
	JJAK0303 Mini - Hook	
	JJAK0304 Mini - Bent Tip 45°	
	JJAK0302 Mini - Bent Tip 90°	

Door Upholstery Remover

CR-V

ITEM NO.	L1(mm)	L(mm)		
JJAE1011	110	230	5	40

Door Upholstery Remover

- Blade made from special high quality SVCM tool steel
- Rugged tool with a large comfortable bi-component PP+TPR plastic handle
- Removes plastic door panel fasteners without breakage

ITEM NO.	L1(mm)	L(mm)		
JJAE0612	115	225	5	40

Door Upholstery Remover

CR-V

- For plastic upholstery fasteners
- Place tool under edge of door panel and insert into fastener as then simply pry up

ITEM NO.	L1(mm)	L(mm)		
JJAE0812	120	245	10	40

Stainless Steel Putty Knife (Flexible Scraper)

SUS

ITEM NO.	BLADE SIZE (W x L) (mm)	BLADE THICKNESS (mm)		
JDAB3205	32 x 100	0.5	10	180
JDAB5005	50 x 100	0.5	10	180
JDAB7605	76 x 100	0.5	8	144

3PCS
Stainless Steel Putty Knife Set

ITEM NO.	CONTENTS	20 (SET)
JGAT0301	76 x 100 x 0.5 mm	
	50 x 100 x 0.5 mm	
	32 x 100 x 0.5 mm	

Stainless Steel Bolstered Scraper

SUS

ITEM NO.	BLADE SIZE (W x L) (mm)	BLADE THICKNESS (mm)		
JDAD3218	32 x 100	1.8	10	180
JDAE3218	32 x 100	1.8	10	180
JDAD5018	50 x 100	1.8	10	180

3PCS
Stainless Steel Bolstered Scraper Set

ITEM NO.	CONTENTS	20 (SET)
JGAT0302	50 x 100 x 1.8 mm Straight Blade	
	32 x 100 x 1.8 mm Bent Blade	
	32 x 100 x 1.8 mm Straight Blade	

Stainless Steel Pinchweld Scraper

SUS

ITEM NO.	BLADE SIZE (W x L) (mm)	BLADE THICKNESS (mm)		
JDAD3225	32 x 100	2.5	10	180
JDAC2012	20 x 50	1.2	10	180
JDAC2025	20 x 50	2.5	10	180
JDAD3212	32 x 100	1.2	10	180

4PCS
Stainless Steel Pinchweld Scraper Set

ITEM NO.	CONTENTS	20 (SET)
JGAT0401	32 x 100 x 2.5 mm	
	20 x 50 x 1.2 mm	
	20 x 50 x 2.5 mm	
	32 x 100 x 1.2 mm	

Auto Tools - Body Series

Curved Dolly

ITEM NO.	W(mm)	H(mm)	L(mm)		
JFBA0108	58	70	80	4	12

Double End Round Dolly

ITEM NO.	W(mm)	L(mm)		
JFBD0106	Ø56	58	6	12

Heel Dolly

ITEM NO.	W(mm)	H(mm)	L(mm)		
JFBJ0108	61	30	79	6	24

Curved Dolly

ITEM NO.	W(mm)	H(mm)	L(mm)		
JFBI0113	58	45	133	6	12

Utility Dolly

ITEM NO.	W(mm)	H(mm)	L(mm)		
JFBH0107	70	64	70	6	12

Angle Dolly

ITEM NO.	W(mm)	H(mm)	L(mm)		
JFBF0111	59	16	108	6	24

Double End Hand Dolly

ITEM NO.	W(mm)	H(mm)	L(mm)		
JFBD0208	62	75	66	6	12

Toe Dolly

ITEM NO.	W(mm)	H(mm)	L(mm)		
JFBG0112	58	29	121	6	12

Anvil Dolly

ITEM NO.	W(mm)	H(mm)	L(mm)		
JFBB0110	72	62	102	4	16

Thin Toe Dolly

ITEM NO.	W(mm)	H(mm)	L(mm)		
JFBG0212	55	24	118	6	24

Shrinking Dolly

ITEM NO.	W(mm)	H(mm)	L(mm)		
JFBG0412	58	29	120	6	12

Grid Dolly

ITEM NO.	W(mm)	H(mm)	L(mm)		
JFBG0312	58	30	120	6	12

Large End Dolly

ITEM NO.	W(mm)	H(mm)	L(mm)		
JFBE0113	70	125	90	4	16

Round Peen End Dolly

ITEM NO.	W(mm)	H(mm)	L(mm)		
JFBC0113	44	Ø54	125	6	24

Double Blade Spoon

• JFCC0140

• JFCC0251

ITEM NO.	W(mm)	H(mm)	L(mm)		
JFCC0140	58	172	401	4	8
JFCC0251	59	179	510	2	8

Anvil Dolly

ITEM NO.	W(mm)	H(mm)	L(mm)		
JFBE0215	67	146	139	2	12

Dome Dolly

ITEM NO.	W(mm)	H(mm)	L(mm)		
JFBE0315	61	30	155	2	16

Light Dinging Spoon

ITEM NO.	W(mm)	H(mm)	L(mm)		
JFCA0127	48	58	250	12	72

Drip Moulding Spoon

ITEM NO.	W(mm)	H(mm)	L(mm)		
JFCD0124	49	70	235	6	12

Flat Spoon

• JFCB0125

• JFCB0229

ITEM NO.	W(mm)	H(mm)	L(mm)		
JFCB0125	30	99	250	12	48
JFCB0229	51	68	286	6	24

HAMMER



Heavy Shrinking Hammer
- Flat Face + Shrill Milled Square Face



ITEM NO.	A(mm)	B(mm)	L1(mm)	L(mm)		
JFAB0133	Ø40	38 x 38	100	325	6	36

Standard Bumping Hammer
- Crowned Face

ITEM NO.	A(mm)	B(mm)	L1(mm)	L(mm)		
JFAA0233	Ø40	38 x 38	98.5	325	6	36

Light Shrinking Hammer
- Flat Face + Milled Square Face



ITEM NO.	A(mm)	B(mm)	L1(mm)	L(mm)		
JFAB0233	Ø40	38 x 38	100	325	6	36

Light Bumping Hammer
- Flat Face

ITEM NO.	A(mm)	B(mm)	L1(mm)	L(mm)		
JFAA0333	Ø32	25 x 25	91	325	6	36

Standard Bumping Hammer
- Flat Face

ITEM NO.	A(mm)	B(mm)	L1(mm)	L(mm)		
JFAA0133	Ø40	38 x 38	100	325	6	36

Light Bumping Hammer
- Crowned Face

ITEM NO.	A(mm)	B(mm)	L1(mm)	L(mm)		
JFAA0433	Ø32	25 x 25	91	325	6	36

Reverse Curve Hammer
- Crowned Face

ITEM NO.	A(mm)	B(mm)	L1(mm)	L(mm)		
JFAA0533	Ø29.5	25.5 x 25.5	104	325	6	36

Curved Pein & Finishing Hammer
- Crowned Face

ITEM NO.	A(mm)	L1(mm)	L(mm)		
JFAC0233	Ø40	140	325	6	36

Pick & Finishing Hammer
- Crowned Face

ITEM NO.	A(mm)	L1(mm)	L(mm)		
JFAC0333	Ø40	138	325	6	36

Straight Pein & Finishing Hammer
- Crowned Face

ITEM NO.	A(mm)	L1(mm)	L(mm)		
JFAC0133	Ø40	141	325	6	36

7PCS Professional Grade
Auto Body Repair Tool Set

- Professional quality meets industrial standards
- Drop forged tool steel dollies, heat treated, includes Utility Dolly, Curved Dolly, Heel Dolly and Toe Dolly
- Drop forged tool steel hammers, selected hickory, includes Pick & Finishing Hammer, Shrinking Hammer and Standard Bumping Hammer
- Easy latch case holds all tools securely in place and provides excellent tool protection

ITEM NO.	CONTENTS	3 (SET)
GAAI0702	1 JFAB0233 - Light Shrinking Hammer (Flat Face + Milled Square Face)	
	1 JFAA0133 - Standard Bumping Hammer	
	1 JFAC0333 - Pick & Finishing Hammer (Crowned Face)	
	1 JFBI0113 - Curved Dolly	
	1 JFBG0112 - Toe Dolly	
	1 JFBJ0108 - Heel Dolly	
	1 JFBH0107 - Utility Dolly	

BLOW CASE: W478 x D234 x H100 (mm)

Auto Tools - Body Series

Heavy Duty Clamp

CR-MO

- Single-way pull operation
- Bolt Size: Ø19 mm x 140 mm (L)
- Gripping Surface: 46mm (wide) / 21mm (deep)
- Material: Drop Forged Chrome Molybdenum Alloy Steel

ITEM NO.	Pulling Capacity (tons)		
JFDA0105	5	1	6

Box Clamp

CR-MO

- Single-way pull operation
- Two sides of the jaws are different in order to fit the confined space
- Bolt Size: Ø14 mm x 120 mm (L)
- Gripping Surface: 37mm (wide) / 15mm (deep)
- Material: Drop Forged Chrome Molybdenum Alloy Steel

ITEM NO.	Pulling Capacity (tons)		
JFDB0303	3	1	6

Big Mouth Clamp

CR-MO

- Single-way pull operation
- Bolt Size: Ø14 mm x 120 mm (L)
- Gripping Surface: 37mm (wide) / 15mm (deep)
- Material: Drop Forged Chrome Molybdenum Alloy Steel

ITEM NO.	Pulling Capacity (tons)		
JFDB0103	3	1	6

Small Mouth Pull Clamp

CR-MO

- Single-way pull operation
- Perfect to use in the confined space
- Bolt Size: Ø17 mm x 80 mm (L)
- Gripping Surface: 44mm (wide) / 24mm (deep)
- Material: Drop Forged Chrome Molybdenum Alloy Steel

ITEM NO.	Pulling Capacity (tons)		
JFDC0105	5	1	6

Box Clamp (Two-Way)

CR-MO

- Two-way pull operation
- Bolt Size: Ø14 mm x 120 mm (L)
- Gripping Surface: 37mm (wide) / 15mm (deep)
- Material: Drop Forged Chrome Molybdenum Alloy Steel

ITEM NO.	Pulling Capacity straight way (tons)	Pulling Capacity cross way (tons)		
JFDB0203	3	2	1	6

Small Mouth Pull Clamp (Two-Way)

CR-MO

- Two-way pull operation
- Perfect to use in the confined space
- Bolt Size: Ø17 mm x 80 mm (L)
- Gripping Surface: 44mm (wide) / 24mm (deep)
- Material: Drop Forged Chrome Molybdenum Alloy Steel



ITEM NO.	Pulling Capacity straight way (tons)	Pulling Capacity cross way (tons)		
JFDC0205	5	2	1	6

Thin Edge Mouth Clamp

CR-MO

- Single-way pull operation
- Perfect to use in hard to reach places
- Spring-loaded for easy opening
- Bolt Size: Ø12 mm x 65 mm (L)
- Gripping Surface: 33mm (wide) / 27mm (deep)
- Material: Drop Forged Chrome Molybdenum Alloy Steel

ITEM NO.	Pulling Capacity (tons)		
JFDD0105	5	1	12

Frame Rack Clamp (Two-Way)

CR-MO

- Two-way pull operation
- The special puller design used with plate increases tool durability
- Bolt Size: Ø17 mm x 72 mm (L)
- Gripping Surface: 118mm (wide) / 18mm (deep)
- Material: Drop Forged Chrome Molybdenum Alloy Steel

ITEM NO.	Pulling Capacity straight way (tons)	Pulling Capacity cross way (tons)		
JFDE0205	5	3	1	6

Mini Clamp (Two-Way)

CR-MO

- Two-way pull operation
- Bolt Size: Ø12 mm x 44 mm (L)
- Gripping Surface: 37mm (wide) / 12mm (deep)
- Material: Drop Forged Chrome Molybdenum Alloy Steel

ITEM NO.	Pulling Capacity straight way (tons)	Pulling Capacity cross way (tons)		
JFDF0203	3	2	1	10

Frame Rack Clamp

CR-MO

- Single-way pull operation
- The special puller design used with plate increases tool durability
- Bolt Size: Ø17 mm x 72 mm (L)
- Gripping Surface: 118mm (wide) / 18mm (deep)
- Material: Drop Forged Chrome Molybdenum Alloy Steel

ITEM NO.	Pulling Capacity (tons)		
JFDE0105	5	1	6

Double Hook Clamp (Double Claw Hook)

CR-MO

- Body repair chain joint with double claw hooks
- For use as a chain shortener or chain connector
- Use with 5/16", 3/8" chains
- Material: Drop Forged Chrome Molybdenum Alloy Steel

ITEM NO.	Pulling Capacity (tons)		
JFEA0106	6	1	10

Auto Tools - Body Series

Slide Hammer Dent Puller Set

NEW

ITEM NO. JGAI1202 — 2 (SET)

- **Features:** Commonly used tool set to use on body panel and vehicle chassis. Designed to work on body repair, chassis, bumper ends, fender edge, door, door edge...etc or other unique pulling applications. Heavy duty slide hammer action with 10 lbs hammer and various attachments; Slide Shaft, Slide Hammer, Washer, Slide Shaft Handle, Flat Pipe, Large Hook Type Plate, Small Hook Type Plate, 90 Angle Thick Hook Plate, 90 Angle Thin Hook Plate, Two Hole Pipe, Flat Plate, Chain & Hook, Screw Puller to suit different pulling jobs.

BLOW CASE: W600 x D210 x H100 (mm)

KIT CONTENT

NO.	Description	Q'ty
1	Slide Shaft	1
2	Slide Hammer	1
3	Flat Pipe	1
4	Large Hook Type Plate	1
5	Small Hook Type Plate	1
6	90 Angle Thick Hook Plate	1
7	90 Angle Thin Hook Plate	1
8	Two Hole Pipe	1
9	Flat Plate	1
10	Chain & Hook	1
11	Screw Puller	1
12	Washer	1
13	Slide Shaft Handle	1



Self-Locking Multi-Grip Pliers with Wide Flat Jaws

- Chrome Molybdenum Alloy Steel Jaw
- Clamps lap joints allowing four consecutive spot welds without tool removal
- Suitable for spot welding and auto-body repair works
- Easy one-handed push button release

ITEM NO.	JAW ADJUSTMENT(mm)	L(mm)		
DMAI1A08	0 - 12	200	12	24

Self-Locking Multi-Grip Pliers with Double Curved Jaws

- Chrome Molybdenum Alloy Steel Jaw
- Clamps two flanged lapped or adjacent joints
- Suitable for auto-body repair works
- Easy one-handed push button release

ITEM NO.	JAW ADJUSTMENT(mm)	L(mm)		
DMAJ1A09	0 - 10	230	12	24

Self-Locking Multi-Grip Pliers with Wide Curved Jaws

- Chrome Molybdenum Alloy Steel Jaw
- Clamps two butt or adjacent joints
- Enables to work in tight spots
- Easy one-handed push button release

ITEM NO.	JAW ADJUSTMENT(mm)	L(mm)		
DMAK1A09	0 - 10	215	12	36

Self-Locking Multi-Grip Pliers with Angled Jaws

- Chrome Molybdenum Alloy Steel Jaw
- Clamps two flanged lap joints
- Enables to work in tight spots
- Easy one-handed push button release

ITEM NO.	JAW ADJUSTMENT(mm)	L(mm)		
DMAL1A09	0 - 15	210	6	36

Auto Tools - Body Series

Self-Locking Multi-Grip Pliers with Straight Jaws

- Chrome Molybdenum Alloy Steel Jaw
- Allows to work in narrow areas
- Easy one-handed push button release

ITEM NO.	JAW ADJUSTMENT(mm)	L(mm)		
DMAM1A08	0 - 18	195	6	36

Plugweld Locking Pliers

- Solid copper pad on fixed jaw prevents burn-through when plug welding thin sheet-metal panels
- Weld does not stick to copper which also allows for quick cooling
- U-shape bottom jaw provides even pressure around welding spot
- Quick-release level easily unlocks the pliers

ITEM NO.	JAW ADJUSTMENT(mm)	L(mm)		
DMAH1A10	0 - 50	250	10	50

Trim Clip Removal Pliers

CR-MO

- For quick removing staples, clips, door panels, fascia and trim supports without damage
- Wide nose design to prevent breaking or tearing panels when undoing facings
- Designed for accessing difficult to reach places
- Made of Chrome Molybdenum Steel, Black pliers head, comfort grip handle
- Total length: 240mm (9-1/2")

ITEM NO.	LENGTH (mm)		
JJAN0109	240 (9-1/2")	12	36

Trim Removal Wedge

- Made from high impact resistant nylon material to minimize scratches
- Smooth tapered design simplifies insertion
- Hang-up design for convenient storage
- Place tool under edge of panel or trim to remove trims and internal fittings

ITEM NO.	SIZE(L) x (W) x (H)mm		
JJAP1219	190 x 30 x 23	8	128

6PCS

Mini Handy Remover Set

- Made from high impact resistant nylon material to minimize scratches
- Specific slim profile design and unique shape for easy removal
- Place tool under edge of panel or trim to remove trims and internal fittings

Angled Clip Panel Remover

Flat Clip Panel Remover

Panel Remover

Sharp Panel Remover

Straight Panel Remover

Clip Panel Remover

ITEM NO.	CONTENTS	12 (SET)
JGAS0601	1 JJAP0620 Angled Clip Panel Remover - 30 x 200mm 1 JJAP0720 Flat Clip Panel Remover - 30 x 200mm 1 JJAP0820 Panel Remover - 24 x 200mm 1 JJAP0920 Sharp Panel Remover - 24 x 200mm 1 JJAP1020 Straight Panel Remover - 17 x 200mm 1 JJAP1120 Clip Panel Remover - 37 x 200mm	

5PCS

Handy Remover Set

- For plastic upholstery fasteners
- Place tool under edge of door panel and insert into fastener as fast as possible, and then simply pry up
- Large support area to protect clips and pad

Remover Wide Type

Remover Narrow Type

Handy Remover

Upholstery Clip Remover

ITEM NO.	CONTENTS	12 (SET)
JGAS0501	1 JJAP0516 Remover Wide Type - 60 x 160mm 1 JJAP0421 Upholstery Clip Remover - 20 x 210mm 1 JJAP0318 Remover Narrow Type - 20 x 180mm 1 JJAP0220 Handy Remover - 30 x 200mm 1 JJAP0118 Remover Pull Type - 30 x 180mm	

Auto Tools - General Tools Series

Tube Cutter, Flaring & Swaging Tool Set

- 45° Flares and swages soft steel tubing such as soft copper, aluminum and brass tubing
- Swages in close quarters where punch style cannot be used
- Flaring bar with size capacity: 1/8", 3/16", 1/4", 5/16", 3/8", 7/16", 1/2", 5/8", 3/4" O.D. tubing
- Tube cutter capacity: 1/8" to 1-1/8"
- Swage adapters: 3/16", 1/4", 5/16", 3/8", 1/2", 5/8", 3/4"



ITEM NO.	CONTENTS	10 (SET)
JGAI1001	1 Flaring Bar (Small Size) 1/8", 3/16", 1/4", 5/16", 3/8", 7/16" O.D. Tubing	
	1 Flaring Bar (Large Size) 1/2", 5/8", 3/4" O.D. Tubing	
	1 Tube Cutter W/Retractable Reamer Cutting capacity: 1/8" to 1-1/8"	
	1 Steel Yoke	
	5 Swaging Adapter 3 in 1(3/16", 1/4", 3/8"), 5/16", 1/2", 5/8", 3/4"	
	1 45° Flaring Adapter	
	BLOW CASE: W265 x D215 x H62 (mm)	

Tube Cutter & Double Flaring Tool Set

- Specially designed tool kit to double flare tubing for high pressure application in automotive, air conditioning and etc.
- Accurately single or double flares soft steel tubing such as cooper, aluminum and brass tubing for leak free connections
- Screw-type 45° flaring press
- Tube cutter capacity: 1/8" to 1-1/8"
- Flaring bar & adapter sizes: 3/16", 1/4", 5/16", 3/8", 7/16", 1/2", & 5/8"



ITEM NO.	CONTENTS	12 (SET)
JGAI1002	1 Flaring Bar 3/16", 1/4", 5/16", 3/8", 7/16", 1/2", 5/8" O.D. Tubing	
	1 Tube Cutter W/Retractable Reamer Cutting capacity: 1/8" to 1-1/8"	
	1 Steel Yoke W/45° Flaring Cone	
	7 Flaring Adapter 3/16", 1/4", 5/16", 3/8", 7/16", 1/2", 5/8" O.D. Tubing	
	BLOW CASE: W275 x D205 x H50 (mm)	

Automotive Circuit Tester

- Testing electrical circuits from 3 to 48 volts DC
- 2 LEDs indicate live circuit and positive (+) / negative (-) polarity
- Universal test instrument for motor vehicle electrics and electronics
- Supplied with 90 cm cable and insulated alligator clip
- CE certified

ITEM NO.	TEST VOLTAGE RANGE	L (mm)		
JJDC0148	3 - 48V DC	135	10	100

Air Blow and Suction Gun

ITEM NO.	GDAE0701	20 (SET)

- Air Inlet: 1/4" PT
- Working Pressure: 90 PSI
- Quick changes from vacuum to blower
- Ideal cleaning accessory for garages and workshops
- Content: Pistol grip designed aluminum gun, flexible plastic hose, dust collection bag, round nozzle, brush nozzle, flat nozzle and tiny nozzle

Mechanic's Mat / Kneeling Pad

- Made of 3 layered padded construction EVA form soft material
- Dirt, water, liquid, oil, gasoline resistant mat
- Universal use in workshops, service and breakdown service vehicles

• M485

• M960

ITEM NO.	SIZE (L) x (W) x (H)mm		
M485	485 x 225 x 30	1	12
M960	960 x 380 x 30	1	10

394PCS

Rubber O-Ring Assortment Kit

- Universal O-Ring assortment, perfect for professional workshops and garages
- O-ring made of Nitrile Rubber (NBR 70) material
- Kit contains the most commonly used metric sizes o-rings for industrial and automotive applications
- 32 different sizes in metric measurements

ITEM NO.	CONTENTS	20 (SET)
JGEW394A	Metric O-Ring Sizes: (I.D.xThickness) 3 x 1 (36pcs), 4 x 1 (17pcs), 5 x 2 (9pcs), 6 x 2 (17pcs), 8 x 2 (17pcs), 10 x 2 (17pcs), 11 x 2 (17pcs), 12 x 2 (17pcs), 14 x 2 (17pcs), 17 x 2 (17pcs), 20 x 2 (17pcs), 10 x 3 (11pcs), 12 x 3 (11pcs), 16 x 3 (11pcs), 18 x 3 (11pcs), 22 x 3 (11pcs), 20 x 4 (9pcs), 22 x 4 (9pcs), 24 x 4 (9pcs), 25 x 4 (9pcs), 30 x 4 (9pcs), 34 x 4 (9pcs), 36 x 4 (9pcs), 40 x 4 (9pcs), 45 x 4 (9pcs), 47 x 4 (9pcs), 50 x 4 (9pcs), 16 x 5 (7pcs), 25 x 5 (14pcs), 30 x 5 (7pcs), 32 x 5 (7pcs), 35 x 5 (7pcs)	
	PLASTIC BOX: W275 x D160 x H45 (mm)	

Magnetic Car Fender Cover W/Pockets

- Perfect for engine repair jobs to avoid paintwork damages
- 8 pieces high powered magnets for sure grip
- 4 tool holding pockets with a maximum loading weight up to 1.5kg

ITEM NO.	SIZE (W) x (L)mm		
JJAQ1106	1070 x 600 (42" x 23-1/2")	1	12

Auto Tools - General Tools Series

20PCS
Radio Removal Tool Set

ITEM NO.	JGAA2001	50 (SET)

- Expert quality, selection of keys for the removal and installation of car radios by garages, emergency services and specialist car audio installers
- Suitable for a wide range of applications including VW, BMW, Mercedes Benz, Audi, Opel, Porsche, Renault, Fiat, Peugeot, Ford, Skoda, Alpine, Grundig, Blaupunkt, Becker, Clarion, JVC, Pioneer & VDO

23PCS
Universal Terminal Release Tool Set

ITEM NO.	JGAI2301	4 (SET)

- Special designed to release terminals from the plastic connectors without damaging to wires or terminal blocks
- Release terminals on most body wiring connectors
- Assortment of 23 parts for universal application in the auto wire terminal
- Application : BMW, Mercedes, Opel, VW, Audi, Porsche, Ford, Seat, Skoda, Jaguar, Citroen, Fiat, Saab, Mazda, Renault, Chrysler, Toyota, Honda, Mitsubishi and most vehicles

BLOW CASE: W435 x D250 x H75 (mm)

Spark Plug Terminal Pliers

- Specially designed tool to remove cable terminals from spark plugs quickly and safely
- Curved designed jaws grip the cable terminals tightly without damages
- Heavy-duty plastic coating for pliers' jaws and handles provides a shockproof sure grip

ITEM NO.	LENGTH (mm)		
JIAA0108	200 (8")	6	72

Plastic Creeper

- Rigid molded, one piece plastic construction
- Shaped arm areas for optimal movement freedom
- Padded head support
- Two built-in tool trays (right & left)
- Six 3" PU swivel caster wheels for easy maneuverability
- Practical hand carry handle
- Maximum load: 135 kg

ITEM NO.	SIZE (L) x (W) x (H)mm	
JCM-03	1020 x 480 x 115	1

Mechanic's Roller Seat

- Practical mechanic's roller work seat
- Durable powder coated steel frame
- Foam cushioned seat with wipe clean surface
- Seat cushion is removable and can be used as a great kneeling pad
- Bottom storage area provides easy and quick access to miscellaneous tools and parts
- Perfect height for wheel, brake or body works and all kind of low repair jobs
- 4 long-wearing 2" high impact poly swivel casters
- Maximum seat height: 305mm
- Seat area: 350 x 200 mm
- Maximum loading capacity up to 120 kg

ITEM NO.	SIZE (L) x (W) x (H)mm	
JCA-350A	350 x 300 x 305	1

Other Tools Series

Essential

mechanical tools include pullers, crimping tools & bolt cutters.

www.toptul.com

388

OTHER TOOLS SERIES

Other Tools

Wireless Video Borescope

Feature:

- With Three Comprehensive Application Mode (Single Handed Mode, Two Handed Mode, Free Handed Mode)
- Wireless imaging allows inspection results to be sent to a larger screen up to 50M away for team based analysis
- Working temperature of -20°C to +60°C
- The probe can easily fits through the spark plug hole of engine
- Water, oil, dust and scratch resistant probes (IP67)
- Obedient probe that retains required shape
- 2.0 times digital zoom function
- Horizontal picture reflection function
- Live video and photo replay on TFT display
- Snapshot and Video recording to SD card
- Voice recording through integrated microphone during video recording
- Multi lingual menu (28 languages)

CE FC RoHS

Contents:

- Console
- Handle
- 1m semi-rigid spiral shaft camera probe
- 8 GB SD card
- AV cable
- Attachment mirror
- AC Adapter

Application:

Automotive, aircraft, marine, locksmiths, electricians, law enforcement, mechanics, exterminator plumbers, welders, carpenters, HVAC repair & inspect all kinds of hard-to-reach areas.



Attachment mirror 70° | Attachment mirror 90° | Attachment mirror 110°

ITEM NO.	Probe Diameter (mm)	Probe Length (M)	Probe Type	Viewing Direction of the camera	Types of Plug Adapter (power charger) A. (US)	E. (EU)	Z. (AU/NZ)
VBRF3901	Ø3.9	1	Semi-Rigid	Forward View			
VBRF5501	Ø5.5	1	Semi-Rigid	Forward View			

- Set includes three Angle / Refracting Mirror Attachment for Ø 5.5mm Probe Video Borescope

Mirror 70°, 90°, 110°

- Set includes one Angle / Refracting Mirror Attachment for Ø 3.9mm Probe Video Borescope

Mirror 110°

Console	
Dimension	147 x 105.5 x 71mm
Display	3.5" (TFT LCD QVGA)
Frequency of Wireless Receiver	2.4 GHz 4 Channels (2414 MHz, 2432 MHz, 2450 MHz, 2468 MHz)
Video Output Format	NTSC & PAL
Video Output Interface	AV Out
Still Image Storage Format	JPEG (640 x 480 pixels)
Frame Rate	~30fps
Compression Format	MPEG4 (320 x 240 pixels)
Recording Medium	SD card up to max. 8GB
Exposure	Automatic
White Balance	Fix
S / N Ratio	42dB or more
Power	Battery Rechargeable Li-Polymer Battery 3.7V Power Supply AC 100 - 240V / 50 - 60Hz Power Consumption DC5.5 1.8A
Working Time	4 hours
Recharge Time	2 hours
Working Temperature	-20°C - 60°C
Language	English/Danish/French/Spanish/Russian/Dutch/Polish/Italian/German/Portuguese/Japanese/Bulgarian/Traditional Chinese/Simplified Chinese/Turkish/Swedish/Finnish/Norwegian/Estonian/Lithuanian/Latvian/Hungarian/Czech/Slovak/Slovene/Romanian/Greek/Korean

Camera System and Insert Tube	
Camera Resolution	325(H) x 250(V) = 81250 pixels
Image Sensor	CMOS
Housing	Stainless Steel
Field of View (Aperture Angle)	Horizontal field angle 46° Vertical field angle 34° Diagonal field angle 56°
Focused Depth of Field	1cm - 6cm
Protection Class	IP67
Resistance	DO NOT immerse the insert tube deeper than 1M depth and over 30 minutes.(water) DO NOT immerse the insert tube deeper than 6cm and over 10 minutes besides water.(such as lubricant oil, gasoline and etc.)
Working Temperature	0°C - 55°C
Light Source	White LED
Bend Radius	min. 15mm
Mirror Attachment (Ø3.9)	Line of Vision 110° (Aperture Angle 32°)
Mirror Attachment (Ø5.5)	Line of Vision 70° (Aperture Angle 40°) Line of Vision 90° (Aperture Angle 36°) Line of Vision 110° (Aperture Angle 32°)

Handle	
Dimension	140 x 35 x 32mm
Frequency of Wireless Transceiver	2.4 GHz 4 Channels (2414 MHz, 2432 MHz, 2450 MHz, 2468 MHz)
Battery	Battery Rechargeable Li-Polymer Battery 3.7V
Brightness Control	Variable
Audio	Integrated Microphone

Portable Video Borescope

Feature:

- Multi-function keys selection
- Working temperature of -20°C to +60°C
- The probe can easily fits through the spark plug hole of engine
- Water, oil, dust and scratch resistant probes (IP67)
- Obedient probe that retains required shape
- 2.0 times digital zoom function
- Horizontal picture reflection function
- Live video and photo replay on TFT display
- Snapshot and Video recording to SD card
- Multi lingual menu (27 languages)

CE RoHS

Contents:

- Operation panel
- 1m semi-rigid spiral shaft camera probe
- 8 GB SD card
- USB data cable
- AV cable
- Attachment mirror
- AC Adapter

Application:

Automotive, aircraft, marine, locksmiths, electricians, law enforcement, mechanics, exterminator plumbers, welders, carpenters, HVAC repair & inspect all kinds of hard-to-reach areas.



Attachment mirror 110°

ITEM NO.	Probe Diameter (mm)	Probe Length (M)	Probe Type	Viewing Direction of the camera	Types of Plug Adapter (power charger) A. (US)	E. (EU)	Z. (AU/NZ)
VARF3901	Ø3.9	1	Semi-Rigid	Forward View			

- Set includes one Angle / Refracting Mirror Attachment for Ø 3.9mm Probe Video Borescope

Mirror 110°



Main System (Hand Held Unit)	
Dimension	117.5 x 207 x 37mm
Display	3.5" (TFT LCD QVGA)
Video Out Format	NTSC & PAL
Video Out Interface	AV Out
Still Image Storage Format	JPEG (640 x 480 pixels)
Frame Rate	~30fps
Compression Format	MPEG4 (320 x 240 pixels)
Recording Medium	SD card up to max. 8GB
Exposure	Automatic
White Balance	Fix
S / N Ratio	42dB or more
Power	Battery Rechargeable Li-Polymer Battery 3.7V Power Supply AC 100 - 240V / 50 - 60Hz Power Consumption DC5.5 1.8A
Working Time	4 hours
Recharge Time	2 hours
Working Temperature	-20°C - 60°C
Language	English/Danish/French/Spanish/Russian/Dutch/Polish/Italian/German/Portuguese/Japanese/Bulgarian/Traditional Chinese/Simplified Chinese/Turkish/Swedish/Finnish/Norwegian/Estonian/Lithuanian/Latvian/Hungarian/Czech/Slovak/Slovene/Romanian/Greek

Camera System and Insert Tube	
Camera Resolution	325(H) x 250(V) = 81250 pixels
Image Sensor	CMOS
Housing	Stainless Steel
Field of View (Aperture Angle)	Horizontal field angle 46° Vertical field angle 34° Diagonal field angle 56°
Focused Depth of Field	1cm - 6cm
Protection Class	IP67
Resistance	DO NOT immerse the insert tube deeper than 1M depth and over 30 minutes.(water) DO NOT immerse the insert tube deeper than 6cm and over 10 minutes besides water.(such as lubricant oil, gasoline and etc.)
Working Temperature	0°C - 55°C
Light Source	White LED
Bend Radius	min. 15mm
Mirror Attachment (Ø3.9)	Line of Vision 110° (Aperture Angle 32°)

Other Tools

Two Way Articulation Probe

NEW

Feature:
- Multi-function keys selection
- Control wheel can adjust bending angle of neck for probe
- The probe can easily fits through the spark plug hole of engine and various inspection jobs
- Maximum bending angle 300°
- Obedient probe allows to equip 70° Refracting Mirror that offers anti-reflection & particle-free images on object during inspection
- View angle rotary function allow inspection result to be sent to a TFT display (VARF Series) for team based analysis
- Brighter view images in low-light conditions
- Working temperature of -20°C to +60°C
- Water, oil, dust and scratch resistant probes (IP67)
- Obedient probe that retains required shape
- Suitable for connection to VARF Series

RoHS

Contents:
- Operation panel
- Articulation, Soft-metal camera probe
- Mirror 70°

Application:
Automotive, aircraft, marine, locksmiths, electricians, law enforcement, mechanics, exterminator plumbers, welders, carpenters, HVAC repair & inspect all kinds of hard-to-reach areas.



Attachment mirror 70°

- Set includes one Angle / Refracting Mirror Attachment for Ø 6.0mm Probe Video Borescope

ITEM NO.	Probe Diameter (mm)	Probe Length (M)	Probe Type	Viewing Direction of the camera
VLAB6001	Ø6.0	1	Soft-Metal	Two way 155° view

Specifications	
Dimension	228 x 35 x 53mm
Camera Resolution	VGA 640(H) x 480(V) = 307200 pixels
Image Sensor	CMOS
Camera Head Length	23.3mm
Camera Head Material	Stainless steel
Light Source	White LED
Focused Depth of Field	1cm - 6cm
Working Temperature	-20°C - 60°C
Protection Class	IP67
Video Out Format	NTSC
Articulation Angle	1m 155° view angle
Articulation Radius	48±1mm
Mirror Attachment (Ø6.0)	Line of Vision 70° (Aperture Angle 40°)

T-Type Image Guide Scope

Main Bulb

Application:
Automotive, aircraft, marine, locksmiths, electricians, law enforcement, mechanics, exterminator plumbers, welders, carpenters, HVAC repair & inspect all kinds of hard-to-reach areas.

Feature:
- Easy to grip T-type handle
- Flexible cable for easy operation
- Bright light and adjustable focus for clearer viewing
- Angle mirrors can be attached for angle viewing

Specification:
- Material: Main unit / Handle (aluminum)
- Cable Length: 18"
- Cable Diameter: 4mm O.D.
- Bulb: HID
- Battery: CR123A (3V)
- CE approved
- Set includes 2 lithium batteries & 4 HID bulbs

ITEM NO. JJAU0418

ALUMIMUM FRAMED PLASTIC CASE: W420 x D330 x H65 (mm)

Angle / Refracting Mirror (Optional attachment for T-Type Image Guide Scope)

ITEM NO.	ANGLE MIRROR (DEGREE)		
JLAB0435	35	10	40
JLAB0445	45	10	40
JLAB0460	60	10	40

Scope Magnet (Optional attachment for T-Type Image Guide Scope)

ITEM NO. JLAD0406 10

LED Rechargeable Magnet Work Lamp

Types of Plug Adapter (power charger)



100V	230V	240V	240V
(JJAT0110)	(JJAT0123)	(JJAT0124)	(JJAT0224)

Additional Quick Hanging Hook

Strong Magnets for Suspension

- Material of housing: Hi-impact nylon
- Clear PC material lampshade
- 30pcs LED bulbs: 20000MCD / each
- Lithium battery: 3.7V / 2400ma (Li-Lon)
- Maximum working time: approx 4 - 5 hours
- Recharge time: 5 - 6 hours
- Net weight (lamp & battery): 205g

CE

ITEM NO.	POWER CHARGER (AC)	L (mm)		
JJAT0110	100V	290	10	30
JJAT0123	230V	290	10	30
JJAT0124	240V	290	10	30
JJAT0224	240V	290	10	30

Other Tools

Industrial Lever Riveter

- 4 Interchangeable nosepieces
- Rivet steering capacity: 3.2mm(1/8"), 4.0mm(5/32") 4.8mm(3/16"), 6.4mm(1/4")
- Rivet material: Steel / Aluminum / Copper / Stainless Steel
- Length: 450mm(17-1/2")
- Material: Aluminum body, steel tube with rubber handle
- Lever design reduces physical strength for all rivet sizes
- Extra long handle provides excellent leverage

ITEM NO.	RIVET DIAMETER(mm)		
JBAB3264	3.2(1/8"), 4.0(5/32"), 4.8(3/16"), 6.4(1/4")	1	12



Scissor Action Industrial Riveter







- Rugged all steel construction
- Single pull action for fast repetitive applications
- Stretching design for use in difficult access area
- Suitable for industrial and construction applications
- 4 interchangeable nose pieces: 2.4mm(3/32"), 3.2mm(1/8"), 4.0mm(5/32"), 4.8mm(3/16")
- Extended Length: 310 to 835 mm max.

ITEM NO.	RIVET DIAMETER(mm)		
JBAD2448	2.4(3/32"), 3.2(1/8"), 4.0(5/32"), 4.8(3/16")	1	10

Hand Riveter

- High-leverage chrome molybdenum handles for more power and easier operation
- Precision die-cast aluminum alloy frame constructed with extra hardened steel for longer tool life
- Extended riveter nose design for reaching confined spaces
- Full cushion grips provide optimum comfort in use
- 4 interchangeable nose pieces: 2.4mm(3/32"), 3.2mm(1/8"), 4.0mm(5/32"), 4.8mm(3/16")

ITEM NO.	RIVET DIAMETER(mm)		
JBAA2448	2.4(3/32"), 3.2(1/8"), 4.0(5/32"), 4.8(3/16")	10	30

151PCS

Hand Riveter Set

ITEM NO.	CONTENTS	6 (SET)
GAAD0101	1 JBAA2448 Hand Riveter	
	30 ALCA0308 Aluminum Rivets - Ø 3.2 x 8mm	
	30 ALCA0410 Aluminum Rivets - Ø 4 x 10mm	
	30 ALCA0510 Aluminum Rivets - Ø 4.8 x 10mm	
	30 ALCB0407 Stainless Rivets - Ø 4 x 7mm	
	30 ALCB0510 Stainless Rivets - Ø 4.8 x 10mm	

METAL CASE: W370 x D154 x H50 (mm)

360° Swivel Head Hand Riveter



- Rugged all steel construction
- Aluminum alloy steel riveter head
- 360° rotating head for any angle riveting
- Perfect for use in confined spaces
- Spring loaded handle for easy loading
- 4 interchangeable nose pieces: 2.4mm(3/32"), 3.2mm(1/8"), 4.0mm(5/32"), 4.8mm(3/16")

ITEM NO.	RIVET DIAMETER(mm)	L(mm)		
JBAC2448	2.4(3/32"), 3.2(1/8"), 4.0(5/32"), 4.8(3/16")	280	6	24



Rivet Diameter (mm)	Recommended Rivet Material
2.4 (3/32")	Aluminum/Copper
3.2 (1/8")	Aluminum/Copper/Steel/Stainless Steel
4.0 (5/32")	Aluminum/Copper/Steel/Stainless Steel
4.8 (3/16")	Aluminum/Copper



Other Tools

All Cast Steel Bench Vise

- Made of robust cast steel
- Duly hardened and knurled jaw
- 360° swivel base
- Equipped with anvil and pipe jaw
- Finished with quality wrinkle green paint

ITEM NO.	SIZE(inch)	JAW OPENING(inch)	THROAT DEPTH(inch)		
DJAC0103	3	3	2	1	1
DJAC0104	4	4	2-1/4	1	1
DJAC0105	5	5	2-5/8	1	1
DJAC0106	6	6	3	1	1
DJAC0108	8	8	3-1/2	1	1
DJAC0110	10	10	4	1	1

2-Jaw Gear Puller (Sliding Arm Type)

- Made of Chrome Vanadium Alloy Steel
- Sliding-arm universal puller with constantly parallel claws
- Puller arms design for confined spaces

· JJAL1220

· JJAL1212



ITEM NO.	SIZE (mm)	Outside Grip Range W1 (min. / max.) mm	Inside Grip Range W2 (min. / max.) mm		
JJAL1208	80	30 - 80	90 - 150	1	10
JJAL1212	120	30 - 120	90 - 180	1	10
JJAL1216	160	40 - 160	90 - 220	1	6
JJAL1220	200	40 - 200	90 - 260	1	6

3-Jaw Gear Puller

- Professional gear puller to remove gears, pulleys and collars from shafts effortlessly and safely. Three-point grip applies a parallel pull. Jaws and arms are forged and machined from quality alloy steel, precision heat treated for maximum durability and strength. Hardened steel center bolt with hex head for sure-grip wrench fit. Jaws can be reversed to grip firmly inside or outside gears or parts.

· JJAL0312

· JJAL0304



ITEM NO.	SIZE(inch)		
JJAL0303	3	1	36
JJAL0304	4	1	18
JJAL0306	6	1	8
JJAL0308	8	1	4
JJAL0312	12	1	2

2-Jaw Gear Puller

- Professional gear puller to remove gears, sprockets, arings and pulleys effortlessly and safely. Jaws and arms are forged and machined from quality alloy steel, precision heat treated for maximum durability and strength. Hardened steel center bolt with hex head for sure-grip wrench fit. Jaws can be reversed to grip firmly inside or outside gears or parts.

· JJAL0212

· JJAL0204



ITEM NO.	SIZE(inch)		
JJAL0203	3	1	40
JJAL0204	4	1	32
JJAL0206	6	1	12
JJAL0208	8	1	5
JJAL0212	12	1	2

Air Operated Continuous Flow Grease Gun

Pistol Grip Type

W/ 6" Rigid Tube & 12" Flexible Hose



Air Operated Continuous Flow Grease Gun

Air Operated Continuous Flow Grease Gun (Pistol Grip Type)

W/ 6" Rigid Tube & 12" Flexible Hose

- 4-Jaw Coupler for Secure Grip
- Air Operating Range: (40:1 Pressure Ratio)
  Air supplied input 60 - 150 psi (4.2 - 10.3 bar) / output 2,400 - 6,000 psi (165 - 412 bar)
- Working Pressure:
  Recommend air supplied input 90 psi (6.2 bar) / output 3,600 psi (250 bar)
- Grease Coupler Thread: 1/8 inch x 28PT / Air Inlet Thread: 1/4 inch x 19PT
- Use standard 14 oz. grease cartridge
- Ideal for use in factory maintenance, automobiles and etc.

ITEM NO.	CONTENTS	10 (SET)
JGAE0204	1 JJCA1401 Air Operated Continuous Flow Grease Gun (Pistol Grip Type) W/ 6" Rigid Tube Standard 14 oz. Cartridge, Pressure filler, Bulk 400 c.c. , L=15" (385mm)	
	1 JJAC1212 Flexible Nylon Grease Gun Hose L=12" (300mm)	

Air Operated Continuous Flow Grease Gun (Pistol Grip Type)

W/ 6" Rigid Tube

- 4-Jaw Coupler for Secure Grip
- Air Operating Range: (40:1 Pressure Ratio)
  Air supplied input 60 - 150 psi (4.2 - 10.3 bar) / output 2,400 - 6,000 psi (165 - 412 bar)
- Working Pressure:
  Recommend air supplied input 90 psi (6.2 bar) / output 3,600 psi (250 bar)
- Grease Coupler Thread: 1/8 inch x 28PT / Air Inlet Thread: 1/4 inch x 19PT
- Use standard 14 oz. grease cartridge
- Ideal for use in factory maintenance, automobiles and etc.

ITEM NO.	CAPACITY	10
JJCA1401	Standard 14 oz. Cartridge Pressure filler, Bulk 400 c.c. , L=15" (385mm)	

Lever Type Grease Gun (Variable Stroke) - W/ 6" Rigid Tube

- Electric plated finish for long service life
- Short stroke "lever action" for easy use
- Vented head cap for easy filling
- Variable stroke action (2-stage compression)



ITEM NO.	CAPACITY	16
JJAA1402	Standard 14 oz. Cartridge Pressure filler, Bulk 400 c.c. , L=21" (530mm)	

Lever Type Grease Gun

Lever Type Grease Gun (Variable Stroke)

W/ 6" Rigid Tube & 12" Flexible Hose

- Flexible Nylon Grease Gun Hose
  (ITEM NO: JJAC1212)
  Rugged 12 inch long nylon flexible hose attaches to grease gun to reach all fittings faster and easier in tight spots and awkward locations.

- Electric plated finish for long service life
- Short stroke "lever action" for easy use
- Vented head cap for easy filling
- Variable stroke action (2-stage compression)

ITEM NO.	CONTENTS	16 (SET)
JGAE0202	1 JJAA1402 Lever Type Grease Gun (Variable Stroke) W/ 6" Rigid Tube Standard 14 oz. Cartridge, Pressure filler, Bulk 400 c.c. L=21" (530mm)	
	1 JJAC1212 Flexible Nylon Grease Gun Hose L=12" (300mm)	

Other Tools

Piston Grip Grease Gun
W/7" Rigid Tube

- Electric plated finished for long service life
- Short stroke piston grip action works great in tight spaces
- Two discharge outlets - 90° & 180°
- Vented head cap for easy filling
- Use standard 14 oz. grease cartridge

ITEM NO.	CAPACITY	12
JJBA1402	Standard 14 oz. Cartridge Pressure filler, Bulk 400 c.c. , L=14" (360mm)	

Piston Grip Grease Gun
W/7" Rigid Tube & 12" Flexible Hose

- Electric plated finished for long service life
- Short stroke piston grip action works great in tight spaces
- Two discharge outlets - 90° & 180°
- Vented head cap for easy filling
- Use standard 14 oz. grease cartridge

ITEM NO.	CONTENTS	12 (SET)
JGAE0203	1 JJBA1402 Pistol Grip Grease Gun-W/7" Rigid Tube Standard 14 oz. Cartridge Pressure filler, Bulk 400 c.c. L=14" (360mm) 1 JJAC1212 Flexible Nylon Grease Gun Hose L=12" (300mm)	

Lubrication - Grease Gun
(Lever Type)

- 4-Jaw Coupler for Better Grip
- Max. Working Pressure: 4,500 PSI (310 BAR)
- Burst Pressure: 10,000 PSI (690 BAR)
- Thread: 1/8 inch x 28PT
- 1 oz. of Grease: per 40 strokes
- Length: Grease Gun W/Rigid Tube and Coupler: 21 inch (530mm)

ITEM NO.	CAPACITY	16
JJAA1440	Standard 14 oz. Cartridge Pressure filler, Bulk 400 c.c. , L=21" (530mm)	

Lubrication - Grease Gun

- 4-Jaw Coupler for Better Grip
- Max. Working Pressure: 4,500 PSI (310 BAR)
- Burst Pressure: 10,000 PSI (690 BAR)
- Thread: 1/8 inch x 28PT
- 1 oz. of Grease: per 40 strokes
- Length: Grease Gun W/Rigid Tube and Coupler: 21 inch (530mm)
  Flexible Whip Hose - 12 inch (300mm)

ITEM NO.	CONTENTS	16 (SET)
JGAE0201	1 JJAA1440 Lubrication - Grease Gun Standard 14 oz. Cartridge Pressure filler, Bulk 400 c.c. , L=21" (530mm) 1 JJAC1212 Flexible Nylon Grease Gun Hose L=12" (300mm)	

Flexible Nylon Grease Gun Hose



ITEM NO.	JJAC1212	12

- Rugged 12 inch long flexible hose attaches to grease gun #JJAA1440 to reach all fittings faster and easier in tight spots and awkward locations.

Oil Suction Gun (Heavy Duty Type)

- Jumbo size high performance oil suction gun
- Chromed steel suction tube with T-bar type plunger
- Particularly useful for removal of oil from gearboxes and differentials
- Include one 9.5" rigid tube and one 11" flexible plastic hose



ITEM NO.	CAPACITY	20
JJAZ0135	35 oz. (1000 cc.) L=445mm (17.5")	

Aluminum Tube Caulking Gun
NEW

- 9" Ladder Putter Steel Frame Caulking Gun
- Standard 300ml / 10 oz. cartridge
- Seamless die-cast aluminum alloy tube and durable trigger
- Riveted pressure plate & push rod
- Quick release thumb lever
- Additional eyelet to attach to safety strap
- Thrust Ratio: 13:1
- Ideal for Latex, Silicone, Adhesives, Sealant, Rubber Compound & Polyurethanes

NO-DRIP

STANDARD SIZE (300ml CARTRIDGE)

- Includes 1 cone nozzle.

ITEM NO.	SIZE (inch)		
JJAY0904	9	5	15

Caulking Gun

- 9" Ladder Hook Steel Frame Caulking Gun
- Standard 300ml / 10 oz. cartridge
- Hardened and zinc-coated piston hex steel rod
- Riveted pressure plate & push rod
- Durable die-cast zinc alloy handle and trigger
- Quick release thumb lever
- Built-in seal puncture tool
- Thrust Ratio: 10:1
- Ideal for Latex, Silicone, Adhesives, Sealant, Rubber Compound & Polyurethanes

STANDARD SIZE (300ml CARTRIDGE) NO-DRIP

ITEM NO.	SIZE (inch)		
JJAY0902	9	10	30

Revolving Barrel Caulking Gun

- 9" Ladder Hook Steel Frame Caulking Gun
- Standard 300ml / 10 oz. cartridge
- Easy load, revolving open barrel
- Hardened and zinc-coated piston round steel rod
- Durable die-cast aluminum alloy handle and trigger
- Quick release thumb lever
- Additional eyelet to attach to a safety strap
- Thrust Ratio: 13:1
- Ideal for Latex, Silicone, Adhesives, Sealant, Rubber Compound & Polyurethanes

STANDARD SIZE (300ml CARTRIDGE) NO-DRIP

ITEM NO.	SIZE (inch)		
JJAY0903	9	5	15

Other Tools

Jumbo Pry Bar

- Used for all large prying, levering and positioning heavy duty applications
- Made of square chrome molybdenum alloy steel
- High impact go-through shank with steel cap
- Hardened and sharpened blade tips
- Extra large bi-component plastic PP+TPR material grip handle

CR-MO

ITEM NO.	TYPE	L(inch)		
JCCC2025	90 Degree Angle Tip Pry Bar (wide face)	25	2	8
JCCB2025	75 Degree Angle Tip Pry Bar (narrow face)	25	2	8
JCCD2031	Straight Pry Bar (wide face)	31	3	6
JCCD2036	Straight Pry Bar (wide face)	36	3	6
JCCA2036	30 Degree Angle Tip Pry Bar (wide face)	36	3	6

Pry Bar

- Made of Chrome Vanadium Steel
- Flat and bevelled tips allow application in areas with restricted access
- Solid square blades guarantee high power transmission

CR-V

Black Phosphate Finish

ITEM NO.	SIZE(inch)		
JCBA0608	8	5	80
JCBA9E12	12	5	30
JCBA1118	18	5	20
JCBA1124	24	5	10

4PCS
Jumbo Pry Bar Set

ITEM NO.	CONTENTS	2 (SET)
JGAI0401	1 JCCD2036 Straight Pry Bar - 36" (L) 1 JCCA2036 30 Degree Angle Tip Pry Bar - 36" (L) 1 JCCB2025 75 Degree Angle Tip Pry Bar - 25" (L) 1 JCCC2025 90 Degree Angle Tip Pry Bar - 25" (L)	

BLOW CASE: W1000 x D255 x H75 (mm)

4PCS
Mechanic Pry Bar Set

CR-V

Black Phosphate Finish

ITEM NO.	CONTENTS	8 (SET)
JGAT0402	8", 12", 18", 24"	

File Tool

ITEM NO.	TYPE	L(inch)		
SDBC0821	Half Round File	8	5	60
SDBA0808	Square File	8	5	60
SDBD0808	Round File	8	5	60
SDBB0821	Flat File	8	5	60
SDBE0815	Triangle File	8	5	60

4PCS
File Set

ITEM NO.	CONTENTS	5 (SET)
GBAR0401	4 Square File - 8", Flat File - 8" Half Round File - 8", Round File - 8"	

5PCS
File Set

ITEM NO.	CONTENTS	6 (SET)
GPAQ0503	1 SDBC0821 Half Round File - 8" 1 SDBA0808 Square File - 8" 1 SDBD0808 Round File - 8" 1 SDBB0821 Flat File - 8" 1 SDBE0815 Triangle File - 8"	

6PCS
Needle File Set

- High quality precision machined needle files
- Suitable for fine abrasion, profile cutting and finishing of common workshop materials
- 4mm diameter, overall length 160mm with 75mm of cutting surface

ITEM NO.	CONTENTS	25 (SET)
GNBA0601	1 SDNA0401 Knife Needle File 1 SDNA0402 Round Needle File 1 SDNA0403 Half Round Needle File 1 SDNA0404 Square Needle File 1 SDNA0405 Triangle Needle File 1 SDNA0406 Flat Needle File	

5PCS
Diamond Needle File Set

- High quality precision machined diamond needle files
- Perfect for filing off sharp edges, reshaping cuts or reaming drilled holes
- 4mm diameter, overall length 160mm with 65mm of #150 grit diamond coating surface

ITEM NO.	CONTENTS	25 (SET)
GNBA0501	1 SDNB0402 Round Diamond Needle File 1 SDNB0403 Half Round Diamond Needle File 1 SDNB0404 Square Diamond Needle File 1 SDNB0405 Triangle Diamond Needle File 1 SDNB0406 Flat Diamond Needle File	

TOPTUL
FILE SET SERIES

Telescopic Pipe Cutter

- Model with telescopic advance mechanism and uniform dimensions
- Grooved guide-rollers for cutting flanged tubes and close-to-flare cut
- For cutting cooper and light alloy pipes
- Built-in retractable reamer
- Light zinc alloy body
- High hardened & hard-wearing bearing steel cutting wheel (SUJ2)
- Large adjustment knurled knob
- Overall length: 135mm

ITEM NO.	CUTTING CAPACITY Ø (mm)		
SEAA0332	3 - 32 (1/8" - 1-1/4")	1	40

Plastic Pipe Cutter

(Additional black nylon material pipe holding stand/adapter to be inserted into the jaw and enable to cut plastic material with flat or bevel surface such as plastic cable conduit, semicircle pipe and etc.)

- Ratchet mechanism model for an effortless progressive cutting action
- Light, die-cast aluminum alloy body
- Round jaw design for easy and quick hold of pipe
- Precision ground and heat treated stainless steel blade
- Suitable for cutting PVC, polyethylene, synthetic pipes, rubber hose and various kinds of plastic material pipe or tubing

ITEM NO.	OPEN MAX. CUTTING CAPACITY Ø (mm)	L (mm)		
SEAB4224	42 (1-5/8")	240	6	36

Ratchet Pipe Cutter

- Expert Quality, adjustable tubing cutter with handle and hardened steel blade
- Ratchets in 10-Degree increments while cutting 360-Degree around tube
- Robust zinc alloy ratchet mechanism, ideal for confined space applications
- Smooth cutting operation with 2 support rollers
- Exclusive one hand operation
- Plastic housing with large knurled knob
- Cuts copper, aluminum, plastic and stainless steel thin wall tubing
- Spare cutting wheel supplied



ITEM NO.	CUTTING CAPACITY Ø (mm)	L (mm)	Applications		
SEAC0828	8 - 28 (5/16" - 1-1/8")	170	Stainless Steel Tube (wall thickness ≦ 2mm) Copper, Aluminum & Plastic Tube (wall thickness ≦ 3mm)	6	36

Ratchet Pipe Cutter

- Expert Quality, adjustable tubing cutter with handle and hardened steel blade
- Ratchets in 6-Degree increments while cutting 360-Degree around tube
- Robust zinc alloy ratchet mechanism, ideal for confined space applications
- Smooth cutting operation with 2 support rollers
- Exclusive one hand operation
- Plastic housing with large knurled knob
- Cuts copper, aluminum, plastic and stainless steel thin wall tubing
- Spare cutting wheel supplied



ITEM NO.	CUTTING CAPACITY Ø (mm)	L (mm)	Applications		
SEAC2867	28 - 67 (1-1/8" - 2-5/8")	250	Stainless Steel Tube (wall thickness ≦ 2mm) Copper, Aluminum & Plastic Tube (wall thickness ≦ 3mm)	1	12

High Tensile Strength Bolt Cutter



HIGH TENSILE STRENGTH BOLT CUTTER

ITEM NO.	CUTTING CAPCITY Ø (mm)	LENGTH (inch)		
SBAB1205	6	12	1	20
SBAB1407	7	14	1	20
SBAB1808	8	18	1	20
SBAB2410	10	24	1	10
SBAB3013	13	30	1	6
SBAB3615	16	36	1	5
SBAB4219	19	42	1	3

BOLT CUTTER CUTTING CAPACITY

Size	Soft Metal	Medium Metal
12"(300mm)	⊘ 6mm(1/4")	⊘ 4mm(5/32")
14"(350mm)	⊘ 7mm(9/32")	⊘ 5mm(3/16")
18"(450mm)	⊘ 8mm(5/16")	⊘ 6mm(1/4")
24"(600mm)	⊘ 10mm(3/8")	⊘ 8mm(5/16")
30"(750mm)	⊘ 13mm(1/2")	⊘ 8mm(5/16")
36"(900mm)	⊘ 16mm(5/8")	⊘ 10mm(3/8")
42"(1120mm)	⊘ 19mm(3/4")	⊘ 12mm(7/16")

Other Tools

Multi-Purpose Electricians Scissors

- Specially Designed For Repair Service Use
- Heavy-Duty High Carbon Stainless Steel Mighty Molybdenum And Vanadium Alloy Blades
- Precision Hollow-Ground And Harened Long-Lasting Cutting Edge
- Micro-Serration Blade Design For Strong Grips On Cutting Objects
- Extension Tang Design To Increase Overall Input Leverage
- High Grade Nylon-Made Ergonomic Modern Handles (With 30% Fiberglass)

ITEM NO.	LENGTH (mm)		
SBAA0414	138	8	64

Straight Pattern Snips

All-PURPOSE
- Meets or exceeds federal specification ANSI/ASME B107.16-1998 and German standard DIN 6438/11.71
- Drop forged high grade tool steel construction
- Induction hardened cutting edges HRC 58 - 61

ITEM NO.	CUTTING LENGTH (mm)	L (mm)		
SBAE0808	40	200 (8")	8	48
SBAE1010	51	250 (10")	6	36
SBAE1212	70	300 (12")	6	24

Offset Tin Snips

Green - SBAD0224
Right and Straight Cut

Red - SBAD0124
Left and Straight Cut

- Meets or exceeds federal specification ANSI/ASME B107.16-1998 and German standard DIN 6438/11.71
- Drop forged Chrome-Molybdenum Alloy Steel blades
- Induction hardened cutting edges HRC 60 - 62
- Precision, serrated cutting jaws ensure quality result
- Cuts up to 1.2mm cold rolled steel or 0.7mm AISI-304 stainless steel

Cuts extremely hard metals of hardness of HRC 40 (0.8m/m), such as stainless steel and more.

ITEM NO.	Offset Tin Snips	Cutting Length (mm)	L(mm)		
SBAD0124	Left cut	35	240	6	48
SBAD0224	Right cut	35	240	6	48

Aviation Tin Snips

Green - SBAC0225
Right Cut

Yellow - SBAC0325
Straight cut

Red - SBAC0125
Left Cut

- Meets or exceeds federal specification ANSI/ASME B107.16-1998 and German standard DIN 6438/11.71
- Drop forged Chrome-Molybdenum Alloy Steel blades
- Induction hardened cutting edges HRC 60 - 62
- Precision, serrated cutting jaws ensure quality result
- Cuts up to 1.2mm cold rolled steel or 0.7mm AISI-304 stainless steel

Cuts extremely hard metals of hardness of HRC 40 (0.6m/m), such as stainless steel and more.

ITEM NO.	Aviation Tin Snips	Cutting Length (mm)	L(mm)		
SBAC0125	Left cut	35	248	6	48
SBAC0225	Right cut	35	248	6	48
SBAC0325	Straight cut	35	250	6	48

Multi-Purpose Hacksaw

- Multi-angle blade adjustment - 45°, 90°, 135° & 180°
- Fully adjustable blade tension
- High blade tension for straight accurate cut (including flush cut)
- Two-hand grip for comfort and easy operation
- Quick and easy blade change
- ABS+TPR plastic ergonomic designed & anti-slip handle
- Shatterproof premium quality blade for excellent cutting performance
- Handy blade storage in tubular frame (stored up to 3pcs spare blade)
- Ideal for cutting metal and aluminum tube, sheets and hard plastics
- Blade: 300mm (12" / 24 TPI), 0.6mm (T)

■ Adjustable Tension Knob

■ To loosen the knob for multi-angle adjustment

■ Replace the New Blade

■ Press the Button to Pull the Metal Tube (Easy access to spare blade storage)

ITEM NO.	BLADE SIZE (inch)		
SAAA3051	12	12	24

Heavy Duty Hacksaw

- Robust Die Cast Aluminum Frame
- Easy And Smooth Blade Tension Adjustments - 45° & 90° Blade Cutting Angle
- Shatterproof Premium Quality Blade

ITEM NO.	BLADE SIZE (inch)		
SAAA3013	12	6	24

Deluxe Mini Hacksaw

- Industrial grade high strength hacksaw
- Premium quality blade
- 6 blade angle settings
- TPR material grip handle



ITEM NO.	BLADE SIZE (inch)		
SAAA1527	6	12	72

High Speed Steel Hacksaw Blades

- Attaches To Heavy Duty Hacksaw #SAAA3013 / #SAAA3051

ITEM NO.	BLADE SIZE (inch)		
SAAB2430	12	100	800

High Speed Steel Hacksaw Blades

- Attaches To Deluxe Mini Hacksaw #SAAA1527

ITEM NO.	BLADE SIZE (inch)		
SAAB2415	6	100	800

Other Tools

Utility Knife
(W/Spare Blade)

- Snap-off blades, 8 sharp points snap segment blades
- Premium quality tool steel blade (SK5)
- Stainless steel blade guide for strength and rust resistance
- Rugged ABS housing
- Blade lock knob
- Blade Dimension: (W)18mm x (L)100mm (0.5mm thick)

■ Blade Lock Knob

■ Supplied with 2 Spare Blades in Handle Storage

■ Tail Piece Snaps Off Blunt Blades

ITEM NO.	LENGTH (mm)		
SCAD1817	165	12	240

Auto Reload Utility Knife
(W/Spare Blade)

- Automatically reloading snap-off blades
- Premium quality tool steel blade (SK2)
- Stainless steel blade guide
- Ergonomic bi-component ABS+TPR anti-slip plastic handle
- Blade lock knob
- 4-blade quick change cartridge
- Blade Dimension: (W)18mm x (L)100mm (0.5mm thick)
- Includes 4 blades

■ Tail Piece Snaps Off Blunt Blades

■ Blade Lock Knob

■ 4-Blade Cartridge

ITEM NO.	LENGTH (mm)		
SCAC1817	165	12	72

Heavy Duty Utility Knife With Spare Blade



1 Curved Handle Design With Slip-Resistant Grip For Comfort And Ease Of Use
2 Retractable Blade Locks In 4 Positions
3 Unique Comfort Texture For Firm And Strong Grip
4 Intergraded Smart Opening Trigger In Design. No Tools Required For Quick Blade Changes
5 Safe Overlapping Knife Design Surrounds Blade For Heavy Duty Cutting

ITEM NO.	LENGTH (mm)		
SCAA2017	165	12	72

10PCS
Replacement Utility Knife Spare Blade Set

- Attaches To Auto Reload Utility Knife #SCAC1817 / #SCAD1817
- Supplied in 10-piece spare blade cartridge

ITEM NO.	SCAB18A0	24 (SET)

- Blade Dimension: (W)18mm x (L)100mm
- Blade Thickness: 0.5 mm

10PCS
Utility Knife Blade Set

- Attaches To Heavy Duty Utility Knife #SCAA2017

ITEM NO.	SCAB2060	25 (SET)

- Blade Dimension: (W)20mm x (L)60mm
- Blade Thickness: 0.6 mm

H.S.S. Bi-Metal Hole Saw
INDUSTRIAL QUALITY

- High speed steel cutting edge
- 4/6T variable pitch rake teeth
- Bi-metal construction for toughness and long service life
- Cut through various types of steel, stainless steel, brass, aluminum, plastic, hardwood, plywood and other materials
- Cutting Depth: 47mm

ITEM NO.	Cutting Diameter Ø (mm)	L (mm)		
SAAC4714	14	66	1	150
SAAC4716	16	66	1	150
SAAC4717	17	60	1	150
SAAC4719	19	60	1	150
SAAC4720	20	60	1	150
SAAC4722	22	60	1	100
SAAC4725	25	60	1	100
SAAC4727	27	60	1	100
SAAC4729	29	60	1	100
SAAC4735	35	60	1	100
SAAC4737	37	60	1	100
SAAC4738	38	60	1	100
SAAC4741	41	60	1	100
SAAC4744	44	53	1	100
SAAC4751	51	53	1	100
SAAC4754	54	53	1	100
SAAC4757	57	53	1	100
SAAC4760	60	53	1	100
SAAC4762	62	53	1	100
SAAC4764	64	53	1	100
SAAC4765	65	53	1	100
SAAC4776	76	53	1	50
SAAC4789	89	53	1	50
SAAC4792	92	53	1	50

Bi-Metal Hole Saw Arbor (14 - 30MM)

- Hole saw arbor with 1/4" diameter high speed steel (HSS) pilot drill
- Hex shank improves the chuck grip
- Hardened mandrel for long thread life
- Removable pilot drill for easy replacement
- Fit bi-metal hole saw size 14 to 30mm (9/16" to 1-3/16")

ITEM NO.	Applicable Diameter (For Bi-Metal Hole Saw) Ø(mm)	Hex Shank (mm)	Chuck Size (inch)	Screw Thread		
SAAD1401	14 - 30	11 (7/16")	1/2	1/2"-20 UNF	1	50

Bi-Metal Hole Saw Arbor (32 - 210MM)

- Hole saw arbor with 1/4" diameter high speed steel (HSS) pilot drill
- Hex shank improves the chuck grip
- Hardened mandrel for long thread life
- Pin lock the hole saw to prevent over-tightening
- Removable pilot drill for easy replacement
- Fit bi-metal hole saw size 32 - 210mm (1-1/4" to 8-9/32")

ITEM NO.	Applicable Diameter (For Bi-Metal Hole Saw) Ø(mm)	Hex Shank (mm)	Chuck Size (inch)	Screw Thread		
SAAD1402	32 - 210	11 (7/16")	1/2	5/8"-18 UNF	1	50

Other Tools

3-Claw Pick-Up Tool

- Retractable 3-clawed pincers with push-button control
- Flexible shaft holds shape to reach around obstacles
- Pick up non-magnetic objects such as electronic components
- Bi-component plastic handle grip

ITEM NO.	Max. Claw Opening Capacity Ø(mm)	L1(mm)	L(mm)		
JJCG0350	32	395	500	10	40
JJCG0360	32	495	600	10	40

Telescoping Magnetic Pick-Up Tool

ITEM NO.	MAGNET(lbs)	LENGTH(mm)		
JJAG3E68	3.5 (1.6kgs)	417 - 680	24	72

Telescoping Magnetic Pick-Up Tool

- Extends From 130 - 640mm Long
- Telescoping Shaft Lifting Capacity 3.5 LBS

ITEM NO.	MAGNET(lbs)	LENGTH(mm)		
JJAG3E63	3.5 (1.6kgs)	130 - 640	24	384

Telescoping Inspection Mirror

ITEM NO.	MIRROR DIAMETER	LENGTH(mm)		
JJAM0242	57mm	283 - 420	25	100

Telescoping Insepction Mirror

ITEM NO.	MIRROR SIZE (W) x (L)	LENGTH(mm)		
JJAM0144	50 x 90mm	307 - 443	25	100



Magnetic Flexible Handle

- Flexible shaft holds shape and can retrieve at hard-to-reach angles and around obstructions

ITEM NO.	L1(mm)	L(mm)		
JJAD0512	305 (12")	420 (16-1/2")	10	60
JJAD0518	457 (18")	572 (22-1/2")	10	60

Magnetic Flexible Handle



- Strong shaft bends and holds in all position
- Magnetic capacity: 1.6kgs (3.5lbs)

ITEM NO.	L1(mm)	L(mm)		
JJAD1423	475 (19")	585	12	48

Magnetic Trays

ITEM NO.	SIZE(mm)		
JJAF1506	Ø150 x H42	1	30
JJAF2414	L240 x W140 x H42	1	20

Measuring Tape ★

- Easy Access, Sliding Thumb Lock
- Nylon Coated Steel Tape for Maximum Corrosion Protection & Wear Resistance
- High Impact ABS Case with Rubber Protected
- Double Riveted End Hook for Lasting Durability
- Stop Button and Automatic Tape Rewind
- Shock-Absorbing Blade Return Bumper
- Dual Scale Reading in both Metric and Imperial

ITEM NO.	SIZE	TAPE WIDTH(inch)		
IAAA0003	3M/10FT	3/4" (19mm)	6	72
IAAA0005	5M/16FT	3/4" (19mm)	12	72

Measuring Tape ★

- Easy Access, Sliding Thumb Lock
- High Impact Stainless Steel Case With Nylon Protected
- Double Riveted End Hook For Lasting Durability
- Shock-Absorbing Blade Return Bumper

ITEM NO.	SIZE	TAPE WIDTH(inch)		
IAAB1903	3M/10FT	3/4" (19mm)	12	72
IAAB1905	5M/16FT	3/4" (19mm)	12	72
IAAB2508	8M/27FT	1" (25mm)	6	36

12PCS ★

Measuring Tape Set W/Display Box

ITEM NO.	CONTENTS	
IAAB2508S	12 8M/27FT x 25mm (1")	4

Other Tools

130PCS
Professional Threaded Coil-Insert Repair Kit

- Ideal for repairing and restoring damaged threads, suitable for machine construction, engine repair and other automotive applications
- For most commonly used metric bolt sizes
  Thread insert sizes M5, M6, M8, M10 and M12
- Each size includes stainless steel screw coils, high speed steel thread tap & twist drill, installation tools and pin breaking tools

1. Drill out damaged thread using correctly sized drill bit

2. Tap re-drilled hole using tap

3. Load coiled insert into applicator

4. Screw coil into casting

5. Using pin breaking tool, break off pin on insert

6. Thread is repaired and ready to use

ITEM NO.	CONTENTS	8 (SET)
JGAD130A	110 **Stainless Steel Screw Coil Inserts** 25PCS- M5x0.8mmx1.5D (L=7.5mm) 25PCS- M6x1.0mmx1.5D (L=9.0mm) 25PCS- M8x1.25mmx1.5D (L=12.0mm) 25PCS- M10x1.5mmx1.5D (L=15.0mm) 10PCS- M12x1.75mmx1.5D (L=18.0mm) 5 **Twist Drills** M5 (Ø5.2mm), M6 (Ø6.3mm), M8 (Ø8.3mm), M10 (Ø10.4mm), M12 (Ø12.4mm) 5 **Thread Taps** M5x0.8mm, M6x1.0mm, M8x1.25mm, M10x1.5mm, M12x1.75mm **Installation Tools** 5 M5, M6, M8, M10, M12 **Pin Breaking Tools** 5 M5, M6, M8, M10, M12	

METAL CASE: W357 x D221 x H28 (mm)

3PCS
Damaged Screw Remover Set

- Removes damaged Phillips, Slotted, Star and Square screws and etc
- Special hardened steel bits for secure bite on damaged fasteners
- 1/4" hex shank fits drill, sockets and screwdrivers
- Material: Ball Bearing Steel (SUJ2)

Screw extractor bit plows into the head of a damaged screw and turn it out quickly and easily!

ITEM NO.	CONTENTS	10 (SET)
JGAW0301	#1, #2, #3	

Spot Weld Drill Bit

- Special drill bit for the removal of spot welds
- Flat Ground for strength
- Self centering tip minimizes walking
- Made of high speed steel (HSS) with 8% Cobalt
- Titanium coated hardened tip

ITEM NO.	SIZE(mm)	L1(mm)	L(mm)		
JJAX0817	Ø 8	17	45	18	216
JJAX0821	Ø 8	21	80	16	192

5PCS
Screw Extractor Set (CR-MO)

ITEM NO.	CONTENTS	25 (SET)
JGAW0501	5 1/8", 1/4", 5/16", 7/16", 9/16"	



To use, a small hole needs to be drilled in the centre of the rogue screw and the correct sized extractor inserted. The extractors are threaded in the opposite direction to conventional screw threads. When the extractor is tightened in an anti-clockwise direction, it begins to loosen the screw.

40PCS
Tap & Die Set

ITEM NO.	CONTENTS	10 (SET)
JGAI4001	34 **Tap & Die** M3x0.5, M3x0.6, M4x0.7, M4x0.75, M5x0.8, M5x0.9, M6x0.75, M6x1.0, M7x0.75, M7x1.0, M8x1.0, M8x1.25, M10x1.25, M10x1.5, M12x1.25, M12x1.5, 1/8 NPT-27 1 **Die Stock Handle** 1" / 25mm O.D. 1 **Tap Wrench** M3 - M12 1 **T-Type Tap Wrench** M3 - M6 1 **Screw Pitch Gauge** 0.5, 0.6, 0.7, 0.75, 0.8, 0.9, 1.0, 1.25, 1.5, 1.75, 27, 28 1 **Slotted Screwdriver** 0.6x3mm L=93mm 1 **Blow Case** W300xD230xH53mm	

BLOW CASE: W300 x D230 x H53 (mm)

5PCS
Screw Extractor Set (CR-MO)

ITEM NO.	CONTENTS	25 (SET)
JGAW0502	5 7/64", 9/64", 5/32", 1/4", 19/64"	

Nut Splitter (CR-V)

ITEM NO.	SIZE(mm)	L(mm)		
DAAX1A12	9 - 12	76	20	240
DAAX1A16	12 - 16	94	10	120
DAAX1A22	16 - 22	124	5	40
DAAX1A27	22 - 27	150	2	32

4PCS
Nut Splitter Set (CR-V)

- For the safe removal of corroded or damaged nuts without damaging bolt threads. Drop forged steel body hardened and tempered with chrome plated
- Threaded splitting pin manufactured from chrome vanadium steel with black phosphate finish
- Packed in blow molded case

ITEM NO.	CONTENTS	10 (SET)
GAAI0402	4 **DAAX1A12~1A27** 9 - 12 mm, 12 - 16 mm, 16 - 22 mm, 22 - 27 mm	

BLOW CASE: W255 x D145 x H45 (mm)

Other Tools

Tweezers

- JJAV0312
- JJAV0212
- JJAV0112
- JJAV0411

- Made of Stainless Steel
- Precision tweezers for working on fine installation and assembly work

ITEM NO.	LENGTH (mm)		
JJAV0312	115	30	480
JJAV0212	120	30	480
JJAV0112	116	30	480
JJAV0411	112	30	480

4PCS
Tweezers Set

ITEM NO.		
JGAA0401		20 (SET)

6PCS
1/2" DR. Impact Driver Set

ITEM NO.	CONTENTS	
GAAD0602	1 FIAA1615 1/2" Dr. Impact Driver - 145mm (L) 1 FTAB1610 Quick Change Bit Holder 1/2" Dr. x 5/16" (H) - 38mm (L) 2 FSAC1008 & 1010 5/16" Hex Shank Slotted Insert Bits 1.2 x 8 mm & 1.6 x 10 mm - 36mm (L) 2 FSBC1002 & 1003 5/16" Hex Shank Phillips Insert Bits PH2 & PH3 - 36mm (L)	20 (SET)

METAL CASE: W196 x D70 x H47 (mm)

3 Row Stainless Steel Wire Scratch Brush

- 3 rows of rustproof stainless steel wire
- Kiln-dried hardwood for maximum tuft retention
- Angle pattern curved handle, hang-up hole for convenient storage
- Ideal for removing rust, corrosion, paint and all general surface cleaning
- Fill Pattern: 3 Rows of 15
- Bristle Length: 25mm
- Brush Dimension: (L)290 x (W)27 x (H)46mm

ITEM NO.	LENGTH (mm)		
NBAA0315	290	12	72

Brake Calliper Brush

- 2 rows of rustproof stainless steel wire
- Slim body design
- Hang-up hole for convenient storage
- Ideal for removing dust, rust from brake calliper and all general surface cleaning
- Fill Pattern: 2 Rows
- Bristle Length: 27mm
- Brush Dimension: (L)219 x (W)13.5 x (H)48mm

ITEM NO.	LENGTH (mm)		
NBBA0212	219	10	60

8PCS
1/2" DR. Impact Driver Set

ITEM NO.	CONTENTS	
GAAD0808	1 FIAA1615 1/2" Dr. Impact Driver - 145mm (L) 1 FTAB1610 Quick Change Bit Holder 1/2" Dr. x 5/16" (H) - 38mm (L) 2 FSAC1008 & 1010 5/16" Hex Shank Slotted Insert Bits 1.2 x 8 mm & 1.6 x 10 mm - 36mm (L) 2 FSBC1002 & 1003 5/16" Hex Shank Phillips Insert Bits PH2 & PH3 - 36mm (L) 2 FSBD1002 & 1003 5/16" Hex Shank Phillips Insert Bits PH2 & PH3 - 80mm (L)	20 (SET)

METAL CASE: W196 x D70 x H47 (mm)

Angle Nozzle Air Blow Gun

- Max Pressure: 220 PSI / 15 kgs

ITEM NO.	INLET(inch)	TUBE LENGTH(inch)		
KAGA1904	1/4	4	30	60
KAGA1910	1/4	10	25	50

Angel Nozzle Air Blow Gun

- Ideal for cleaning and removing swarf or dust during assembly
- Angled nozzle enable to reach into tight places
- Steel nozzle with non-slip handle
- Working Pressure: 70 - 120 PSI / 5.0 - 8.0 kgs
- Max Pressure: 160 PSI / 11 kgs
- Sound Pressure: 85 - 90 dB
- Air Consumption (90 PSI): 1/4" Hose - 9 CFM (250 l/min)

ITEM NO.	INLET(inch)	TUBE LENGTH(inch)		
KAGA0204	1/4	4	30	60
KAGA0210	1/4	10	25	50

26PCS
Inch Feeler Gauge (Rounded Tips)

- 26 Blades made of hardened Spring Steel
- Dual marked blades for both imperial and metric sizes
- Thumb notch design of blade protector to aid in removal of blades
- Chrome plated steel protector with locking knurl nut

- CONTENTS
  0.0015", 0.002", 0.0025", 0.003", 0.004", 0.005", 0.006", 0.007", 0.008", 0.009", 0.010", 0.011", 0.012", 0.013", 0.014", 0.015", 0.016", 0.017", 0.018", 0.019", 0.020", 0.021", 0.022", 0.023", 0.024", 0.025"

ITEM NO.	Number of Blades	Blade Length	Blade Width	Blade Thickness Range		
ICBA1026	26	3-1/2" (90mm)	1/2" (12.7mm)	0.0015" - 0.025" (0.04 - 0.63mm)	50	200

20PCS
Metric Feeler Gauge (Tapered Tips)

- 20 Blades made of hardened Spring Steel
- Thumb notch design of blade protector to aid in removal of blades
- Chrome plated steel protector with locking knurl nut



- CONTENTS
  0.05, 0.10, 0.15, 0.20, 0.25, 0.30, 0.35, 0.40, 0.45, 0.50, 0.55, 0.60, 0.65, 0.70, 0.75, 0.80, 0.85, 0.90, 0.95, 1.00mm

ITEM NO.	Number of Blades	Blade Length	Blade Width	Blade Thickness Range		
ICAA0020	20	100mm	10mm	0.05 - 1.00mm	50	200

Stainless Steel Vernier Caliper

- Made of fully hardened stainless steel
- Accuracy: ±0.02 mm
- Graduations: 0.02 mm / 0.001 inch
- Measuring bar in both metric and imperial measurement
- Easy to read clear black engraved graduations
- For inside, outside, step and depth measurements
- Lock screw for sliding jaw
- Supplied in plastic case





Outside Measurement | Inside Measurement | Step Measurement | Depth Measurement

ITEM NO.	Measuring Range (mm)	A (mm)	L (mm)		
IACA0150	0 - 150	40	235	1	20